



# wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 9, 2024 – 04:15 PM EST

PDB ID : 8VC9  
Title : Hybrid response regulator LvrB from *Leptospira* / phosphorylated REC form  
Authors : Mechaly, A.; Buschiazzo, A.  
Deposited on : 2023-12-13  
Resolution : 2.65 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.21  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1003 (2.66-2.66)
Clashscore	180529	1063 (2.66-2.66)
Ramachandran outliers	177936	1052 (2.66-2.66)
Sidechain outliers	177891	1052 (2.66-2.66)
RSRZ outliers	164620	1003 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	382	 80% 18% ..
1	B	382	 79% 18% ..
1	C	382	 81% 18% ..
1	D	382	 77% 21% ..
1	E	382	 81% 16% ..

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	382	 <p>A horizontal bar chart representing the quality of the chain. The bar is divided into two segments: a green segment on the left labeled '80%' and a yellow segment on the right labeled '18%'. A small red square is at the beginning of the bar, and a small grey square is at the end. A '%' symbol is positioned above the bar on the left side.</p>

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 18135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leptospira virulence regulator B (LvrB).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	379	Total 2970	C 1895	N 494	O 572	S 9	0	0	0
1	B	376	Total 2942	C 1878	N 488	O 566	S 10	0	0	0
1	C	378	Total 3013	C 1921	N 505	O 577	S 10	0	1	0
1	D	378	Total 2986	C 1907	N 497	O 573	S 9	0	0	0
1	E	376	Total 2954	C 1886	N 491	O 568	S 9	0	0	0
1	F	378	Total 2992	C 1911	N 498	O 574	S 9	0	0	0

- Molecule 2 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula:  $C_{11}H_{18}N_5O_{12}P_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	C	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	D	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	E	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
2	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		
3	C	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		
3	E	2	Total	Mg	0	0
			2	2		
3	F	2	Total	Mg	0	0
			2	2		

- Molecule 4 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	Be	F	0	0
			4	1	3		
4	B	1	Total	Be	F	0	0
			4	1	3		
4	C	1	Total	Be	F	0	0
			4	1	3		
4	D	1	Total	Be	F	0	0
			4	1	3		
4	E	1	Total	Be	F	0	0
			4	1	3		
4	F	1	Total	Be	F	0	0
			4	1	3		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		
5	E	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	5	Total	O	0	0
			5	5		
6	B	6	Total	O	0	0
			6	6		
6	C	7	Total	O	0	0
			7	7		
6	D	7	Total	O	0	0
			7	7		
6	E	6	Total	O	0	0
			6	6		
6	F	5	Total	O	0	0
			5	5		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: *Leptospira* virulence regulator B (LvrB)



- Molecule 1: *Leptospira* virulence regulator B (LvrB)




- Molecule 1: *Leptospira* virulence regulator B (LvrB)









- Molecule 1: *Leptospira* virulence regulator B (LvrB)



- Molecule 1: *Leptospira* virulence regulator B (LvrB)



- Molecule 1: *Leptospira* virulence regulator B (LvrB)



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	175.07Å 102.33Å 184.48Å 90.00° 92.49° 90.00°	Depositor
Resolution (Å)	49.27 – 2.65 49.27 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.5 (49.27-2.65) 99.7 (49.27-2.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.82 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.210 , 0.254 0.212 , 0.254	Depositor DCC
$R_{free}$ test set	4666 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	72.6	Xtriage
Anisotropy	0.740	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 73.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.007 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.010 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.012 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.013 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	18135	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACP, BEF, SO4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/3025	0.66	0/4090
1	B	0.33	0/2995	0.65	1/4048 (0.0%)
1	C	0.35	0/3070	0.68	0/4139
1	D	0.36	0/3040	0.69	2/4103 (0.0%)
1	E	0.33	0/3008	0.65	1/4063 (0.0%)
1	F	0.33	0/3047	0.66	0/4111
All	All	0.34	0/18185	0.67	4/24554 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	372	LEU	CA-CB-CG	6.03	129.18	115.30
1	D	294	LEU	CA-CB-CG	5.25	127.37	115.30
1	B	228	LEU	CA-CB-CG	5.18	127.22	115.30
1	D	377	PHE	N-CA-CB	-5.05	101.50	110.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2970	0	2935	51	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2942	0	2908	49	0
1	C	3013	0	3028	58	0
1	D	2986	0	2985	62	0
1	E	2954	0	2928	53	0
1	F	2992	0	2999	54	0
2	A	31	0	14	3	0
2	B	31	0	14	5	0
2	C	31	0	14	4	0
2	D	31	0	14	4	0
2	E	31	0	14	3	0
2	F	31	0	14	4	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
4	A	4	0	0	0	0
4	B	4	0	0	0	0
4	C	4	0	0	0	0
4	D	4	0	0	0	0
4	E	4	0	0	0	0
4	F	4	0	0	0	0
5	A	5	0	0	0	0
5	E	15	0	0	0	0
6	A	5	0	0	0	0
6	B	6	0	0	0	0
6	C	7	0	0	0	0
6	D	7	0	0	0	0
6	E	6	0	0	0	0
6	F	5	0	0	0	0
All	All	18135	0	17867	276	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 276 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:298:ILE:HD12	1:D:376:ILE:HD11	1.52	0.92
1:D:252:GLU:HG2	1:D:298:ILE:HG12	1.51	0.89

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:ILE:HD12	1:A:376:ILE:HD11	1.57	0.86
1:A:197:GLU:OE2	1:A:200:ARG:NH2	2.12	0.83
1:E:163:ILE:HD11	1:F:205:MET:HG3	1.62	0.80

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/382 (99%)	369 (98%)	8 (2%)	0	100	100
1	B	372/382 (97%)	364 (98%)	7 (2%)	1 (0%)	37	53
1	C	377/382 (99%)	368 (98%)	8 (2%)	1 (0%)	37	53
1	D	374/382 (98%)	368 (98%)	6 (2%)	0	100	100
1	E	372/382 (97%)	362 (97%)	9 (2%)	1 (0%)	37	53
1	F	376/382 (98%)	368 (98%)	8 (2%)	0	100	100
All	All	2248/2292 (98%)	2199 (98%)	46 (2%)	3 (0%)	48	67

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	335	SER
1	B	3	LYS
1	C	317	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	319/336 (95%)	313 (98%)	6 (2%)	52	72
1	B	315/336 (94%)	300 (95%)	15 (5%)	21	36
1	C	329/336 (98%)	325 (99%)	4 (1%)	67	82
1	D	325/336 (97%)	317 (98%)	8 (2%)	42	64
1	E	318/336 (95%)	310 (98%)	8 (2%)	42	64
1	F	326/336 (97%)	321 (98%)	5 (2%)	60	77
All	All	1932/2016 (96%)	1886 (98%)	46 (2%)	44	65

5 of 46 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	196	ASP
1	E	203	THR
1	D	202	SER
1	D	318	ILE
1	E	212	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 12 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	BEF	F	403	1	0,3,3	-	-	-		
2	ACP	D	401	3	27,33,33	1.16	2 (7%)	33,52,52	1.15	2 (6%)
5	SO4	A	405	-	4,4,4	0.25	0	6,6,6	0.09	0
4	BEF	E	403	1	0,3,3	-	-	-		
2	ACP	B	401	3	27,33,33	0.91	1 (3%)	33,52,52	1.25	2 (6%)
2	ACP	E	401	3	27,33,33	0.89	1 (3%)	33,52,52	1.37	2 (6%)
5	SO4	E	406	-	4,4,4	0.23	0	6,6,6	0.20	0
4	BEF	D	403	1	0,3,3	-	-	-		
5	SO4	E	405	-	4,4,4	0.27	0	6,6,6	0.16	0
4	BEF	B	403	1	0,3,3	-	-	-		
2	ACP	F	401	3	27,33,33	0.95	1 (3%)	33,52,52	1.27	3 (9%)
4	BEF	C	403	1	0,3,3	-	-	-		
5	SO4	E	407	-	4,4,4	0.21	0	6,6,6	0.22	0
2	ACP	A	401	3	27,33,33	0.82	1 (3%)	33,52,52	1.28	2 (6%)
2	ACP	C	401	3	27,33,33	0.81	1 (3%)	33,52,52	1.26	2 (6%)
4	BEF	A	403	1	0,3,3	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACP	D	401	3	-	5/15/38/38	0/3/3/3
2	ACP	B	401	3	-	5/15/38/38	0/3/3/3
2	ACP	E	401	3	-	1/15/38/38	0/3/3/3
2	ACP	F	401	3	-	2/15/38/38	0/3/3/3
2	ACP	A	401	3	-	3/15/38/38	0/3/3/3
2	ACP	C	401	3	-	8/15/38/38	0/3/3/3

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	ACP	PB-O3A	4.19	1.63	1.58
2	F	401	ACP	PB-O3A	3.79	1.62	1.58
2	B	401	ACP	PB-O3A	3.29	1.62	1.58
2	E	401	ACP	PB-O3A	3.29	1.62	1.58
2	D	401	ACP	PA-O3A	2.87	1.62	1.59

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	401	ACP	PB-O3A-PA	-6.87	109.94	132.37
2	A	401	ACP	PB-O3A-PA	-6.49	111.18	132.37
2	B	401	ACP	PB-O3A-PA	-6.18	112.19	132.37
2	C	401	ACP	PB-O3A-PA	-6.10	112.45	132.37
2	F	401	ACP	PB-O3A-PA	-6.03	112.70	132.37

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	401	ACP	C5'-O5'-PA-O2A
2	C	401	ACP	C5'-O5'-PA-O1A
2	C	401	ACP	C5'-O5'-PA-O2A
2	C	401	ACP	C5'-O5'-PA-O3A
2	E	401	ACP	PB-O3A-PA-O5'

There are no ring outliers.


6 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	ACP	4	0
2	B	401	ACP	5	0
2	E	401	ACP	3	0
2	F	401	ACP	4	0
2	A	401	ACP	3	0
2	C	401	ACP	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be






highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	379/382 (99%)	-0.03	2 (0%) 87 86	61, 97, 148, 207	0
1	B	376/382 (98%)	0.14	16 (4%) 40 37	50, 108, 170, 203	0
1	C	378/382 (98%)	-0.09	4 (1%) 77 75	56, 86, 133, 188	1 (0%)
1	D	378/382 (98%)	-0.17	4 (1%) 77 75	53, 82, 118, 205	0
1	E	376/382 (98%)	0.10	5 (1%) 74 72	62, 108, 151, 202	0
1	F	378/382 (98%)	0.15	5 (1%) 74 72	55, 110, 157, 224	0
All	All	2265/2292 (98%)	0.02	36 (1%) 70 68	50, 98, 152, 224	1 (0%)

The worst 5 of 36 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	326	ILE	4.4
1	D	335	SER	3.6
1	A	211	PHE	3.3
1	D	211	PHE	3.0
1	C	211	PHE	2.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	SO4	A	405	5/5	0.64	0.11	125,150,162,230	0
5	SO4	E	407	5/5	0.70	0.10	139,140,152,230	0
5	SO4	E	406	5/5	0.80	0.07	110,110,136,182	0
2	ACP	B	401	31/31	0.88	0.10	115,136,141,150	0
2	ACP	E	401	31/31	0.89	0.11	107,119,132,143	0
2	ACP	F	401	31/31	0.90	0.10	103,121,134,142	0
3	MG	E	404	1/1	0.93	0.14	122,122,122,122	0
5	SO4	E	405	5/5	0.93	0.12	83,84,95,98	0
4	BEF	F	403	4/4	0.94	0.06	82,84,85,89	0
2	ACP	A	401	31/31	0.95	0.08	83,103,116,125	0
2	ACP	C	401	31/31	0.95	0.07	78,90,109,126	0
2	ACP	D	401	31/31	0.95	0.08	67,80,103,122	0
3	MG	F	404	1/1	0.95	0.09	117,117,117,117	0
4	BEF	E	403	4/4	0.95	0.06	93,97,100,101	0
4	BEF	B	403	4/4	0.97	0.05	55,56,58,58	0
4	BEF	D	403	4/4	0.97	0.04	66,72,72,74	0
4	BEF	C	403	4/4	0.98	0.04	56,62,63,63	0
3	MG	C	404	1/1	0.98	0.05	87,87,87,87	0
4	BEF	A	403	4/4	0.98	0.04	75,77,78,79	0
3	MG	B	404	1/1	0.98	0.04	125,125,125,125	0
3	MG	E	402	1/1	0.99	0.03	104,104,104,104	0
3	MG	B	402	1/1	0.99	0.04	61,61,61,61	0
3	MG	F	402	1/1	0.99	0.03	88,88,88,88	0
3	MG	A	402	1/1	0.99	0.05	82,82,82,82	0
3	MG	A	404	1/1	0.99	0.04	92,92,92,92	0
3	MG	D	402	1/1	0.99	0.02	77,77,77,77	0
3	MG	D	404	1/1	0.99	0.02	78,78,78,78	0
3	MG	C	402	1/1	1.00	0.02	60,60,60,60	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ACP B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ACP E 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ACP F 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG E 404:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around BEF F 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)













**Electron density around MG F 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BEF E 403:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BEF B 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BEF D 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BEF C 403:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG C 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BEF A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG B 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around MG E 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MG F 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG A 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around MG A 404:**



$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG D 402:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG D 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.