

Full wwPDB X-ray Structure Validation Report (i)

Oct 5, 2023 – 05:13 AM EDT

PDB ID : 6VG0

Title : CRYSTAL STRUCTURE OF HUMAN CYTOSOLIC ISOCITRATE DEHY-

DROGENASE (IDH1) R132H MUTANT IN COMPLEX WITH NADPH and

AGI-15056

Authors : Padyana, A.; Jin, L.

Deposited on : 2020-01-07

Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : FAILED

Mogul : 1.8.5 (274361), CSD as 541 be (2020)

Xtriage (Phenix) : 1.13

EDS : FAILED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 10132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	413	Total	С	N	О	S	0	9	0
1	A	410	3302	2097	564	623	18	0	J	
1	D	415	Total	С	N	О	S	0	1	0
1	Б	410	3294	2094	558	624	18		1	U
1	C	404	Total	С	N	О	S	0	1	0
1		404	3210	2041	544	607	18			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	HIS	ARG	engineered mutation	UNP O75874
A	415	SER	-	expression tag	UNP O75874
A	416	LEU	-	expression tag	UNP O75874
A	417	GLU	-	expression tag	UNP O75874
A	418	HIS	-	expression tag	UNP O75874
A	419	HIS	-	expression tag	UNP O75874
A	420	HIS	-	expression tag	UNP O75874
A	421	HIS	-	expression tag	UNP O75874
A	422	HIS	-	expression tag	UNP 075874
A	423	HIS	-	expression tag	UNP O75874
A	424	HIS	-	expression tag	UNP O75874
A	425	HIS	-	expression tag	UNP 075874
В	132	HIS	ARG	engineered mutation	UNP O75874
В	415	SER	-	expression tag	UNP O75874
В	416	LEU	-	expression tag	UNP O75874
В	417	GLU	-	expression tag	UNP O75874
В	418	HIS	-	expression tag	UNP 075874
В	419	HIS	-	expression tag	UNP 075874
В	420	HIS	-	expression tag	UNP O75874
В	421	HIS	-	expression tag	UNP O75874
В	422	HIS	-	expression tag	UNP O75874
В	423	HIS	-	expression tag	UNP O75874
В	424	HIS	-	expression tag	UNP 075874


Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	425	HIS	-	expression tag	UNP O75874
С	132	HIS	ARG	engineered mutation	UNP O75874
С	415	SER	-	expression tag	UNP O75874
С	416	LEU	-	expression tag	UNP O75874
С	417	GLU	-	expression tag	UNP O75874
С	418	HIS	_	expression tag	UNP O75874
С	419	HIS	-	expression tag	UNP O75874
С	420	HIS	-	expression tag	UNP O75874
С	421	HIS	-	expression tag	UNP O75874
С	422	HIS	-	expression tag	UNP O75874
С	423	HIS	-	expression tag	UNP O75874
С	424	HIS	-	expression tag	UNP O75874
С	425	HIS	-	expression tag	UNP 075874

• Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	Λ	1	Total	С	N	О	Р	0	0
2	Λ	1	48	21	7	17	3	U	U
2	D	1	Total	С	N	О	Р	0	0
	Б	1	48	21	7	17	3	U	U
2	С	1	Total	С	N	О	Р	0	0
		1	48	21	7	17	3	U	0

• Molecule 3 is N 2 ,N 4 -bis[(1R)-1-cyclopropylethyl]-6-[6-(trifluoromethyl)pyridin-2-yl]-1,3,5 -triazine-2,4-diamine (three-letter code: QWM) (formula: $C_{19}H_{23}F_3N_6$) (labeled as "Ligand



of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	В	1	Total 56				0	1
3	С	1	Total 28		F 3		0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	48	Total O 48 48	0	0
4	В	30	Total O 30 30	0	0
4	С	20	Total O 20 20	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	196.77Å 89.16Å 90.75Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.20 - 2.66	Depositor
% Data completeness	97.8 (41.20-2.66)	Depositor
(in resolution range)	, ,	-
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.21 (at 2.65Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.206 , 0.264	Depositor
Wilson B-factor (A^2)	42.9	Xtriage
Anisotropy	0.135	Xtriage
L-test for twinning ²	$< L > = 0.47, < L^2> = 0.30$	Xtriage
Estimated twinning fraction	0.021 for -h,l,k	Xtriage
Total number of atoms	10132	wwPDB-VP
Average B, all atoms (\mathring{A}^2)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $< L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tune	Chain	Res	Link	Вс	ond leng	$_{ m ths}$	Bond angles		
MIOI	Type	Chain	nes	LillK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NDP	В	502	-	45,52,52	0.50	0	53,80,80	0.54	1 (1%)
3	QWM	В	501[A]	-	31,31,31	2.79	4 (12%)	46,46,46	2.82	18 (39%)
3	QWM	В	501[B]	-	31,31,31	2.81	4 (12%)	46,46,46	2.78	18 (39%)
3	QWM	С	501	-	31,31,31	2.77	3 (9%)	46,46,46	2.84	20 (43%)
2	NDP	С	502	-	45,52,52	0.54	0	53,80,80	0.53	1 (1%)
2	NDP	A	501	-	45,52,52	0.52	0	53,80,80	0.53	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	В	502	-	-	11/30/77/77	0/5/5/5
3	QWM	В	501[A]	-	-	10/26/30/30	0/4/4/4
3	QWM	В	501[B]	-	-	2/26/30/30	0/4/4/4
3	QWM	С	501	-	-	9/26/30/30	0/4/4/4
2	NDP	С	502	-	-	9/30/77/77	0/5/5/5
2	NDP	A	501	-	-	11/30/77/77	0/5/5/5

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
3	В	501[A]	QWM	C04-N07	10.35	1.48	1.34
3	В	501[B]	QWM	C04-N07	10.34	1.48	1.34
3	С	501	QWM	C04-N07	10.28	1.48	1.34
3	В	501[B]	QWM	C02-N09	10.22	1.47	1.34
3	В	501[A]	QWM	C02-N09	10.09	1.47	1.34
3	С	501	QWM	C02-N09	10.00	1.47	1.34
3	В	501[B]	QWM	C11-C06	-2.70	1.40	1.48
3	В	501[A]	QWM	C11-C06	-2.68	1.40	1.48
3	С	501	QWM	C11-C06	-2.67	1.40	1.48
3	В	501[A]	QWM	C26-C19	2.05	1.54	1.50
3	В	501[B]	QWM	C26-C19	2.05	1.54	1.50

All (59) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	В	501[B]	QWM	C04-N05-C06	8.85	120.24	114.60
3	В	501[A]	QWM	C02-N01-C06	8.82	120.22	114.60
3	В	501[A]	QWM	C04-N05-C06	8.73	120.16	114.60
3	С	501	QWM	C04-N05-C06	8.45	119.99	114.60
3	С	501	QWM	C02-N01-C06	8.39	119.94	114.60
3	В	501[B]	QWM	C02-N01-C06	8.28	119.88	114.60
3	С	501	QWM	C02-N09-C16	-6.54	119.16	124.53
3	С	501	QWM	C04-N07-C12	-5.97	119.63	124.53
3	В	501[B]	QWM	C02-N09-C16	-5.41	120.09	124.53
3	В	501[A]	QWM	C04-N07-C12	-5.39	120.11	124.53
3	В	501[A]	QWM	C02-N09-C16	-5.26	120.21	124.53
3	В	501[B]	QWM	C26-C19-N18	4.63	119.81	114.56
3	В	501[A]	QWM	C26-C19-N18	4.59	119.77	114.56
3	В	501[B]	QWM	C04-N07-C12	-4.51	120.83	124.53
3	С	501	QWM	C26-C19-N18	4.05	119.15	114.56
3	В	501[B]	QWM	N05-C04-N03	-3.99	119.92	126.23
3	С	501	QWM	N05-C04-N03	-3.98	119.94	126.23
3	В	501[A]	QWM	N05-C04-N03	-3.97	119.96	126.23
3	В	501[B]	QWM	N03-C02-N01	-3.89	120.07	126.23
3	С	501	QWM	N03-C02-N01	-3.89	120.08	126.23
3	В	501[A]	QWM	N03-C02-N01	-3.89	120.09	126.23
3	С	501	QWM	C04-N03-C02	3.64	120.06	113.89
3	В	501[B]	QWM	C04-N03-C02	3.55	119.91	113.89
3	В	501[A]	QWM	C04-N03-C02	3.48	119.79	113.89
3	В	501[A]	QWM	N05-C06-N01	-3.37	119.79	125.23
3	В	501[B]	QWM	N05-C06-N01	-3.25	119.98	125.23
3	С	501	QWM	N05-C06-N01	-3.24	119.99	125.23
3	В	501[B]	QWM	C06-C11-N18	2.95	120.41	117.28
3	В	501[A]	QWM	C46-C34-C16	-2.56	114.89	119.16
3	В	501[B]	QWM	C11-C06-N01	2.45	120.80	117.48
3	В	501[B]	QWM	C40-C14-C12	-2.38	115.19	119.16
3	В	501[B]	QWM	C46-C34-C16	-2.38	115.19	119.16
3	В	501[A]	QWM	C11-C06-N05	2.36	120.68	117.48
3	В	501[A]	QWM	C43-C14-C12	-2.34	115.26	119.16
3	В	501[A]	QWM	C40-C14-C12	-2.34	115.26	119.16
3	В	501[B]	QWM	N07-C04-N03	2.34	120.69	117.18
2	С	502	NDP	C5A-C6A-N6A	2.34	123.90	120.35
3	С	501	QWM	C43-C14-C12	-2.33	115.27	119.16
3	С	501	QWM	C11-C06-N05	2.29	120.58	117.48
3	С	501	QWM	C46-C34-C16	-2.26	115.39	119.16
3	В	501[B]	QWM	C43-C14-C12	-2.26	115.39	119.16
2	В	502	NDP	C5A-C6A-N6A	2.26	123.78	120.35
3	С	501	QWM	N09-C02-N01	2.26	120.57	117.18

Continued on next page...



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
3	С	501	QWM	C49-C34-C16	-2.24	115.42	119.16
3	С	501	QWM	C36-C12-C14	-2.24	109.06	114.08
3	В	501[A]	QWM	C06-C11-N18	2.23	119.64	117.28
2	A	501	NDP	C5A-C6A-N6A	2.21	123.71	120.35
3	В	501[A]	QWM	N09-C02-N03	2.20	120.48	117.18
3	С	501	QWM	F28-C26-C19	-2.13	108.83	112.47
3	С	501	QWM	N07-C04-N05	2.13	120.37	117.18
3	С	501	QWM	C30-C16-C34	-2.12	109.32	114.08
3	В	501[B]	QWM	C36-C12-C14	-2.12	109.33	114.08
3	В	501[B]	QWM	C49-C34-C16	-2.09	115.67	119.16
3	В	501[A]	QWM	C36-C12-C14	-2.09	109.40	114.08
3	С	501	QWM	C40-C14-C12	-2.06	115.72	119.16
3	В	501[B]	QWM	C30-C16-C34	-2.06	109.47	114.08
3	С	501	QWM	F27-C26-C19	-2.03	109.00	112.47
3	В	501[A]	QWM	C49-C34-C16	-2.03	115.77	119.16
3	В	501[A]	QWM	C30-C16-C34	-2.02	109.56	114.08

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NDP	C5B-O5B-PA-O3
2	A	501	NDP	C5D-O5D-PN-O1N
2	A	501	NDP	C5D-O5D-PN-O2N
2	В	502	NDP	C5B-O5B-PA-O3
2	В	502	NDP	C5D-O5D-PN-O1N
2	В	502	NDP	C5D-O5D-PN-O2N
2	С	502	NDP	C5B-O5B-PA-O1A
2	С	502	NDP	C5D-O5D-PN-O3
2	С	502	NDP	C5D-O5D-PN-O1N
2	С	502	NDP	C5D-O5D-PN-O2N
3	В	501[A]	QWM	C30-C16-C34-C46
3	В	501[A]	QWM	N09-C16-C34-C46
3	С	501	QWM	C36-C12-C14-C40
3	С	501	QWM	N07-C12-C14-C43
3	С	501	QWM	N03-C04-N07-C12
3	С	501	QWM	N05-C04-N07-C12
3	С	501	QWM	C14-C12-N07-C04
2	С	502	NDP	C3B-C2B-O2B-P2B
2	В	502	NDP	C2D-C1D-N1N-C2N
2	В	502	NDP	C2D-C1D-N1N-C6N
2	A	501	NDP	C2D-C1D-N1N-C2N

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	В	502	NDP	O4D-C1D-N1N-C2N
3	В	501[A]	QWM	C30-C16-C34-C49
2	A	501	NDP	C2D-C1D-N1N-C6N
2	A	501	NDP	O4D-C1D-N1N-C2N
2	В	502	NDP	O4D-C1D-N1N-C6N
2	A	501	NDP	C5D-O5D-PN-O3
2	A	501	NDP	C5B-O5B-PA-O1A
2	A	501	NDP	C5B-O5B-PA-O2A
2	В	502	NDP	C5B-O5B-PA-O1A
2	В	502	NDP	C5B-O5B-PA-O2A
3	В	501[A]	QWM	N07-C12-C14-C43
3	В	501[A]	QWM	N09-C16-C34-C49
2	С	502	NDP	O4D-C1D-N1N-C2N
3	С	501	QWM	N01-C06-C11-N18
2	A	501	NDP	O4D-C1D-N1N-C6N
3	С	501	QWM	N05-C06-C11-N18
3	С	501	QWM	N05-C06-C11-C24
3	С	501	QWM	N01-C06-C11-C24
3	В	501[A]	QWM	N01-C06-C11-N18
3	В	501[A]	QWM	N05-C06-C11-N18
3	В	501[A]	QWM	C14-C12-N07-C04
3	В	501[B]	QWM	C14-C12-N07-C04
3	В	501[A]	QWM	N01-C06-C11-C24
3	В	501[A]	QWM	N05-C06-C11-C24
2	С	502	NDP	C2B-O2B-P2B-O1X
2	A	501	NDP	C2B-O2B-P2B-O2X
2	В	502	NDP	C5D-O5D-PN-O3
2	С	502	NDP	C5B-O5B-PA-O3
2	В	502	NDP	C2N-C3N-C7N-N7N
2	С	502	NDP	C3D-C4D-C5D-O5D
3	В	501[B]	QWM	N01-C06-C11-N18

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the




average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

