

# wwPDB X-ray Structure Validation Summary Report (i)

#### Nov 21, 2023 – 03:20 PM JST

PDB ID	:	7VG9
Title	:	Crystal structure of phosphotransbutyrylase from Clostridium acetobutylicum
Authors	:	Kim, S.; Kim, KJ.
Deposited on	:	2021-09-15
Resolution	:	2.91  Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \textbf{Whole archive} \\ \textbf{(\#Entries)} \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462(2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	321	<sup>2%</sup> 69%	22%	• 6%
1	В	321	74%	18%	• 7%
1	С	321	% <b>7</b> 6%	17%	• 5%
1	D	321	% 74%	17%	• 7%
1	Е	321	<b>% 75%</b>	17%	• 6%
1	F	321	% 69%	22%	• 6%



Mol	Chain	Length	Quality of chain			
1	G	321	% 68%	23%	•	7%
1	Н	321	3% 66%	24%	•	7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	F	401	-	-	Х	-
2	SO4	F	404	-	-	Х	-



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 18432 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	201	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	A	301	2253	1424	380	434	15	0	0	0
1	D	200	Total	С	Ν	0	S	0	0	0
1	D	300	2243	1418	378	432	15	0	0	0
1	C	206	Total	С	Ν	0	S	0	0	0
1	U	500	2288	1445	389	439	15	0	0	0
1	Л	200	Total	С	Ν	0	S	0	0	0
1	D	500	2243	1418	378	432	15	0	0	0
1	F	301	Total	С	Ν	Ο	S	0	0	0
1	Ľ	501	2253	1424	380	434	15	0	0	0
1	Б	202	Total	С	Ν	Ο	S	0	0	0
1	I.	505	2269	1433	384	437	15	0	0	0
1	C	200	Total	С	Ν	Ο	S	0	0	0
	G	300	2243	1418	378	432	15	0	0	0
1	ц	200	Total	С	Ν	Ο	S	0	0	0
	п	300	2243	1418	378	432	15			

• Molecule 1 is a protein called Phosphate butyryltransferase.

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual Comment		Reference
А	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
А	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
А	-17	SER	-	expression tag	UNP A0A7Y9ABB0
А	-16	SER	-	expression tag	UNP A0A7Y9ABB0
A	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
А	-9	SER	-	expression tag	UNP A0A7Y9ABB0
A	-8	SER	-	expression tag	UNP A0A7Y9ABB0
А	-7	GLY	-	expression tag	UNP A0A7Y9ABB0



7	V	G9

Chain	Residue	Modelled	Actual	Comment	Reference
А	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
A	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
A	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
А	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
А	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
А	-1	SER	-	expression tag	UNP A0A7Y9ABB0
А	0	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
В	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
В	-17	SER	-	expression tag	UNP A0A7Y9ABB0
В	-16	SER	-	expression tag	UNP A0A7Y9ABB0
В	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
В	-9	SER	-	expression tag	UNP A0A7Y9ABB0
В	-8	SER	-	expression tag	UNP A0A7Y9ABB0
В	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
В	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
В	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
В	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
В	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
В	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
В	-1	SER	-	expression tag	UNP A0A7Y9ABB0
В	0	HIS	-	expression tag	UNP A0A7Y9ABB0
С	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
С	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
С	-17	SER	-	expression tag	UNP A0A7Y9ABB0
С	-16	SER	-	expression tag	UNP A0A7Y9ABB0
С	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
С	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
С	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
С	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
C	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
С	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
C	-9	SER	-	expression tag	UNP A0A7Y9ABB0
C	-8	SER	-	expression tag	UNP A0A7Y9ABB0
C	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
C	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
С	-5	VAL	-	expression tag	UNP A0A7Y9ABB0



Chain	Residue	Modelled	Actual	Comment	Reference
С	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
С	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
С	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
С	-1	SER	-	expression tag	UNP A0A7Y9ABB0
С	0	HIS	-	expression tag	UNP A0A7Y9ABB0
D	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
D	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
D	-17	SER	-	expression tag	UNP A0A7Y9ABB0
D	-16	SER	-	expression tag	UNP A0A7Y9ABB0
D	-15	HIS	_	expression tag	UNP A0A7Y9ABB0
D	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
D	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
D	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
D	-11	HIS	_	expression tag	UNP A0A7Y9ABB0
D	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
D	-9	SER	-	expression tag	UNP A0A7Y9ABB0
D	-8	SER	-	expression tag	UNP A0A7Y9ABB0
D	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
D	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
D	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
D	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
D	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
D	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
D	-1	SER	-	expression tag	UNP A0A7Y9ABB0
D	0	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
Е	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
E	-17	SER	-	expression tag	UNP A0A7Y9ABB0
E	-16	SER	-	expression tag	UNP A0A7Y9ABB0
E	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
E	-9	SER	-	expression tag	UNP A0A7Y9ABB0
E	-8	SER	-	expression tag	UNP A0A7Y9ABB0
E	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
E	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
E	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
E	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
E	-3	ARG	_	expression tag	UNP A0A7Y9ABB0



Chain	Residue	Modelled	Actual	Comment	Reference
Е	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
Е	-1	SER	-	expression tag	UNP A0A7Y9ABB0
Е	0	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
F	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
F	-17	SER	-	expression tag	UNP A0A7Y9ABB0
F	-16	SER	_	expression tag	UNP A0A7Y9ABB0
F	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
F	-9	SER	-	expression tag	UNP A0A7Y9ABB0
F	-8	SER	-	expression tag	UNP A0A7Y9ABB0
F	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
F	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
F	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
F	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
F	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
F	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
F	-1	SER	-	expression tag	UNP A0A7Y9ABB0
F	0	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
G	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
G	-17	SER	-	expression tag	UNP A0A7Y9ABB0
G	-16	SER	_	expression tag	UNP A0A7Y9ABB0
G	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-11	HIS	_	expression tag	UNP A0A7Y9ABB0
G	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
G	-9	SER	_	expression tag	UNP A0A7Y9ABB0
G	-8	SER	-	expression tag	UNP A0A7Y9ABB0
G	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
G	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
G	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
G	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
G	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
G	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
G	-1	SER	-	expression tag	UNP A0A7Y9ABB0



Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-19	MET	-	initiating methionine	UNP A0A7Y9ABB0
Н	-18	GLY	-	expression tag	UNP A0A7Y9ABB0
Н	-17	SER	-	expression tag	UNP A0A7Y9ABB0
Н	-16	SER	-	expression tag	UNP A0A7Y9ABB0
Н	-15	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-14	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-13	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-12	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-11	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-10	HIS	-	expression tag	UNP A0A7Y9ABB0
Н	-9	SER	-	expression tag	UNP A0A7Y9ABB0
Н	-8	SER	-	expression tag	UNP A0A7Y9ABB0
Н	-7	GLY	-	expression tag	UNP A0A7Y9ABB0
Н	-6	LEU	-	expression tag	UNP A0A7Y9ABB0
Н	-5	VAL	-	expression tag	UNP A0A7Y9ABB0
Н	-4	PRO	-	expression tag	UNP A0A7Y9ABB0
Н	-3	ARG	-	expression tag	UNP A0A7Y9ABB0
Н	-2	GLY	-	expression tag	UNP A0A7Y9ABB0
Н	-1	SER	-	expression tag	UNP A0A7Y9ABB0
Н	0	HIS	-	expression tag	UNP A0A7Y9ABB0

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Δ	1	Total O S	0	0
	Л	T	$5 \ 4 \ 1$	0	0
2	А	1	Total O S	0	0
	11	1	5 4 1	0	0
2	А	1	Total O S	0	0
		_	5 $4$ $1$	-	
2	А	1	Total O S	0	0
			5 $4$ $1$		
2	А	1	Total O S	0	0
			$\begin{array}{ccc} 0 & 4 & 1 \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\$		
2	А	1	$\begin{array}{ccc} 10tal & O & S \\ 5 & 4 & 1 \end{array}$	0	0
			$\begin{array}{ccc} 0 & 4 & 1 \\ \hline Total & O & S \end{array}$		
2	В	1	5 4 1	0	0
			$\begin{array}{c} 5 & 4 \\ Total & 0 \\ \end{array}$		
2	В	1	5 4 1	0	0
			Total O S		
2	В	1	5 4 1	0	0
	D	-	Total O S		2
2	В	1	5 4 1	0	0
0	р	1	Total O S	0	0
	В	1	5 4 1	0	0
2	С	1	Total O S	0	0
2	U	T	$5 \ 4 \ 1$	0	0
2	С	1	Total O S	0	0
		1	5 4 1	0	0
2	С	1	Total O S	0	0
		_	5 $4$ $1$	-	
2	С	1	Total O S	0	0
			5 $4$ $1$		
2	С	1	$\begin{bmatrix} 10tal & O & S \\ S & 4 & 1 \end{bmatrix}$	0	0
			$\begin{array}{ccc} 0 & 4 & 1 \\ \hline Total & O & S \end{array}$		
2	D	1	$\begin{bmatrix} 10tal \\ 5 \\ 1 \end{bmatrix}$	0	0
			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
2	D	1	5 4 1	0	0
			Total O S		
2	D	1	5 4 1	0	0
			Total O S		
2	E	1	5 4 1	0	0
	Б	1	Total O S		0
2	E		5 4 1	0	U
0	F	1	Total O S	0	0
	Ľ		5 4 1		U



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	F	1	Total O S	0	0
	Ľ	T	$5 \ 4 \ 1$	0	0
2	E	1	Total O S	0	0
	Ľ	1	$5 \ 4 \ 1$	0	0
2	E	1	Total O S	0	0
		1	5 4 1	0	0
2	E	1	Total O S	0	0
		-	5 4 1		0
2	Е	1	Total O S	0	0
			5 4 1		
2	Е	1	Total O S	0	0
			5 $4$ $1$		
2	Е	1	Total O S	0	0
			5 $4$ $1$		
2	Е	1	Iotal O S	0	0
			$\begin{array}{ccc} 0 & 4 & 1 \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \\ \hline \\ \\ \\ \\ \\ \\ \\$		
2	Ε	1	$\begin{array}{ccc} 10tal & 0 & 5 \\ 5 & 4 & 1 \end{array}$	0	0
			$\frac{5}{4}$ $\frac{4}{1}$		
2	Ε	1	5 4 1	0	0
			Total O S		
2	F	1	5 4 1	0	0
			Total O S		_
2	F	1	5 4 1	0	0
			Total O S	2	2
2	F	1	5 4 1	0	0
0	Б	1	Total O S	0	0
	F	1	$5 \ 4 \ 1$	0	0
0	F	1	Total O S	0	0
	Г	1	$5 \ 4 \ 1$	0	0
2	F	1	Total O S	0	0
	Ľ	I	$5 \ 4 \ 1$	0	0
2	F	1	Total O S	0	0
	L L	1	5 4 1		0
2	G	1	Total O S	0	0
		±	5 4 1		
2	G	1	Total O S	0	0
		_	5 $4$ $1$		
2	G	1	Total O S	0	0
			5 4 1		
2	G	1	Total O S	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	12	Total         O           12         12	0	0
3	В	15	Total         O           15         15	0	0
3	С	27	TotalO2727	0	0
3	D	20	TotalO2020	0	0
3	Ε	28	TotalO2828	0	0
3	F	23	Total O 23 23	0	0
3	G	15	Total O 15 15	0	0
3	Н	17	Total O 17 17	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Phosphate butyryltransferase

#### H284 M288 1291 V297 V297 N300 LYS

• Molecule 1: Phosphate butyryltransferase









• Molecule 1: Phosphate butyryltransferase





# • Wole class for the form of t





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	94.69Å 143.41Å 113.28Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $93.99^{\circ}$ $90.00^{\circ}$	Depositor
Resolution(A)	30.29 - 2.91	Depositor
Resolution (A)	30.27 - 2.91	EDS
% Data completeness	95.2 (30.29-2.91)	Depositor
(in resolution range)	95.3 (30.27-2.91)	EDS
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	6.53 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
D D.	0.172 , $0.239$	Depositor
$n, n_{free}$	0.177 , $0.238$	DCC
$R_{free}$ test set	3125 reflections $(4.97%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	40.2	Xtriage
Anisotropy	0.582	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.36 , $43.5$	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	18432	wwPDB-VP
Average B, all atoms $(Å^2)$	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.38% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
IVIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.71	0/2279	0.90	0/3077
1	В	0.71	0/2269	0.91	0/3066
1	С	0.72	0/2316	0.92	0/3130
1	D	0.72	0/2269	0.92	0/3066
1	Е	0.72	0/2279	0.91	0/3077
1	F	0.73	0/2296	0.91	0/3100
1	G	0.69	0/2269	0.88	0/3066
1	Н	0.71	0/2269	0.89	0/3066
All	All	0.71	0/18246	0.91	0/24648

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	С	140	THR	Peptide
1	D	140	THR	Peptide



#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2253	0	2356	46	0
1	В	2243	0	2343	29	0
1	С	2288	0	2387	32	0
1	D	2243	0	2343	31	0
1	Е	2253	0	2356	33	0
1	F	2269	0	2368	65	0
1	G	2243	0	2343	46	0
1	Н	2243	0	2343	48	0
2	А	30	0	0	0	0
2	В	25	0	0	0	0
2	С	25	0	0	2	0
2	D	15	0	0	0	0
2	Е	65	0	0	0	0
2	F	35	0	0	6	0
2	G	20	0	0	1	0
2	Н	25	0	0	0	0
3	А	12	0	0	0	0
3	В	15	0	0	0	0
3	С	27	0	0	0	0
3	D	20	0	0	0	0
3	Е	28	0	0	0	0
3	F	23	0	0	0	0
3	G	15	0	0	0	0
3	Н	17	0	0	0	0
All	All	18432	0	18839	311	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 311 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:255:THR:O	1:H:259:THR:HB	1.74	0.88
1:G:122:MET:SD	1:G:268:LEU:HD13	2.19	0.82
1:G:255:THR:O	1:G:259:THR:HB	1.79	0.82



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:B:118:THR:HG21	1:B:270:GLY:O	1.80	0.82	
1:H:96:MET:HG2	1:H:276:VAL:HB	1.63	0.80	

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	299/321~(93%)	284 (95%)	15~(5%)	0	100	100
1	В	298/321~(93%)	285 (96%)	13~(4%)	0	100	100
1	С	304/321~(95%)	294 (97%)	10 (3%)	0	100	100
1	D	298/321~(93%)	282 (95%)	16 (5%)	0	100	100
1	Ε	299/321~(93%)	289~(97%)	10 (3%)	0	100	100
1	F	301/321~(94%)	282 (94%)	19 (6%)	0	100	100
1	G	298/321~(93%)	279~(94%)	19 (6%)	0	100	100
1	Н	298/321~(93%)	284 (95%)	14 (5%)	0	100	100
All	All	2395/2568~(93%)	2279 (95%)	116 (5%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	249/266~(94%)	226 (91%)	23~(9%)	9	26
1	В	248/266~(93%)	220~(89%)	28 (11%)	6	17
1	С	253/266~(95%)	226~(89%)	27 (11%)	6	19
1	D	248/266~(93%)	223~(90%)	25~(10%)	7	22
1	Ε	249/266~(94%)	228~(92%)	21 (8%)	11	30
1	F	251/266~(94%)	226~(90%)	25~(10%)	7	22
1	G	248/266~(93%)	224 (90%)	24 (10%)	8	24
1	Н	248/266~(93%)	214 (86%)	34 (14%)	3	10
All	All	1994/2128~(94%)	1787 (90%)	207 (10%)	7	20

5 of 207 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Е	140	THR
1	F	198	LYS
1	Н	264	ASN
1	Е	198	LYS
1	F	61	ILE

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such side chains are listed below:

Mol	Chain	Res	Type
1	G	250	ASN
1	G	264	ASN
1	Н	300	ASN
1	D	75	ASN
1	D	72	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

#### 48 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dec	Tiple	Bond lengths		В	ond ang	gles	
INIOI	туре	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	E	406	-	4,4,4	0.39	0	$6,\!6,\!6$	0.13	0
2	SO4	G	402	-	4,4,4	0.31	0	$6,\!6,\!6$	0.13	0
2	SO4	А	401	-	4,4,4	0.30	0	$6,\!6,\!6$	0.14	0
2	SO4	Н	403	-	4,4,4	0.29	0	$6,\!6,\!6$	0.18	0
2	SO4	В	403	-	4,4,4	0.35	0	$6,\!6,\!6$	0.12	0
2	SO4	С	402	-	4,4,4	0.38	0	$6,\!6,\!6$	0.26	0
2	SO4	F	407	-	4,4,4	0.21	0	$6,\!6,\!6$	0.13	0
2	SO4	G	403	-	4,4,4	0.31	0	$6,\!6,\!6$	0.10	0
2	SO4	Е	408	-	4,4,4	0.35	0	$6,\!6,\!6$	0.08	0
2	SO4	E	410	-	4,4,4	0.35	0	$6,\!6,\!6$	0.15	0
2	SO4	Н	404	-	4,4,4	0.29	0	$6,\!6,\!6$	0.10	0
2	SO4	С	405	-	4,4,4	0.32	0	$6,\!6,\!6$	0.09	0
2	SO4	Е	404	-	4,4,4	0.32	0	$6,\!6,\!6$	0.08	0
2	SO4	Е	405	-	4,4,4	0.32	0	$6,\!6,\!6$	0.11	0
2	SO4	F	403	-	4,4,4	0.27	0	$6,\!6,\!6$	0.17	0
2	SO4	В	405	-	4,4,4	0.35	0	$6,\!6,\!6$	0.11	0
2	SO4	F	402	-	4,4,4	0.31	0	$6,\!6,\!6$	0.14	0
2	SO4	Н	401	-	4,4,4	0.37	0	$6,\!6,\!6$	0.16	0
2	SO4	F	404	-	4,4,4	0.42	0	$6,\!6,\!6$	0.19	0
2	SO4	D	402	-	4,4,4	0.37	0	$6,\!6,\!6$	0.19	0
2	SO4	D	403	-	4,4,4	0.28	0	$6,\!6,\!6$	0.21	0
2	SO4	E	401	-	4,4,4	0.27	0	$6,\!6,\!6$	0.10	0
2	SO4	G	401	-	4,4,4	0.54	0	$6,\!6,\!6$	0.29	0
2	SO4	E	411	-	4,4,4	0.31	0	$6,\!6,\!6$	0.11	0
2	SO4	A	405	-	4,4,4	0.27	0	$6,\!6,\!6$	0.11	0
2	SO4	D	401	-	4,4,4	0.26	0	$6,\!6,\!6$	0.24	0
2	SO4	В	402	-	4,4,4	0.28	0	$6,\!6,\!6$	0.15	0



Mal	Type	Chain	Dog	Tink	Bond lengths		E	Bond ang	gles	
	Type	Unann	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	А	406	-	4,4,4	0.46	0	6,6,6	0.19	0
2	SO4	Е	403	-	4,4,4	0.32	0	6,6,6	0.16	0
2	SO4	Е	413	-	4,4,4	0.36	0	$6,\!6,\!6$	0.11	0
2	SO4	G	404	-	4,4,4	0.33	0	$6,\!6,\!6$	0.10	0
2	SO4	F	406	-	4,4,4	0.35	0	$6,\!6,\!6$	0.17	0
2	SO4	А	402	-	4,4,4	0.30	0	$6,\!6,\!6$	0.08	0
2	SO4	С	404	-	4,4,4	0.32	0	$6,\!6,\!6$	0.11	0
2	SO4	С	401	-	4,4,4	0.43	0	$6,\!6,\!6$	0.24	0
2	SO4	А	403	-	4,4,4	0.36	0	$6,\!6,\!6$	0.11	0
2	SO4	Е	407	-	4,4,4	0.31	0	$6,\!6,\!6$	0.14	0
2	SO4	F	401	-	4,4,4	0.37	0	$6,\!6,\!6$	0.17	0
2	SO4	Н	405	-	4,4,4	0.31	0	$6,\!6,\!6$	0.28	0
2	SO4	Н	402	-	4,4,4	0.34	0	$6,\!6,\!6$	0.12	0
2	SO4	Е	409	-	4,4,4	0.33	0	$6,\!6,\!6$	0.10	0
2	SO4	А	404	-	4,4,4	0.20	0	$6,\!6,\!6$	0.20	0
2	SO4	В	404	-	4,4,4	0.37	0	$6,\!6,\!6$	0.07	0
2	SO4	В	401	-	4,4,4	0.31	0	$6,\!6,\!6$	0.12	0
2	SO4	E	412	-	4,4,4	0.34	0	6,6,6	0.08	0
2	SO4	С	403	-	4,4,4	0.29	0	6,6,6	0.08	0
2	SO4	E	402	-	4,4,4	0.37	0	6,6,6	0.15	0
2	SO4	F	405	-	4,4,4	0.39	0	$6,\!6,\!6$	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	402	SO4	1	0
2	F	404	SO4	4	0
2	G	401	SO4	1	0
2	С	401	SO4	1	0
2	F	401	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is



within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























































































































































































































































































#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	А	301/321~(93%)	-0.13	5 (1%) 70	70	24,  44,  66,  87	0
1	В	300/321~(93%)	-0.14	6 (2%) 65	64	24, 40, 67, 86	0
1	С	306/321~(95%)	-0.36	2 (0%) 87	88	18, 32, 55, 84	0
1	D	300/321~(93%)	-0.28	3 (1%) 82	82	20,  35,  59,  72	0
1	Е	301/321~(93%)	-0.30	2(0%) 87	88	19,33,57,89	0
1	F	303/321~(94%)	-0.34	2(0%) 87	88	20, 32, 52, 63	0
1	G	300/321~(93%)	-0.21	4 (1%) 77	77	23, 41, 62, 87	0
1	Н	300/321~(93%)	-0.02	10 (3%) 46	42	23, 45, 71, 84	0
All	All	2411/2568 (93%)	-0.22	34 (1%) 75	76	18, 38, 63, 89	0

The worst 5 of 34 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	67	ASP	4.2
1	F	301	LYS	3.4
1	G	1	MET	3.4
1	В	113	GLU	3.3
1	Н	112	LYS	3.3

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	SO4	Е	411	5/5	0.81	0.27	88,98,104,106	0
2	SO4	С	405	5/5	0.82	0.27	96,96,108,109	0
2	SO4	А	404	5/5	0.82	0.24	66,67,82,92	0
2	SO4	Е	412	5/5	0.83	0.51	105,108,114,119	0
2	SO4	Н	404	5/5	0.83	0.36	87,88,97,104	0
2	SO4	Е	410	5/5	0.84	0.26	83,90,93,96	0
2	SO4	В	404	5/5	0.87	0.39	85,90,97,97	0
2	SO4	Е	409	5/5	0.87	0.51	104,108,112,116	0
2	SO4	F	404	5/5	0.88	0.37	67,79,87,87	0
2	SO4	Е	404	5/5	0.88	0.31	78,85,86,90	0
2	SO4	F	406	5/5	0.89	0.37	80,88,91,91	0
2	SO4	В	405	5/5	0.90	0.23	96,99,102,105	0
2	SO4	Е	413	5/5	0.91	0.52	96,99,104,107	0
2	SO4	Н	403	5/5	0.91	0.18	69,72,77,84	0
2	SO4	Е	405	5/5	0.91	0.30	86,87,89,91	0
2	SO4	Н	402	5/5	0.92	0.28	59,71,74,77	0
2	SO4	Ε	407	5/5	0.92	0.30	82,84,88,91	0
2	SO4	Е	403	5/5	0.92	0.25	$54,\!56,\!69,\!74$	0
2	SO4	Н	405	5/5	0.92	0.22	68,73,77,80	0
2	SO4	F	403	5/5	0.93	0.40	$66,\!67,\!71,\!84$	0
2	SO4	А	403	5/5	0.93	0.52	93,105,117,117	0
2	SO4	F	405	5/5	0.93	0.35	99,101,103,104	0
2	SO4	D	401	5/5	0.93	0.20	46,48,51,53	0
2	SO4	Е	406	5/5	0.93	0.20	110,111,114,114	0
2	SO4	С	404	5/5	0.93	0.31	74, 76, 79, 84	0
2	SO4	Е	408	5/5	0.93	0.37	$95,\!95,\!105,\!107$	0
2	SO4	F	402	5/5	0.93	0.20	54,57,64,68	0
2	SO4	A	402	5/5	0.94	0.36	73,75,81,83	0
2	SO4	А	405	5/5	0.94	0.30	$67,\!73,\!82,\!87$	0
2	SO4	В	403	5/5	0.94	0.20	86,90,97,101	0
2	SO4	А	401	5/5	0.94	0.27	62,66,72,83	0
2	SO4	G	404	5/5	0.95	0.20	72,74,77,78	0
2	SO4	Н	401	5/5	0.95	0.15	62,68,72,78	0
2	SO4	А	406	5/5	0.95	0.15	$56,\!58,\!67,\!73$	0
2	SO4	C	402	5/5	0.95	0.20	64,64,66,68	0
2	SO4	В	402	5/5	0.95	0.23	$58,\!63,\!68,\!71$	0
2	SO4	F	407	5/5	0.95	0.28	42,44,46,47	0

Continued on next page...



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	D	402	5/5	0.96	0.19	$51,\!55,\!63,\!71$	0
2	SO4	D	403	5/5	0.96	0.24	$60,\!60,\!65,\!73$	0
2	SO4	Е	401	5/5	0.96	0.19	48,53,56,59	0
2	SO4	С	401	5/5	0.96	0.12	51,53,61,69	0
2	SO4	G	401	5/5	0.96	0.14	47,48,57,59	0
2	SO4	G	402	5/5	0.96	0.12	47,50,58,60	0
2	SO4	С	403	5/5	0.97	0.22	68,71,74,75	0
2	SO4	G	403	5/5	0.97	0.20	57,63,71,72	0
2	SO4	F	401	5/5	0.97	0.17	58,59,61,64	0
2	SO4	Е	402	5/5	0.97	0.13	60,61,71,73	0
2	SO4	В	401	5/5	0.99	0.08	33,33,35,37	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.































































































































































































## 6.5 Other polymers (i)

There are no such residues in this entry.

