



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 5, 2023 – 12:50 PM EST

PDB ID : 1VQK  
Title : The structure of CCDA-PHE-CAP-BIO bound to the a site of the ribosomal subunit of haloarcula marismortui  
Authors : Schmeing, T.M.; Steitz, T.A.  
Deposited on : 2004-12-16  
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)
RNA backbone	3102	1090 (2.70-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	2922	
2	9	122	
3	4	5	
4	A	240	
5	B	338	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	C	246	
7	D	177	
8	E	178	
9	F	120	
10	G	348	
11	H	171	
12	J	145	
13	K	132	
14	L	165	
15	M	195	
16	N	187	
17	O	116	
18	P	149	
19	Q	96	
20	R	155	
21	S	85	
22	T	120	
23	U	66	
24	V	71	
25	W	154	
26	X	92	
27	Y	241	
28	Z	83	
29	1	57	
30	2	50	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
31	3	92	
32	I	162	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACA	4	78	-	-	-	X
33	MG	0	8022	-	-	-	X
33	MG	0	8047	-	-	-	X
33	MG	0	8082	-	-	-	X
33	MG	0	8092	-	-	-	X
35	NA	0	9122	-	-	-	X
35	NA	0	9129	-	-	-	X
35	NA	0	9164	-	-	-	X
37	SR	0	9500	-	-	-	X
37	SR	0	9547	-	-	-	X
37	SR	0	9601	-	-	-	X
37	SR	B	9521	-	-	-	X

## 2 Entry composition [i](#)

There are 39 unique types of molecules in this entry. The entry contains 99036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal rna.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	0	2754	59021	26350	10878	19048	2745	0	0	0

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	9	122	2600	1160	472	847	121	0	0	0

- Molecule 3 is a RNA chain called 5'-R(\*CP\*CP\*(DA)\*(PHE)\*(ACA))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	4	5	73	40	12	19	2	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	A	237	1753	1072	352	324	5	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	B	337	2625	1616	493	511	5	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L4E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	C	246	1859	1131	344	383	1	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	D	140	1094	685	195	210	4	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	E	172	1357	840	224	289	4	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L7AE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	F	119	890	551	141	197	1	0	0	0

- Molecule 10 is a protein called ACIDIC RIBOSOMAL PROTEIN P0 HOMOLOG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	G	29	240	149	39	51	1	0	0	0

- Molecule 11 is a protein called 50S RIBOSOMAL PROTEIN L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	H	160	1266	785	237	238	6	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	J	142	1120	696	199	222	3	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	K	132	992	609	187	192	4	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	44	LEU	HIS	conflict	UNP P22450

- Molecule 14 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
14	L	145	1118	670	222	226	0	0	0

- Molecule 15 is a protein called 50S Ribosomal Protein L15E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	M	194	1560	943	332	284	1	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	13	GLU	LYS	conflict	GB 55231501
M	194	ALA	GLY	conflict	GB 55231501

- Molecule 16 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
16	N	186	1445	895	262	286	2	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
17	O	115	865	529	161	175	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L19E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
18	P	143	1136	683	229	224	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
19	Q	95	735	450	141	144	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
20	R	150	1149	713	209	223	4	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
21	S	81	641	389	111	138	3	0	0	0

- Molecule 22 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
22	T	119	950	568	180	202	0	0	0

- Molecule 23 is a protein called 50S ribosomal protein L24E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
23	U	53	410	244	75	86	5	0	0	0

- Molecule 24 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
24	V	65	499	304	94	100	1	0	0	0

- Molecule 25 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
25	W	154	1196	737	209	244	6	0	0	0

- Molecule 26 is a protein called 50S ribosomal protein L31e.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
26	X	82	654	402	129	122	1	0	0	0

- Molecule 27 is a protein called 50S ribosomal protein L32E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
27	Y	142	1130	686	228	216		0	0	0

- Molecule 28 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	Z	73	578	346	116	111	5	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	10	ARG	SER	conflict	GB 55231162

- Molecule 29 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
29	1	56	431	258	86	83	4	0	0	0

- Molecule 30 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
30	2	46	396	239	89	67	1	0	0	0

- Molecule 31 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
31	3	92	755	458	153	137	7	0	0	0

- Molecule 32 is a protein called 50S RIBOSOMAL PROTEIN L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
32	I	70	519	323	81	114	1	0	0	0

- Molecule 33 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	0	87	Total	Mg	0	0
			87	87		
33	9	1	Total	Mg	0	0
			1	1		
33	A	1	Total	Mg	0	0
			1	1		
33	B	1	Total	Mg	0	0
			1	1		
33	K	1	Total	Mg	0	0
			1	1		
33	T	1	Total	Mg	0	0
			1	1		
33	Y	1	Total	Mg	0	0
			1	1		

- Molecule 34 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	2	Total	K	0	0
			2	2		

- Molecule 35 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	0	64	Total	Na	0	0
			64	64		
35	9	1	Total	Na	0	0
			1	1		
35	C	1	Total	Na	0	0
			1	1		
35	D	1	Total	Na	0	0
			1	1		
35	J	1	Total	Na	0	0
			1	1		
35	M	1	Total	Na	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	Q	1	Total 1	Na 1	0	0
35	R	3	Total 3	Na 3	0	0
35	S	1	Total 1	Na 1	0	0
35	3	1	Total 1	Na 1	0	0

- Molecule 36 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	0	10	Total 10	Cl 10	0	0
36	A	1	Total 1	Cl 1	0	0
36	B	1	Total 1	Cl 1	0	0
36	J	3	Total 3	Cl 3	0	0
36	L	1	Total 1	Cl 1	0	0
36	M	1	Total 1	Cl 1	0	0
36	N	1	Total 1	Cl 1	0	0
36	O	1	Total 1	Cl 1	0	0
36	R	1	Total 1	Cl 1	0	0
36	Y	1	Total 1	Cl 1	0	0
36	3	1	Total 1	Cl 1	0	0

- Molecule 37 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	0	98	Total 98	Sr 98	0	0
37	9	3	Total 3	Sr 3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	A	3	Total 3	Sr 3	0	0
37	B	2	Total 2	Sr 2	0	0
37	F	1	Total 1	Sr 1	0	0
37	H	1	Total 1	Sr 1	0	0
37	L	1	Total 1	Sr 1	0	0
37	R	1	Total 1	Sr 1	0	0
37	S	1	Total 1	Sr 1	0	0
37	1	2	Total 2	Sr 2	0	0
37	3	1	Total 1	Sr 1	0	0

- Molecule 38 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	O	1	Total 1	Cd 1	0	0
38	U	1	Total 1	Cd 1	0	0
38	Z	1	Total 1	Cd 1	0	0
38	1	1	Total 1	Cd 1	0	0
38	3	1	Total 1	Cd 1	0	0

- Molecule 39 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	0	5769	Total 5769	O 5769	0	0
39	9	140	Total 140	O 140	0	0
39	A	121	Total 121	O 121	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	B	144	Total 144	O 144	0	0
39	C	177	Total 177	O 177	0	0
39	D	48	Total 48	O 48	0	0
39	E	44	Total 44	O 44	0	0
39	F	27	Total 27	O 27	0	0
39	G	17	Total 17	O 17	0	0
39	H	69	Total 69	O 69	0	0
39	J	52	Total 52	O 52	0	0
39	K	57	Total 57	O 57	0	0
39	L	81	Total 81	O 81	0	0
39	M	130	Total 130	O 130	0	0
39	N	61	Total 61	O 61	0	0
39	O	40	Total 40	O 40	0	0
39	P	64	Total 64	O 64	0	0
39	Q	49	Total 49	O 49	0	0
39	R	82	Total 82	O 82	0	0
39	S	32	Total 32	O 32	0	0
39	T	37	Total 37	O 37	0	0
39	U	29	Total 29	O 29	0	0
39	V	14	Total 14	O 14	0	0
39	W	69	Total 69	O 69	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
39	X	24	Total O 24 24	0	0
39	Y	96	Total O 96 96	0	0
39	Z	31	Total O 31 31	0	0
39	1	50	Total O 50 50	0	0
39	2	40	Total O 40 40	0	0
39	3	67	Total O 67 67	0	0
39	I	7	Total O 7 7	0	0













- Molecule 2: 5S ribosomal RNA



- Molecule 3: 5'-R(\*CP\*CP\*(DA)\*(PHE)\*(ACA))-3'




- Molecule 4: 50S ribosomal protein L2P



- Molecule 5: 50S ribosomal protein L3P







● Molecule 6: 50S ribosomal protein L4E



● Molecule 7: 50S ribosomal protein L5P




● Molecule 8: 50S ribosomal protein L6P




● Molecule 9: 50S ribosomal protein L7AE









- Molecule 14: 50S ribosomal protein L15P



- Molecule 15: 50S Ribosomal Protein L15E




- Molecule 16: 50S ribosomal protein L18P




- Molecule 17: 50S ribosomal protein L18e





- Molecule 18: 50S ribosomal protein L19E




- Molecule 19: 50S ribosomal protein L21e



- Molecule 20: 50S ribosomal protein L22P




- Molecule 21: 50S ribosomal protein L23P



- Molecule 22: 50S ribosomal protein L24P







• Molecule 23: 50S ribosomal protein L24E




• Molecule 24: 50S ribosomal protein L29P





• Molecule 25: 50S ribosomal protein L30P




• Molecule 26: 50S ribosomal protein L31e





• Molecule 27: 50S ribosomal protein L32E





- Molecule 28: 50S ribosomal protein L37Ae



- Molecule 29: 50S ribosomal protein L37e



- Molecule 30: 50S ribosomal protein L39e



- Molecule 31: 50S ribosomal protein L44E



- Molecule 32: 50S RIBOSOMAL PROTEIN L11P



SER	
PHE	
GLU	
ILE	
GLU	
VAL	
G71	
V72	
P73	
F74	
T75	
A76	
E77	
L78	
I79	
K80	
D81	
E82	
A83	
G84	
F85	
E86	
T87	
G88	
S89	
G90	
E91	
P92	
Q93	
E94	
D95	
F96	
V97	
A98	
D99	
L100	
S101	
V102	
D103	
Q104	
V105	
K106	
Q107	
I108	
A109	
E110	
Q111	
K112	
H113	
P114	
D115	
L116	
L117	
S118	
Y119	
D120	
L121	
T122	
M123	
A124	
A125	
K126	
E127	
V128	
Y129	
G130	
T131	
C132	
T133	
S134	
L135	
G136	
V137	
T138	
I139	
E140	
GLY	
GLU	
ASN	
PRO	
ARG	
GLU	
PHE	
LYS	
GLU	
ARG	
ILE	
ASP	
ALA	
GLY	
GLU	
TYR	
ASP	
ASP	
VAL	
PHE	
ALA	
ALA	
GLU	
ALA	
GLN	
ALA	



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	211.87Å 298.57Å 575.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 49.73 – 2.30	Depositor EDS
% Data completeness (in resolution range)	89.5 (50.00-2.30) 89.6 (49.73-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.69 (at 2.29Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.218 , 0.250 0.205 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.0	Xtrriage
Anisotropy	0.173	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 61.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	99036	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, K, PSU, SR, NA, MG, 1MA, OMU, CL, ACA, UR3, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.37	0/65959	0.70	26/102870 (0.0%)
2	9	0.33	0/2905	0.71	1/4528 (0.0%)
3	4	0.52	0/75	0.73	0/110
4	A	0.34	0/1786	0.66	0/2408
5	B	0.33	0/2690	0.66	0/3652
6	C	0.38	0/1884	0.64	1/2551 (0.0%)
7	D	0.29	0/1111	0.54	0/1498
8	E	0.32	0/1382	0.57	0/1880
9	F	0.31	0/901	0.54	0/1224
10	G	0.27	0/241	0.47	0/324
11	H	0.33	0/1287	0.64	0/1725
12	J	0.35	0/1136	0.61	0/1530
13	K	0.35	0/1001	0.67	0/1347
14	L	0.33	0/1130	0.64	0/1509
15	M	0.34	0/1584	0.60	0/2119
16	N	0.28	0/1474	0.60	0/1999
17	O	0.33	0/874	0.59	1/1181 (0.1%)
18	P	0.34	0/1147	0.56	0/1528
19	Q	0.35	0/749	0.69	0/1005
20	R	0.35	0/1172	0.67	0/1578
21	S	0.32	0/648	0.58	1/875 (0.1%)
22	T	0.31	0/958	0.63	0/1289
23	U	0.35	0/417	0.58	0/562
24	V	0.27	0/502	0.53	0/675
25	W	0.34	0/1219	0.60	0/1655
26	X	0.33	0/664	0.60	0/895
27	Y	0.36	0/1146	0.65	0/1536
28	Z	0.34	0/589	0.61	0/787
29	1	0.43	0/438	0.66	0/578
30	2	0.35	0/401	0.60	0/529
31	3	0.38	0/771	0.58	0/1024
32	I	0.28	0/526	0.50	0/716

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
All	All	0.36	0/98767	0.67	30/147687 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	1	39
2	9	0	2
All	All	1	41

There are no bond length outliers.

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	1563	G	C2'-C3'-O3'	9.69	130.83	109.50
2	9	3039	U	N1-C1'-C2'	7.45	123.68	114.00
1	0	1942	A	C5'-C4'-C3'	7.27	127.63	116.00
1	0	1819	G	C5'-C4'-C3'	6.86	126.98	116.00
1	0	1592	G	N9-C1'-C2'	6.67	122.67	114.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	0	1563	G	C3'

5 of 41 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	182	G	Sidechain
1	0	24	G	Sidechain
1	0	396	U	Sidechain
1	0	462	A	Sidechain
1	0	469	G	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	59021	0	29813	722	0
2	9	2600	0	1326	50	0
3	4	73	0	42	2	0
4	A	1753	0	1766	101	0
5	B	2625	0	2532	145	0
6	C	1859	0	1816	106	0
7	D	1094	0	1085	79	0
8	E	1357	0	1266	45	0
9	F	890	0	843	57	0
10	G	240	0	231	11	0
11	H	1266	0	1268	68	0
12	J	1120	0	1098	68	0
13	K	992	0	1031	53	0
14	L	1118	0	1076	61	0
15	M	1560	0	1568	63	0
16	N	1445	0	1401	97	0
17	O	865	0	873	40	0
18	P	1136	0	1123	35	0
19	Q	735	0	729	18	0
20	R	1149	0	1122	37	0
21	S	641	0	605	16	0
22	T	950	0	923	47	0
23	U	410	0	364	26	0
24	V	499	0	511	38	0
25	W	1196	0	1137	82	0
26	X	654	0	653	35	0
27	Y	1130	0	1133	57	0
28	Z	578	0	539	28	0
29	1	431	0	426	22	0
30	2	396	0	413	26	0
31	3	755	0	728	26	0
32	I	519	0	500	51	0
33	0	87	0	0	0	0
33	9	1	0	0	0	0
33	A	1	0	0	0	0
33	B	1	0	0	0	0
33	K	1	0	0	0	0
33	T	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	2	0	0	0	0
35	0	64	0	0	0	0
35	3	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	9	1	0	0	0	0
35	C	1	0	0	0	0
35	D	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0
35	R	3	0	0	0	0
35	S	1	0	0	0	0
36	0	10	0	0	0	0
36	3	1	0	0	0	0
36	A	1	0	0	0	0
36	B	1	0	0	0	0
36	J	3	0	0	1	0
36	L	1	0	0	0	0
36	M	1	0	0	0	0
36	N	1	0	0	1	0
36	O	1	0	0	0	0
36	R	1	0	0	0	0
36	Y	1	0	0	0	0
37	0	98	0	0	0	0
37	1	2	0	0	0	0
37	3	1	0	0	0	0
37	9	3	0	0	0	0
37	A	3	0	0	0	0
37	B	2	0	0	0	0
37	F	1	0	0	0	0
37	H	1	0	0	0	0
37	L	1	0	0	0	0
37	R	1	0	0	0	0
37	S	1	0	0	0	0
38	1	1	0	0	0	0
38	3	1	0	0	0	0
38	O	1	0	0	0	0
38	U	1	0	0	0	0
38	Z	1	0	0	0	0
39	0	5769	0	0	106	0
39	1	50	0	0	2	0
39	2	40	0	0	3	0
39	3	67	0	0	4	0
39	9	140	0	0	6	0
39	A	121	0	0	11	0
39	B	144	0	0	18	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
39	C	177	0	0	18	0
39	D	48	0	0	10	0
39	E	44	0	0	1	0
39	F	27	0	0	4	0
39	G	17	0	0	1	0
39	H	69	0	0	7	0
39	I	7	0	0	1	0
39	J	52	0	0	4	0
39	K	57	0	0	6	0
39	L	81	0	0	14	0
39	M	130	0	0	3	0
39	N	61	0	0	9	0
39	O	40	0	0	5	0
39	P	64	0	0	2	0
39	Q	49	0	0	5	0
39	R	82	0	0	3	0
39	S	32	0	0	1	0
39	T	37	0	0	3	0
39	U	29	0	0	3	0
39	V	14	0	0	2	0
39	W	69	0	0	5	0
39	X	24	0	0	6	0
39	Y	96	0	0	9	0
39	Z	31	0	0	2	0
All	All	99036	0	59941	2083	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 2083 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:W:21:LEU:HD21	25:W:48:VAL:HG11	1.29	1.14
26:X:37:LEU:HD13	26:X:85:VAL:HG21	1.29	1.10
6:C:236:THR:HG22	6:C:239:ALA:H	1.19	1.07
1:O:656:G:H5'	17:O:3:THR:HG22	1.38	1.05
1:O:1160:G:H5'	1:O:1161:A:H5'	1.40	1.04

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	235/240 (98%)	209 (89%)	23 (10%)	3 (1%)	12	12
5	B	335/338 (99%)	314 (94%)	17 (5%)	4 (1%)	13	14
6	C	244/246 (99%)	229 (94%)	15 (6%)	0	100	100
7	D	134/177 (76%)	105 (78%)	17 (13%)	12 (9%)	1	0
8	E	170/178 (96%)	165 (97%)	5 (3%)	0	100	100
9	F	117/120 (98%)	100 (86%)	15 (13%)	2 (2%)	9	8
10	G	25/348 (7%)	24 (96%)	1 (4%)	0	100	100
11	H	156/171 (91%)	140 (90%)	14 (9%)	2 (1%)	12	12
12	J	140/145 (97%)	131 (94%)	6 (4%)	3 (2%)	7	5
13	K	130/132 (98%)	123 (95%)	7 (5%)	0	100	100
14	L	141/165 (86%)	118 (84%)	22 (16%)	1 (1%)	22	26
15	M	192/195 (98%)	182 (95%)	8 (4%)	2 (1%)	15	17
16	N	184/187 (98%)	163 (89%)	12 (6%)	9 (5%)	2	1
17	O	113/116 (97%)	109 (96%)	4 (4%)	0	100	100
18	P	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
19	Q	93/96 (97%)	90 (97%)	3 (3%)	0	100	100
20	R	148/155 (96%)	141 (95%)	7 (5%)	0	100	100
21	S	79/85 (93%)	76 (96%)	2 (2%)	1 (1%)	12	12
22	T	117/120 (98%)	109 (93%)	7 (6%)	1 (1%)	17	20
23	U	51/66 (77%)	48 (94%)	3 (6%)	0	100	100
24	V	63/71 (89%)	59 (94%)	3 (5%)	1 (2%)	9	9
25	W	152/154 (99%)	148 (97%)	4 (3%)	0	100	100
26	X	80/92 (87%)	73 (91%)	7 (9%)	0	100	100
27	Y	140/241 (58%)	138 (99%)	2 (1%)	0	100	100
28	Z	71/83 (86%)	61 (86%)	7 (10%)	3 (4%)	3	1

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	1	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
30	2	42/50 (84%)	41 (98%)	1 (2%)	0	100	100
31	3	90/92 (98%)	88 (98%)	1 (1%)	1 (1%)	14	15
32	I	68/162 (42%)	55 (81%)	12 (18%)	1 (2%)	10	10
All	All	3705/4431 (84%)	3430 (93%)	229 (6%)	46 (1%)	13	14

5 of 46 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	A	27	LEU
4	A	37	VAL
5	B	139	ASP
7	D	137	PRO
9	F	101	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	179/182 (98%)	169 (94%)	10 (6%)	21	29
5	B	282/283 (100%)	261 (93%)	21 (7%)	13	17
6	C	193/193 (100%)	178 (92%)	15 (8%)	12	16
7	D	117/148 (79%)	112 (96%)	5 (4%)	29	40
8	E	152/156 (97%)	145 (95%)	7 (5%)	27	38
9	F	93/94 (99%)	91 (98%)	2 (2%)	52	69
10	G	27/283 (10%)	27 (100%)	0	100	100
11	H	132/138 (96%)	126 (96%)	6 (4%)	27	39
12	J	118/121 (98%)	109 (92%)	9 (8%)	13	16
13	K	106/106 (100%)	103 (97%)	3 (3%)	43	60
14	L	113/127 (89%)	109 (96%)	4 (4%)	36	50
15	M	158/159 (99%)	153 (97%)	5 (3%)	39	54

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	N	149/150 (99%)	144 (97%)	5 (3%)	37	51
17	O	93/94 (99%)	91 (98%)	2 (2%)	52	69
18	P	113/117 (97%)	112 (99%)	1 (1%)	78	89
19	Q	79/80 (99%)	75 (95%)	4 (5%)	24	33
20	R	117/122 (96%)	114 (97%)	3 (3%)	46	63
21	S	71/74 (96%)	69 (97%)	2 (3%)	43	60
22	T	105/106 (99%)	101 (96%)	4 (4%)	33	47
23	U	44/52 (85%)	44 (100%)	0	100	100
24	V	51/57 (90%)	50 (98%)	1 (2%)	55	72
25	W	130/130 (100%)	126 (97%)	4 (3%)	40	55
26	X	66/74 (89%)	60 (91%)	6 (9%)	9	11
27	Y	120/196 (61%)	110 (92%)	10 (8%)	11	14
28	Z	60/68 (88%)	59 (98%)	1 (2%)	60	76
29	1	46/47 (98%)	45 (98%)	1 (2%)	52	69
30	2	42/46 (91%)	41 (98%)	1 (2%)	49	66
31	3	79/79 (100%)	78 (99%)	1 (1%)	69	82
32	I	58/130 (45%)	58 (100%)	0	100	100
All	All	3093/3612 (86%)	2960 (96%)	133 (4%)	29	40

5 of 133 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
26	X	44	ASP
27	Y	103	THR
29	1	47	ASP
7	D	61	PHE
7	D	50	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 90 such sidechains are listed below:

Mol	Chain	Res	Type
20	R	113	HIS
25	W	141	HIS
21	S	53	ASN
24	V	60	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
27	Y	134	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	0	2745/2922 (93%)	238 (8%)	33 (1%)
2	9	121/122 (99%)	16 (13%)	2 (1%)
3	4	1/5 (20%)	0	0
All	All	2867/3049 (94%)	254 (8%)	35 (1%)

5 of 254 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	0	31	C
1	0	67	A
1	0	69	A
1	0	70	A
1	0	71	G

5 of 35 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	0	2649	A
1	0	2718	C
1	0	2852	A
1	0	1237	U
1	0	1232	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PSU	0	2621	1	18,21,22	1.55	2 (11%)	22,30,33	1.27	3 (13%)
1	OMG	0	2588	3,1	18,26,27	1.01	2 (11%)	19,38,41	0.79	1 (5%)
3	ACA	4	78	3	3,3,8	0.57	0	2,2,8	0.69	0
1	OMU	0	2587	1	19,22,23	0.25	0	26,31,34	0.40	0
1	1MA	0	628	35,1	16,25,26	1.35	3 (18%)	18,37,40	1.09	2 (11%)
1	UR3	0	2619	1	19,22,23	0.42	0	26,32,35	0.63	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	0	2621	1	-	0/7/25/26	0/2/2/2
1	OMG	0	2588	3,1	-	1/5/27/28	0/3/3/3
3	ACA	4	78	3	-	0/0/1/6	-
1	OMU	0	2587	1	-	0/9/27/28	0/2/2/2
1	1MA	0	628	35,1	-	0/3/25/26	0/3/3/3
1	UR3	0	2619	1	-	0/7/25/26	0/2/2/2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	0	2621	PSU	C2-N1	5.08	1.43	1.36
1	0	628	1MA	C2-N3	3.62	1.33	1.29
1	0	2621	PSU	C6-C5	3.16	1.39	1.35
1	0	628	1MA	C6-N6	2.49	1.33	1.27
1	0	2588	OMG	C8-N7	-2.42	1.30	1.35

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	2621	PSU	C6-C5-C4	3.52	120.66	118.20
1	0	2621	PSU	C6-N1-C2	-3.00	119.62	122.68
1	0	628	1MA	N1-C2-N3	2.77	129.25	126.02
1	0	628	1MA	C5-C6-N1	2.56	117.72	113.90
1	0	2621	PSU	O2-C2-N1	2.51	125.56	122.79

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	0	2588	OMG	C3'-C2'-O2'-CM2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	0	2587	OMU	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 311 ligands modelled in this entry, 311 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	4	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	4	76:DA	O3'	77:PHE	C	1.60

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	0	2749/2922 (94%)	-0.06	95 (3%) 44 51	22, 45, 89, 149	0
2	9	122/122 (100%)	0.18	6 (4%) 29 36	38, 63, 87, 148	0
3	4	4/5 (80%)	1.57	1 (25%) 0 0	61, 64, 71, 74	0
4	A	237/240 (98%)	0.57	19 (8%) 12 16	28, 50, 82, 104	0
5	B	337/338 (99%)	0.29	12 (3%) 42 49	28, 50, 75, 86	0
6	C	246/246 (100%)	0.12	4 (1%) 72 77	25, 46, 68, 80	0
7	D	140/177 (79%)	2.16	63 (45%) 0 0	58, 88, 120, 130	0
8	E	172/178 (96%)	0.93	31 (18%) 1 1	40, 62, 80, 86	0
9	F	119/120 (99%)	1.37	36 (30%) 0 0	44, 71, 100, 110	0
10	G	29/348 (8%)	2.90	20 (68%) 0 0	71, 89, 99, 100	0
11	H	160/171 (93%)	0.85	27 (16%) 1 2	43, 61, 93, 101	0
12	J	142/145 (97%)	0.12	4 (2%) 53 60	36, 47, 67, 89	0
13	K	132/132 (100%)	0.01	3 (2%) 60 67	33, 46, 67, 72	0
14	L	145/165 (87%)	0.95	31 (21%) 0 1	27, 64, 110, 120	0
15	M	194/195 (99%)	0.63	19 (9%) 7 10	31, 44, 77, 87	0
16	N	186/187 (99%)	1.20	48 (25%) 0 0	43, 63, 108, 113	0
17	O	115/116 (99%)	0.17	3 (2%) 56 63	39, 53, 67, 75	0
18	P	143/149 (95%)	0.22	3 (2%) 63 70	38, 51, 65, 76	0
19	Q	95/96 (98%)	0.26	6 (6%) 20 25	38, 47, 61, 76	0
20	R	150/155 (96%)	0.03	3 (2%) 65 71	29, 43, 61, 71	0
21	S	81/85 (95%)	0.49	7 (8%) 10 14	42, 58, 80, 95	0
22	T	119/120 (99%)	0.71	10 (8%) 11 15	40, 54, 81, 110	0
23	U	53/66 (80%)	0.31	2 (3%) 40 47	40, 50, 68, 79	0
24	V	65/71 (91%)	1.96	22 (33%) 0 0	52, 76, 110, 116	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
25	W	154/154 (100%)	0.17	3 (1%) 66 73	37, 49, 69, 78	0
26	X	82/92 (89%)	0.89	11 (13%) 3 4	40, 53, 82, 101	0
27	Y	142/241 (58%)	0.30	10 (7%) 16 21	29, 42, 63, 85	0
28	Z	73/83 (87%)	0.93	16 (21%) 0 1	48, 70, 85, 92	0
29	1	56/57 (98%)	-0.30	0 100 100	26, 32, 39, 49	0
30	2	46/50 (92%)	0.63	5 (10%) 5 8	33, 51, 67, 80	0
31	3	92/92 (100%)	0.37	4 (4%) 35 42	33, 55, 70, 83	0
32	I	70/162 (43%)	6.28	66 (94%) 0 0	111, 123, 141, 143	0
All	All	6650/7480 (88%)	0.38	590 (8%) 9 13	22, 50, 95, 149	0

The worst 5 of 590 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
32	I	71	GLY	17.6
7	D	63	ILE	15.2
24	V	1	THR	14.6
32	I	133	THR	13.9
32	I	79	ILE	12.9

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	ACA	4	78	4/9	0.59	0.43	70,71,72,72	0
1	OMG	0	2588	24/25	0.97	0.12	32,34,38,40	0
1	1MA	0	628	23/24	0.98	0.14	31,33,36,39	0
1	UR3	0	2619	21/22	0.98	0.14	42,46,49,51	0
1	PSU	0	2621	20/21	0.98	0.12	33,36,44,45	0
1	OMU	0	2587	21/22	0.98	0.12	35,37,38,39	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
35	NA	0	9129	1/1	-0.06	0.43	88,88,88,88	0
37	SR	0	9601	1/1	0.06	1.47	200,200,200,200	0
37	SR	0	9500	1/1	0.17	1.74	200,200,200,200	0
37	SR	B	9521	1/1	0.21	0.71	200,200,200,200	0
37	SR	0	9484	1/1	0.28	0.16	150,150,150,150	0
35	NA	0	9122	1/1	0.34	0.44	98,98,98,98	0
33	MG	0	8108	1/1	0.40	0.28	115,115,115,115	0
35	NA	S	9112	1/1	0.46	0.16	74,74,74,74	0
37	SR	0	9501	1/1	0.49	0.34	200,200,200,200	0
35	NA	0	9171	1/1	0.52	0.25	63,63,63,63	0
33	MG	0	8094	1/1	0.54	0.39	82,82,82,82	0
35	NA	0	9184	1/1	0.55	0.31	86,86,86,86	0
33	MG	0	8092	1/1	0.56	1.61	83,83,83,83	0
37	SR	0	9537	1/1	0.59	0.17	152,152,152,152	0
33	MG	0	8052	1/1	0.62	0.31	72,72,72,72	0
35	NA	0	9164	1/1	0.63	0.57	67,67,67,67	0
33	MG	0	8061	1/1	0.63	0.13	81,81,81,81	0
33	MG	0	8047	1/1	0.66	0.52	94,94,94,94	0
33	MG	0	8082	1/1	0.68	0.48	103,103,103,103	0
37	SR	0	9468	1/1	0.69	0.05	115,115,115,115	0
33	MG	0	8050	1/1	0.71	0.25	94,94,94,94	0
37	SR	0	9547	1/1	0.71	0.52	200,200,200,200	0
37	SR	0	9590	1/1	0.72	0.09	142,142,142,142	0
37	SR	0	9581	1/1	0.73	0.07	134,134,134,134	0
33	MG	0	8022	1/1	0.73	0.54	113,113,113,113	0
33	MG	0	8014	1/1	0.77	0.30	78,78,78,78	0
35	NA	0	9111	1/1	0.77	0.21	57,57,57,57	0
33	MG	0	8059	1/1	0.78	0.28	60,60,60,60	0
33	MG	0	8114	1/1	0.79	0.17	83,83,83,83	0
33	MG	0	8104	1/1	0.80	0.33	83,83,83,83	0
33	MG	0	8054	1/1	0.80	0.13	58,58,58,58	0
33	MG	0	8101	1/1	0.81	0.11	51,51,51,51	0
35	NA	0	9185	1/1	0.81	0.56	54,54,54,54	0
35	NA	0	9113	1/1	0.81	0.14	64,64,64,64	0
35	NA	0	9172	1/1	0.81	0.41	68,68,68,68	0
37	SR	0	9539	1/1	0.81	0.38	167,167,167,167	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
35	NA	0	9182	1/1	0.82	0.13	84,84,84,84	0
33	MG	0	8107	1/1	0.82	0.22	68,68,68,68	0
35	NA	0	9181	1/1	0.82	0.12	48,48,48,48	0
35	NA	9	9183	1/1	0.82	0.23	72,72,72,72	0
35	NA	0	9126	1/1	0.83	0.14	55,55,55,55	0
35	NA	0	9163	1/1	0.83	0.32	77,77,77,77	0
35	NA	J	9146	1/1	0.83	0.13	62,62,62,62	0
35	NA	0	9152	1/1	0.84	0.38	67,67,67,67	0
35	NA	0	9174	1/1	0.84	0.24	67,67,67,67	0
35	NA	0	9168	1/1	0.84	0.28	72,72,72,72	0
33	MG	B	8055	1/1	0.84	0.27	104,104,104,104	0
33	MG	0	8013	1/1	0.85	0.38	16,16,16,16	0
35	NA	0	9132	1/1	0.85	0.38	61,61,61,61	0
35	NA	0	9110	1/1	0.85	0.20	49,49,49,49	0
35	NA	0	9141	1/1	0.86	0.12	61,61,61,61	0
37	SR	9	9588	1/1	0.86	0.14	122,122,122,122	0
35	NA	0	9140	1/1	0.86	0.34	61,61,61,61	0
33	MG	0	8103	1/1	0.87	0.31	79,79,79,79	0
35	NA	0	9150	1/1	0.87	0.33	54,54,54,54	0
33	MG	9	8095	1/1	0.87	0.24	44,44,44,44	0
33	MG	0	8065	1/1	0.87	0.33	92,92,92,92	0
34	K	0	9001	1/1	0.87	0.48	95,95,95,95	0
33	MG	0	8021	1/1	0.87	0.24	51,51,51,51	0
33	MG	0	8090	1/1	0.87	0.27	81,81,81,81	0
33	MG	0	8040	1/1	0.88	0.34	94,94,94,94	0
33	MG	0	8057	1/1	0.88	0.39	79,79,79,79	0
33	MG	0	8024	1/1	0.88	0.93	90,90,90,90	0
33	MG	0	8032	1/1	0.89	0.11	36,36,36,36	0
37	SR	0	9452	1/1	0.89	0.20	114,114,114,114	0
35	NA	0	9170	1/1	0.90	0.33	75,75,75,75	0
33	MG	0	8091	1/1	0.90	0.07	56,56,56,56	0
35	NA	0	9125	1/1	0.90	1.07	106,106,106,106	0
35	NA	0	9173	1/1	0.90	0.39	66,66,66,66	0
33	MG	0	8025	1/1	0.90	0.34	23,23,23,23	0
37	SR	0	9529	1/1	0.90	0.09	116,116,116,116	0
33	MG	0	8042	1/1	0.90	0.06	53,53,53,53	0
33	MG	0	8102	1/1	0.91	0.15	70,70,70,70	0
35	NA	0	9166	1/1	0.91	0.11	65,65,65,65	0
34	K	0	9002	1/1	0.91	0.19	86,86,86,86	0
35	NA	0	9124	1/1	0.91	0.15	51,51,51,51	0
35	NA	0	9178	1/1	0.91	0.17	54,54,54,54	0
35	NA	D	9151	1/1	0.91	0.12	63,63,63,63	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
37	SR	0	9504	1/1	0.91	0.11	92,92,92,92	0
35	NA	0	9179	1/1	0.91	0.81	84,84,84,84	0
33	MG	0	8085	1/1	0.92	0.41	102,102,102,102	0
33	MG	0	8080	1/1	0.92	0.24	48,48,48,48	0
33	MG	0	8058	1/1	0.92	0.47	85,85,85,85	0
33	MG	0	8083	1/1	0.92	0.07	51,51,51,51	0
35	NA	0	9154	1/1	0.92	0.20	51,51,51,51	0
35	NA	R	9186	1/1	0.92	0.16	64,64,64,64	0
33	MG	0	8084	1/1	0.92	0.53	109,109,109,109	0
36	CL	B	9319	1/1	0.92	0.15	59,59,59,59	0
36	CL	J	9302	1/1	0.92	0.11	55,55,55,55	0
33	MG	0	8098	1/1	0.92	0.08	43,43,43,43	0
33	MG	0	8113	1/1	0.92	0.08	45,45,45,45	0
35	NA	0	9135	1/1	0.92	0.14	46,46,46,46	0
35	NA	0	9157	1/1	0.93	0.16	41,41,41,41	0
35	NA	0	9159	1/1	0.93	0.17	56,56,56,56	0
33	MG	0	8099	1/1	0.93	0.17	77,77,77,77	0
35	NA	0	9175	1/1	0.93	0.19	52,52,52,52	0
37	SR	0	9505	1/1	0.93	0.13	104,104,104,104	0
37	SR	0	9522	1/1	0.93	0.06	104,104,104,104	0
35	NA	0	9177	1/1	0.93	0.40	70,70,70,70	0
35	NA	0	9101	1/1	0.93	0.15	43,43,43,43	0
35	NA	3	9169	1/1	0.93	0.41	102,102,102,102	0
36	CL	0	9316	1/1	0.93	0.17	74,74,74,74	0
35	NA	0	9107	1/1	0.93	0.24	58,58,58,58	0
33	MG	0	8088	1/1	0.93	0.06	43,43,43,43	0
36	CL	N	9307	1/1	0.93	0.12	54,54,54,54	0
33	MG	0	8075	1/1	0.93	0.06	37,37,37,37	0
33	MG	0	8030	1/1	0.93	0.04	34,34,34,34	0
37	SR	0	9482	1/1	0.94	0.19	118,118,118,118	0
35	NA	0	9165	1/1	0.94	0.22	41,41,41,41	0
37	SR	0	9489	1/1	0.94	0.09	87,87,87,87	0
33	MG	0	8115	1/1	0.94	0.14	53,53,53,53	0
33	MG	0	8045	1/1	0.94	0.21	75,75,75,75	0
33	MG	0	8097	1/1	0.94	0.20	55,55,55,55	0
35	NA	0	9118	1/1	0.94	0.22	41,41,41,41	0
35	NA	0	9120	1/1	0.94	0.30	61,61,61,61	0
33	MG	T	8073	1/1	0.94	0.14	42,42,42,42	0
33	MG	0	8089	1/1	0.94	0.12	61,61,61,61	0
33	MG	0	8041	1/1	0.94	0.12	47,47,47,47	0
36	CL	0	9322	1/1	0.94	0.10	54,54,54,54	0
35	NA	0	9158	1/1	0.94	0.10	62,62,62,62	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
33	MG	0	8027	1/1	0.94	0.19	30,30,30,30	0
35	NA	0	9160	1/1	0.94	0.15	42,42,42,42	0
35	NA	0	9127	1/1	0.94	0.20	65,65,65,65	0
33	MG	0	8043	1/1	0.94	0.08	47,47,47,47	0
37	SR	0	9495	1/1	0.95	0.11	88,88,88,88	0
33	MG	0	8093	1/1	0.95	0.14	42,42,42,42	0
35	NA	0	9134	1/1	0.95	0.07	47,47,47,47	0
35	NA	0	9161	1/1	0.95	0.30	57,57,57,57	0
33	MG	0	8051	1/1	0.95	0.29	22,22,22,22	0
35	NA	0	9102	1/1	0.95	0.20	58,58,58,58	0
33	MG	0	8009	1/1	0.95	0.07	31,31,31,31	0
37	SR	0	9530	1/1	0.95	0.12	94,94,94,94	0
35	NA	0	9149	1/1	0.95	0.14	41,41,41,41	0
33	MG	0	8072	1/1	0.95	0.25	74,74,74,74	0
36	CL	3	9304	1/1	0.95	0.11	59,59,59,59	0
33	MG	0	8060	1/1	0.95	0.10	81,81,81,81	0
33	MG	0	8076	1/1	0.95	0.21	55,55,55,55	0
35	NA	0	9115	1/1	0.95	0.24	43,43,43,43	0
37	SR	0	9626	1/1	0.95	0.30	140,140,140,140	0
35	NA	0	9130	1/1	0.95	0.08	45,45,45,45	0
35	NA	R	9137	1/1	0.95	0.11	32,32,32,32	0
38	CD	O	9205	1/1	0.95	0.04	85,85,85,85	0
35	NA	0	9156	1/1	0.96	0.21	55,55,55,55	0
35	NA	0	9131	1/1	0.96	0.10	47,47,47,47	0
33	MG	0	8015	1/1	0.96	0.10	29,29,29,29	0
37	SR	0	9490	1/1	0.96	0.11	105,105,105,105	0
33	MG	0	8046	1/1	0.96	0.08	40,40,40,40	0
35	NA	0	9106	1/1	0.96	0.20	37,37,37,37	0
36	CL	0	9315	1/1	0.96	0.10	54,54,54,54	0
35	NA	0	9139	1/1	0.96	0.13	57,57,57,57	0
33	MG	A	8066	1/1	0.96	0.18	53,53,53,53	0
37	SR	0	9506	1/1	0.96	0.07	86,86,86,86	0
35	NA	0	9108	1/1	0.96	0.12	34,34,34,34	0
36	CL	J	9301	1/1	0.96	0.09	55,55,55,55	0
33	MG	0	8063	1/1	0.96	0.07	74,74,74,74	0
37	SR	0	9534	1/1	0.96	0.11	106,106,106,106	0
36	CL	L	9310	1/1	0.96	0.09	56,56,56,56	0
33	MG	0	8003	1/1	0.96	0.19	29,29,29,29	0
33	MG	0	8036	1/1	0.96	0.09	63,63,63,63	0
37	SR	0	9431	1/1	0.96	0.14	55,55,55,55	0
37	SR	0	9447	1/1	0.96	0.10	66,66,66,66	0
33	MG	0	8039	1/1	0.96	0.04	56,56,56,56	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
37	SR	0	9459	1/1	0.96	0.07	96,96,96,96	0
37	SR	9	9503	1/1	0.96	0.03	109,109,109,109	0
37	SR	0	9466	1/1	0.96	0.04	87,87,87,87	0
35	NA	0	9155	1/1	0.96	0.24	54,54,54,54	0
37	SR	H	9486	1/1	0.96	0.19	121,121,121,121	0
37	SR	0	9474	1/1	0.96	0.09	96,96,96,96	0
35	NA	0	9116	1/1	0.97	0.26	45,45,45,45	0
35	NA	C	9104	1/1	0.97	0.17	27,27,27,27	0
35	NA	0	9143	1/1	0.97	0.07	38,38,38,38	0
33	MG	0	8001	1/1	0.97	0.22	17,17,17,17	0
36	CL	Y	9320	1/1	0.97	0.10	42,42,42,42	0
33	MG	0	8019	1/1	0.97	0.05	53,53,53,53	0
37	SR	0	9405	1/1	0.97	0.14	54,54,54,54	0
37	SR	0	9421	1/1	0.97	0.10	65,65,65,65	0
37	SR	0	9509	1/1	0.97	0.12	83,83,83,83	0
37	SR	0	9517	1/1	0.97	0.06	96,96,96,96	0
33	MG	0	8116	1/1	0.97	0.04	51,51,51,51	0
37	SR	0	9433	1/1	0.97	0.11	73,73,73,73	0
37	SR	0	9446	1/1	0.97	0.10	80,80,80,80	0
33	MG	0	8020	1/1	0.97	0.18	30,30,30,30	0
33	MG	0	8079	1/1	0.97	0.14	30,30,30,30	0
37	SR	0	9454	1/1	0.97	0.09	73,73,73,73	0
36	CL	0	9311	1/1	0.97	0.10	56,56,56,56	0
37	SR	0	9560	1/1	0.97	0.08	97,97,97,97	0
37	SR	0	9570	1/1	0.97	0.07	96,96,96,96	0
37	SR	0	9465	1/1	0.97	0.08	96,96,96,96	0
37	SR	0	9585	1/1	0.97	0.08	86,86,86,86	0
36	CL	0	9314	1/1	0.97	0.05	47,47,47,47	0
37	SR	0	9467	1/1	0.97	0.10	74,74,74,74	0
35	NA	0	9167	1/1	0.97	0.07	50,50,50,50	0
37	SR	0	9629	1/1	0.97	0.10	69,69,69,69	0
35	NA	0	9136	1/1	0.97	0.11	31,31,31,31	0
37	SR	0	9475	1/1	0.97	0.14	77,77,77,77	0
37	SR	A	9437	1/1	0.97	0.13	64,64,64,64	0
37	SR	0	9477	1/1	0.97	0.10	82,82,82,82	0
37	SR	F	9595	1/1	0.97	0.14	95,95,95,95	0
35	NA	0	9114	1/1	0.97	0.19	51,51,51,51	0
33	MG	0	8096	1/1	0.97	0.13	44,44,44,44	0
35	NA	0	9105	1/1	0.98	0.15	41,41,41,41	0
33	MG	0	8017	1/1	0.98	0.18	20,20,20,20	0
37	SR	0	9478	1/1	0.98	0.07	70,70,70,70	0
36	CL	J	9321	1/1	0.98	0.12	58,58,58,58	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
37	SR	0	9483	1/1	0.98	0.08	67,67,67,67	0
33	MG	0	8067	1/1	0.98	0.12	36,36,36,36	0
37	SR	0	9488	1/1	0.98	0.13	78,78,78,78	0
33	MG	0	8068	1/1	0.98	0.14	47,47,47,47	0
36	CL	O	9308	1/1	0.98	0.06	67,67,67,67	0
33	MG	0	8117	1/1	0.98	0.11	39,39,39,39	0
35	NA	M	9147	1/1	0.98	0.10	38,38,38,38	0
35	NA	Q	9148	1/1	0.98	0.13	50,50,50,50	0
37	SR	0	9407	1/1	0.98	0.14	42,42,42,42	0
37	SR	0	9412	1/1	0.98	0.12	43,43,43,43	0
37	SR	0	9417	1/1	0.98	0.13	53,53,53,53	0
37	SR	0	9508	1/1	0.98	0.08	83,83,83,83	0
33	MG	0	8056	1/1	0.98	0.18	47,47,47,47	0
37	SR	0	9426	1/1	0.98	0.08	66,66,66,66	0
37	SR	0	9427	1/1	0.98	0.12	53,53,53,53	0
33	MG	0	8002	1/1	0.98	0.13	22,22,22,22	0
37	SR	0	9432	1/1	0.98	0.12	63,63,63,63	0
33	MG	0	8037	1/1	0.98	0.06	40,40,40,40	0
37	SR	0	9438	1/1	0.98	0.09	63,63,63,63	0
37	SR	0	9441	1/1	0.98	0.08	54,54,54,54	0
37	SR	0	9442	1/1	0.98	0.12	59,59,59,59	0
33	MG	0	8028	1/1	0.98	0.10	34,34,34,34	0
37	SR	0	9566	1/1	0.98	0.07	75,75,75,75	0
37	SR	0	9568	1/1	0.98	0.08	75,75,75,75	0
36	CL	0	9303	1/1	0.98	0.17	49,49,49,49	0
37	SR	0	9448	1/1	0.98	0.07	62,62,62,62	0
36	CL	0	9305	1/1	0.98	0.07	52,52,52,52	0
37	SR	0	9453	1/1	0.98	0.09	68,68,68,68	0
33	MG	Y	8109	1/1	0.98	0.10	38,38,38,38	0
37	SR	0	9455	1/1	0.98	0.10	61,61,61,61	0
37	SR	0	9456	1/1	0.98	0.06	67,67,67,67	0
37	SR	9	9481	1/1	0.98	0.06	83,83,83,83	0
36	CL	0	9313	1/1	0.98	0.11	51,51,51,51	0
37	SR	0	9464	1/1	0.98	0.05	80,80,80,80	0
33	MG	0	8029	1/1	0.98	0.22	27,27,27,27	0
37	SR	A	9497	1/1	0.98	0.11	85,85,85,85	0
37	SR	B	9458	1/1	0.98	0.09	73,73,73,73	0
35	NA	0	9162	1/1	0.98	0.30	51,51,51,51	0
33	MG	0	8005	1/1	0.98	0.09	29,29,29,29	0
33	MG	0	8110	1/1	0.98	0.13	46,46,46,46	0
37	SR	1	9460	1/1	0.98	0.12	49,49,49,49	0
33	MG	0	8031	1/1	0.98	0.13	48,48,48,48	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
37	SR	0	9424	1/1	0.99	0.15	43,43,43,43	0
37	SR	0	9425	1/1	0.99	0.09	71,71,71,71	0
36	CL	0	9317	1/1	0.99	0.08	49,49,49,49	0
33	MG	0	8038	1/1	0.99	0.26	13,13,13,13	0
37	SR	0	9429	1/1	0.99	0.11	63,63,63,63	0
36	CL	A	9309	1/1	0.99	0.17	64,64,64,64	0
35	NA	0	9117	1/1	0.99	0.16	32,32,32,32	0
37	SR	0	9498	1/1	0.99	0.06	63,63,63,63	0
33	MG	0	8070	1/1	0.99	0.18	21,21,21,21	0
37	SR	0	9434	1/1	0.99	0.15	58,58,58,58	0
37	SR	0	9435	1/1	0.99	0.07	68,68,68,68	0
33	MG	0	8044	1/1	0.99	0.06	42,42,42,42	0
37	SR	0	9440	1/1	0.99	0.04	63,63,63,63	0
35	NA	R	9138	1/1	0.99	0.08	52,52,52,52	0
33	MG	0	8106	1/1	0.99	0.03	37,37,37,37	0
37	SR	0	9515	1/1	0.99	0.19	100,100,100,100	0
37	SR	0	9443	1/1	0.99	0.10	59,59,59,59	0
37	SR	0	9445	1/1	0.99	0.10	62,62,62,62	0
36	CL	M	9318	1/1	0.99	0.16	37,37,37,37	0
35	NA	0	9123	1/1	0.99	0.10	37,37,37,37	0
37	SR	0	9532	1/1	0.99	0.05	100,100,100,100	0
33	MG	0	8074	1/1	0.99	0.21	20,20,20,20	0
37	SR	0	9449	1/1	0.99	0.09	59,59,59,59	0
37	SR	0	9450	1/1	0.99	0.08	64,64,64,64	0
37	SR	0	9545	1/1	0.99	0.05	67,67,67,67	0
37	SR	0	9451	1/1	0.99	0.09	63,63,63,63	0
36	CL	R	9306	1/1	0.99	0.17	46,46,46,46	0
33	MG	0	8004	1/1	0.99	0.12	27,27,27,27	0
33	MG	K	8069	1/1	0.99	0.21	23,23,23,23	0
33	MG	0	8012	1/1	0.99	0.26	37,37,37,37	0
35	NA	0	9128	1/1	0.99	0.13	40,40,40,40	0
37	SR	0	9457	1/1	0.99	0.10	47,47,47,47	0
37	SR	0	9408	1/1	0.99	0.15	38,38,38,38	0
37	SR	0	9461	1/1	0.99	0.04	73,73,73,73	0
37	SR	0	9462	1/1	0.99	0.13	66,66,66,66	0
37	SR	0	9411	1/1	0.99	0.16	42,42,42,42	0
33	MG	0	8112	1/1	0.99	0.04	44,44,44,44	0
37	SR	0	9413	1/1	0.99	0.12	44,44,44,44	0
37	SR	0	9414	1/1	0.99	0.13	53,53,53,53	0
37	SR	A	9436	1/1	0.99	0.06	57,57,57,57	0
33	MG	0	8008	1/1	0.99	0.22	14,14,14,14	0
37	SR	0	9469	1/1	0.99	0.04	85,85,85,85	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
37	SR	0	9473	1/1	0.99	0.04	69,69,69,69	0
37	SR	0	9420	1/1	0.99	0.15	60,60,60,60	0
33	MG	0	8026	1/1	0.99	0.18	26,26,26,26	0
37	SR	0	9422	1/1	0.99	0.12	53,53,53,53	0
37	SR	R	9418	1/1	0.99	0.15	53,53,53,53	0
37	SR	S	9470	1/1	0.99	0.14	95,95,95,95	0
37	SR	1	9419	1/1	0.99	0.12	38,38,38,38	0
37	SR	0	9423	1/1	0.99	0.11	51,51,51,51	0
37	SR	3	9439	1/1	0.99	0.06	63,63,63,63	0
37	SR	0	9480	1/1	0.99	0.06	86,86,86,86	0
38	CD	U	9201	1/1	0.99	0.09	56,56,56,56	0
38	CD	Z	9203	1/1	0.99	0.07	75,75,75,75	0
38	CD	3	9204	1/1	0.99	0.06	58,58,58,58	0
37	SR	0	9416	1/1	1.00	0.09	45,45,45,45	0
37	SR	0	9430	1/1	1.00	0.14	41,41,41,41	0
37	SR	0	9406	1/1	1.00	0.17	33,33,33,33	0
37	SR	0	9410	1/1	1.00	0.15	34,34,34,34	0
36	CL	0	9312	1/1	1.00	0.08	45,45,45,45	0
37	SR	0	9444	1/1	1.00	0.09	47,47,47,47	0
37	SR	0	9415	1/1	1.00	0.11	50,50,50,50	0
37	SR	0	9428	1/1	1.00	0.07	43,43,43,43	0
38	CD	1	9202	1/1	1.00	0.04	51,51,51,51	0
37	SR	L	9409	1/1	1.00	0.12	36,36,36,36	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.