

wwPDB X-ray Structure Validation Summary Report (i)

Dec 5, 2023 - 04:31 am GMT

PDB ID : 2VX3

Title: Crystal structure of the human dual specificity tyrosine- phosphorylation-reg

ulated kinase 1A

Authors: Roos, A.K.; Soundararajan, M.; Pike, A.C.W.; Federov, O.; King, O.; Burgess-

Brown, N.; Philips, C.; Filippakopoulos, P.; Arrowsmith, C.H.; Wikstrom, M.;

Edwards, A.; von Delft, F.; Bountra, C.; Knapp, S.

Deposited on : 2008-06-30

Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

 $Mol Probity \quad : \quad 4.02b\text{--}467$

Mogul : 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

 $\begin{tabular}{lll} Validation Pipeline (wwPDB-VP) & : & 2.36 \end{tabular}$




1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \textbf{Whole archive} \\ (\#\text{Entries}) \end{array}$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}(\mathring{\rm A})) \end{array}$
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	382	87%		9%
1	В	382	85%	•	11%
1	С	382	86%	·	11%
1	D	382	85%	5%	10%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 11571 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION-REGULATED KINASE 1A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace			
1	A	347	Total	С	N	О	Р	S	0	2	0	
1	Λ	941	2828	1815	489	506	1	17	0	2		
1	В	341	Total	С	N	О	Р	S	0	1	0	
1	Б	341	2760	1780	472	490	1	17	0	1	U	
1	С	339	Total	С	N	О	Р	S	0	0	0	
1		339	2726	1760	462	487	1	16	0	U		
1	D	343	Total	С	N	О	Р	S	0	2	0	
1	D	D 34	343	2772	1789	474	491	1	17	0	2	

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	104	MET	-	expression tag	UNP Q13627
A	105	HIS	-	expression tag	UNP Q13627
A	106	HIS	-	expression tag	UNP Q13627
A	107	HIS	-	expression tag	UNP Q13627
A	108	HIS	-	expression tag	UNP Q13627
A	109	HIS	-	expression tag	UNP Q13627
A	110	HIS	-	expression tag	UNP Q13627
A	111	SER	-	expression tag	UNP Q13627
A	112	SER	-	expression tag	UNP Q13627
A	113	GLY	-	expression tag	UNP Q13627
A	114	VAL	-	expression tag	UNP Q13627
A	115	ASP	-	expression tag	UNP Q13627
A	116	LEU	-	expression tag	UNP Q13627
A	117	GLY	-	expression tag	UNP Q13627
A	118	THR	-	expression tag	UNP Q13627
A	119	GLU	-	expression tag	UNP Q13627
A	120	ASN	-	expression tag	UNP Q13627
A	121	LEU		expression tag	UNP Q13627
A	122	TYR	-	expression tag	UNP Q13627
A	123	PHE	-	expression tag	UNP Q13627

Continued on next page...



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	124	GLN	_	expression tag	UNP Q13627
A	125	SER	_	expression tag	UNP Q13627
A	126	MET	-	expression tag	UNP Q13627
В	104	MET	-	expression tag	UNP Q13627
В	105	HIS	-	expression tag	UNP Q13627
В	106	HIS	-	expression tag	UNP Q13627
В	107	HIS	-	expression tag	UNP Q13627
В	108	HIS	-	expression tag	UNP Q13627
В	109	HIS	-	expression tag	UNP Q13627
В	110	HIS	-	expression tag	UNP Q13627
В	111	SER	-	expression tag	UNP Q13627
В	112	SER	-	expression tag	UNP Q13627
В	113	GLY	-	expression tag	UNP Q13627
В	114	VAL	-	expression tag	UNP Q13627
В	115	ASP	-	expression tag	UNP Q13627
В	116	LEU	-	expression tag	UNP Q13627
В	117	GLY	-	expression tag	UNP Q13627
В	118	THR	-	expression tag	UNP Q13627
В	119	GLU	-	expression tag	UNP Q13627
В	120	ASN	-	expression tag	UNP Q13627
В	121	LEU	-	expression tag	UNP Q13627
В	122	TYR	_	expression tag	UNP Q13627
В	123	PHE	-	expression tag	UNP Q13627
В	124	GLN	-	expression tag	UNP Q13627
В	125	SER	_	expression tag	UNP Q13627
В	126	MET	_	expression tag	UNP Q13627
С	104	MET	-	expression tag	UNP Q13627
С	105	HIS	-	expression tag	UNP Q13627
С	106	HIS	-	expression tag	UNP Q13627
С	107	HIS	-	expression tag	UNP Q13627
С	108	HIS	-	expression tag	UNP Q13627
С	109	HIS	-	expression tag	UNP Q13627
С	110	HIS	-	expression tag	UNP Q13627
С	111	SER	-	expression tag	UNP Q13627
С	112	SER	-	expression tag	UNP Q13627
С	113	GLY	-	expression tag	UNP Q13627
С	114	VAL	-	expression tag	UNP Q13627
C	115	ASP	-	expression tag	UNP Q13627
С	116	LEU	-	expression tag	UNP Q13627
С	117	GLY	-	expression tag	UNP Q13627
С	118	THR	-	expression tag	UNP Q13627
С	119	GLU	-	expression tag	UNP Q13627

Continued on next page...




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	120	ASN	-	expression tag	UNP Q13627
С	121	LEU	-	expression tag	UNP Q13627
С	122	TYR	-	expression tag	UNP Q13627
С	123	PHE	-	expression tag	UNP Q13627
С	124	GLN	-	expression tag	UNP Q13627
С	125	SER	-	expression tag	UNP Q13627
С	126	MET	-	expression tag	UNP Q13627
D	104	MET	-	expression tag	UNP Q13627
D	105	HIS	-	expression tag	UNP Q13627
D	106	HIS	-	expression tag	UNP Q13627
D	107	HIS	-	expression tag	UNP Q13627
D	108	HIS	-	expression tag	UNP Q13627
D	109	HIS	-	expression tag	UNP Q13627
D	110	HIS	-	expression tag	UNP Q13627
D	111	SER	-	expression tag	UNP Q13627
D	112	SER	-	expression tag	UNP Q13627
D	113	GLY	-	expression tag	UNP Q13627
D	114	VAL	-	expression tag	UNP Q13627
D	115	ASP	-	expression tag	UNP Q13627
D	116	LEU	-	expression tag	UNP Q13627
D	117	GLY	-	expression tag	UNP Q13627
D	118	THR	-	expression tag	UNP Q13627
D	119	GLU	_	expression tag	UNP Q13627
D	120	ASN	-	expression tag	UNP Q13627
D	121	LEU	-	expression tag	UNP Q13627
D	122	TYR	-	expression tag	UNP Q13627
D	123	PHE	-	expression tag	UNP Q13627
D	124	GLN	-	expression tag	UNP Q13627
D	125	SER	-	expression tag	UNP Q13627
D	126	MET	-	expression tag	UNP Q13627

 $\bullet \ \, \text{Molecule 2 is N-(5-\{[(2S)\text{-}4\text{-}amino\text{-}2\text{-}(3\text{-}chlorophenyl)butanoyl]amino}\}\text{-}1H\text{-}indazol\text{-}3\text{-}yl)benz amide (three-letter code: D15) (formula: $C_{24}H_{22}ClN_5O_2)$. }$






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
9	Λ	1	Total	С	Cl	N	О	0	0	
	Λ	1	32	24	1	5	2	U	0	
2	В	1	Total	С	Cl	N	О	0	0	
	Б	1	32	24	1	5	2	U		
2	C	1	Total	С	Cl	N	О	0	0	
	C	1	32	24	1	5	2	U	0	
9	D	1	Total	С	Cl	N	О	0	0	
	D	1	32	24	1	5	2	U	0	

 \bullet Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	В	2	Total Cl 2 2	0	0
3	С	2	Total Cl 2 2	0	0
3	D	3	Total Cl 3 3	0	0

 \bullet Molecule 4 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $\mathrm{C_{12}H_{26}O_{7}}).$






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 16 10 6	0	0
4	A	1	Total C O 13 8 5	0	0
4	A	1	Total C O 7 4 3	0	0
4	В	1	Total C O 16 10 6	0	0
4	В	1	Total C O 13 8 5	0	0
4	В	1	Total C O 7 4 3	0	0
4	С	1	Total C O 16 10 6	0	0
4	D	1	Total C O 16 10 6	0	0

 \bullet Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).





Mol	Chain	Residues	Ato	ms		ZeroOcc	AltConf
5	A	1	Total	О	S	0	0
9	Λ	1	5	4	1	U	U
5	В	1	Total	Ο	S	0	0
	Ъ	1	5	4	1	U	U
5	В	1	Total	Ο	S	0	0
	D	1	5	4	1	U	U
5	В	1	Total	O	\mathbf{S}	0	0
	D	1	5	4	1	U	0
5	\mathbf{C}	1	Total	Ο	S	0	0
	C	1	5	4	1	0	Ů
5	\mathbf{C}	1	Total	Ο	S	0	0
	C	1	5	4	1	0	U
5	\mathbf{C}	1	Total	Ο	S	0	0
		1	5	4	1	U	U
5	D	1	Total	Ο	S	0	0
		1	5	4	1		

• Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	105	Total O 105 105	0	0
6	В	52	Total O 52 52	0	0
6	С	26	Total O 26 26	0	0
6	D	22	Total O 22 22	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A



• Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A




• Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A



 \bullet Molecule 1: DUAL SPECIFICITY TYROSINE-PHOSPHORYLATION- REGULATED KINASE 1A







4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	264.20Å 65.11Å 140.28Å	Depositor
a, b, c, α , β , γ	90.00° 115.44° 90.00°	Depositor
Resolution (Å)	26.00 - 2.40	Depositor
rtesolution (A)	25.96 - 2.40	EDS
% Data completeness	99.9 (26.00-2.40)	Depositor
(in resolution range)	99.9 (25.96-2.40)	EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.81 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.4.0066	Depositor
P.P.	0.185 , 0.230	Depositor
R, R_{free}	0.188 , 0.231	DCC
R_{free} test set	1799 reflections (2.13%)	wwPDB-VP
Wilson B-factor (\mathring{A}^2)	50.0	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.32, 44.0	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11571	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CL, PTR, P6G, D15

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.74	0/2887	0.75	2/3895~(0.1%)	
1	В	0.67	0/2811	0.71	0/3797	
1	С	0.66	0/2772	0.71	1/3745~(0.0%)	
1	D	0.65	0/2826	0.72	1/3816 (0.0%)	
All	All	0.68	0/11296	0.72	$4/15253 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	D	179	ARG	NE-CZ-NH1	5.67	123.14	120.30
1	A	421	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	A	413	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	С	226	ARG	NE-CZ-NH1	-5.07	117.77	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	213	HIS	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2828	0	2803	3	0
1	В	2760	0	2733	8	0
1	С	2726	0	2662	4	0
1	D	2772	0	2731	7	0
2	A	32	0	22	3	0
2	В	32	0	22	2	0
2	С	32	0	22	2	0
2	D	32	0	22	0	0
3	A	1	0	0	0	0
3	В	2	0	0	0	0
3	С	2	0	0	0	0
3	D	3	0	0	0	0
4	A	36	0	47	0	0
4	В	36	0	47	0	0
4	С	16	0	21	1	0
4	D	16	0	21	0	0
5	A	5	0	0	0	0
5	В	15	0	0	0	0
5	С	15	0	0	0	0
5	D	5	0	0	0	0
6	A	105	0	0	1	0
6	В	52	0	0	1	0
6	С	26	0	0	0	0
6	D	22	0	0	0	0
All	All	11571	0	11153	27	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 27 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:B:275:PHE:O	1:B:278:THR:HG23	1.74	0.88
1:B:398:LEU:HD11	1:B:404:ASN:ND2	1.97	0.79
1:D:275:PHE:O	1:D:278:THR:HG23	1.83	0.78

Continued on next page...



Continued from previous page...

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
2:B:600:D15:OAC	2:B:600:D15:HAP	1.85	0.73
2:A:600:D15:HAP	2:A:600:D15:OAC	1.99	0.60

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	346/382~(91%)	330 (95%)	16 (5%)	0	100	100
1	В	337/382~(88%)	318 (94%)	19 (6%)	0	100	100
1	С	330/382~(86%)	315 (96%)	14 (4%)	1 (0%)	41	55
1	D	340/382~(89%)	325 (96%)	15 (4%)	0	100	100
All	All	1353/1528~(88%)	1288 (95%)	64 (5%)	1 (0%)	51	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	218	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	301/339~(89%)	295 (98%)	6 (2%)	55 74

Continued on next page...



I 'omtamalod	trom	mmonia	maaa
Continued	11 0116	DICUIUUS	Daue
	.,	10	1

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	В	$292/339\ (86\%)$	288 (99%)	4 (1%)	67 82
1	С	284/339~(84%)	281 (99%)	3 (1%)	73 87
1	D	289/339 (85%)	283 (98%)	6 (2%)	53 72
All	All	1166/1356 (86%)	1147 (98%)	19 (2%)	62 79

5 of 19 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	226[A]	ARG
1	D	431	THR
1	D	441	GLU
1	D	310	SER
1	В	300	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	198	ASN
1	В	251	ASN
1	В	404	ASN
1	С	198	ASN
1	D	425	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Trme	Chain	Chain	Chain	Chain	Chain	Chain Res Link		Bo	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2					
1	PTR	A	321	1	15,16,17	2.04	1 (6%)	19,22,24	1.43	4 (21%)					
1	PTR	D	321	1	15,16,17	2.04	2 (13%)	19,22,24	1.30	3 (15%)					
1	PTR	В	321	1	15,16,17	1.95	2 (13%)	19,22,24	1.24	3 (15%)					
1	PTR	С	321	1	15,16,17	1.95	1 (6%)	19,22,24	1.32	3 (15%)					

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	321	1	-	1/10/11/13	0/1/1/1
1	PTR	D	321	1	-	0/10/11/13	0/1/1/1
1	PTR	В	321	1	-	0/10/11/13	0/1/1/1
1	PTR	С	321	1	-	1/10/11/13	0/1/1/1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	V -			$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(ext{\AA})$
1	A	321	PTR	OH-CZ	-7.29	1.24	1.40
1	С	321	PTR	OH-CZ	-6.98	1.24	1.40
1	В	321	PTR	OH-CZ	-6.74	1.25	1.40
1	D	321	PTR	OH-CZ	-6.46	1.26	1.40
1	D	321	PTR	P-OH	2.87	1.63	1.59

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	D	321	PTR	O3P-P-OH	3.66	116.70	105.24
1	A	321	PTR	P-OH-CZ	3.45	134.81	123.75
1	С	321	PTR	P-OH-CZ	3.33	134.43	123.75
1	D	321	PTR	P-OH-CZ	2.97	133.29	123.75
1	В	321	PTR	O3P-P-O2P	2.77	118.22	107.64

There are no chirality outliers.

All (2) torsion outliers are listed below:

	Mol	Chain	Res	Type	Atoms
	1	A	321	PTR	O-C-CA-CB
ĺ	1	С	321	PTR	O-C-CA-CB



There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 28 ligands modelled in this entry, 8 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

3.7.1	TD.	a ·	Ъ	т. 1	Вс	ond leng	ths	В	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
4	P6G	A	700	-	15,15,18	0.62	0	14,14,17	0.30	0
5	SO4	В	1483	-	4,4,4	0.21	0	6,6,6	0.62	0
5	SO4	С	1484	-	4,4,4	0.20	0	6,6,6	0.42	0
2	D15	A	600	-	33,35,35	1.73	5 (15%)	38,48,48	2.30	12 (31%)
4	P6G	В	701	-	12,12,18	0.53	0	11,11,17	0.42	0
5	SO4	С	1482	-	4,4,4	0.20	0	6,6,6	0.24	0
4	P6G	A	702	-	6,6,18	0.45	0	5,5,17	0.30	0
2	D15	D	600	-	33,35,35	1.77	3 (9%)	38,48,48	1.89	9 (23%)
4	P6G	С	700	-	15,15,18	0.69	0	14,14,17	0.61	0
2	D15	В	600	-	33,35,35	1.69	6 (18%)	38,48,48	2.43	9 (23%)
5	SO4	В	1484	-	4,4,4	0.16	0	6,6,6	0.73	0
4	P6G	В	700	-	15,15,18	0.61	0	14,14,17	0.26	0
4	P6G	В	702	-	6,6,18	0.46	0	5,5,17	0.29	0
5	SO4	В	1482	-	4,4,4	0.38	0	6,6,6	0.32	0
4	P6G	A	701	-	12,12,18	0.50	0	11,11,17	0.84	0
5	SO4	A	1483	-	4,4,4	0.24	0	6,6,6	0.55	0
5	SO4	D	1482	-	4,4,4	0.15	0	6,6,6	0.39	0
2	D15	С	600	-	33,35,35	1.72	4 (12%)	38,48,48	1.99	9 (23%)
4	P6G	D	700	-	15,15,18	0.53	0	14,14,17	0.37	0
5	SO4	С	1483	-	4,4,4	0.13	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	D15	В	600	-	-	4/21/23/23	0/4/4/4
4	P6G	A	700	-	-	5/13/13/16	-
2	D15	С	600	-	-	4/21/23/23	0/4/4/4
4	P6G	В	702	-	-	2/4/4/16	-
2	D15	A	600	-	-	3/21/23/23	0/4/4/4
4	P6G	В	700	-	-	3/13/13/16	-
4	P6G	В	701	-	-	1/10/10/16	-
4	P6G	D	700	-	-	3/13/13/16	-
4	P6G	A	701	-	-	3/10/10/16	-
4	P6G	A	702	-	-	1/4/4/16	-
2	D15	D	600	-	-	4/21/23/23	0/4/4/4
4	P6G	С	700	-	-	8/13/13/16	-

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
2	D	600	D15	NAV-NAS	-7.60	1.23	1.37
2	С	600	D15	NAV-NAS	-7.42	1.23	1.37
2	A	600	D15	NAV-NAS	-6.89	1.24	1.37
2	В	600	D15	NAV-NAS	-6.52	1.25	1.37
2	D	600	D15	CBF-CAX	3.45	1.57	1.53

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
2	В	600	D15	OAC-CAX-CBF	-7.04	115.73	122.46
2	A	600	D15	OAC-CAX-CBF	-6.37	116.37	122.46
2	В	600	D15	CAO-CAY-CL1	5.89	126.52	119.15
2	D	600	D15	OAC-CAX-CBF	-5.62	117.08	122.46
2	В	600	D15	CAI-CAY-CL1	-5.60	110.59	119.35

There are no chirality outliers.

5 of 41 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600	D15	OAC-CAX-CBF-CAR
2	A	600	D15	NAT-CAX-CBF-CAR

Continued on next page..



Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	В	600	D15	CAQ-CAR-CBF-CAX
2	В	600	D15	OAC-CAX-CBF-CAR
2	В	600	D15	NAT-CAX-CBF-CAR

There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	D15	3	0
4	С	700	P6G	1	0
2	В	600	D15	2	0
2	С	600	D15	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	346/382 (90%)	-0.34	3 (0%) 84 82	21, 29, 43, 59	0
1	В	340/382 (89%)	-0.27	9 (2%) 56 54	19, 30, 43, 62	0
1	С	338/382 (88%)	-0.07	17 (5%) 28 27	21, 30, 43, 54	0
1	D	342/382 (89%)	-0.09	20 (5%) 23 22	21, 30, 43, 86	0
All	All	1366/1528 (89%)	-0.19	49 (3%) 42 42	19, 30, 43, 86	0

The worst 5 of 49 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	440	GLY	7.1
1	A	215	THR	5.8
1	В	215	THR	5.0
1	В	214	ASP	4.7
1	D	399	PRO	4.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	PTR	С	321	16/17	0.91	0.18	34,45,59,60	0
1	PTR	D	321	16/17	0.91	0.27	37,47,60,61	0
1	PTR	В	321	16/17	0.93	0.24	37,47,60,62	0
1	PTR	A	321	16/17	0.96	0.13	34,44,57,58	0



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathring{\mathbf{A}}^2)$	Q<0.9
3	CL	D	1484	1/1	0.77	0.12	85,85,85,85	0
4	P6G	В	700	16/19	0.87	0.17	64,75,77,79	0
4	P6G	С	700	16/19	0.89	0.21	47,66,83,85	0
3	CL	D	1483	1/1	0.92	0.08	75,75,75,75	0
4	P6G	A	700	16/19	0.92	0.19	62,72,76,78	0
5	SO4	В	1483	5/5	0.92	0.28	72,76,98,100	0
4	P6G	A	702	7/19	0.93	0.18	55,55,64,70	0
5	SO4	С	1484	5/5	0.94	0.22	83,87,96,104	0
3	CL	С	1485	1/1	0.95	0.08	75,75,75,75	0
2	D15	С	600	32/32	0.95	0.11	40,55,67,73	0
4	P6G	В	701	13/19	0.95	0.11	33,44,50,52	0
4	P6G	В	702	7/19	0.95	0.16	67,80,83,85	0
2	D15	D	600	32/32	0.95	0.11	31,50,61,65	0
4	P6G	D	700	16/19	0.95	0.11	37,46,64,64	0
3	CL	В	1485	1/1	0.95	0.07	59,59,59,59	0
4	P6G	A	701	13/19	0.95	0.13	32,46,55,65	0
2	D15	A	600	32/32	0.96	0.10	29,36,50,64	0
5	SO4	С	1483	5/5	0.96	0.34	99,106,109,112	0
5	SO4	В	1482	5/5	0.96	0.25	65,66,88,91	0
5	SO4	С	1482	5/5	0.97	0.14	75,86,88,92	0
2	D15	В	600	32/32	0.97	0.10	25,40,55,55	0
5	SO4	В	1484	5/5	0.97	0.17	65,66,72,81	0
3	CL	A	620	1/1	0.98	0.07	45,45,45,45	0
5	SO4	A	1483	5/5	0.98	0.10	54,57,60,61	0
3	CL	С	620	1/1	0.98	0.09	61,61,61,61	0
3	CL	В	620	1/1	0.98	0.09	47,47,47,47	0
5	SO4	D	1482	5/5	0.98	0.19	55,69,82,90	0
3	CL	D	620	1/1	0.99	0.09	56,56,56,56	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different




orientation to approximate a three-dimensional view.
















Electron density around P6G A 702:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around D15 C 600:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around P6G B 702:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around D15 D 600:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















Electron density around D15 A 600: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c \text{ (at } 0.7 \text{ rmsd) in gray}$

 ${\rm mF}_o{\rm -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around D15 B 600:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









6.5 Other polymers (i)

There are no such residues in this entry.

