



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 05:06 PM JST

PDB ID : 7W5U  
Title : Acetyl-CoA Carboxylase-AccB  
Authors : Ali, I.; Zheng, J.  
Deposited on : 2021-11-30  
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2096 (2.36-2.32)
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	514	
1	B	514	
1	C	514	
1	D	514	
1	E	514	
1	F	514	

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 23603 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA carboxylase complex, beta-chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	513	Total 3905	C 2440	N 708	O 739	S 18	0	0	0
1	B	513	Total 3905	C 2440	N 708	O 739	S 18	0	0	0
1	C	513	Total 3907	C 2442	N 709	O 738	S 18	0	0	0
1	D	513	Total 3911	C 2444	N 709	O 740	S 18	0	0	0
1	E	513	Total 3911	C 2444	N 709	O 740	S 18	0	0	0
1	F	513	Total 3911	C 2444	N 709	O 740	S 18	0	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	E	1	Total C O 6 3 3	0	0
3	F	1	Total C O 6 3 3	0	0


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	A	21	Total 21	O 21	0	0
4	B	17	Total 17	O 17	0	0
4	C	11	Total 11	O 11	0	0
4	D	19	Total 19	O 19	0	0
4	E	13	Total 13	O 13	0	0
4	F	18	Total 18	O 18	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain




- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain





- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain









- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain



- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain



- Molecule 1: Acetyl-CoA carboxylase complex, beta-chain



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	117.00Å 202.39Å 204.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.74 – 2.34 39.71 – 2.34	Depositor EDS
% Data completeness (in resolution range)	98.9 (39.74-2.34) 98.9 (39.71-2.34)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.73 (at 2.34Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.217 , 0.239 0.221 , 0.240	Depositor DCC
$R_{free}$ test set	10132 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.1	Xtrriage
Anisotropy	0.136	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 24.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.007 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	23603	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.69	0/3980	0.87	0/5396
1	B	0.69	0/3980	0.87	0/5396
1	C	0.69	0/3982	0.87	0/5399
1	D	0.69	0/3986	0.86	0/5404
1	E	0.69	0/3986	0.88	0/5404
1	F	0.70	0/3986	0.88	0/5404
All	All	0.69	0/23900	0.87	0/32403

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3905	0	3854	37	0
1	B	3905	0	3854	39	0
1	C	3907	0	3863	60	0
1	D	3911	0	3867	41	0
1	E	3911	0	3867	46	0
1	F	3911	0	3867	50	0
2	A	10	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	0	0	0
2	D	10	0	0	0	0
3	B	6	0	8	3	0
3	C	6	0	8	2	0
3	E	6	0	8	3	0
3	F	6	0	8	1	0
4	A	21	0	0	1	0
4	B	17	0	0	0	0
4	C	11	0	0	0	0
4	D	19	0	0	1	0
4	E	13	0	0	0	0
4	F	18	0	0	0	0
All	All	23603	0	23204	244	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (244) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:70:TYR:O	1:C:71:THR:HB	1.43	1.13
1:C:72:ASP:OD2	1:C:104:HIS:HB2	1.50	1.10
1:C:27:GLN:HE22	1:C:32:LYS:HE2	1.26	0.97
1:E:204:GLU:O	1:E:205:GLU:HB2	1.63	0.96
1:F:439:ILE:HG23	1:F:440:PHE:CD2	2.10	0.87
1:B:307:VAL:CG2	1:B:337:ALA:HB1	2.05	0.86
1:E:307:VAL:CG2	1:E:337:ALA:HB1	2.06	0.86
1:F:307:VAL:CG2	1:F:337:ALA:HB1	2.05	0.86
1:A:307:VAL:CG2	1:A:337:ALA:HB1	2.06	0.85
1:D:307:VAL:CG2	1:D:337:ALA:HB1	2.06	0.85
1:C:307:VAL:CG2	1:C:337:ALA:HB1	2.06	0.84
1:C:72:ASP:OD2	1:C:104:HIS:CB	2.26	0.82
1:E:202:THR:HG23	1:E:204:GLU:N	1.95	0.82
1:C:70:TYR:O	1:C:71:THR:CB	2.28	0.81
1:E:202:THR:CG2	1:E:204:GLU:H	1.96	0.79
1:A:51:ILE:HD11	1:A:110:LYS:HD3	1.67	0.77
1:C:198:VAL:O	1:C:202:THR:HG22	1.86	0.76
1:B:198:VAL:O	1:B:202:THR:HG22	1.86	0.76
1:E:412:ARG:HE	3:E:601:GOL:H32	1.51	0.75
1:F:198:VAL:O	1:F:202:THR:HG22	1.86	0.75
1:A:254:PRO:O	1:A:313:ARG:NH2	2.20	0.74

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:204:GLU:O	1:E:205:GLU:CB	2.35	0.74
1:A:198:VAL:O	1:A:202:THR:HG22	1.87	0.74
1:F:307:VAL:HG21	1:F:337:ALA:HB1	1.70	0.73
1:E:307:VAL:HG21	1:E:337:ALA:HB1	1.70	0.73
1:C:335:ILE:H	1:C:370:GLN:HE22	1.37	0.73
1:B:307:VAL:HG21	1:B:337:ALA:HB1	1.70	0.73
1:A:335:ILE:H	1:A:370:GLN:HE22	1.37	0.73
1:C:412:ARG:HE	3:C:601:GOL:H2	1.53	0.73
1:D:335:ILE:H	1:D:370:GLN:HE22	1.37	0.73
1:F:335:ILE:H	1:F:370:GLN:HE22	1.37	0.73
1:A:161:SER:HB3	1:A:163:MET:HE1	1.72	0.72
1:A:265:ARG:NH1	1:A:482:ASP:OD2	2.23	0.72
1:E:335:ILE:H	1:E:370:GLN:HE22	1.36	0.72
1:B:335:ILE:H	1:B:370:GLN:HE22	1.36	0.71
1:A:307:VAL:HG21	1:A:337:ALA:HB1	1.71	0.71
1:B:218:SER:OG	1:B:227:ALA:HB2	1.91	0.71
1:C:307:VAL:HG21	1:C:337:ALA:HB1	1.70	0.71
1:D:307:VAL:HG21	1:D:337:ALA:HB1	1.71	0.70
1:A:102:GLU:OE1	1:A:138:THR:HG23	1.90	0.70
1:C:138:THR:HG21	1:F:58:ARG:HH22	1.56	0.70
1:C:307:VAL:HG23	1:C:337:ALA:HB1	1.74	0.70
1:C:72:ASP:O	1:C:95:ILE:HD13	1.92	0.69
1:D:307:VAL:HG23	1:D:337:ALA:HB1	1.72	0.69
1:A:307:VAL:HG23	1:A:337:ALA:HB1	1.74	0.69
1:E:307:VAL:HG23	1:E:337:ALA:HB1	1.73	0.69
1:E:202:THR:CG2	1:E:204:GLU:N	2.55	0.69
1:B:360:ASP:OD2	1:B:399:ARG:HD3	1.91	0.69
1:B:307:VAL:HG23	1:B:337:ALA:HB1	1.72	0.68
1:D:58:ARG:HH22	1:E:138:THR:HG21	1.57	0.68
1:F:307:VAL:HG23	1:F:337:ALA:HB1	1.73	0.68
1:E:19:PRO:HG3	1:E:69:PRO:HB3	1.73	0.68
1:C:72:ASP:OD1	1:C:132:ARG:NH2	2.23	0.68
1:E:198:VAL:O	1:E:202:THR:HG22	1.94	0.67
1:E:102:GLU:OE1	1:E:138:THR:HG23	1.95	0.67
1:C:71:THR:HG22	1:C:72:ASP:O	1.95	0.66
1:C:72:ASP:CG	1:C:104:HIS:HB2	2.14	0.66
1:C:456:GLN:NE2	1:C:457:ARG:HH21	1.94	0.65
1:F:102:GLU:OE1	1:F:138:THR:HG23	1.97	0.65
1:F:314:LEU:HB3	1:F:491:ILE:CD1	2.26	0.65
1:D:133:ILE:HG13	1:F:435:ALA:HB2	1.78	0.64
1:B:44:ASP:OD1	1:B:239:ARG:NH1	2.30	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:428:ALA:HB1	1:F:466:MET:HE2	1.79	0.64
1:A:58:ARG:HH22	1:B:138:THR:HG21	1.62	0.64
1:F:439:ILE:CG2	1:F:440:PHE:CD2	2.81	0.64
1:E:451:GLU:HA	1:E:451:GLU:OE1	1.98	0.64
1:C:27:GLN:NE2	1:C:32:LYS:HE2	2.05	0.64
1:A:192:ILE:HD12	1:C:375:ILE:HG23	1.81	0.63
1:D:51:ILE:HD11	1:D:78:TRP:HZ3	1.63	0.63
1:E:461:TYR:CE2	1:E:465:LEU:HD12	2.33	0.63
1:F:261:PRO:O	1:F:262:ALA:HB3	1.99	0.63
1:A:449:ASP:N	1:A:450:PRO:HD3	2.13	0.63
1:D:140:LEU:HG	1:F:407:ILE:HD11	1.79	0.63
1:C:61:GLY:O	1:C:64:LEU:HD13	1.99	0.63
1:D:19:PRO:HG2	1:D:94:ARG:HB3	1.80	0.63
1:B:461:TYR:CE2	1:B:465:LEU:HD12	2.35	0.62
1:F:254:PRO:O	1:F:313:ARG:NH2	2.33	0.61
1:A:461:TYR:CE2	1:A:465:LEU:HD12	2.35	0.61
1:C:72:ASP:OD2	1:C:104:HIS:N	2.32	0.61
1:F:163:MET:CE	1:F:181:VAL:HG13	2.30	0.61
1:C:44:ASP:OD1	1:C:239:ARG:NH2	2.33	0.61
1:E:254:PRO:O	1:E:313:ARG:NH2	2.34	0.61
1:B:254:PRO:O	1:B:313:ARG:NH2	2.33	0.61
1:C:254:PRO:O	1:C:313:ARG:NH2	2.34	0.61
1:D:254:PRO:O	1:D:313:ARG:NH2	2.34	0.61
1:F:51:ILE:HD11	1:F:78:TRP:HZ3	1.65	0.60
1:E:60:THR:O	1:E:65:GLU:OE1	2.21	0.58
1:C:27:GLN:NE2	1:C:32:LYS:HB3	2.18	0.58
1:C:58:ARG:HD3	1:D:474:ARG:CD	2.33	0.58
1:C:449:ASP:N	1:C:450:PRO:HD3	2.18	0.58
1:A:60:THR:O	1:A:65:GLU:OE2	2.21	0.58
1:A:375:ILE:HG23	1:C:192:ILE:HD12	1.85	0.57
1:B:435:ALA:O	1:B:439:ILE:HG13	2.04	0.57
1:A:449:ASP:N	1:A:450:PRO:CD	2.67	0.57
1:C:60:THR:O	1:C:65:GLU:OE1	2.22	0.57
1:D:222:GLY:O	1:D:300:HIS:HE1	1.87	0.57
1:D:140:LEU:HG	1:F:407:ILE:CD1	2.34	0.57
1:D:407:ILE:HD11	1:F:140:LEU:HG	1.87	0.57
1:F:420:LEU:N	1:F:420:LEU:HD22	2.20	0.57
1:E:202:THR:HG22	1:E:204:GLU:H	1.68	0.56
1:D:440:PHE:CD2	1:D:457:ARG:HB3	2.41	0.56
1:C:412:ARG:HB3	3:C:601:GOL:H31	1.88	0.56
1:B:60:THR:O	1:B:65:GLU:OE1	2.23	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:57:HIS:HD2	1:C:59:ALA:H	1.53	0.55
1:A:222:GLY:O	1:A:300:HIS:HE1	1.89	0.55
1:C:174:SER:HB3	1:C:175:PRO:HD3	1.88	0.55
1:D:420:LEU:N	1:D:420:LEU:HD22	2.21	0.55
1:B:58:ARG:HD3	1:C:474:ARG:HG2	1.88	0.55
1:C:194:GLY:O	1:C:198:VAL:HG13	2.06	0.55
1:B:8:LEU:HD11	1:B:12:LYS:HE2	1.88	0.55
1:D:194:GLY:O	1:D:198:VAL:HG13	2.06	0.55
1:C:222:GLY:O	1:C:300:HIS:HE1	1.90	0.55
1:B:57:HIS:HD2	1:B:59:ALA:H	1.54	0.55
1:E:222:GLY:O	1:E:300:HIS:HE1	1.90	0.55
1:F:194:GLY:O	1:F:198:VAL:HG13	2.08	0.55
1:F:436:ALA:HA	1:F:439:ILE:HG22	1.88	0.55
1:A:174:SER:HB3	1:A:175:PRO:HD3	1.88	0.54
1:E:202:THR:HG21	1:E:204:GLU:CB	2.38	0.54
1:B:194:GLY:O	1:B:198:VAL:HG13	2.07	0.54
1:D:60:THR:O	1:D:60:THR:OG1	2.23	0.54
1:F:174:SER:HB3	1:F:175:PRO:HD3	1.89	0.54
1:E:202:THR:CG2	1:E:204:GLU:CB	2.85	0.54
1:F:222:GLY:O	1:F:300:HIS:HE1	1.89	0.54
1:F:256:VAL:HG13	1:F:257:PRO:O	2.07	0.54
1:B:222:GLY:O	1:B:300:HIS:HE1	1.89	0.54
1:B:174:SER:HB3	1:B:175:PRO:HD3	1.90	0.53
1:E:57:HIS:HD2	1:E:59:ALA:H	1.56	0.53
1:B:169:GLY:HA3	3:B:603:GOL:H12	1.89	0.53
1:C:138:THR:HG21	1:F:58:ARG:NH2	2.23	0.53
1:E:174:SER:HB3	1:E:175:PRO:HD3	1.89	0.53
1:D:57:HIS:HD2	1:D:59:ALA:H	1.56	0.53
1:A:300:HIS:HD2	4:A:716:HOH:O	1.91	0.53
1:C:55:ARG:HH12	1:C:106:GLN:NE2	2.07	0.53
1:D:55:ARG:HH12	1:D:106:GLN:NE2	2.06	0.53
1:D:407:ILE:CD1	1:F:140:LEU:HG	2.39	0.53
1:D:174:SER:HB3	1:D:175:PRO:HD3	1.89	0.53
1:F:57:HIS:HD2	1:F:59:ALA:H	1.57	0.52
1:B:307:VAL:HG23	1:B:337:ALA:CB	2.39	0.52
1:D:365:LEU:HD13	1:D:366:PRO:O	2.10	0.52
1:C:456:GLN:NE2	1:C:457:ARG:NH2	2.58	0.52
1:A:448:ASP:N	1:A:448:ASP:OD1	2.42	0.52
1:F:261:PRO:O	1:F:262:ALA:CB	2.57	0.51
1:A:58:ARG:NH2	1:B:138:THR:HG21	2.24	0.51
1:E:307:VAL:HG23	1:E:337:ALA:CB	2.40	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:51:ILE:HD13	1:F:114:MET:HE1	1.90	0.51
1:D:183:MET:SD	1:D:190:MET:HE2	2.51	0.51
1:C:64:LEU:HD11	1:C:134:GLN:CB	2.41	0.51
1:B:214:ALA:O	1:B:218:SER:HB2	2.11	0.51
1:E:202:THR:CG2	1:E:203:GLY:N	2.73	0.51
1:F:365:LEU:HD13	1:F:366:PRO:O	2.11	0.50
1:F:51:ILE:HD11	1:F:78:TRP:CZ3	2.45	0.50
1:A:161:SER:HB3	1:A:163:MET:CE	2.41	0.50
1:E:202:THR:CG2	1:E:204:GLU:HB2	2.42	0.49
1:A:129:ALA:HB2	1:A:167:CYS:HA	1.93	0.49
1:A:307:VAL:HG23	1:A:337:ALA:CB	2.41	0.49
1:F:51:ILE:HD13	1:F:114:MET:CE	2.42	0.49
1:A:147:PHE:CG	1:C:383:LEU:HD21	2.48	0.48
1:C:264:ARG:HH11	1:C:267:GLN:NE2	2.10	0.48
1:E:202:THR:HG21	1:E:204:GLU:HB3	1.94	0.48
1:B:508:LYS:CE	1:E:349:ASP:O	2.61	0.48
1:C:307:VAL:HG23	1:C:337:ALA:CB	2.41	0.48
1:A:162:VAL:C	1:A:163:MET:HE2	2.34	0.48
1:B:129:ALA:HB2	1:B:167:CYS:HA	1.96	0.48
1:E:214:ALA:O	1:E:218:SER:HB3	2.14	0.48
1:C:72:ASP:O	1:C:95:ILE:HG21	2.14	0.48
1:F:202:THR:HG23	1:F:204:GLU:H	1.79	0.47
1:D:307:VAL:HG23	1:D:337:ALA:CB	2.40	0.47
1:F:307:VAL:HG23	1:F:337:ALA:CB	2.41	0.47
1:C:64:LEU:HD11	1:C:134:GLN:HB3	1.97	0.47
1:E:58:ARG:HD3	1:F:474:ARG:HD3	1.96	0.47
1:A:129:ALA:CB	1:A:167:CYS:HA	2.43	0.47
1:B:169:GLY:CA	3:B:603:GOL:H12	2.43	0.47
1:C:183:MET:SD	1:C:190:MET:HE2	2.54	0.47
1:C:264:ARG:HH11	1:C:267:GLN:HE21	1.62	0.47
1:B:317:LYS:HD3	1:B:498:ARG:NH2	2.30	0.47
1:D:20:ASP:N	4:D:702:HOH:O	2.47	0.46
1:F:4:GLN:H	1:F:4:GLN:HE21	1.64	0.46
1:B:451:GLU:HA	1:B:451:GLU:OE1	2.14	0.46
1:C:55:ARG:HH12	1:C:106:GLN:HE21	1.63	0.46
1:A:51:ILE:HD13	1:A:114:MET:CE	2.45	0.46
1:D:365:LEU:HD12	1:D:370:GLN:HG3	1.98	0.46
1:A:51:ILE:HD11	1:A:110:LYS:CD	2.40	0.46
1:B:190:MET:HE1	1:B:223:VAL:HG12	1.97	0.46
1:B:129:ALA:CB	1:B:167:CYS:HA	2.46	0.45
1:C:27:GLN:NE2	1:C:32:LYS:CB	2.78	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:198:VAL:O	1:E:202:THR:N	2.49	0.45
1:C:72:ASP:O	1:C:95:ILE:CD1	2.63	0.45
1:C:5:LEU:HD11	1:D:270:TYR:CE1	2.52	0.45
1:A:199:ARG:NE	1:A:205:GLU:OE1	2.50	0.45
1:A:423:PRO:HB2	1:F:4:GLN:HB3	1.99	0.45
1:B:57:HIS:CD2	1:B:59:ALA:H	2.35	0.45
1:C:58:ARG:HH12	1:F:138:THR:HG21	1.81	0.44
1:B:170:GLY:H	3:B:603:GOL:C1	2.30	0.44
1:D:62:PHE:HB3	1:F:439:ILE:HD11	2.00	0.44
1:F:487:ARG:O	1:F:491:ILE:HG12	2.17	0.44
1:E:57:HIS:HE1	1:E:67:LYS:O	2.01	0.44
1:B:57:HIS:HE1	1:B:67:LYS:O	2.02	0.43
1:E:190:MET:HE1	1:E:223:VAL:HG12	1.99	0.43
1:C:72:ASP:OD2	1:C:104:HIS:CA	2.66	0.43
1:C:57:HIS:HE1	1:C:67:LYS:O	2.02	0.43
1:D:65:GLU:H	1:D:65:GLU:HG3	1.56	0.43
1:B:147:PHE:CG	1:E:383:LEU:HD21	2.52	0.43
1:C:449:ASP:N	1:C:450:PRO:CD	2.81	0.43
1:E:52:GLU:OE1	1:E:55:ARG:HD3	2.17	0.43
1:F:57:HIS:CD2	1:F:59:ALA:H	2.37	0.43
1:E:198:VAL:O	1:E:202:THR:CG2	2.63	0.43
1:E:412:ARG:NE	3:E:601:GOL:H32	2.27	0.43
1:D:383:LEU:HD21	1:F:147:PHE:CG	2.53	0.43
1:E:5:LEU:HD11	1:F:270:TYR:CE1	2.54	0.42
1:B:403:GLY:HA2	1:E:140:LEU:HD11	2.01	0.42
1:B:440:PHE:CE2	1:B:457:ARG:HG3	2.54	0.42
1:C:58:ARG:HD3	1:D:474:ARG:NE	2.35	0.42
1:C:464:GLU:C	1:C:465:LEU:HD22	2.40	0.42
1:D:504:LEU:HD12	1:D:505:PRO:HD3	2.01	0.42
1:F:365:LEU:HD12	1:F:370:GLN:HG3	2.01	0.42
1:A:198:VAL:HG13	1:A:202:THR:CG2	2.50	0.42
1:D:58:ARG:NH2	1:E:138:THR:HG21	2.29	0.41
1:D:453:VAL:O	1:D:457:ARG:HG2	2.20	0.41
1:E:413:SER:HA	3:E:601:GOL:O1	2.20	0.41
1:F:322:VAL:O	1:F:357:THR:HA	2.20	0.41
1:B:322:VAL:O	1:B:357:THR:HA	2.20	0.41
1:E:57:HIS:CD2	1:E:59:ALA:H	2.37	0.41
1:F:170:GLY:H	3:F:701:GOL:H11	1.84	0.41
1:A:359:LEU:HD21	1:A:409:MET:HB2	2.02	0.41
1:E:202:THR:HG23	1:E:204:GLU:HB2	2.01	0.41
1:C:27:GLN:OE1	1:C:27:GLN:HA	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:265:ARG:HH11	1:C:265:ARG:HB3	1.86	0.41
1:C:365:LEU:HA	1:C:366:PRO:HD3	1.93	0.41
1:D:57:HIS:CD2	1:D:59:ALA:H	2.37	0.41
1:D:52:GLU:OE1	1:D:55:ARG:HD3	2.21	0.41
1:D:57:HIS:HE1	1:D:67:LYS:O	2.03	0.41
1:A:190:MET:HE1	1:A:223:VAL:HG12	2.02	0.40
1:A:365:LEU:HA	1:A:366:PRO:HD3	1.92	0.40
1:C:8:LEU:HD22	1:D:423:PRO:HG3	2.02	0.40
1:C:322:VAL:O	1:C:357:THR:HA	2.22	0.40
1:D:435:ALA:HB1	1:F:133:ILE:CG2	2.52	0.40
1:F:183:MET:SD	1:F:190:MET:HE2	2.60	0.40
1:A:283:MET:HG2	1:A:323:ALA:HB1	2.02	0.40
1:E:2:ARG:HG3	1:E:3:LYS:H	1.87	0.40
1:F:335:ILE:N	1:F:370:GLN:HE22	2.13	0.40
1:D:322:VAL:O	1:D:357:THR:HA	2.21	0.40
1:E:322:VAL:O	1:E:357:THR:HA	2.22	0.40
1:B:36:ARG:HG3	1:B:75:ILE:HD13	2.03	0.40
1:B:440:PHE:CD2	1:B:457:ARG:HG3	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	511/514 (99%)	493 (96%)	18 (4%)	0	100	100
1	B	511/514 (99%)	496 (97%)	15 (3%)	0	100	100
1	C	511/514 (99%)	497 (97%)	11 (2%)	3 (1%)	25	26
1	D	511/514 (99%)	492 (96%)	17 (3%)	2 (0%)	34	38
1	E	511/514 (99%)	490 (96%)	19 (4%)	2 (0%)	34	38
1	F	511/514 (99%)	493 (96%)	16 (3%)	2 (0%)	34	38

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3066/3084 (99%)	2961 (97%)	96 (3%)	9 (0%)	41	47

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	129	ALA
1	E	205	GLU
1	C	72	ASP
1	C	452	ALA
1	F	262	ALA
1	D	447	ALA
1	C	71	THR
1	D	446	ALA
1	F	449	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/402 (99%)	390 (98%)	9 (2%)	50	61
1	B	399/402 (99%)	389 (98%)	10 (2%)	47	58
1	C	400/402 (100%)	391 (98%)	9 (2%)	50	61
1	D	401/402 (100%)	390 (97%)	11 (3%)	44	55
1	E	401/402 (100%)	386 (96%)	15 (4%)	34	43
1	F	401/402 (100%)	386 (96%)	15 (4%)	34	43
All	All	2401/2412 (100%)	2332 (97%)	69 (3%)	42	52

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	ARG
1	A	85	THR
1	A	102	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	138	THR
1	A	191	PHE
1	A	196	ASP
1	A	272	LEU
1	A	362	PRO
1	A	448	ASP
1	B	2	ARG
1	B	85	THR
1	B	133	ILE
1	B	138	THR
1	B	191	PHE
1	B	196	ASP
1	B	198	VAL
1	B	206	ILE
1	B	218	SER
1	B	455	ARG
1	C	3	LYS
1	C	71	THR
1	C	138	THR
1	C	196	ASP
1	C	198	VAL
1	C	206	ILE
1	C	263	ASP
1	C	369	ASP
1	C	448	ASP
1	D	138	THR
1	D	193	THR
1	D	196	ASP
1	D	198	VAL
1	D	206	ILE
1	D	259	ASP
1	D	369	ASP
1	D	400	LYS
1	D	445	ASN
1	D	503	ASP
1	D	504	LEU
1	E	20	ASP
1	E	25	ARG
1	E	85	THR
1	E	102	GLU
1	E	138	THR
1	E	140	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	196	ASP
1	E	202	THR
1	E	205	GLU
1	E	206	ILE
1	E	236	GLU
1	E	267	GLN
1	E	317	LYS
1	E	400	LYS
1	E	451	GLU
1	F	4	GLN
1	F	55	ARG
1	F	102	GLU
1	F	138	THR
1	F	163	MET
1	F	191	PHE
1	F	198	VAL
1	F	256	VAL
1	F	259	ASP
1	F	317	LYS
1	F	369	ASP
1	F	400	LYS
1	F	448	ASP
1	F	455	ARG
1	F	503	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (59) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
1	A	296	HIS
1	A	300	HIS
1	A	370	GLN
1	A	378	HIS
1	A	511	ASN
1	A	514	GLN
1	B	57	HIS
1	B	126	ASN
1	B	296	HIS
1	B	300	HIS
1	B	370	GLN
1	B	378	HIS
1	B	514	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	27	GLN
1	C	57	HIS
1	C	82	HIS
1	C	106	GLN
1	C	126	ASN
1	C	148	GLN
1	C	267	GLN
1	C	296	HIS
1	C	300	HIS
1	C	370	GLN
1	C	378	HIS
1	C	456	GLN
1	D	4	GLN
1	D	57	HIS
1	D	106	GLN
1	D	126	ASN
1	D	267	GLN
1	D	296	HIS
1	D	300	HIS
1	D	370	GLN
1	D	378	HIS
1	D	445	ASN
1	D	456	GLN
1	D	511	ASN
1	D	514	GLN
1	E	57	HIS
1	E	148	GLN
1	E	300	HIS
1	E	346	GLN
1	E	370	GLN
1	E	378	HIS
1	E	445	ASN
1	E	514	GLN
1	F	4	GLN
1	F	57	HIS
1	F	126	ASN
1	F	296	HIS
1	F	300	HIS
1	F	370	GLN
1	F	372	HIS
1	F	378	HIS
1	F	425	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	456	GLN
1	F	467	HIS
1	F	514	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	GOL	C	601	-	5,5,5	0.58	0	5,5,5	1.23	1 (20%)
3	GOL	B	603	-	5,5,5	0.25	0	5,5,5	0.62	0
2	SO4	A	601	-	4,4,4	0.33	0	6,6,6	0.33	0
2	SO4	B	601	-	4,4,4	0.25	0	6,6,6	0.34	0
2	SO4	D	602	-	4,4,4	0.31	0	6,6,6	0.28	0
2	SO4	B	602	-	4,4,4	0.31	0	6,6,6	0.06	0
2	SO4	A	602	-	4,4,4	0.33	0	6,6,6	0.21	0
3	GOL	F	701	-	5,5,5	0.23	0	5,5,5	0.55	0
3	GOL	E	601	-	5,5,5	0.65	0	5,5,5	1.04	0
2	SO4	D	601	-	4,4,4	0.34	0	6,6,6	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	601	-	-	4/4/4/4	-
3	GOL	F	701	-	-	2/4/4/4	-
3	GOL	B	603	-	-	2/4/4/4	-
3	GOL	E	601	-	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	GOL	O2-C2-C3	-2.10	99.89	109.12

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	603	GOL	O1-C1-C2-C3
3	C	601	GOL	O1-C1-C2-C3
3	F	701	GOL	C1-C2-C3-O3
3	C	601	GOL	O1-C1-C2-O2
3	F	701	GOL	O2-C2-C3-O3
3	B	603	GOL	O1-C1-C2-O2
3	C	601	GOL	O2-C2-C3-O3
3	C	601	GOL	C1-C2-C3-O3

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	601	GOL	2	0
3	B	603	GOL	3	0
3	F	701	GOL	1	0
3	E	601	GOL	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	513/514 (99%)	-0.07	24 (4%) 31 42	23, 35, 79, 127	0
1	B	513/514 (99%)	0.02	27 (5%) 26 37	23, 36, 81, 143	0
1	C	513/514 (99%)	0.17	38 (7%) 14 21	26, 41, 89, 124	0
1	D	513/514 (99%)	-0.02	17 (3%) 46 57	25, 38, 78, 118	0
1	E	513/514 (99%)	0.11	36 (7%) 16 24	25, 40, 87, 118	0
1	F	513/514 (99%)	0.02	27 (5%) 26 37	24, 37, 84, 119	0
All	All	3078/3084 (99%)	0.04	169 (5%) 25 34	23, 38, 83, 143	0

All (169) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	447	ALA	7.3
1	B	448	ASP	6.0
1	B	446	ALA	5.8
1	C	448	ASP	4.9
1	E	450	PRO	4.7
1	C	26	ARG	4.7
1	C	445	ASN	4.7
1	C	444	ILE	4.6
1	A	506	MET	4.6
1	D	19	PRO	4.5
1	C	504	LEU	4.4
1	C	447	ALA	4.4
1	C	452	ALA	4.4
1	C	442	ARG	4.4
1	E	3	LYS	4.4
1	A	447	ALA	4.3
1	B	445	ASN	4.3
1	E	202	THR	4.3
1	C	450	PRO	4.3

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	264	ARG	4.3
1	B	504	LEU	4.3
1	E	200	ALA	4.2
1	A	444	ILE	4.2
1	E	449	ASP	4.2
1	F	504	LEU	4.2
1	A	450	PRO	4.2
1	B	205	GLU	4.1
1	A	446	ALA	4.1
1	A	448	ASP	4.0
1	F	453	VAL	4.0
1	E	452	ALA	4.0
1	E	445	ASN	4.0
1	B	453	VAL	3.9
1	D	278	ASN	3.9
1	F	503	ASP	3.9
1	B	203	GLY	3.8
1	B	449	ASP	3.8
1	F	506	MET	3.7
1	B	452	ALA	3.7
1	E	204	GLU	3.7
1	C	23	ALA	3.7
1	C	449	ASP	3.7
1	D	448	ASP	3.7
1	B	503	ASP	3.6
1	B	501	HIS	3.6
1	F	438	VAL	3.6
1	C	275	ALA	3.5
1	A	442	ARG	3.5
1	C	201	VAL	3.5
1	C	455	ARG	3.5
1	A	202	THR	3.5
1	B	204	GLU	3.4
1	A	443	ASP	3.4
1	B	450	PRO	3.3
1	C	453	VAL	3.3
1	A	451	GLU	3.3
1	C	22	ASP	3.3
1	C	446	ALA	3.3
1	E	446	ALA	3.3
1	C	72	ASP	3.3
1	D	506	MET	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	443	ASP	3.2
1	E	448	ASP	3.2
1	B	199	ARG	3.2
1	E	276	ASP	3.2
1	F	437	GLY	3.2
1	E	453	VAL	3.1
1	E	205	GLU	3.1
1	E	444	ILE	3.1
1	F	278	ASN	3.1
1	B	506	MET	3.1
1	C	205	GLU	3.0
1	C	506	MET	3.0
1	A	453	VAL	2.9
1	F	202	THR	2.9
1	B	456	GLN	2.9
1	C	278	ASN	2.9
1	C	25	ARG	2.9
1	F	203	GLY	2.9
1	E	506	MET	2.9
1	E	22	ASP	2.8
1	F	199	ARG	2.8
1	D	445	ASN	2.8
1	B	259	ASP	2.8
1	E	454	ARG	2.8
1	C	441	ARG	2.8
1	A	501	HIS	2.8
1	D	463	ALA	2.8
1	A	449	ASP	2.8
1	E	203	GLY	2.7
1	F	442	ARG	2.7
1	E	455	ARG	2.7
1	A	452	ALA	2.7
1	A	199	ARG	2.7
1	A	257	PRO	2.7
1	F	435	ALA	2.7
1	C	202	THR	2.7
1	A	200	ALA	2.7
1	A	454	ARG	2.7
1	C	21	PRO	2.7
1	E	21	PRO	2.7
1	F	445	ASN	2.7
1	A	455	ARG	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	F	259	ASP	2.6
1	F	446	ALA	2.6
1	B	200	ALA	2.6
1	B	454	ARG	2.6
1	C	199	ARG	2.6
1	C	279	ARG	2.6
1	F	204	GLU	2.6
1	B	442	ARG	2.6
1	E	25	ARG	2.6
1	E	447	ALA	2.6
1	F	275	ALA	2.5
1	C	439	ILE	2.5
1	E	19	PRO	2.5
1	E	459	GLU	2.5
1	E	278	ASN	2.5
1	E	440	PHE	2.5
1	A	445	ASN	2.5
1	F	456	GLN	2.5
1	C	458	VAL	2.4
1	E	441	ARG	2.4
1	F	501	HIS	2.4
1	F	271	ASP	2.4
1	E	199	ARG	2.4
1	E	279	ARG	2.4
1	E	17	GLY	2.4
1	C	443	ASP	2.4
1	E	29	ASP	2.4
1	A	504	LEU	2.4
1	C	200	ALA	2.4
1	F	205	GLU	2.3
1	D	447	ALA	2.3
1	D	279	ARG	2.3
1	A	259	ASP	2.3
1	D	271	ASP	2.3
1	C	451	GLU	2.3
1	C	503	ASP	2.3
1	B	451	GLU	2.3
1	E	451	GLU	2.3
1	B	444	ILE	2.3
1	C	204	GLU	2.3
1	A	441	ARG	2.2
1	E	501	HIS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	455	ARG	2.2
1	D	452	ALA	2.2
1	C	454	ARG	2.2
1	F	448	ASP	2.2
1	A	278	ASN	2.2
1	E	26	ARG	2.2
1	E	277	GLY	2.2
1	F	200	ALA	2.1
1	D	276	ASP	2.1
1	C	11	ILE	2.1
1	C	258	CYS	2.1
1	B	271	ASP	2.1
1	D	408	VAL	2.1
1	B	279	ARG	2.1
1	F	270	TYR	2.1
1	D	21	PRO	2.1
1	D	460	GLU	2.1
1	F	429	VAL	2.1
1	D	205	GLU	2.0
1	B	441	ARG	2.0
1	F	439	ILE	2.0
1	D	456	GLN	2.0
1	E	16	ARG	2.0
1	F	279	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GOL	B	603	6/6	0.84	0.26	37,51,60,65	0
3	GOL	E	601	6/6	0.85	0.31	34,39,53,53	0
3	GOL	F	701	6/6	0.87	0.29	38,57,68,72	0
3	GOL	C	601	6/6	0.90	0.30	26,43,51,60	0
2	SO4	A	602	5/5	0.96	0.12	61,63,73,73	0
2	SO4	B	602	5/5	0.96	0.13	66,66,67,80	0
2	SO4	A	601	5/5	0.97	0.10	46,49,59,76	0
2	SO4	D	601	5/5	0.98	0.08	50,53,54,57	0
2	SO4	D	602	5/5	0.98	0.11	46,49,52,54	0
2	SO4	B	601	5/5	0.98	0.07	41,48,52,55	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.