



# Full wwPDB X-ray Structure Validation Report i

May 13, 2020 – 04:21 pm BST

PDB ID : 4WG2  
Title : P411BM3-CIS T438S I263F regioselective C-H amination catalyst  
Authors : Hyster, T.K.; Farwell, C.C.; Buller, A.R.; McIntosh, J.A.; Arnold, F.H.  
Deposited on : 2014-09-17  
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 10947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional P-450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	461	3621	2313	615	677	16	0	0	0
1	B	451	3533	2261	599	657	16	0	0	0
1	C	460	3583	2290	602	675	16	0	0	0

There are 66 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	ALA	VAL	engineered mutation	UNP P14779
A	87	VAL	PHE	engineered mutation	UNP P14779
A	142	SER	PRO	engineered mutation	UNP P14779
A	175	ILE	THR	engineered mutation	UNP P14779
A	184	VAL	ALA	engineered mutation	UNP P14779
A	226	ARG	SER	engineered mutation	UNP P14779
A	236	GLN	HIS	engineered mutation	UNP P14779
A	252	GLY	GLU	engineered mutation	UNP P14779
A	263	PHE	ILE	engineered mutation	UNP P14779
A	268	ALA	THR	engineered mutation	UNP P14779
A	290	VAL	ALA	engineered mutation	UNP P14779
A	353	VAL	LEU	engineered mutation	UNP P14779
A	366	VAL	ILE	engineered mutation	UNP P14779
A	400	SER	CYS	engineered mutation	UNP P14779
A	438	SER	THR	engineered mutation	UNP P14779
A	442	LYS	GLU	engineered mutation	UNP P14779
A	464	HIS	-	expression tag	UNP P14779
A	465	HIS	-	expression tag	UNP P14779
A	466	HIS	-	expression tag	UNP P14779
A	467	HIS	-	expression tag	UNP P14779
A	468	HIS	-	expression tag	UNP P14779
A	469	HIS	-	expression tag	UNP P14779
B	78	ALA	VAL	engineered mutation	UNP P14779

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	87	VAL	PHE	engineered mutation	UNP P14779
B	142	SER	PRO	engineered mutation	UNP P14779
B	175	ILE	THR	engineered mutation	UNP P14779
B	184	VAL	ALA	engineered mutation	UNP P14779
B	226	ARG	SER	engineered mutation	UNP P14779
B	236	GLN	HIS	engineered mutation	UNP P14779
B	252	GLY	GLU	engineered mutation	UNP P14779
B	263	PHE	ILE	engineered mutation	UNP P14779
B	268	ALA	THR	engineered mutation	UNP P14779
B	290	VAL	ALA	engineered mutation	UNP P14779
B	353	VAL	LEU	engineered mutation	UNP P14779
B	366	VAL	ILE	engineered mutation	UNP P14779
B	400	SER	CYS	engineered mutation	UNP P14779
B	438	SER	THR	engineered mutation	UNP P14779
B	442	LYS	GLU	engineered mutation	UNP P14779
B	464	HIS	-	expression tag	UNP P14779
B	465	HIS	-	expression tag	UNP P14779
B	466	HIS	-	expression tag	UNP P14779
B	467	HIS	-	expression tag	UNP P14779
B	468	HIS	-	expression tag	UNP P14779
B	469	HIS	-	expression tag	UNP P14779
C	78	ALA	VAL	engineered mutation	UNP P14779
C	87	VAL	PHE	engineered mutation	UNP P14779
C	142	SER	PRO	engineered mutation	UNP P14779
C	175	ILE	THR	engineered mutation	UNP P14779
C	184	VAL	ALA	engineered mutation	UNP P14779
C	226	ARG	SER	engineered mutation	UNP P14779
C	236	GLN	HIS	engineered mutation	UNP P14779
C	252	GLY	GLU	engineered mutation	UNP P14779
C	263	PHE	ILE	engineered mutation	UNP P14779
C	268	ALA	THR	engineered mutation	UNP P14779
C	290	VAL	ALA	engineered mutation	UNP P14779
C	353	VAL	LEU	engineered mutation	UNP P14779
C	366	VAL	ILE	engineered mutation	UNP P14779
C	400	SER	CYS	engineered mutation	UNP P14779
C	438	SER	THR	engineered mutation	UNP P14779
C	442	LYS	GLU	engineered mutation	UNP P14779
C	464	HIS	-	expression tag	UNP P14779
C	465	HIS	-	expression tag	UNP P14779
C	466	HIS	-	expression tag	UNP P14779
C	467	HIS	-	expression tag	UNP P14779
C	468	HIS	-	expression tag	UNP P14779

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	469	HIS	-	expression tag	UNP P14779

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C<sub>34</sub>H<sub>32</sub>FeN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total C Fe N O					0	0
			43	34	1	4	4		
3	B	1	Total C Fe N O					0	0
			43	34	1	4	4		
3	C	1	Total C Fe N O					0	0
			43	34	1	4	4		



- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	24	Total O		0	0
			24	24		
4	B	22	Total O		0	0
			22	22		
4	C	20	Total O		0	0
			20	20		



### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Bifunctional P-450/NADPH-P450 reductase



- Molecule 1: Bifunctional P-450/NADPH-P450 reductase



- Molecule 1: Bifunctional P-450/NADPH-P450 reductase





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	206.90Å 206.90Å 119.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.66 39.10 – 2.66	Depositor EDS
% Data completeness (in resolution range)	100.0 (40.00-2.66) 100.0 (39.10-2.66)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.44 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
$R$ , $R_{free}$	0.197 , 0.235 0.201 , 0.235	Depositor DCC
$R_{free}$ test set	3794 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	53.5	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 33.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10947	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.80% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.60	0/3707	0.67	0/5030
1	B	0.57	0/3613	0.65	0/4900
1	C	0.57	0/3668	0.65	0/4984
All	All	0.58	0/10988	0.66	0/14914

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3621	0	3513	50	0
1	B	3533	0	3420	29	0
1	C	3583	0	3445	56	0
2	A	10	0	0	1	0
2	C	5	0	0	0	0
3	A	43	0	30	4	0
3	B	43	0	30	3	0
3	C	43	0	30	6	0
4	A	24	0	0	0	0
4	B	22	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	20	0	0	0	0
All	All	10947	0	10468	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:ASN:O	1:B:198:TYR:CE2	2.37	0.77
3:C:602:HEM:HBB2	3:C:602:HEM:HMB2	1.67	0.75
1:C:413:VAL:HG12	1:C:417:MET:CE	2.20	0.71
1:B:413:VAL:HG12	1:B:417:MET:CE	2.23	0.69
1:A:370:ASP:HB3	1:A:378:ARG:HH22	1.58	0.68
1:C:370:ASP:OD2	1:C:375:ARG:NH1	2.25	0.68
1:C:185:MET:CE	1:C:437:LEU:HD12	2.23	0.67
1:C:131:GLU:OE2	1:C:460:SER:HB2	1.95	0.66
1:A:185:MET:CE	1:A:437:LEU:HD12	2.27	0.64
1:C:413:VAL:HG12	1:C:417:MET:HE3	1.79	0.64
1:A:167:ARG:HH11	1:A:167:ARG:HG2	1.61	0.64
1:A:62:CYS:SG	1:A:391:LYS:HE3	2.38	0.64
3:A:603:HEM:HMC2	3:A:603:HEM:HBC2	1.80	0.63
1:A:223:ARG:NH2	1:A:232:ASP:OD1	2.26	0.63
1:B:290:VAL:HB	1:B:418:LEU:HD13	1.82	0.61
1:B:413:VAL:HG12	1:B:417:MET:HE3	1.82	0.61
1:C:391:LYS:NZ	1:C:395:ASN:OD1	2.34	0.61
1:A:185:MET:HE1	1:A:437:LEU:HD12	1.82	0.61
1:A:413:VAL:O	1:A:417:MET:HG3	2.01	0.60
1:C:9:LYS:HD3	1:C:11:PHE:CZ	2.36	0.60
1:A:373:GLU:OE2	1:A:375:ARG:HD3	2.01	0.60
1:C:370:ASP:HB3	1:C:378:ARG:HH12	1.63	0.60
1:C:183:GLU:OE2	1:C:190:ARG:NH1	2.30	0.60
1:C:436:THR:O	1:C:437:LEU:HB2	2.02	0.60
1:C:11:PHE:CD1	1:C:18:PRO:HG2	2.37	0.60
1:A:174:ILE:O	1:A:178:VAL:HG23	2.03	0.59
3:C:602:HEM:HMC2	3:C:602:HEM:HBC2	1.83	0.58
1:C:426:HIS:CD2	1:C:447:LYS:HE3	2.40	0.57
1:A:460:SER:O	1:A:463:THR:HG22	2.03	0.57
1:C:375:ARG:O	1:C:378:ARG:HG3	2.05	0.57
1:C:120:VAL:HG11	1:C:302:VAL:CG2	2.35	0.56
1:A:21:ASN:ND2	1:A:189:GLN:HB3	2.21	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:GLN:OE1	1:B:305:TYR:OH	2.17	0.56
1:C:413:VAL:HG12	1:C:417:MET:HE2	1.87	0.56
1:C:174:ILE:O	1:C:178:VAL:HG23	2.06	0.56
1:C:173:PHE:CD2	1:C:215:LEU:HD22	2.41	0.55
1:C:5:MET:SD	1:C:50:ARG:HG2	2.47	0.55
1:A:150:LEU:HD22	1:A:174:ILE:CG1	2.36	0.55
1:A:11:PHE:CD1	1:A:18:PRO:HG2	2.41	0.55
1:B:413:VAL:HG12	1:B:417:MET:HE2	1.88	0.55
1:A:20:LEU:HG	1:A:42:PHE:CZ	2.42	0.55
1:A:49:THR:HG22	1:A:352:GLU:OE1	2.07	0.54
1:A:223:ARG:HH22	1:A:232:ASP:CG	2.11	0.54
1:C:402:GLY:HA3	3:C:602:HEM:C3C	2.43	0.54
1:A:167:ARG:NH1	1:A:167:ARG:HG2	2.23	0.53
1:C:69:LYS:HE2	3:C:602:HEM:O2A	2.08	0.53
1:A:185:MET:HA	1:A:185:MET:CE	2.39	0.53
1:A:253:ASN:O	1:A:257:GLN:HG2	2.09	0.53
1:A:275:PHE:CE2	1:A:441:PRO:HD3	2.45	0.52
3:A:603:HEM:CMC	3:A:603:HEM:HBC2	2.40	0.52
1:C:282:LYS:NZ	1:C:429:TYR:O	2.43	0.52
1:A:222:ASP:O	1:A:226:ARG:HB2	2.09	0.52
1:B:49:THR:HG22	1:B:352:GLU:CB	2.40	0.51
1:C:120:VAL:HG11	1:C:302:VAL:HG21	1.92	0.51
1:C:290:VAL:CG1	1:C:418:LEU:HD13	2.41	0.51
1:C:429:TYR:CE2	1:C:431:LEU:HA	2.46	0.51
1:A:329:PRO:HG3	1:A:439:LEU:HG	1.94	0.50
1:B:366:VAL:HG11	1:B:389:ALA:HB1	1.92	0.50
1:B:49:THR:HG22	1:B:352:GLU:HB2	1.94	0.50
1:C:173:PHE:CD2	1:C:215:LEU:CD2	2.94	0.50
1:C:216:VAL:HG21	1:C:259:ILE:HG13	1.94	0.50
3:C:602:HEM:CMB	3:C:602:HEM:HBB2	2.37	0.50
3:B:500:HEM:HMB2	3:B:500:HEM:HBB2	1.93	0.49
1:A:290:VAL:CG1	1:A:418:LEU:HD13	2.42	0.49
1:B:366:VAL:HG11	1:B:389:ALA:CB	2.42	0.49
1:B:388:HIS:ND1	1:B:391:LYS:HE3	2.27	0.49
1:C:329:PRO:HG3	1:C:439:LEU:HG	1.93	0.49
1:C:185:MET:HE2	1:C:437:LEU:HD12	1.94	0.49
1:C:290:VAL:CG1	1:C:418:LEU:CD1	2.91	0.48
1:A:87:VAL:HG23	1:A:260:THR:CG2	2.44	0.48
1:B:53:SER:HB3	1:B:359:GLN:HB3	1.94	0.48
3:C:602:HEM:CMC	3:C:602:HEM:HBC2	2.44	0.48
1:A:17:LEU:N	1:A:18:PRO:HD2	2.29	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:190:ARG:HD2	1:C:198:TYR:CE2	2.48	0.48
1:C:366:VAL:HG11	1:C:389:ALA:CB	2.44	0.48
1:A:400:SER:HB2	3:A:603:HEM:NA	2.29	0.47
1:A:222:ASP:O	1:A:226:ARG:CB	2.63	0.47
1:C:238:LEU:HD23	1:C:254:ILE:HD13	1.95	0.47
3:B:500:HEM:HBC2	3:B:500:HEM:HMC2	1.97	0.47
1:B:292:GLU:OE2	1:B:296:ARG:NH1	2.47	0.46
1:B:76:LYS:O	1:B:79:ARG:HB2	2.14	0.46
1:C:143:GLU:OE1	1:C:143:GLU:N	2.47	0.46
1:C:185:MET:HE3	1:C:437:LEU:HD12	1.95	0.46
1:A:185:MET:HE2	1:A:185:MET:HA	1.96	0.46
1:C:290:VAL:HG11	1:C:418:LEU:CD1	2.44	0.46
1:A:131:GLU:HB3	1:A:461:PRO:HD2	1.98	0.46
1:B:436:THR:OG1	1:B:436:THR:O	2.31	0.45
1:A:220:ILE:HD11	1:A:258:ILE:HD12	1.97	0.45
1:C:23:ASP:OD1	1:C:23:ASP:N	2.48	0.45
1:A:185:MET:CE	1:A:437:LEU:CD1	2.95	0.45
1:A:53:SER:HB3	1:A:359:GLN:HB3	1.98	0.45
1:A:404:GLN:NE2	2:A:601:SO4:O3	2.48	0.45
1:A:20:LEU:HG	1:A:42:PHE:HZ	1.82	0.45
1:A:298:LEU:O	1:A:419:LYS:HE3	2.17	0.45
1:C:223:ARG:HH22	1:C:232:ASP:CG	2.21	0.45
1:C:242:ASP:OD1	1:C:243:PRO:HD2	2.17	0.44
1:A:370:ASP:HB3	1:A:378:ARG:NH2	2.31	0.44
1:B:109:GLN:OE1	1:B:309:LYS:HE3	2.17	0.44
1:C:145:MET:SD	1:C:273:LEU:HB3	2.58	0.44
1:B:329:PRO:HG3	1:B:439:LEU:HG	2.00	0.44
1:B:205:PHE:O	1:B:209:ILE:HG13	2.18	0.44
1:C:20:LEU:HG	1:C:42:PHE:CZ	2.53	0.44
1:C:53:SER:HB3	1:C:359:GLN:HB3	1.99	0.44
1:A:429:TYR:CE2	1:A:431:LEU:HA	2.52	0.44
1:A:413:VAL:HG12	1:A:417:MET:CE	2.49	0.43
1:C:51:TYR:CE1	1:C:354:MET:HG2	2.53	0.43
1:A:290:VAL:HG12	1:A:418:LEU:HD13	2.00	0.43
1:C:216:VAL:O	1:C:220:ILE:HG12	2.19	0.43
1:A:413:VAL:HG12	1:A:417:MET:HE3	2.00	0.43
1:C:242:ASP:HB3	1:C:245:THR:OG1	2.18	0.43
1:C:158:PHE:CE1	1:C:258:ILE:HG12	2.53	0.43
1:A:233:LEU:HA	1:A:233:LEU:HD23	1.88	0.43
1:A:263:PHE:CD1	1:A:263:PHE:C	2.92	0.43
1:C:162:PHE:O	1:C:167:ARG:NH1	2.50	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ALA:HA	1:A:67:PHE:CD2	2.54	0.43
1:C:232:ASP:O	1:C:235:THR:HB	2.19	0.43
1:C:69:LYS:NZ	1:C:87:VAL:O	2.52	0.43
3:A:603:HEM:HBB2	3:A:603:HEM:HMB2	2.01	0.43
1:C:4:GLU:HG2	1:C:5:MET:H	1.84	0.43
1:A:266:HIS:CG	1:A:267:GLU:N	2.86	0.42
1:B:272:LEU:HD13	1:B:322:LEU:HG	2.00	0.42
1:A:436:THR:O	1:A:437:LEU:HB2	2.19	0.42
1:C:171:HIS:CG	1:C:172:PRO:HD2	2.53	0.42
1:A:391:LYS:N	1:A:392:PRO:CD	2.83	0.42
1:B:402:GLY:HA3	3:B:500:HEM:C3C	2.54	0.42
1:B:174:ILE:O	1:B:178:VAL:HG23	2.19	0.42
1:B:286:VAL:O	1:B:290:VAL:HG23	2.20	0.42
1:B:87:VAL:HG23	1:B:260:THR:CG2	2.50	0.42
1:B:263:PHE:C	1:B:263:PHE:CD1	2.93	0.41
1:C:190:ARG:HD2	1:C:198:TYR:CD2	2.55	0.41
1:C:148:LEU:HD21	1:C:413:VAL:HG21	2.02	0.41
1:A:223:ARG:NH2	1:A:232:ASP:CG	2.73	0.41
1:A:150:LEU:HD22	1:A:174:ILE:HG13	2.03	0.41
1:B:228:GLU:OE1	1:B:230:SER:O	2.39	0.41
1:A:267:GLU:HG2	1:A:438:SER:HB2	2.02	0.41
1:B:16:ASN:HB2	1:B:43:GLU:O	2.20	0.41
1:C:167:ARG:NH1	1:C:171:HIS:HD2	2.19	0.41
1:C:69:LYS:HB2	1:C:398:ARG:HG3	2.02	0.41
1:B:16:ASN:HB3	1:B:42:PHE:CE1	2.55	0.40
1:B:17:LEU:N	1:B:18:PRO:CD	2.84	0.40
1:B:66:ARG:NH2	1:B:340:VAL:O	2.54	0.40
1:A:191:ALA:HB3	1:C:191:ALA:HB1	2.03	0.40
1:C:391:LYS:N	1:C:392:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/469 (98%)	441 (96%)	18 (4%)	0	100	100
1	B	445/469 (95%)	432 (97%)	13 (3%)	0	100	100
1	C	458/469 (98%)	440 (96%)	17 (4%)	1 (0%)	47	64
All	All	1362/1407 (97%)	1313 (96%)	48 (4%)	1 (0%)	51	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	461	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	383/410 (93%)	368 (96%)	15 (4%)	32	48
1	B	370/410 (90%)	355 (96%)	15 (4%)	30	46
1	C	376/410 (92%)	363 (96%)	13 (4%)	36	52
All	All	1129/1230 (92%)	1086 (96%)	43 (4%)	33	49

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	THR
1	A	47	ARG
1	A	148	LEU
1	A	159	ASN
1	A	174	ILE
1	A	223	ARG
1	A	231	ASP
1	A	263	PHE
1	A	301	PRO
1	A	312	LYS
1	A	380	GLU
1	A	383	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	387	GLN
1	A	422	ASP
1	A	452	LYS
1	B	22	THR
1	B	23	ASP
1	B	53	SER
1	B	88	THR
1	B	140	GLU
1	B	148	LEU
1	B	151	ASP
1	B	222	ASP
1	B	228	GLU
1	B	230	SER
1	B	231	ASP
1	B	263	PHE
1	B	290	VAL
1	B	309	LYS
1	B	458	ILE
1	C	21	ASN
1	C	136	ASP
1	C	148	LEU
1	C	151	ASP
1	C	159	ASN
1	C	169	GLN
1	C	182	ASP
1	C	223	ARG
1	C	230	SER
1	C	263	PHE
1	C	267	GLU
1	C	437	LEU
1	C	460	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	601	-	4,4,4	0.23	0	6,6,6	0.63	0
3	HEM	A	603	1	27,50,50	1.12	0	17,82,82	1.38	2 (11%)
2	SO4	A	602	-	4,4,4	0.39	0	6,6,6	0.96	0
3	HEM	B	500	1	27,50,50	0.99	2 (7%)	17,82,82	1.23	2 (11%)
3	HEM	C	602	1	27,50,50	1.14	2 (7%)	17,82,82	1.10	1 (5%)
2	SO4	C	601	-	4,4,4	0.35	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	603	1	-	0/6/54/54	-
3	HEM	B	500	1	-	0/6/54/54	-
3	HEM	C	602	1	-	0/6/54/54	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	602	HEM	C3B-C2B	-2.15	1.37	1.40
3	C	602	HEM	C4D-C3D	2.12	1.47	1.42
3	B	500	HEM	C3B-C2B	-2.10	1.37	1.40
3	B	500	HEM	C4D-C3D	2.04	1.47	1.42

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	603	HEM	CBD-CAD-C3D	-2.57	107.73	112.48
3	C	602	HEM	C1D-C2D-C3D	-2.16	105.49	107.00
3	B	500	HEM	CBD-CAD-C3D	-2.16	108.49	112.48
3	B	500	HEM	CMB-C2B-C3B	2.15	128.71	124.68
3	A	603	HEM	CMC-C2C-C3C	2.11	128.62	124.68

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	SO4	1	0
3	A	603	HEM	4	0
3	B	500	HEM	3	0
3	C	602	HEM	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	461/469 (98%)	-0.18	8 (1%) 70 67	32, 49, 82, 118	0
1	B	451/469 (96%)	-0.03	15 (3%) 46 43	31, 54, 90, 122	0
1	C	460/469 (98%)	-0.16	8 (1%) 70 67	36, 56, 89, 121	0
All	All	1372/1407 (97%)	-0.12	31 (2%) 60 56	31, 54, 87, 122	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	243	PRO	4.0
1	C	244	GLU	3.8
1	C	225	ALA	3.7
1	B	245	THR	3.6
1	B	264	ALA	3.6
1	B	244	GLU	3.5
1	B	243	PRO	3.2
1	C	245	THR	3.2
1	A	200	GLU	3.1
1	B	192	ASN	2.7
1	B	242	ASP	2.6
1	B	368	GLY	2.6
1	A	4	GLU	2.5
1	B	221	ALA	2.5
1	B	204	GLN	2.5
1	B	384	ALA	2.4
1	A	264	ALA	2.3
1	B	193	PRO	2.3
1	B	11	PHE	2.3
1	B	198	TYR	2.3
1	A	172	PRO	2.2
1	C	227	GLY	2.2
1	A	225	ALA	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	225	ALA	2.2
1	B	265	GLY	2.2
1	C	342	GLY	2.1
1	A	199	ASP	2.1
1	A	196	PRO	2.0
1	A	206	GLN	2.0
1	C	242	ASP	2.0
1	C	343	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	A	602	5/5	0.95	0.14	70,71,73,81	0
2	SO4	C	601	5/5	0.95	0.14	79,80,85,88	5
3	HEM	B	500	43/43	0.98	0.21	38,43,46,49	0
3	HEM	A	603	43/43	0.98	0.16	30,34,37,40	0
3	HEM	C	602	43/43	0.99	0.17	29,35,45,49	0
2	SO4	A	601	5/5	0.99	0.12	41,42,44,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.