



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 10:03 PM JST

PDB ID : 7XEY
Title : EDS1-PAD4 complexed with pRib-ADP
Authors : Huang, S.; Jia, A.; Xiao, Y.
Deposited on : 2022-03-31
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	623	 83% 15% .
2	B	541	 4% 81% 13% . .

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 9755 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Protein EDS1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	614	4983	3169	857	938	19	0	0	0

- Molecule 2 is a protein called Lipase-like PAD4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	519	4114	2630	699	765	20	0	0	0


- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	27	10	5	10	2	0	0


- Molecule 4 is 5-O-phosphono-beta-D-ribofuranose (three-letter code: RP5) (formula:

C₅H₁₁O₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			13	5	7	1		

- Molecule 5 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	330	Total 330	O 330	0	0
6	B	280	Total 280	O 280	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein EDS1



- Molecule 2: Lipase-like PAD4



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.36Å 91.86Å 94.27Å 90.00° 111.79° 90.00°	Depositor
Resolution (Å)	46.07 – 2.29 46.07 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.9 (46.07-2.29) 97.9 (46.07-2.29)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 2.29Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.184 , 0.233 0.184 , 0.233	Depositor DCC
R_{free} test set	1992 reflections (3.45%)	wwPDB-VP
Wilson B-factor (Å ²)	32.4	Xtrriage
Anisotropy	0.509	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9755	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, ADP, RP5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/5095	0.56	1/6875 (0.0%)
2	B	0.42	0/4207	0.57	0/5694
All	All	0.42	0/9302	0.57	1/12569 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	488	ARG	NE-CZ-NH2	5.70	123.15	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	221	THR	Peptide
2	B	431	VAL	Peptide
2	B	433	VAL	Peptide
2	B	78	SER	Peptide
2	B	80	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4983	0	4892	66	0
2	B	4114	0	4097	60	0
3	A	27	0	11	1	0
4	A	13	0	0	0	0
5	B	8	0	12	0	0
6	A	330	0	0	18	1
6	B	280	0	0	12	1
All	All	9755	0	9012	125	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:200:LYS:O	2:B:200:LYS:HD3	1.46	1.14
2:B:251:GLY:O	6:B:701:HOH:O	1.80	0.99
1:A:356:GLN:OE1	6:A:801:HOH:O	1.93	0.87
1:A:543:GLU:O	6:A:802:HOH:O	1.97	0.82
1:A:188:ILE:HB	1:A:313:SER:OG	1.80	0.82
2:B:136:SER:O	6:B:702:HOH:O	1.97	0.82
1:A:596:ARG:HA	1:A:616:MET:HE3	1.62	0.81
2:B:474:ARG:HH11	2:B:475:ARG:HB2	1.48	0.79
1:A:380:GLU:OE2	6:A:803:HOH:O	2.00	0.79
1:A:13:LEU:HD11	1:A:118:VAL:HG21	1.72	0.71
1:A:46:SER:O	6:A:805:HOH:O	2.08	0.71
2:B:432:LYS:HD2	2:B:434:PRO:HD2	1.73	0.71
2:B:200:LYS:O	2:B:200:LYS:CD	2.34	0.69
2:B:12:GLN:NE2	6:B:709:HOH:O	2.22	0.69
2:B:24:ASP:OD1	6:B:704:HOH:O	2.10	0.69
1:A:46:SER:OG	1:A:51:ASP:OD2	2.09	0.69
1:A:66:LEU:O	6:A:807:HOH:O	2.11	0.68
1:A:31:HIS:NE2	1:A:33:GLU:HG2	2.08	0.68
1:A:54:ASP:OD1	6:A:806:HOH:O	2.11	0.67
1:A:29:ARG:NH1	6:A:817:HOH:O	2.26	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:ASP:OD2	6:A:808:HOH:O	2.13	0.66
1:A:27:THR:HG21	1:A:31:HIS:HB2	1.80	0.64
1:A:72:PRO:HB3	1:A:512:ILE:HD11	1.79	0.64
1:A:392:GLU:HG3	1:A:464:LEU:HD21	1.78	0.64
1:A:207:VAL:HG13	1:A:314:ILE:HD11	1.80	0.63
1:A:596:ARG:HA	1:A:616:MET:CE	2.28	0.63
2:B:474:ARG:NH1	2:B:475:ARG:HB2	2.15	0.61
2:B:470:SER:HB2	2:B:473:GLN:HB3	1.81	0.61
2:B:24:ASP:OD2	6:B:706:HOH:O	2.15	0.61
2:B:225:ASN:ND2	6:B:711:HOH:O	2.27	0.60
2:B:478:LEU:HA	2:B:482:ILE:HB	1.84	0.59
1:A:526:LEU:HD13	1:A:565:VAL:HG13	1.84	0.58
2:B:70:ASP:HB3	2:B:99:LYS:HE3	1.84	0.58
2:B:420:ARG:O	2:B:424:ILE:HG12	2.04	0.58
2:B:330:GLN:HG3	2:B:505:LYS:HE3	1.86	0.58
1:A:142:ILE:HD11	1:A:507:LYS:HE3	1.87	0.57
2:B:255:PRO:O	2:B:257:ASN:N	2.36	0.56
2:B:4:CYS:HB3	6:B:721:HOH:O	2.06	0.56
1:A:16:ARG:NH1	6:A:804:HOH:O	2.06	0.55
1:A:305:GLU:O	1:A:309:ILE:HG12	2.06	0.55
1:A:347:ASP:OD1	6:A:809:HOH:O	2.18	0.55
2:B:468:GLU:OE2	2:B:523:MET:HE1	2.07	0.55
2:B:471:ASP:HA	2:B:474:ARG:HG3	1.88	0.55
2:B:478:LEU:HD12	2:B:482:ILE:HD12	1.89	0.55
2:B:474:ARG:HD2	2:B:475:ARG:N	2.21	0.55
1:A:382:GLU:O	1:A:386:LYS:HG2	2.06	0.55
2:B:155:GLN:O	2:B:159:THR:HG23	2.07	0.55
1:A:285:ASN:OD1	1:A:334:HIS:NE2	2.34	0.54
1:A:408:ASP:OD1	6:A:810:HOH:O	2.19	0.53
1:A:598:TRP:O	1:A:601:THR:OG1	2.22	0.52
1:A:596:ARG:NH2	1:A:617:MET:O	2.42	0.52
1:A:387:LYS:NZ	1:A:427:GLU:OE1	2.37	0.51
1:A:388:LEU:HD22	1:A:464:LEU:HD12	1.92	0.51
1:A:67:ASN:HB2	6:A:915:HOH:O	2.10	0.51
1:A:560:TYR:CZ	1:A:564:GLU:HG3	2.46	0.51
1:A:9:ILE:HD13	1:A:13:LEU:HD23	1.94	0.50
1:A:325:GLN:O	6:A:811:HOH:O	2.20	0.50
2:B:200:LYS:HD2	2:B:269:ALA:HA	1.93	0.50
1:A:118:VAL:HG22	1:A:152:ARG:HB2	1.94	0.50
3:A:701:ADP:O3B	6:A:812:HOH:O	2.20	0.50
2:B:290:THR:O	2:B:291:ARG:HG2	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:432:LYS:HD2	2:B:434:PRO:CD	2.41	0.50
2:B:411:HIS:ND1	2:B:457:GLN:HG2	2.27	0.49
1:A:48:SER:OG	1:A:50:LYS:HG2	2.10	0.49
1:A:223:GLN:NE2	1:A:227:GLU:OE2	2.42	0.49
2:B:177:HIS:HB2	2:B:228:GLU:HG2	1.94	0.49
1:A:385:LEU:O	6:A:813:HOH:O	2.20	0.49
2:B:57:ILE:HD13	2:B:92:LEU:HD22	1.95	0.49
2:B:163:ARG:NH2	6:B:705:HOH:O	2.15	0.48
2:B:291:ARG:NH2	2:B:369:ASN:HD22	2.09	0.48
2:B:466:ARG:HD3	2:B:519:PHE:CE2	2.48	0.48
2:B:231:ARG:NH1	6:B:703:HOH:O	2.06	0.48
2:B:412:TYR:CE2	2:B:417:ARG:HG3	2.49	0.48
1:A:452:ILE:HD13	1:A:504:TYR:CE1	2.49	0.48
2:B:80:GLU:HA	2:B:82:LEU:HD13	1.95	0.48
2:B:470:SER:CB	2:B:473:GLN:HB3	2.42	0.48
1:A:229:TYR:HH	1:A:298:SER:HG	1.57	0.47
2:B:432:LYS:NZ	2:B:434:PRO:HG2	2.29	0.47
1:A:109:MET:HE2	1:A:109:MET:O	2.14	0.47
1:A:256:GLU:OE1	6:A:814:HOH:O	2.20	0.47
1:A:375:ILE:O	1:A:378:VAL:HG12	2.15	0.47
1:A:9:ILE:HD13	1:A:13:LEU:CD2	2.45	0.47
1:A:9:ILE:HD11	1:A:152:ARG:HB3	1.96	0.47
2:B:463:ASP:O	2:B:466:ARG:HB2	2.13	0.47
1:A:207:VAL:HG21	1:A:228:PHE:CG	2.50	0.47
1:A:281:LEU:HD12	1:A:281:LEU:HA	1.83	0.47
2:B:54:VAL:HG21	2:B:92:LEU:HD21	1.95	0.47
2:B:483:VAL:N	2:B:484:PRO:HD2	2.30	0.47
2:B:390:LEU:HD23	2:B:449:THR:HG22	1.96	0.47
1:A:615:TYR:C	1:A:616:MET:HG3	2.36	0.46
2:B:393:GLU:HG2	2:B:449:THR:O	2.15	0.46
2:B:280:VAL:O	2:B:284:GLU:HG3	2.17	0.45
2:B:490:ASN:O	2:B:494:THR:OG1	2.21	0.45
2:B:434:PRO:HB2	2:B:435:GLU:H	1.60	0.45
2:B:466:ARG:HD3	2:B:519:PHE:HE2	1.82	0.45
1:A:542:SER:HA	1:A:577:TRP:HH2	1.82	0.45
2:B:4:CYS:N	6:B:721:HOH:O	2.50	0.45
1:A:137:LEU:HD13	1:A:175:TRP:CD2	2.51	0.44
2:B:411:HIS:CE1	2:B:457:GLN:HG2	2.52	0.44
2:B:418:PRO:HG2	2:B:421:TYR:CD2	2.52	0.44
1:A:599:TRP:HB3	1:A:616:MET:CE	2.48	0.44
1:A:225:ILE:HD12	1:A:311:PHE:CE1	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:254:ILE:HA	2:B:255:PRO:HD3	1.70	0.44
1:A:58:LYS:HB3	1:A:58:LYS:HE2	1.60	0.44
1:A:324:VAL:HA	1:A:327:MET:HG3	1.99	0.44
2:B:99:LYS:HG3	2:B:130:TRP:CH2	2.52	0.44
1:A:250:SER:HB3	2:B:8:THR:HG21	2.01	0.43
1:A:529:GLN:NE2	6:A:821:HOH:O	2.31	0.43
1:A:278:GLU:C	1:A:279:LYS:HD2	2.39	0.43
2:B:382:ILE:HD13	2:B:431:VAL:HG23	2.00	0.42
2:B:82:LEU:HD12	2:B:82:LEU:HA	1.80	0.42
1:A:56:ASP:OD2	6:A:815:HOH:O	2.22	0.42
1:A:507:LYS:HG2	1:A:508:PRO:HD3	2.01	0.42
1:A:203:THR:O	1:A:207:VAL:HG23	2.20	0.42
2:B:474:ARG:O	2:B:478:LEU:HD13	2.19	0.42
2:B:306:GLU:OE1	6:B:708:HOH:O	2.22	0.42
1:A:452:ILE:HD13	1:A:504:TYR:CZ	2.55	0.41
1:A:488:ARG:HE	2:B:435:GLU:CD	2.23	0.41
1:A:298:SER:OG	1:A:298:SER:O	2.39	0.41
1:A:599:TRP:HB3	1:A:616:MET:HE1	2.03	0.41
2:B:99:LYS:HG3	2:B:130:TRP:CZ2	2.56	0.41
1:A:390:TRP:CE2	1:A:420:LYS:HE3	2.56	0.41
2:B:344:ARG:NH2	6:B:729:HOH:O	2.54	0.41
1:A:320:TYR:HD1	1:A:323:LEU:HD13	1.86	0.40
2:B:299:ARG:HD2	2:B:302:GLU:OE2	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1019:HOH:O	6:B:727:HOH:O[1_455]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	610/623 (98%)	592 (97%)	18 (3%)	0	100	100
2	B	515/541 (95%)	493 (96%)	15 (3%)	7 (1%)	11	11
All	All	1125/1164 (97%)	1085 (96%)	33 (3%)	7 (1%)	25	31

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	432	LYS
2	B	80	GLU
2	B	291	ARG
2	B	434	PRO
2	B	469	SER
2	B	468	GLU
2	B	81	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	539/548 (98%)	531 (98%)	8 (2%)	65	79
2	B	453/474 (96%)	446 (98%)	7 (2%)	65	79
All	All	992/1022 (97%)	977 (98%)	15 (2%)	65	79

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	SER
1	A	201	GLU
1	A	216	SER
1	A	383	ARG
1	A	406	TYR
1	A	487	LYS
1	A	540	SER
1	A	593	SER
2	B	41	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	56	MET
2	B	273	SER
2	B	323	ARG
2	B	333	TYR
2	B	387	PHE
2	B	471	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	356	GLN
1	A	381	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	RP5	A	702	3	13,13,14	0.71	0	17,19,21	1.08	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	A	701	4	24,29,29	0.98	1 (4%)	29,45,45	1.30	3 (10%)
5	TRS	B	601	-	7,7,7	0.20	0	9,9,9	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	RP5	A	702	3	-	1/6/19/22	0/1/1/1
3	ADP	A	701	4	-	1/12/32/32	0/3/3/3
5	TRS	B	601	-	-	6/9/9/9	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	701	ADP	C5-C4	2.29	1.47	1.40

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	701	ADP	N3-C2-N1	-3.53	123.16	128.68
3	A	701	ADP	C4-C5-N7	-3.06	106.21	109.40
4	A	702	RP5	O4-C4-C3	2.17	106.62	104.70
3	A	701	ADP	C2'-C3'-C4'	2.13	106.78	102.64
4	A	702	RP5	O2-C2-C3	-2.02	107.43	111.27

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	B	601	TRS	C3-C-C1-O1
5	B	601	TRS	N-C-C1-O1
5	B	601	TRS	C3-C-C2-O2
5	B	601	TRS	N-C-C2-O2
5	B	601	TRS	C2-C-C1-O1
5	B	601	TRS	C1-C-C2-O2
3	A	701	ADP	O4'-C4'-C5'-O5'
4	A	702	RP5	O4-C4-C5-O5


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	701	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	614/623 (98%)	-0.15	9 (1%) 73 79	21, 37, 60, 92	0
2	B	519/541 (95%)	0.12	24 (4%) 32 39	20, 36, 74, 97	0
All	All	1133/1164 (97%)	-0.03	33 (2%) 51 58	20, 36, 68, 97	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	224	GLN	6.2
2	B	472	PRO	5.5
2	B	474	ARG	5.0
1	A	216	SER	5.0
2	B	434	PRO	4.9
2	B	478	LEU	4.7
2	B	461	TRP	4.0
2	B	514	ALA	4.0
1	A	215	LYS	3.9
2	B	78	SER	3.9
2	B	107	LEU	3.4
2	B	477	LEU	3.2
1	A	217	SER	3.1
2	B	79	ASP	3.0
2	B	433	VAL	2.8
2	B	104	LEU	2.8
2	B	479	ARG	2.8
2	B	108	GLY	2.7
2	B	521	CYS	2.5
1	A	223	GLN	2.5
1	A	609	HIS	2.4
1	A	611	PRO	2.4
2	B	68	THR	2.3
2	B	256	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	67	VAL	2.2
2	B	475	ARG	2.2
2	B	469	SER	2.2
1	A	612	LEU	2.2
1	A	617	MET	2.2
1	A	329	LYS	2.1
2	B	488	TYR	2.1
2	B	100	GLU	2.1
2	B	409	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	TRS	B	601	8/8	0.92	0.14	41,44,46,48	0
3	ADP	A	701	27/27	0.97	0.13	22,26,37,41	0
4	RP5	A	702	13/14	0.99	0.12	21,24,26,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RP5 A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.