



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2023 – 06:59 AM EDT

PDB ID : 1XU8  
Title : The 2.8 Å structure of a tumour suppressing serpin  
Authors : Irving, J.A.; Law, R.H.; Ruzyla, K.; Bashtannyk-Puhlovich, T.A.; Kim, N.;  
Worrall, D.M.; Rossjohn, J.; Whisstock, J.C.  
Deposited on : 2004-10-25  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	380	
1	B	380	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maspin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	365	2880	1831	472	559	18	0	0	0
1	B	373	2935	1865	484	568	18	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	MET	-	cloning artifact	UNP P36952
A	-3	GLY	-	cloning artifact	UNP P36952
A	-2	GLN	-	cloning artifact	UNP P36952
A	-1	ASN	-	cloning artifact	UNP P36952
A	0	SER	-	cloning artifact	UNP P36952
A	66	VAL	ILE	SEE REMARK 999	UNP P36952
B	-4	MET	-	cloning artifact	UNP P36952
B	-3	GLY	-	cloning artifact	UNP P36952
B	-2	GLN	-	cloning artifact	UNP P36952
B	-1	ASN	-	cloning artifact	UNP P36952
B	0	SER	-	cloning artifact	UNP P36952
B	66	VAL	ILE	SEE REMARK 999	UNP P36952

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	60	Total O 60 60	0	0
3	B	63	Total O 63 63	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Maspin



- Molecule 1: Maspin



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.54Å 100.48Å 136.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.9 (20.00-2.80) 94.6 (20.00-2.70)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.76 (at 2.71Å)	Xtrriage
Refinement program	CNS 1.0, REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.221 , 0.286 0.241 , 0.303	Depositor DCC
$R_{free}$ test set	945 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.4	Xtrriage
Anisotropy	0.395	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 48.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	5948	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/2932	0.62	1/3949 (0.0%)
1	B	0.48	0/2987	0.62	1/4023 (0.0%)
All	All	0.47	0/5919	0.62	2/7972 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	4	LEU	CA-CB-CG	8.20	134.15	115.30
1	A	4	LEU	CA-CB-CG	6.05	129.22	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1	MET	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2880	0	2892	75	1
1	B	2935	0	2946	76	1
2	A	10	0	0	0	0
3	A	60	0	0	6	0
3	B	63	0	0	6	0
All	All	5948	0	5838	148	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:LYS:HE2	3:A:3303:HOH:O	1.68	0.92
1:B:156:GLN:HG3	3:B:390:HOH:O	1.70	0.92
1:A:5:GLN:HE21	1:A:364:ARG:HB3	1.39	0.87
1:A:54:ILE:HG12	1:A:296:ILE:HD11	1.59	0.84
1:B:54:ILE:HG12	1:B:296:ILE:HD11	1.59	0.83
1:B:5:GLN:HE21	1:B:364:ARG:HB3	1.41	0.83
1:B:195:VAL:HG13	1:B:375:PRO:HB3	1.65	0.79
1:B:373:CYS:SG	3:B:422:HOH:O	2.28	0.77
1:A:22:LYS:O	1:B:75:SER:HB3	1.85	0.76
1:B:185:PHE:HB2	1:B:195:VAL:CG2	2.15	0.76
1:A:185:PHE:HB2	1:A:195:VAL:CG2	2.15	0.75
1:A:119:VAL:HG11	1:A:128:THR:HG23	1.70	0.73
1:A:185:PHE:HB2	1:A:195:VAL:HG22	1.71	0.72
1:A:94:VAL:HG12	1:A:159:ILE:HG12	1.72	0.71
1:B:185:PHE:HB2	1:B:195:VAL:HG22	1.72	0.70
1:B:119:VAL:HG11	1:B:128:THR:HG23	1.76	0.68
1:B:371:LYS:HE2	3:B:422:HOH:O	1.94	0.67
1:A:195:VAL:HG13	1:A:375:PRO:HB3	1.76	0.67
1:A:360:HIS:HB2	1:A:367:ILE:HD11	1.79	0.65
1:B:255:LEU:O	1:B:259:THR:HB	1.97	0.65
1:A:39:LEU:HB3	1:A:58:LEU:HD11	1.78	0.64
1:B:295:HIS:O	1:B:302:SER:HB3	1.98	0.64
1:B:360:HIS:HB2	1:B:367:ILE:HD11	1.81	0.61
1:A:295:HIS:O	1:A:302:SER:HB3	2.00	0.61
1:A:212:ILE:HG22	1:A:214:CYS:HB2	1.82	0.61
1:A:360:HIS:HB2	1:A:367:ILE:CD1	2.32	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:LEU:HB3	1:B:58:LEU:HD11	1.84	0.60
1:A:173:LYS:NZ	1:A:203:THR:HG22	2.17	0.60
1:A:77:VAL:HG11	1:A:88:LEU:HD12	1.84	0.59
1:B:185:PHE:HB2	1:B:195:VAL:HG21	1.85	0.59
1:A:172:MET:HG3	3:A:3252:HOH:O	2.02	0.59
1:B:103:GLU:O	1:B:107:SER:HB2	2.03	0.58
1:A:255:LEU:O	1:A:259:THR:HB	2.02	0.58
1:B:260:ASN:HD22	1:B:262:SER:H	1.52	0.58
1:A:185:PHE:HB2	1:A:195:VAL:HG21	1.86	0.58
1:B:94:VAL:HG12	1:B:159:ILE:HG12	1.85	0.57
1:B:229:PHE:HZ	1:B:364:ARG:HH22	1.53	0.56
1:A:119:VAL:CG1	1:A:128:THR:HG23	2.35	0.56
1:A:140:THR:HG23	1:A:140:THR:O	2.05	0.56
1:B:260:ASN:ND2	1:B:262:SER:H	2.04	0.56
1:B:360:HIS:HB2	1:B:367:ILE:CD1	2.37	0.55
1:A:119:VAL:HG11	1:A:128:THR:CG2	2.37	0.55
1:B:25:LEU:HD22	1:B:239:GLU:HG2	1.88	0.55
1:B:140:THR:CG2	1:B:144:PHE:H	2.20	0.55
1:A:93:TYR:HE1	1:A:162:VAL:CG1	2.20	0.54
1:B:246:ILE:HG22	3:B:396:HOH:O	2.05	0.54
1:A:298:SER:HG	1:A:301:THR:HG1	1.56	0.54
1:A:25:LEU:HD22	1:A:239:GLU:HG2	1.90	0.54
1:A:10:ALA:HA	1:A:252:SER:HB3	1.89	0.53
1:A:140:THR:CG2	1:A:144:PHE:H	2.21	0.53
1:A:103:GLU:O	1:A:107:SER:HB2	2.08	0.53
1:A:145:GLU:HB3	3:A:3296:HOH:O	2.09	0.53
1:B:10:ALA:HA	1:B:252:SER:HB3	1.90	0.52
1:A:140:THR:HG21	1:A:144:PHE:H	1.73	0.52
1:A:206:MET:SD	1:A:269:VAL:HG11	2.50	0.52
1:A:77:VAL:CG1	1:A:88:LEU:HD12	2.40	0.52
1:B:359:ARG:HD3	1:B:364:ARG:CZ	2.40	0.52
1:B:352:HIS:HB2	1:B:353:PRO:CD	2.40	0.51
1:B:206:MET:SD	1:B:269:VAL:HG11	2.51	0.51
1:A:30:PHE:CE2	1:A:369:PHE:HB3	2.45	0.51
1:A:17:LYS:O	1:A:21:GLU:HG2	2.10	0.50
1:A:136:ILE:O	1:A:140:THR:HB	2.11	0.50
1:B:136:ILE:O	1:B:140:THR:HB	2.11	0.50
1:B:260:ASN:HD22	1:B:260:ASN:C	2.14	0.50
1:B:260:ASN:ND2	1:B:262:SER:OG	2.44	0.50
1:B:339:ALA:O	1:B:340:ARG:HG2	2.11	0.50
1:A:69:GLY:O	1:A:73:VAL:HG23	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HG3	1:A:64:LYS:HB2	1.94	0.50
1:A:352:HIS:HB2	1:A:353:PRO:CD	2.42	0.50
1:B:4:LEU:HB2	1:B:63:VAL:HG11	1.93	0.50
1:B:140:THR:HG21	1:B:144:PHE:H	1.76	0.50
1:B:119:VAL:CG1	1:B:128:THR:HG23	2.41	0.49
1:B:140:THR:HG21	1:B:144:PHE:HB2	1.94	0.49
1:A:293:LEU:HD22	1:A:296:ILE:HD11	1.95	0.49
1:B:119:VAL:HG11	1:B:128:THR:CG2	2.42	0.49
1:A:293:LEU:HD22	1:A:296:ILE:CD1	2.43	0.49
1:A:293:LEU:HD13	1:A:296:ILE:HD12	1.95	0.49
1:A:108:THR:HG22	3:A:3304:HOH:O	2.11	0.49
1:A:260:ASN:HD22	1:A:262:SER:H	1.61	0.49
1:B:69:GLY:O	1:B:73:VAL:HG23	2.12	0.49
1:A:66:VAL:HB	1:A:67:PRO:HD3	1.95	0.48
1:B:94:VAL:HG21	1:B:100:LEU:HD11	1.95	0.48
1:B:17:LYS:O	1:B:21:GLU:HG2	2.13	0.48
1:A:288:LEU:HB3	1:A:293:LEU:HD12	1.96	0.47
1:A:90:LYS:HE2	3:A:3298:HOH:O	2.13	0.47
1:B:173:LYS:NZ	1:B:203:THR:HG22	2.30	0.47
1:B:66:VAL:HB	1:B:67:PRO:HD3	1.95	0.47
1:B:293:LEU:HD13	1:B:296:ILE:HD12	1.97	0.47
1:A:259:THR:O	1:A:259:THR:CG2	2.63	0.47
1:A:54:ILE:HG12	1:A:296:ILE:CD1	2.40	0.47
1:B:293:LEU:HD22	1:B:296:ILE:HD11	1.97	0.47
1:A:229:PHE:HZ	1:A:364:ARG:HH22	1.63	0.46
1:B:91:ARG:HD3	1:B:91:ARG:HA	1.75	0.46
1:B:135:SER:O	1:B:139:LEU:HB2	2.15	0.46
1:B:149:ALA:O	1:B:150:ASP:CG	2.53	0.46
1:B:193:LYS:HD3	1:B:375:PRO:HG2	1.96	0.46
1:A:321:LYS:NZ	3:A:3248:HOH:O	2.49	0.46
1:A:94:VAL:HG21	1:A:100:LEU:HD11	1.97	0.46
1:B:288:LEU:HB3	1:B:293:LEU:HD12	1.97	0.46
1:B:2:ASP:HB3	3:B:429:HOH:O	2.16	0.45
1:B:212:ILE:HG22	1:B:214:CYS:HB2	1.99	0.45
1:A:215:LYS:HE3	1:A:234:LYS:HD3	1.99	0.45
1:B:4:LEU:HB2	1:B:63:VAL:CG1	2.47	0.44
1:B:77:VAL:CG1	1:B:88:LEU:HD12	2.47	0.44
1:A:91:ARG:HD3	1:A:91:ARG:HA	1.77	0.44
1:A:259:THR:HG21	1:A:357:ILE:HD11	2.00	0.44
1:A:105:ILE:HG23	1:A:109:LYS:HE2	1.99	0.44
1:A:149:ALA:O	1:A:150:ASP:CG	2.55	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:PHE:HB2	1:A:357:ILE:HG12	1.99	0.44
1:A:228:MET:HE3	1:A:326:ILE:HD11	2.00	0.44
1:B:133:ASN:HD21	1:B:148:LEU:H	1.65	0.44
1:B:360:HIS:O	1:B:364:ARG:N	2.48	0.44
1:B:259:THR:HG21	1:B:357:ILE:HD11	1.99	0.44
1:A:119:VAL:CG1	1:A:128:THR:CG2	2.95	0.43
1:A:23:GLU:OE2	1:B:79:LYS:HG3	2.18	0.43
1:A:260:ASN:HD22	1:A:260:ASN:C	2.21	0.43
1:B:0:SER:N	3:B:378:HOH:O	2.26	0.43
1:A:269:VAL:HA	1:A:346:ASP:O	2.19	0.43
1:A:212:ILE:HG12	1:A:258:TRP:CZ2	2.53	0.43
1:B:212:ILE:HG12	1:B:258:TRP:CZ2	2.53	0.43
1:A:204:PHE:HD2	1:A:269:VAL:HG23	1.84	0.43
1:A:175:PHE:O	1:A:328:GLU:HB3	2.19	0.43
1:B:204:PHE:HD2	1:B:269:VAL:HG23	1.84	0.43
1:A:261:PRO:HA	1:A:264:MET:SD	2.59	0.43
1:B:95:ASP:HA	1:B:119:VAL:O	2.19	0.43
1:B:229:PHE:HB2	1:B:357:ILE:HG12	2.01	0.42
1:B:77:VAL:HG11	1:B:88:LEU:HD12	2.02	0.42
1:B:140:THR:HG23	1:B:140:THR:O	2.18	0.42
1:A:2:ASP:C	1:A:4:LEU:H	2.22	0.42
1:A:247:GLU:HB2	1:B:110:ARG:HH12	1.84	0.42
1:B:54:ILE:HG12	1:B:296:ILE:CD1	2.41	0.42
1:B:261:PRO:HA	1:B:264:MET:SD	2.60	0.42
1:A:364:ARG:HD2	1:A:364:ARG:HA	1.82	0.41
1:B:287:CYS:O	1:B:291:LEU:HD22	2.20	0.41
1:B:293:LEU:HD22	1:B:296:ILE:CD1	2.49	0.41
1:A:133:ASN:HD21	1:A:148:LEU:H	1.67	0.41
1:A:260:ASN:ND2	1:A:262:SER:H	2.18	0.41
1:B:254:SER:HB3	1:B:258:TRP:CZ2	2.54	0.41
1:A:144:PHE:CD1	1:A:164:ALA:HB1	2.55	0.41
1:B:281:MET:HB2	1:B:321:LYS:HG3	2.03	0.41
1:B:298:SER:OG	1:B:301:THR:OG1	2.33	0.41
1:B:4:LEU:O	1:B:4:LEU:HD22	2.21	0.41
1:B:246:ILE:HG12	1:B:355:ILE:HD11	2.03	0.41
1:A:198:MET:O	1:A:272:SER:HA	2.21	0.40
1:A:95:ASP:HA	1:A:119:VAL:O	2.22	0.40
1:A:140:THR:HG21	1:A:144:PHE:HB2	2.03	0.40
1:B:119:VAL:CG1	1:B:128:THR:CG2	2.99	0.40
1:B:92:LEU:HD12	1:B:161:VAL:HG22	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ASN:ND2	1:B:239:GLU:OE2[2_554]	2.19	0.01

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/380 (95%)	336 (93%)	20 (6%)	5 (1%)	11	34
1	B	369/380 (97%)	340 (92%)	22 (6%)	7 (2%)	8	26
All	All	730/760 (96%)	676 (93%)	42 (6%)	12 (2%)	9	31

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	64	LYS
1	A	150	ASP
1	B	150	ASP
1	B	337	PRO
1	A	65	ASP
1	B	64	LYS
1	B	339	ALA
1	A	99	ASN
1	A	152	SER
1	B	65	ASP
1	B	99	ASN
1	B	152	SER

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/344 (96%)	302 (91%)	30 (9%)	9	28
1	B	336/344 (98%)	303 (90%)	33 (10%)	8	24
All	All	668/688 (97%)	605 (91%)	63 (9%)	8	26

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	4	LEU
1	A	20	CYS
1	A	39	LEU
1	A	83	PHE
1	A	91	ARG
1	A	98	LEU
1	A	106	SER
1	A	116	LEU
1	A	118	THR
1	A	139	LEU
1	A	140	THR
1	A	145	GLU
1	A	162	VAL
1	A	181	LYS
1	A	192	THR
1	A	195	VAL
1	A	203	THR
1	A	208	ASN
1	A	210	ASP
1	A	214	CYS
1	A	231	LEU
1	A	243	LEU
1	A	260	ASN
1	A	262	SER
1	A	269	VAL
1	A	291	LEU
1	A	344	HIS
1	A	359	ARG
1	A	369	PHE
1	B	2	ASP
1	B	4	LEU
1	B	20	CYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	39	LEU
1	B	83	PHE
1	B	91	ARG
1	B	98	LEU
1	B	107	SER
1	B	110	ARG
1	B	116	LEU
1	B	118	THR
1	B	139	LEU
1	B	140	THR
1	B	145	GLU
1	B	162	VAL
1	B	181	LYS
1	B	192	THR
1	B	195	VAL
1	B	203	THR
1	B	208	ASN
1	B	209	ILE
1	B	210	ASP
1	B	214	CYS
1	B	231	LEU
1	B	243	LEU
1	B	260	ASN
1	B	266	ASN
1	B	269	VAL
1	B	272	SER
1	B	291	LEU
1	B	344	HIS
1	B	359	ARG
1	B	369	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	71	GLN
1	A	78	ASN
1	A	131	GLN
1	A	133	ASN
1	A	260	ASN
1	A	295	HIS
1	B	78	ASN
1	B	131	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	133	ASN
1	B	134	ASN
1	B	199	ASN
1	B	260	ASN
1	B	295	HIS
1	B	343	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	3244	-	4,4,4	0.12	0	6,6,6	0.43	0
2	SO4	A	3243	-	4,4,4	0.19	0	6,6,6	0.33	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	365/380 (96%)	-0.12	7 (1%) 66 59	33, 42, 53, 77	0
1	B	373/380 (98%)	0.10	12 (3%) 47 37	33, 42, 56, 82	0
All	All	738/760 (97%)	-0.01	19 (2%) 56 46	33, 42, 55, 82	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	344	HIS	4.4
1	B	210	ASP	3.7
1	B	62	ASN	3.6
1	B	48	GLY	3.4
1	A	149	ALA	2.9
1	A	178	SER	2.9
1	B	305	SER	2.9
1	A	1	MET	2.8
1	B	102	THR	2.6
1	B	311	LYS	2.5
1	A	102	THR	2.5
1	B	209	ILE	2.5
1	A	309	GLU	2.4
1	B	22	LYS	2.3
1	B	300	ASP	2.2
1	A	189	LYS	2.2
1	B	126	GLU	2.1
1	B	290	ASN	2.0
1	B	64	LYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	3244	5/5	0.93	0.20	62,63,64,64	0
2	SO4	A	3243	5/5	0.99	0.10	46,47,49,51	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.