



Full wwPDB X-ray Structure Validation Report i

May 15, 2020 – 06:18 am BST

PDB ID : 2Y06

Title : CRYSTAL STRUCTURE ANALYSIS OF THE ANTI-(4-HYDROXY-3-NITROPHENYL) - ACETYL MURINE GERMLINE ANTIBODY BBE6.12H3 FAB FRAGMENT IN COMPLEX WITH A PHAGE DISPLAY DERIVED DODECAPEPTIDE GDPRPSYISHLL

Authors : Khan, T.; Salunke, D.M.

Deposited on : 2010-11-30

Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity : 4.02b-467

Xtriage (Phenix) : 1.13

EDS : 2.11

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 3314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANTI-NP MURINE GERMLINE MONOCLONAL ANTI-BODY BBE6.12H3, HEAVY CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	215	1619	1032	263	317	7	0	0	0

- Molecule 2 is a protein called ANTI-NP MURINE GERMLINE MONOCLONAL ANTI-BODY BBE6.12H3, LIGHT CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	211	1584	989	265	324	6	0	0	0

- Molecule 3 is a protein called PHAGE DISPLAY DERIVED ANTIGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
3	P	10	66	40	12	14		0	0	1


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	21	Total	O 21	21	0
4	L	24	Total	O 24	24	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ANTI-NP MURINE GERMLINE MONOCLONAL ANTIBODY BBE6.12H3, HEAVY CHAIN



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	55.57 Å 61.88 Å 112.50 Å 90.00° 90.55° 90.00°	Depositor
Resolution (Å)	41.30 – 2.50 41.34 – 2.52	Depositor EDS
% Data completeness (in resolution range)	87.3 (41.30-2.50) 89.8 (41.34-2.52)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.51 (at 2.51 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R , R_{free}	0.234 , 0.266 0.251 , 0.284	Depositor DCC
R_{free} test set	1317 reflections (10.33%)	wwPDB-VP
Wilson B-factor (Å ²)	59.1	Xtriage
Anisotropy	0.324	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.033 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3314	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	H	0.47	0/1668	0.82	7/2283 (0.3%)
2	L	0.42	0/1621	0.72	0/2219
3	P	0.82	0/69	1.16	1/95 (1.1%)
All	All	0.46	0/3358	0.78	8/4597 (0.2%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	H	169	GLY	N-CA-C	-7.75	93.72	113.10
1	H	108	ASP	N-CA-C	6.35	128.15	111.00
1	H	155	GLU	C-N-CD	-5.94	107.53	120.60
1	H	106	TYR	N-CA-C	5.75	126.51	111.00
3	P	4	PRO	N-CA-C	5.55	126.53	112.10
1	H	184	LEU	CA-CB-CG	5.54	128.05	115.30
1	H	107	PHE	CB-CA-C	-5.44	99.52	110.40
1	H	42	GLY	N-CA-C	-5.17	100.17	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1619	0	1565	140	0
2	L	1584	0	1518	87	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	P	66	0	49	16	0
4	H	21	0	0	4	0
4	L	24	0	0	3	0
All	All	3314	0	3132	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:106:TYR:HB3	2:L:51:GLY:HA3	1.36	1.08
1:H:155:GLU:HG3	1:H:156:PRO:HB3	1.35	1.08
1:H:191:PRO:HG2	1:H:194:PRO:CD	1.98	0.93
2:L:5:THR:HG23	2:L:23:ARG:HB2	1.50	0.92
2:L:141:ASP:H	2:L:170:GLN:HE22	0.95	0.92
1:H:30:THR:HB	1:H:54:ASN:OD1	1.70	0.91
1:H:162:ASN:HB3	1:H:165:SER:HB3	1.55	0.89
2:L:123:PRO:HD3	2:L:135:LEU:HD13	1.55	0.88
1:H:166:LEU:HD13	1:H:188:VAL:HG21	1.56	0.87
1:H:195:TRP:HH2	1:H:219:PRO:HB3	1.39	0.86
1:H:155:GLU:HG3	1:H:156:PRO:CB	2.08	0.84
2:L:141:ASP:H	2:L:170:GLN:NE2	1.73	0.84
1:H:193:SER:HB2	1:H:194:PRO:HD3	1.58	0.84
1:H:123:THR:HG21	1:H:208:ALA:O	1.79	0.82
1:H:168:SER:HA	1:H:170:VAL:HG12	1.61	0.82
1:H:195:TRP:CH2	1:H:219:PRO:HB3	2.15	0.81
2:L:141:ASP:N	2:L:170:GLN:HE22	1.78	0.81
1:H:163:SER:H	1:H:203:ASN:HD21	1.28	0.81
1:H:190:VAL:HB	1:H:191:PRO:HD2	1.63	0.81
1:H:194:PRO:O	1:H:197:SER:HB2	1.83	0.79
2:L:11:THR:HG23	2:L:109:LEU:HD11	1.66	0.78
1:H:191:PRO:HG2	1:H:194:PRO:CG	2.13	0.78
1:H:155:GLU:CG	1:H:156:PRO:HB3	2.14	0.76
2:L:29:VAL:HG11	2:L:73:ALA:HB2	1.67	0.75
1:H:6:GLN:NE2	1:H:113:GLY:H	1.85	0.73
1:H:161:TRP:HE3	1:H:200:VAL:HG12	1.52	0.73
1:H:163:SER:HA	4:H:2020:HOH:O	1.88	0.73
1:H:42:GLY:O	1:H:43:ARG:HG2	1.89	0.73
2:L:151:TRP:CD1	2:L:162:MET:HG3	2.23	0.73
2:L:209:LEU:HD12	2:L:209:LEU:O	1.88	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:108:ASP:OD1	1:H:109:TYR:CD2	2.43	0.72
1:H:191:PRO:HG2	1:H:194:PRO:HD3	1.72	0.72
2:L:53:THR:HG22	4:L:2002:HOH:O	1.90	0.72
1:H:188:VAL:HG11	1:H:200:VAL:HG11	1.71	0.71
1:H:91:SER:O	1:H:92:ALA:HB2	1.88	0.71
1:H:194:PRO:O	1:H:198:GLU:N	2.20	0.70
2:L:109:LEU:HD12	2:L:109:LEU:N	2.06	0.70
1:H:160:THR:OG1	1:H:203:ASN:ND2	2.23	0.69
1:H:106:TYR:HB3	2:L:51:GLY:CA	2.20	0.69
2:L:57:ALA:HB3	2:L:60:VAL:HG21	1.74	0.69
1:H:191:PRO:HG2	1:H:194:PRO:HG2	1.77	0.66
1:H:162:ASN:HD21	1:H:200:VAL:HA	1.58	0.66
2:L:152:THR:HG22	2:L:156:THR:C	2.15	0.66
1:H:191:PRO:O	1:H:194:PRO:HD2	1.96	0.66
2:L:6:GLN:HE22	2:L:90:CYS:H	1.44	0.66
2:L:31:THR:HG23	3:P:2:PRO:HB3	1.77	0.65
1:H:39:GLN:O	1:H:92:ALA:HB1	1.97	0.65
2:L:95:SER:OG	2:L:95:SER:CA	2.45	0.65
1:H:180:ASP:HB3	4:H:2013:HOH:O	1.95	0.65
1:H:106:TYR:N	1:H:106:TYR:CD1	2.65	0.65
1:H:35:HIS:CD2	1:H:99:TYR:HB2	2.32	0.64
1:H:52:ASP:HB3	3:P:10:LEU:N	2.12	0.64
2:L:57:ALA:HB3	2:L:60:VAL:CG2	2.28	0.64
1:H:13:LYS:H	1:H:13:LYS:HZ3	1.46	0.63
1:H:162:ASN:CB	1:H:165:SER:HB3	2.26	0.63
1:H:42:GLY:C	1:H:43:ARG:HG2	2.19	0.63
1:H:162:ASN:O	1:H:165:SER:HB3	1.99	0.63
2:L:128:LEU:HD21	2:L:188:TRP:CD1	2.33	0.63
1:H:199:THR:HG22	1:H:200:VAL:N	2.14	0.63
2:L:170:GLN:HE21	2:L:176:MET:HB3	1.63	0.63
1:H:195:TRP:HH2	1:H:219:PRO:CB	2.10	0.63
1:H:108:ASP:OD1	1:H:109:TYR:HD2	1.82	0.62
2:L:21:THR:HB	2:L:72:LYS:HD2	1.81	0.62
2:L:132:THR:N	2:L:185:ALA:HB2	2.15	0.62
2:L:5:THR:HG23	2:L:23:ARG:CB	2.27	0.61
1:H:170:VAL:HA	1:H:187:SER:O	1.99	0.61
1:H:106:TYR:CB	2:L:51:GLY:HA3	2.24	0.61
1:H:135:SER:HB3	4:H:2015:HOH:O	2.01	0.61
1:H:188:VAL:O	1:H:188:VAL:HG13	2.01	0.61
3:P:2:PRO:O	3:P:3:ARG:CB	2.49	0.60
1:H:153:PHE:CD1	1:H:154:PRO:HG3	2.37	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:169:GLY:O	1:H:188:VAL:HA	2.00	0.60
1:H:91:SER:O	1:H:92:ALA:CB	2.49	0.60
1:H:171:HIS:O	1:H:186:SER:HA	2.01	0.60
1:H:52:ASP:CB	3:P:10:LEU:N	2.65	0.60
2:L:128:LEU:HD21	2:L:188:TRP:NE1	2.17	0.60
1:H:13:LYS:H	1:H:13:LYS:NZ	2.01	0.59
3:P:6:TYR:HD1	3:P:8:SER:H	1.49	0.58
3:P:6:TYR:HE1	3:P:8:SER:HG	1.51	0.58
2:L:109:LEU:HD12	2:L:109:LEU:H	1.68	0.58
1:H:155:GLU:HG3	1:H:156:PRO:CA	2.34	0.57
1:H:177:LEU:HD13	1:H:182:TYR:CE1	2.39	0.57
2:L:49:LEU:C	2:L:50:ILE:HD12	2.25	0.57
2:L:6:GLN:NE2	2:L:90:CYS:H	2.01	0.57
1:H:215:LYS:NZ	2:L:126:GLU:OE2	2.37	0.57
1:H:40:ARG:HG2	1:H:92:ALA:HB2	1.85	0.57
1:H:47:TRP:CZ3	2:L:97:HIS:HA	2.40	0.57
1:H:166:LEU:CD1	1:H:200:VAL:HG13	2.35	0.56
2:L:36:ASN:HB2	2:L:91:ALA:HB3	1.86	0.56
2:L:154:ASP:HA	2:L:193:SER:HB3	1.86	0.56
1:H:87:THR:O	1:H:118:VAL:HG11	2.05	0.56
1:H:30:THR:HA	1:H:53:PRO:HB2	1.88	0.56
1:H:33:TRP:HB2	1:H:99:TYR:HB3	1.87	0.56
2:L:6:GLN:HE21	2:L:101:GLY:HA3	1.71	0.56
1:H:23:LYS:HD3	1:H:78:THR:HG22	1.86	0.56
1:H:171:HIS:N	1:H:187:SER:O	2.38	0.56
1:H:166:LEU:HD11	1:H:200:VAL:HG13	1.87	0.55
2:L:152:THR:HG21	4:L:2013:HOH:O	2.05	0.55
1:H:161:TRP:CE3	1:H:200:VAL:HG12	2.39	0.54
1:H:36:TRP:CD1	1:H:70:LEU:HD22	2.43	0.54
1:H:145:LEU:HD11	1:H:195:TRP:CD1	2.43	0.54
1:H:18:VAL:O	1:H:82:ALA:HA	2.08	0.53
2:L:142:PHE:CE2	2:L:147:VAL:HG13	2.44	0.53
2:L:93:TRP:NE1	3:P:5:SER:HA	2.23	0.53
1:H:40:ARG:O	1:H:42:GLY:O	2.27	0.53
1:H:23:LYS:CD	1:H:78:THR:HG22	2.38	0.53
2:L:109:LEU:HD23	2:L:113:LYS:HE3	1.92	0.52
2:L:167:PRO:HA	2:L:177:ALA:HB2	1.92	0.52
1:H:153:PHE:HD1	1:H:154:PRO:HG3	1.74	0.52
1:H:93:VAL:HG22	1:H:115:THR:HG22	1.92	0.52
1:H:178:GLN:HB2	2:L:163:GLU:OE2	2.09	0.52
2:L:31:THR:HG23	3:P:2:PRO:CB	2.40	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:109:TYR:HA	4:H:2012:HOH:O	2.07	0.52
2:L:63:ARG:HB2	2:L:78:THR:O	2.09	0.52
1:H:161:TRP:HE3	1:H:200:VAL:CG1	2.23	0.52
2:L:40:GLU:HG3	2:L:46:PHE:CE1	2.45	0.51
2:L:109:LEU:CD1	2:L:109:LEU:H	2.23	0.51
1:H:103:GLY:HA2	3:P:1:ASP:H1	1.75	0.51
1:H:12:VAL:HG21	1:H:18:VAL:CG1	2.40	0.51
1:H:219:PRO:O	1:H:220:ARG:C	2.50	0.51
2:L:93:TRP:CH2	2:L:96:ASN:HA	2.46	0.51
3:P:6:TYR:HD1	3:P:7:ILE:H	1.57	0.51
1:H:199:THR:CG2	1:H:200:VAL:N	2.74	0.51
2:L:39:GLN:HB2	2:L:49:LEU:HD11	1.94	0.50
1:H:162:ASN:HD22	1:H:166:LEU:CD1	2.24	0.50
1:H:34:MET:O	1:H:50:ARG:HB2	2.11	0.50
2:L:109:LEU:N	2:L:109:LEU:CD1	2.74	0.50
1:H:126:PRO:HB2	1:H:149:VAL:HG13	1.94	0.50
2:L:151:TRP:HD1	2:L:162:MET:HG3	1.73	0.50
1:H:159:VAL:HA	1:H:203:ASN:O	2.12	0.50
1:H:191:PRO:CG	1:H:194:PRO:HG2	2.41	0.50
2:L:120:LEU:HG	2:L:209:LEU:HD23	1.93	0.50
3:P:1:ASP:N	3:P:2:PRO:CD	2.75	0.50
1:H:18:VAL:HG22	1:H:86:LEU:HD21	1.93	0.49
1:H:24:ALA:O	1:H:25:SER:HB3	2.12	0.49
2:L:34:TYR:OH	3:P:2:PRO:HD2	2.12	0.49
1:H:126:PRO:HB3	1:H:152:TYR:HB3	1.95	0.49
2:L:1:GLN:HA	2:L:1:GLN:NE2	2.27	0.49
1:H:131:LEU:HD22	2:L:121:PHE:HB3	1.95	0.49
1:H:104:GLY:HA3	2:L:34:TYR:CE2	2.48	0.49
2:L:123:PRO:HD3	2:L:135:LEU:CD1	2.34	0.49
2:L:36:ASN:CB	2:L:91:ALA:HB3	2.43	0.48
3:P:6:TYR:HE1	3:P:8:SER:OG	1.96	0.48
1:H:12:VAL:HG21	1:H:18:VAL:HG12	1.95	0.48
1:H:160:THR:HG1	1:H:203:ASN:HD22	1.55	0.48
1:H:144:THR:OG1	1:H:189:THR:HG23	2.14	0.48
1:H:123:THR:CG2	1:H:208:ALA:O	2.58	0.48
2:L:119:THR:HB	2:L:138:THR:OG1	2.14	0.48
2:L:209:LEU:HD12	2:L:209:LEU:C	2.33	0.48
3:P:6:TYR:CE1	3:P:8:SER:HA	2.49	0.48
1:H:133:PRO:HD3	1:H:145:LEU:HD23	1.96	0.48
1:H:163:SER:N	1:H:203:ASN:HD21	2.03	0.48
2:L:154:ASP:OD2	2:L:191:HIS:HB3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:193:SER:HB2	1:H:194:PRO:CD	2.39	0.47
2:L:57:ALA:O	2:L:60:VAL:HB	2.15	0.47
2:L:35:ALA:HB3	2:L:53:THR:HA	1.96	0.47
1:H:176:VAL:HG13	2:L:165:THR:HG22	1.97	0.47
1:H:194:PRO:O	1:H:197:SER:CB	2.60	0.47
1:H:197:SER:C	1:H:198:GLU:HG3	2.29	0.47
2:L:2:ALA:O	2:L:3:VAL:C	2.53	0.47
2:L:170:GLN:NE2	2:L:176:MET:HB3	2.29	0.46
2:L:40:GLU:HG3	2:L:46:PHE:CZ	2.50	0.46
1:H:153:PHE:HB2	1:H:181:LEU:HD12	1.97	0.46
1:H:11:LEU:HD11	1:H:154:PRO:HG2	1.96	0.46
2:L:132:THR:HA	2:L:185:ALA:N	2.31	0.46
1:H:162:ASN:ND2	1:H:200:VAL:HG13	2.31	0.46
1:H:169:GLY:C	1:H:188:VAL:HA	2.36	0.45
2:L:90:CYS:O	2:L:100:PHE:HA	2.16	0.45
1:H:161:TRP:CE3	1:H:200:VAL:CG1	2.99	0.45
1:H:101:TYR:HB3	1:H:102:TYR:H	1.60	0.45
1:H:131:LEU:HD22	2:L:121:PHE:CB	2.46	0.45
1:H:74:LYS:HB2	1:H:75:PRO:HD3	1.97	0.45
2:L:105:LYS:HG3	4:L:2001:HOH:O	2.15	0.45
1:H:30:THR:O	1:H:54:ASN:OD1	2.34	0.45
2:L:127:GLU:HG2	2:L:132:THR:O	2.17	0.45
2:L:114:SER:O	2:L:142:PHE:HA	2.16	0.45
2:L:20:LEU:N	2:L:20:LEU:HD12	2.31	0.45
2:L:130:THR:O	2:L:131:ASN:HB3	2.17	0.45
2:L:163:GLU:O	2:L:179:SER:HA	2.17	0.45
2:L:96:ASN:N	2:L:96:ASN:HD22	2.14	0.45
1:H:52:ASP:HB2	3:P:10:LEU:N	2.31	0.44
1:H:6:GLN:NE2	1:H:113:GLY:N	2.61	0.44
1:H:47:TRP:CG	2:L:98:TRP:HB2	2.52	0.44
1:H:35:HIS:NE2	1:H:99:TYR:HB2	2.33	0.44
1:H:175:ALA:HA	1:H:183:THR:O	2.17	0.44
1:H:193:SER:CB	1:H:194:PRO:HD3	2.32	0.43
1:H:38:LYS:HE2	1:H:40:ARG:HD3	1.99	0.43
1:H:39:GLN:HB2	1:H:45:LEU:CD2	2.49	0.43
1:H:178:GLN:O	1:H:179:SER:HB3	2.19	0.43
1:H:188:VAL:O	1:H:188:VAL:CG1	2.66	0.43
1:H:206:HIS:HA	1:H:207:PRO:HD2	1.92	0.43
1:H:42:GLY:O	1:H:43:ARG:CG	2.64	0.43
2:L:6:GLN:NE2	2:L:90:CYS:HB3	2.34	0.43
2:L:50:ILE:HD13	2:L:75:LEU:CD1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:199:THR:CG2	1:H:200:VAL:H	2.32	0.43
1:H:51:ILE:HG13	1:H:58:THR:HG22	2.01	0.43
1:H:92:ALA:O	1:H:116:LEU:N	2.46	0.43
2:L:206:GLU:HG3	2:L:207:LYS:N	2.34	0.43
1:H:162:ASN:ND2	1:H:200:VAL:HA	2.32	0.42
1:H:51:ILE:CD1	1:H:71:THR:HA	2.50	0.42
1:H:165:SER:O	1:H:166:LEU:HG	2.19	0.42
1:H:106:TYR:CE1	2:L:55:ASN:HB3	2.54	0.42
2:L:123:PRO:HG2	2:L:133:ALA:HB1	2.01	0.42
2:L:34:TYR:O	2:L:35:ALA:C	2.57	0.42
1:H:141:SER:O	1:H:142:MET:HG3	2.19	0.42
2:L:31:THR:CG2	3:P:2:PRO:HB3	2.46	0.42
1:H:42:GLY:C	1:H:43:ARG:CG	2.87	0.41
2:L:93:TRP:CZ2	2:L:96:ASN:HA	2.55	0.41
1:H:195:TRP:CH2	1:H:219:PRO:CB	2.92	0.41
2:L:20:LEU:O	2:L:74:ALA:HA	2.20	0.41
1:H:101:TYR:O	1:H:105:SER:HB2	2.21	0.41
1:H:179:SER:O	1:H:180:ASP:C	2.58	0.41
1:H:195:TRP:CZ3	1:H:196:PRO:HG3	2.56	0.41
1:H:6:GLN:HE22	1:H:95:TYR:HA	1.86	0.41
2:L:125:SER:HA	2:L:128:LEU:HB2	2.03	0.41
1:H:108:ASP:OD1	1:H:109:TYR:N	2.54	0.41
2:L:12:THR:O	2:L:109:LEU:HD13	2.21	0.41
2:L:36:ASN:OD1	2:L:51:GLY:HA2	2.21	0.41
1:H:198:GLU:O	1:H:199:THR:OG1	2.31	0.41
1:H:199:THR:HG22	1:H:200:VAL:O	2.21	0.40
1:H:47:TRP:CZ2	1:H:49:GLY:HA2	2.56	0.40
1:H:43:ARG:HB2	1:H:44:GLY:H	1.47	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	H	211/220 (96%)	177 (84%)	31 (15%)	3 (1%)	11 20
2	L	209/211 (99%)	181 (87%)	26 (12%)	2 (1%)	15 28
3	P	8/12 (67%)	0	3 (38%)	5 (62%)	0 0
All	All	428/443 (97%)	358 (84%)	60 (14%)	10 (2%)	6 10

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	92	ALA
3	P	3	ARG
3	P	7	ILE
3	P	8	SER
2	L	42	PRO
2	L	187	ALA
3	P	2	PRO
3	P	9	HIS
1	H	156	PRO
1	H	53	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	H	180/183 (98%)	163 (91%)	17 (9%)	8 17
2	L	176/177 (99%)	162 (92%)	14 (8%)	12 23
3	P	7/11 (64%)	6 (86%)	1 (14%)	3 6
All	All	363/371 (98%)	331 (91%)	32 (9%)	10 19

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	1	GLN
1	H	3	GLN
1	H	11	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	23	LYS
1	H	43	ARG
1	H	50	ARG
1	H	78	THR
1	H	86	LEU
1	H	91	SER
1	H	98	ARG
1	H	106	TYR
1	H	120	SER
1	H	160	THR
1	H	168	SER
1	H	176	VAL
1	H	184	LEU
1	H	215	LYS
2	L	5	THR
2	L	11	THR
2	L	31	THR
2	L	32	SER
2	L	36	ASN
2	L	45	LEU
2	L	71	ASP
2	L	83	GLU
2	L	96	ASN
2	L	126	GLU
2	L	152	THR
2	L	188	TRP
2	L	197	GLN
2	L	209	LEU
3	P	6	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	1	GLN
1	H	6	GLN
1	H	162	ASN
1	H	171	HIS
1	H	203	ASN
2	L	1	GLN
2	L	6	GLN
2	L	96	ASN
2	L	170	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	173	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	215/220 (97%)	0.37	10 (4%) 31 33	51, 67, 84, 90	0
2	L	211/211 (100%)	0.00	1 (0%) 91 91	42, 60, 72, 78	0
3	P	10/12 (83%)	4.00	10 (100%) 0 0	65, 68, 79, 83	0
All	All	436/443 (98%)	0.28	21 (4%) 30 32	42, 64, 82, 90	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	P	4	PRO	6.8
1	H	102	TYR	6.2
3	P	9	HIS	5.9
2	L	1	GLN	5.7
3	P	1	ASP	5.3
1	H	104	GLY	4.9
3	P	10	LEU	4.7
1	H	103	GLY	4.1
1	H	195	TRP	4.0
1	H	219	PRO	3.8
3	P	6	TYR	3.4
3	P	8	SER	3.3
1	H	196	PRO	3.3
3	P	7	ILE	2.9
3	P	2	PRO	2.7
1	H	193	SER	2.6
3	P	3	ARG	2.6
3	P	5	SER	2.4
1	H	220	ARG	2.3
1	H	101	TYR	2.2
1	H	163	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.