



## wwPDB EM Validation Summary Report ⓘ

Nov 5, 2024 – 11:10 AM JST

PDB ID : 8ZHI  
EMDB ID : EMD-60104  
Title : SARS-CoV-2 spike trimer (6P) in complex with three H18 Fabs  
Authors : Yan, Q.; Gao, X.; Liu, B.; Hou, R.; He, P.; Li, Z.; Chen, Q.; Wang, J.; He, J.;  
Chen, L.; Zhao, J.; Xiong, X.  
Deposited on : 2024-05-11  
Resolution : 6.05 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 6.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore            | 210492                   | 15764                    |
| Ramachandran outliers | 207382                   | 16835                    |
| Sidechain outliers    | 206894                   | 16415                    |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1   | A     | 1278   |                  |
| 1   | B     | 1278   |                  |
| 1   | C     | 1278   |                  |
| 2   | D     | 243    |                  |
| 2   | F     | 243    |                  |
| 2   | K     | 243    |                  |
| 3   | E     | 243    |                  |
| 3   | J     | 243    |                  |
| 3   | M     | 243    |                  |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain   |
|-----|-------|--------|--|
| 4   | G     | 2      |  100%    |
| 4   | H     | 2      |  100%    |
| 4   | I     | 2      |  100%    |
| 4   | L     | 2      |  100%    |
| 4   | N     | 2      |  50% 50% |
| 4   | O     | 2      |  100%    |
| 4   | P     | 2      |  50% 50% |
| 4   | Q     | 2      |  100%    |
| 4   | R     | 2      |  50% 50% |
| 4   | S     | 2      |  100%    |
| 4   | T     | 2      |  50% 50% |
| 4   | U     | 2      |  100%   |

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 35611 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Fibritin,Expression Tag.

| Mol | Chain | Residues | Atoms |      |      |      |    | AltConf | Trace |
|-----|-------|----------|-------|------|------|------|----|---------|-------|
|     |       |          | Total | C    | N    | O    | S  |         |       |
| 1   | A     | 1066     | 8344  | 5324 | 1394 | 1588 | 38 | 0       | 0     |
| 1   | B     | 1066     | 8344  | 5324 | 1394 | 1588 | 38 | 0       | 0     |
| 1   | C     | 1066     | 8344  | 5324 | 1394 | 1588 | 38 | 0       | 0     |

There are 33 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| A     | 682     | GLY      | ARG    | conflict | UNP P0DTC2 |
| A     | 683     | SER      | ARG    | conflict | UNP P0DTC2 |
| A     | 685     | SER      | ARG    | conflict | UNP P0DTC2 |
| A     | 817     | PRO      | PHE    | conflict | UNP P0DTC2 |
| A     | 892     | PRO      | ALA    | conflict | UNP P0DTC2 |
| A     | 899     | PRO      | ALA    | conflict | UNP P0DTC2 |
| A     | 942     | PRO      | ALA    | conflict | UNP P0DTC2 |
| A     | 986     | PRO      | LYS    | variant  | UNP P0DTC2 |
| A     | 987     | PRO      | VAL    | variant  | UNP P0DTC2 |
| A     | 1209    | GLY      | -      | linker   | UNP P0DTC2 |
| A     | 1210    | SER      | -      | linker   | UNP P0DTC2 |
| B     | 682     | GLY      | ARG    | conflict | UNP P0DTC2 |
| B     | 683     | SER      | ARG    | conflict | UNP P0DTC2 |
| B     | 685     | SER      | ARG    | conflict | UNP P0DTC2 |
| B     | 817     | PRO      | PHE    | conflict | UNP P0DTC2 |
| B     | 892     | PRO      | ALA    | conflict | UNP P0DTC2 |
| B     | 899     | PRO      | ALA    | conflict | UNP P0DTC2 |
| B     | 942     | PRO      | ALA    | conflict | UNP P0DTC2 |
| B     | 986     | PRO      | LYS    | variant  | UNP P0DTC2 |
| B     | 987     | PRO      | VAL    | variant  | UNP P0DTC2 |
| B     | 1209    | GLY      | -      | linker   | UNP P0DTC2 |
| B     | 1210    | SER      | -      | linker   | UNP P0DTC2 |
| C     | 682     | GLY      | ARG    | conflict | UNP P0DTC2 |
| C     | 683     | SER      | ARG    | conflict | UNP P0DTC2 |

*Continued on next page...*

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| C     | 685     | SER      | ARG    | conflict | UNP P0DTC2 |
| C     | 817     | PRO      | PHE    | conflict | UNP P0DTC2 |
| C     | 892     | PRO      | ALA    | conflict | UNP P0DTC2 |
| C     | 899     | PRO      | ALA    | conflict | UNP P0DTC2 |
| C     | 942     | PRO      | ALA    | conflict | UNP P0DTC2 |
| C     | 986     | PRO      | LYS    | variant  | UNP P0DTC2 |
| C     | 987     | PRO      | VAL    | variant  | UNP P0DTC2 |
| C     | 1209    | GLY      | -      | linker   | UNP P0DTC2 |
| C     | 1210    | SER      | -      | linker   | UNP P0DTC2 |

- Molecule 2 is a protein called Light chain of H18 Fab.

| Mol | Chain | Residues | Atoms         |          |          |          |        | AltConf | Trace |
|-----|-------|----------|---------------|----------|----------|----------|--------|---------|-------|
|     |       |          | Total         | C        | N        | O        | S      |         |       |
| 2   | D     | 212      | Total<br>1585 | C<br>983 | N<br>263 | O<br>334 | S<br>5 | 0       | 0     |
| 2   | F     | 213      | Total<br>1593 | C<br>989 | N<br>264 | O<br>335 | S<br>5 | 0       | 0     |
| 2   | K     | 213      | Total<br>1593 | C<br>989 | N<br>264 | O<br>335 | S<br>5 | 0       | 0     |

- Molecule 3 is a protein called Heavy chain of H18 Fab.

| Mol | Chain | Residues | Atoms         |           |          |          |        | AltConf | Trace |
|-----|-------|----------|---------------|-----------|----------|----------|--------|---------|-------|
|     |       |          | Total         | C         | N        | O        | S      |         |       |
| 3   | E     | 224      | Total<br>1670 | C<br>1058 | N<br>276 | O<br>330 | S<br>6 | 0       | 0     |
| 3   | J     | 224      | Total<br>1670 | C<br>1058 | N<br>276 | O<br>330 | S<br>6 | 0       | 0     |
| 3   | M     | 224      | Total<br>1670 | C<br>1058 | N<br>276 | O<br>330 | S<br>6 | 0       | 0     |

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms       |         |        |         | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|---------|---------|-------|
|     |       |          | Total       | C       | N      | O       |         |       |
| 4   | G     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | H     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms       |         |        |         | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|---------|---------|-------|
|     |       |          | Total       | C       | N      | O       |         |       |
| 4   | I     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | L     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | N     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | O     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | P     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | Q     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | R     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | S     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | T     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |
| 4   | U     | 2        | Total<br>28 | C<br>16 | N<br>2 | O<br>10 | 0       | 0     |

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



| Mol | Chain | Residues | Atoms       |        |        |        | AltConf |
|-----|-------|----------|-------------|--------|--------|--------|---------|
|     |       |          | Total       | C      | N      | O      |         |
| 5   | A     | 1        | Total<br>14 | C<br>8 | N<br>1 | O<br>5 | 0       |

Continued on next page...



*Continued from previous page...*


| Mol | Chain | Residues | Atoms       |   |   |   | AltConf |
|-----|-------|----------|-------------|---|---|---|---------|
|     |       |          | Total       | C | N | O |         |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |
| 5   | C     | 1        | Total<br>14 | 8 | 1 | 5 | 0       |




### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein,Fibrin,Expression Tag





- Molecule 1: Spike glycoprotein,Fibrin,Expression Tag






● Molecule 1: Spike glycoprotein,Fibrin,Expression Tag







● Molecule 2: Light chain of H18 Fab




● Molecule 2: Light chain of H18 Fab



● Molecule 2: Light chain of H18 Fab



● Molecule 3: Heavy chain of H18 Fab





- Molecule 3: Heavy chain of H18 Fab

Chain J: 77% 16% 8%



- Molecule 3: Heavy chain of H18 Fab

Chain M: 75% 16% 8%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  50% 50%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%

  
NAG1  
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%

MAG1  
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%

MAG1  
MAG2

## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|---|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, Not provided                     |           |
| Number of particles used             | 32427                                   | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TALOS ARCTICA                       | Depositor |
| Voltage (kV)                         | 200                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 60                                      | Depositor |
| Minimum defocus (nm)                 | 800                                     | Depositor |
| Maximum defocus (nm)                 | 2500                                    | Depositor |
| Magnification                        | 45000                                   | Depositor |
| Image detector                       | GATAN K3 (6k x 4k)                      | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |         |
|-----|-------|--------------|---------|-------------|---------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5 |
| 1   | A     | 0.27         | 0/8540  | 0.48        | 0/11624 |
| 1   | B     | 0.27         | 0/8540  | 0.49        | 0/11624 |
| 1   | C     | 0.26         | 0/8540  | 0.48        | 0/11624 |
| 2   | D     | 0.25         | 0/1622  | 0.50        | 0/2214  |
| 2   | F     | 0.26         | 0/1630  | 0.48        | 0/2225  |
| 2   | K     | 0.25         | 0/1630  | 0.46        | 0/2225  |
| 3   | E     | 0.27         | 0/1713  | 0.51        | 0/2339  |
| 3   | J     | 0.25         | 0/1713  | 0.50        | 0/2339  |
| 3   | M     | 0.25         | 0/1713  | 0.51        | 0/2339  |
| All | All   | 0.26         | 0/35641 | 0.49        | 0/48553 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 8344  | 0        | 8123     | 103     | 0            |
| 1   | B     | 8344  | 0        | 8123     | 111     | 0            |
| 1   | C     | 8344  | 0        | 8123     | 107     | 0            |
| 2   | D     | 1585  | 0        | 1513     | 22      | 0            |

*Continued on next page...*



*Continued from previous page...*

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 2   | F     | 1593  | 0        | 1524     | 30      | 0            |
| 2   | K     | 1593  | 0        | 1524     | 23      | 0            |
| 3   | E     | 1670  | 0        | 1643     | 33      | 0            |
| 3   | J     | 1670  | 0        | 1643     | 24      | 0            |
| 3   | M     | 1670  | 0        | 1643     | 23      | 0            |
| 4   | G     | 28    | 0        | 25       | 0       | 0            |
| 4   | H     | 28    | 0        | 25       | 0       | 0            |
| 4   | I     | 28    | 0        | 25       | 0       | 0            |
| 4   | L     | 28    | 0        | 25       | 0       | 0            |
| 4   | N     | 28    | 0        | 25       | 1       | 0            |
| 4   | O     | 28    | 0        | 25       | 0       | 0            |
| 4   | P     | 28    | 0        | 25       | 1       | 0            |
| 4   | Q     | 28    | 0        | 25       | 0       | 0            |
| 4   | R     | 28    | 0        | 25       | 1       | 0            |
| 4   | S     | 28    | 0        | 25       | 0       | 0            |
| 4   | T     | 28    | 0        | 25       | 1       | 0            |
| 4   | U     | 28    | 0        | 25       | 0       | 0            |
| 5   | A     | 154   | 0        | 143      | 4       | 0            |
| 5   | B     | 154   | 0        | 143      | 1       | 0            |
| 5   | C     | 154   | 0        | 143      | 1       | 0            |
| All | All   | 35611 | 0        | 34588    | 452     | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 452 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:A:127:VAL:HG11 | 5:A:1302:NAG:H61 | 1.34                     | 1.10              |
| 1:A:329:PHE:HD1  | 1:A:528:LYS:HG3  | 1.30                     | 0.92              |
| 1:A:127:VAL:CG1  | 5:A:1302:NAG:H61 | 2.04                     | 0.87              |
| 1:B:64:TRP:HE1   | 1:B:264:ALA:HB1  | 1.45                     | 0.81              |
| 2:K:13:SER:HA    | 2:K:110:LEU:HA   | 1.66                     | 0.77              |

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 1   | A     | 1054/1278 (82%) | 1014 (96%) | 40 (4%)  | 0        | 100         | 100 |
| 1   | B     | 1054/1278 (82%) | 1019 (97%) | 35 (3%)  | 0        | 100         | 100 |
| 1   | C     | 1054/1278 (82%) | 1011 (96%) | 43 (4%)  | 0        | 100         | 100 |
| 2   | D     | 208/243 (86%)   | 197 (95%)  | 11 (5%)  | 0        | 100         | 100 |
| 2   | F     | 209/243 (86%)   | 198 (95%)  | 11 (5%)  | 0        | 100         | 100 |
| 2   | K     | 209/243 (86%)   | 196 (94%)  | 13 (6%)  | 0        | 100         | 100 |
| 3   | E     | 222/243 (91%)   | 214 (96%)  | 8 (4%)   | 0        | 100         | 100 |
| 3   | J     | 222/243 (91%)   | 215 (97%)  | 7 (3%)   | 0        | 100         | 100 |
| 3   | M     | 222/243 (91%)   | 215 (97%)  | 7 (3%)   | 0        | 100         | 100 |
| All | All   | 4454/5292 (84%) | 4279 (96%) | 175 (4%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed       | Rotameric | Outliers | Percentiles |    |
|-----|-------|----------------|-----------|----------|-------------|----|
| 1   | A     | 934/1106 (84%) | 916 (98%) | 18 (2%)  | 52          | 69 |
| 1   | B     | 934/1106 (84%) | 912 (98%) | 22 (2%)  | 44          | 62 |
| 1   | C     | 934/1106 (84%) | 913 (98%) | 21 (2%)  | 47          | 65 |
| 2   | D     | 183/208 (88%)  | 174 (95%) | 9 (5%)   | 21          | 42 |
| 2   | F     | 184/208 (88%)  | 177 (96%) | 7 (4%)   | 28          | 49 |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |    |
|-----|-------|-----------------|------------|----------|-------------|----|
| 2   | K     | 184/208 (88%)   | 176 (96%)  | 8 (4%)   | 25          | 46 |
| 3   | E     | 192/209 (92%)   | 187 (97%)  | 5 (3%)   | 41          | 59 |
| 3   | J     | 192/209 (92%)   | 190 (99%)  | 2 (1%)   | 73          | 82 |
| 3   | M     | 192/209 (92%)   | 187 (97%)  | 5 (3%)   | 41          | 59 |
| All | All   | 3929/4569 (86%) | 3832 (98%) | 97 (2%)  | 43          | 61 |

5 of 97 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | C     | 590 | CYS  |
| 3   | E     | 55  | TYR  |
| 1   | C     | 873 | TYR  |
| 2   | D     | 108 | THR  |
| 2   | F     | 52  | ASP  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2   | F     | 181 | ASN  |
| 3   | J     | 3   | GLN  |
| 3   | M     | 3   | GLN  |
| 3   | J     | 112 | GLN  |
| 1   | C     | 439 | ASN  |

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

24 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 4   | NAG  | G     | 1   | 4,1  | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | G     | 2   | 4    | 14,14,15     | 0.24 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | H     | 1   | 4,1  | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.46 | 0        |
| 4   | NAG  | H     | 2   | 4    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.39 | 0        |
| 4   | NAG  | I     | 1   | 4,1  | 14,14,15     | 0.21 | 0        | 17,19,21    | 0.45 | 0        |
| 4   | NAG  | I     | 2   | 4    | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.41 | 0        |
| 4   | NAG  | L     | 1   | 4,1  | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.44 | 0        |
| 4   | NAG  | L     | 2   | 4    | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | N     | 1   | 4,1  | 14,14,15     | 0.20 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | N     | 2   | 4    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | O     | 1   | 4,1  | 14,14,15     | 0.22 | 0        | 17,19,21    | 0.48 | 0        |
| 4   | NAG  | O     | 2   | 4    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.41 | 0        |
| 4   | NAG  | P     | 1   | 4,1  | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.43 | 0        |
| 4   | NAG  | P     | 2   | 4    | 14,14,15     | 0.24 | 0        | 17,19,21    | 0.39 | 0        |
| 4   | NAG  | Q     | 1   | 4,1  | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.51 | 0        |
| 4   | NAG  | Q     | 2   | 4    | 14,14,15     | 0.28 | 0        | 17,19,21    | 0.44 | 0        |
| 4   | NAG  | R     | 1   | 4,1  | 14,14,15     | 0.22 | 0        | 17,19,21    | 0.44 | 0        |
| 4   | NAG  | R     | 2   | 4    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.42 | 0        |
| 4   | NAG  | S     | 1   | 4,1  | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.48 | 0        |
| 4   | NAG  | S     | 2   | 4    | 14,14,15     | 0.28 | 0        | 17,19,21    | 0.40 | 0        |
| 4   | NAG  | T     | 1   | 4,1  | 14,14,15     | 0.20 | 0        | 17,19,21    | 0.44 | 0        |
| 4   | NAG  | T     | 2   | 4    | 14,14,15     | 0.27 | 0        | 17,19,21    | 0.42 | 0        |
| 4   | NAG  | U     | 1   | 4,1  | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.50 | 0        |
| 4   | NAG  | U     | 2   | 4    | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.43 | 0        |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4   | NAG  | G     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | G     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | H     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | H     | 2   | 4    | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | I     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Type | Chain | Res | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4   | NAG  | I     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | L     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | L     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | N     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | N     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | O     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | O     | 2   | 4    | -       | 1/6/23/26 | 0/1/1/1 |
| 4   | NAG  | P     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | P     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | Q     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | Q     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | R     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | R     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | S     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | S     | 2   | 4    | -       | 1/6/23/26 | 0/1/1/1 |
| 4   | NAG  | T     | 1   | 4,1  | -       | 0/6/23/26 | 0/1/1/1 |
| 4   | NAG  | T     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | U     | 1   | 4,1  | -       | 2/6/23/26 | 0/1/1/1 |
| 4   | NAG  | U     | 2   | 4    | -       | 2/6/23/26 | 0/1/1/1 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 32 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms       |
|-----|-------|-----|------|-------------|
| 4   | L     | 2   | NAG  | O5-C5-C6-O6 |
| 4   | U     | 2   | NAG  | O5-C5-C6-O6 |
| 4   | Q     | 2   | NAG  | O5-C5-C6-O6 |
| 4   | P     | 2   | NAG  | C4-C5-C6-O6 |
| 4   | Q     | 2   | NAG  | C4-C5-C6-O6 |

There are no ring outliers.

4 monomers are involved in 4 short contacts:


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 4   | T     | 1   | NAG  | 1       | 0            |
| 4   | P     | 1   | NAG  | 1       | 0            |


*Continued on next page...*


Continued from previous page...

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 4   | N     | 1   | NAG  | 1       | 0            |
| 4   | R     | 1   | NAG  | 1       | 0            |


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





































## 5.6 Ligand geometry [i](#)

33 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res  | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |      |      | Counts       | RMSZ | $\# Z  > 2$ | Counts      | RMSZ | $\# Z  > 2$ |
| 5   | NAG  | C     | 1311 | 1    | 14,14,15     | 0.38 | 0           | 17,19,21    | 0.59 | 1 (5%)      |
| 5   | NAG  | B     | 1302 | 1    | 14,14,15     | 0.20 | 0           | 17,19,21    | 0.48 | 0           |
| 5   | NAG  | B     | 1310 | 1    | 14,14,15     | 0.24 | 0           | 17,19,21    | 0.43 | 0           |

| Mol | Type | Chain | Res  | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
|     |      |       |      |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 5   | NAG  | B     | 1307 | 1    | 14,14,15     | 0.60 | 0        | 17,19,21    | 0.79 | 1 (5%)   |
| 5   | NAG  | C     | 1302 | 1    | 14,14,15     | 0.35 | 0        | 17,19,21    | 0.36 | 0        |
| 5   | NAG  | B     | 1301 | 1    | 14,14,15     | 0.48 | 0        | 17,19,21    | 0.45 | 0        |
| 5   | NAG  | C     | 1303 | 1    | 14,14,15     | 0.37 | 0        | 17,19,21    | 0.35 | 0        |
| 5   | NAG  | C     | 1306 | 1    | 14,14,15     | 0.21 | 0        | 17,19,21    | 0.46 | 0        |
| 5   | NAG  | B     | 1311 | 1    | 14,14,15     | 0.31 | 0        | 17,19,21    | 0.49 | 0        |
| 5   | NAG  | A     | 1303 | 1    | 14,14,15     | 0.47 | 0        | 17,19,21    | 0.44 | 0        |
| 5   | NAG  | A     | 1305 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.41 | 0        |
| 5   | NAG  | C     | 1305 | 1    | 14,14,15     | 0.32 | 0        | 17,19,21    | 0.43 | 0        |
| 5   | NAG  | C     | 1310 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.43 | 0        |
| 5   | NAG  | A     | 1309 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.42 | 0        |
| 5   | NAG  | B     | 1304 | 1    | 14,14,15     | 0.26 | 0        | 17,19,21    | 0.45 | 0        |
| 5   | NAG  | A     | 1310 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.44 | 0        |
| 5   | NAG  | C     | 1307 | 1    | 14,14,15     | 0.33 | 0        | 17,19,21    | 0.70 | 0        |
| 5   | NAG  | A     | 1311 | 1    | 14,14,15     | 0.29 | 0        | 17,19,21    | 0.46 | 0        |
| 5   | NAG  | A     | 1307 | 1    | 14,14,15     | 0.38 | 0        | 17,19,21    | 0.74 | 0        |
| 5   | NAG  | C     | 1308 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.46 | 0        |
| 5   | NAG  | A     | 1302 | 1    | 14,14,15     | 0.22 | 0        | 17,19,21    | 0.49 | 0        |
| 5   | NAG  | A     | 1306 | 1    | 14,14,15     | 0.33 | 0        | 17,19,21    | 0.37 | 0        |
| 5   | NAG  | A     | 1301 | 1    | 14,14,15     | 0.28 | 0        | 17,19,21    | 0.46 | 0        |
| 5   | NAG  | B     | 1305 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.46 | 0        |
| 5   | NAG  | C     | 1304 | 1    | 14,14,15     | 0.24 | 0        | 17,19,21    | 0.42 | 0        |
| 5   | NAG  | A     | 1308 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.44 | 0        |
| 5   | NAG  | C     | 1301 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.44 | 0        |
| 5   | NAG  | C     | 1309 | 1    | 14,14,15     | 0.22 | 0        | 17,19,21    | 0.42 | 0        |
| 5   | NAG  | B     | 1308 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.44 | 0        |
| 5   | NAG  | B     | 1303 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.38 | 0        |
| 5   | NAG  | A     | 1304 | 1    | 14,14,15     | 0.23 | 0        | 17,19,21    | 0.45 | 0        |
| 5   | NAG  | B     | 1306 | 1    | 14,14,15     | 0.20 | 0        | 17,19,21    | 0.49 | 0        |
| 5   | NAG  | B     | 1309 | 1    | 14,14,15     | 0.25 | 0        | 17,19,21    | 0.42 | 0        |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res  | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|------|------|---------|-----------|---------|
| 5   | NAG  | C     | 1311 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1302 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1310 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1307 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1302 | 1    | -       | 1/6/23/26 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res  | Link | Chirals | Torsions  | Rings   |
|-----|------|-------|------|------|---------|-----------|---------|
| 5   | NAG  | B     | 1301 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1303 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1306 | 1    | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1311 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1303 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1305 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1305 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1310 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1309 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1304 | 1    | -       | 1/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1310 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1307 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1311 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1307 | 1    | -       | 3/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1308 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1302 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1306 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1301 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1305 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1304 | 1    | -       | 0/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1308 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1301 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | C     | 1309 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1308 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1303 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | A     | 1304 | 1    | -       | 2/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1306 | 1    | -       | 4/6/23/26 | 0/1/1/1 |
| 5   | NAG  | B     | 1309 | 1    | -       | 2/6/23/26 | 0/1/1/1 |

There are no bond length outliers.

All (2) bond angle outliers are listed below:

| Mol | Chain | Res  | Type | Atoms    | Z    | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|------|-------------|----------|
| 5   | C     | 1311 | NAG  | C1-O5-C5 | 2.04 | 114.96      | 112.19   |
| 5   | B     | 1307 | NAG  | C1-O5-C5 | 2.04 | 114.96      | 112.19   |

There are no chirality outliers.

5 of 55 torsion outliers are listed below:

| Mol | Chain | Res  | Type | Atoms       |
|-----|-------|------|------|-------------|
| 5   | A     | 1302 | NAG  | C4-C5-C6-O6 |
| 5   | A     | 1301 | NAG  | O5-C5-C6-O6 |
| 5   | A     | 1301 | NAG  | C4-C5-C6-O6 |
| 5   | B     | 1309 | NAG  | O5-C5-C6-O6 |
| 5   | C     | 1301 | NAG  | O5-C5-C6-O6 |

There are no ring outliers.

4 monomers are involved in 6 short contacts:

| Mol | Chain | Res  | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 5   | B     | 1302 | NAG  | 1       | 0            |
| 5   | C     | 1302 | NAG  | 1       | 0            |
| 5   | A     | 1311 | NAG  | 1       | 0            |
| 5   | A     | 1302 | NAG  | 3       | 0            |

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.