



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 23, 2021 – 01:16 PM GMT

PDB ID : 6ZL4
Title : the structure of glutamate transporter homologue GltTk in complex with the photo switchable compound (cis)
Authors : Arkhipova, V.; Slotboom, D.J.; Guskov, A.
Deposited on : 2020-06-30
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.16
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.16


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	
1	B	438	
1	C	438	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	QM5	B	501	-	-	-	X
3	DMU	A	502	-	-	-	X
3	DMU	C	502	-	-	-	X
4	PG4	A	504	-	-	-	X
4	PG4	A	506	-	-	-	X
5	PGE	A	505	-	-	-	X
5	PGE	A	507	-	-	-	X
5	PGE	B	502	-	-	-	X
5	PGE	B	506	-	-	-	X
5	PGE	B	507	-	-	-	X
5	PGE	C	503	-	-	-	X
6	NA	A	510	-	-	-	X
6	NA	B	510	-	-	-	X
6	NA	C	507	-	-	-	X
7	PEG	A	511	-	-	-	X
7	PEG	A	512	-	-	-	X
7	PEG	B	504	-	-	-	X
7	PEG	B	511	-	-	-	X
7	PEG	B	512	-	-	-	X
7	PEG	B	513	-	-	-	X
7	PEG	C	508	-	-	-	X
7	PEG	C	510	-	-	-	X
7	PEG	C	511	-	-	-	X
7	PEG	C	513	-	-	-	X
7	PEG	C	514	-	-	-	X
8	1PE	C	504	-	-	-	X

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 9881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton/glutamate symporter, SDF family.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	424	Total 3161	C 2085	N 511	O 549	S 16	0	0	0
1	B	423	Total 3159	C 2084	N 511	O 548	S 16	0	1	0
1	C	423	Total 3159	C 2084	N 511	O 548	S 16	0	1	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	431	HIS	-	expression tag	UNP Q5JID0
A	432	HIS	-	expression tag	UNP Q5JID0
A	433	HIS	-	expression tag	UNP Q5JID0
A	434	HIS	-	expression tag	UNP Q5JID0
A	435	HIS	-	expression tag	UNP Q5JID0
A	436	HIS	-	expression tag	UNP Q5JID0
A	437	HIS	-	expression tag	UNP Q5JID0
A	438	HIS	-	expression tag	UNP Q5JID0
B	431	HIS	-	expression tag	UNP Q5JID0
B	432	HIS	-	expression tag	UNP Q5JID0
B	433	HIS	-	expression tag	UNP Q5JID0
B	434	HIS	-	expression tag	UNP Q5JID0
B	435	HIS	-	expression tag	UNP Q5JID0
B	436	HIS	-	expression tag	UNP Q5JID0
B	437	HIS	-	expression tag	UNP Q5JID0
B	438	HIS	-	expression tag	UNP Q5JID0
C	431	HIS	-	expression tag	UNP Q5JID0
C	432	HIS	-	expression tag	UNP Q5JID0
C	433	HIS	-	expression tag	UNP Q5JID0
C	434	HIS	-	expression tag	UNP Q5JID0
C	435	HIS	-	expression tag	UNP Q5JID0
C	436	HIS	-	expression tag	UNP Q5JID0
C	437	HIS	-	expression tag	UNP Q5JID0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	438	HIS	-	expression tag	UNP Q5JID0

- Molecule 2 is (2 {S},3 {S})-2-azanyl-3-[[4-[2-(4-methoxyphenyl)hydrazinyl]phenyl]methoxy]butanedioic acid (three-letter code: QM5) (formula: C₁₈H₂₁N₃O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
2	A	1	Total	C	N	O	0	0
			27	18	3	6		
2	B	1	Total	C	N	O	0	0
			27	18	3	6		
2	C	1	Total	C	N	O	0	0
			27	18	3	6		

- Molecule 3 is DECYL-BETA-D-MALTOPYRANOSIDE (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			33	22	11		
3	B	1	Total	C	O	0	0
			33	22	11		
3	C	1	Total	C	O	0	0
			33	22	11		

- Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	8	5		
4	A	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	6	4		
5	A	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	B	1	Total	C	O	0	0
			10	6	4		
5	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	3	Total	Na	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total	Na	0	0
			3	3		
6	C	3	Total	Na	0	0
			3	3		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			7	4	3		
7	A	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		
7	B	1	Total	C	O	0	0
			7	4	3		
7	C	1	Total	C	O	0	0
			7	4	3		
7	C	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			7	4	3		
7	C	1	Total	C	O	0	0
			7	4	3		
7	C	1	Total	C	O	0	0
			7	4	3		
7	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			16	10	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton/glutamate symporter, SDF family




- Molecule 1: Proton/glutamate symporter, SDF family



- Molecule 1: Proton/glutamate symporter, SDF family





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	117.21Å 117.21Å 309.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.23 – 3.00 48.22 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.23-3.00) 99.3 (48.22-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.96 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.255 , 0.288 0.256 , 0.286	Depositor DCC
R_{free} test set	2498 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	144.3	Xtrriage
Anisotropy	0.300	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 95.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.036 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9881	wwPDB-VP
Average B, all atoms (Å ²)	172.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGE, NA, QM5, 1PE, PG4, DMU, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/3221	0.47	0/4385
1	B	0.29	0/3221	0.46	0/4384
1	C	0.28	0/3221	0.44	0/4384
All	All	0.29	0/9663	0.46	0/13153

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3161	0	3359	39	0
1	B	3159	0	3365	43	0
1	C	3159	0	3365	48	0
2	A	27	0	0	0	0
2	B	27	0	0	0	0
2	C	27	0	0	1	0
3	A	33	0	42	1	0
3	B	33	0	42	1	0
3	C	33	0	42	1	0
4	A	39	0	54	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	20	0	28	0	0
5	B	30	0	42	0	0
5	C	10	0	14	0	0
6	A	3	0	0	0	0
6	B	3	0	0	0	0
6	C	3	0	0	0	0
7	A	14	0	20	0	0
7	B	35	0	50	0	0
7	C	49	0	70	1	0
8	C	16	0	22	1	0
All	All	9881	0	10515	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:157:ILE:HD11	1:C:307:PRO:HB2	1.60	0.83
1:B:157:ILE:HD11	1:B:307:PRO:HB2	1.61	0.82
1:B:278:ARG:HD2	1:B:398:ASP:HB3	1.70	0.74
1:A:211:VAL:HG22	1:A:276:VAL:HG21	1.72	0.70
1:C:289:ARG:HH12	3:C:502:DMU:H36	1.59	0.67
1:C:401:ARG:NH2	2:C:501:QM5:O2	2.28	0.65
1:B:177:ARG:NH1	1:C:190:ASP:OD2	2.33	0.61
1:A:103:LEU:HD13	1:A:341:GLN:HB3	1.83	0.60
1:A:9:TYR:HE1	1:A:17:LYS:HD2	1.65	0.60
1:C:68:LEU:HD21	1:C:161:ILE:HG13	1.82	0.60
8:C:504:1PE:H242	7:C:511:PEG:H41	1.84	0.60
1:A:370:LEU:HD12	1:A:377:LEU:HD11	1.85	0.58
1:C:211:VAL:HG22	1:C:276:VAL:HG21	1.84	0.58
1:C:211:VAL:HG13	1:C:276:VAL:HG11	1.86	0.57
1:A:211:VAL:HG13	1:A:276:VAL:HG11	1.85	0.57
1:B:241:LEU:HB3	1:B:404:VAL:HG21	1.86	0.56
1:B:103:LEU:HD13	1:B:341:GLN:HB3	1.87	0.56
1:C:12:TYR:HB3	1:C:17:LYS:HD3	1.87	0.56
1:B:161:ILE:HD11	1:B:304:PHE:CD1	2.42	0.55
1:A:15:LEU:HD13	1:A:268:LYS:HZ1	1.72	0.55
1:A:325:VAL:HG12	1:A:336:LEU:HD11	1.89	0.54
1:C:99:VAL:HG22	1:C:318:ALA:HB1	1.87	0.54
1:B:75:ILE:HD11	1:B:79:ARG:HG2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:99:VAL:HG11	1:B:345:VAL:HA	1.90	0.54
1:C:10:LEU:H	1:C:10:LEU:HD12	1.73	0.53
1:C:161:ILE:HD11	1:C:304:PHE:CD1	2.43	0.53
1:A:177:ARG:NH1	1:B:190:ASP:OD2	2.42	0.53
1:C:196:MET:O	1:C:200:VAL:HG23	2.09	0.53
1:C:274:ALA:HB1	1:C:402:THR:HG22	1.90	0.52
1:B:398:ASP:HA	1:B:401:ARG:HG2	1.91	0.52
1:C:370:LEU:HB3	1:C:375:LEU:O	2.08	0.52
1:B:196:MET:O	1:B:200:VAL:HG23	2.10	0.52
1:C:211:VAL:O	1:C:215:ILE:HG22	2.10	0.52
1:B:83:VAL:HG13	1:B:416:VAL:HG11	1.92	0.51
1:A:157:ILE:HD11	1:A:307:PRO:HB2	1.93	0.51
1:A:296:GLY:HA3	1:A:424:ASP:HB3	1.92	0.51
1:C:366:LEU:HD23	1:C:387:TYR:HE1	1.74	0.51
1:C:73:ALA:O	1:C:168:THR:OG1	2.28	0.51
1:B:289:ARG:HH22	3:B:505:DMU:H40	1.76	0.51
1:A:83:VAL:HG13	1:A:416:VAL:HG11	1.92	0.51
1:B:351:ALA:HB1	1:B:368:MET:HE3	1.93	0.50
1:C:241:LEU:HB3	1:C:404:VAL:HG21	1.93	0.50
1:B:99:VAL:HG22	1:B:318:ALA:HB1	1.94	0.50
1:C:184:THR:O	1:C:188:VAL:HG23	2.11	0.50
1:A:184:THR:O	1:A:188:VAL:HG23	2.11	0.50
1:B:10:LEU:HD12	1:B:10:LEU:H	1.77	0.49
1:C:99:VAL:HG11	1:C:345:VAL:HA	1.93	0.49
1:A:10:LEU:HD12	1:A:10:LEU:H	1.78	0.49
1:A:290:VAL:O	1:A:294:GLU:HB2	2.13	0.48
1:C:370:LEU:HD12	1:C:377:LEU:HD11	1.94	0.48
1:C:325:VAL:HG12	1:C:336:LEU:HD11	1.95	0.48
1:A:99:VAL:HG11	1:A:345:VAL:HA	1.95	0.48
1:A:398:ASP:HA	1:A:401:ARG:HG2	1.95	0.48
1:C:281:SER:O	1:C:284:LEU:HB2	2.13	0.48
1:B:142:THR:HG23	1:C:54:ARG:HE	1.77	0.48
1:B:284:LEU:HD11	1:B:307:PRO:HA	1.95	0.47
1:B:119:SER:HB2	1:B:332:ILE:HB	1.96	0.47
1:B:299:LYS:HA	1:B:302:PHE:CE2	2.49	0.47
1:A:287:THR:HG22	1:A:306:LEU:HD13	1.97	0.47
1:B:19:LEU:HA	1:B:19:LEU:HD23	1.82	0.47
1:B:105:VAL:HG21	1:B:240:GLY:HA2	1.97	0.47
1:A:161:ILE:HD11	1:A:304:PHE:CD1	2.50	0.46
1:C:337:THR:HG23	1:C:340:GLN:H	1.80	0.46
1:A:337:THR:O	1:A:341:GLN:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:THR:HA	1:B:171:MET:HE2	1.96	0.46
1:C:226:VAL:HG13	1:C:234:VAL:HG21	1.97	0.46
1:C:83:VAL:HG13	1:C:416:VAL:HG11	1.98	0.46
1:A:351:ALA:HB1	1:A:368:MET:HE3	1.98	0.46
1:B:366:LEU:HD23	1:B:387:TYR:HE1	1.81	0.46
1:A:55:LEU:HA	1:A:58:MET:HE2	1.96	0.45
1:A:281:SER:O	1:A:284:LEU:HB2	2.17	0.45
1:C:99:VAL:CG2	1:C:318:ALA:HB1	2.47	0.45
1:C:123:LYS:HG3	1:C:376:ASP:OD2	2.17	0.45
1:C:95:SER:O	1:C:99:VAL:HG23	2.15	0.45
1:B:53:VAL:HG22	1:B:277:THR:HG22	1.98	0.45
1:B:99:VAL:CG2	1:B:318:ALA:HB1	2.46	0.45
1:A:211:VAL:O	1:A:215:ILE:HG22	2.17	0.45
1:A:292:GLU:HB2	1:A:302:PHE:CZ	2.51	0.45
1:B:73:ALA:O	1:B:168:THR:HG21	2.17	0.44
1:C:61:MET:HE3	1:C:156:VAL:HG21	1.98	0.44
1:A:141:PRO:O	1:B:58:MET:HB2	2.17	0.44
1:A:61:MET:HE3	1:A:148:LEU:HD23	1.98	0.44
1:B:68:LEU:HD23	1:B:157:ILE:HA	2.00	0.44
1:A:75:ILE:HD11	1:A:79:ARG:HG2	2.00	0.44
1:B:355:THR:HG21	1:B:365:MET:SD	2.58	0.44
1:C:123:LYS:HG3	1:C:376:ASP:CG	2.37	0.44
1:B:57:LYS:HA	1:B:60:VAL:HG23	1.99	0.44
1:C:59:LEU:HD13	1:C:200:VAL:HG22	1.99	0.44
1:C:119:SER:HB2	1:C:332:ILE:HB	2.00	0.43
1:C:180:LYS:HA	1:C:180:LYS:HD2	1.86	0.43
1:A:190:ASP:OD2	1:C:177:ARG:NH1	2.52	0.43
1:C:75:ILE:HD11	1:C:79:ARG:HG2	2.01	0.43
1:A:241:LEU:HB3	1:A:404:VAL:HG21	2.01	0.43
1:A:57:LYS:HD2	1:A:57:LYS:HA	1.94	0.43
1:C:15:LEU:HB2	1:C:268:LYS:HE2	2.01	0.42
1:C:141:PRO:HB3	1:C:155:PRO:HB3	2.01	0.42
1:C:347:THR:HG21	1:C:372:SER:HB2	2.00	0.42
1:C:391:LEU:HA	1:C:394:ASP:HB2	2.00	0.42
1:A:299:LYS:HA	1:A:302:PHE:CE2	2.54	0.42
1:B:271:MET:O	1:B:403:MET:HG3	2.18	0.42
1:C:230:LEU:HB3	1:C:393:ILE:HD13	2.01	0.42
1:C:126:GLU:HG3	1:C:377:LEU:HB2	2.01	0.42
1:B:184:THR:O	1:B:188:VAL:HG23	2.18	0.42
1:B:211:VAL:O	1:B:215:ILE:HG22	2.19	0.42
1:B:211:VAL:HG22	1:B:276:VAL:HG21	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:MET:O	1:A:403:MET:HG3	2.20	0.42
1:A:284:LEU:HD23	1:A:284:LEU:HA	1.91	0.42
1:A:79:ARG:NH2	1:A:422:GLU:OE2	2.53	0.42
1:C:25:GLY:HA3	1:C:215:ILE:HG23	2.02	0.42
1:B:180:LYS:HA	1:B:180:LYS:HD2	1.89	0.41
1:B:281:SER:O	1:B:284:LEU:HB2	2.20	0.41
1:A:321:GLN:HG2	1:A:366:LEU:HD13	2.00	0.41
1:C:243:LEU:HA	1:C:246:VAL:HG22	2.02	0.41
1:C:287:THR:HG22	1:C:306:LEU:HD13	2.02	0.41
1:B:337:THR:O	1:B:341:GLN:HG3	2.20	0.41
1:C:124:ALA:HB3	1:C:378:THR:HG23	2.01	0.41
1:A:10:LEU:HD21	3:A:502:DMU:H9	2.03	0.41
4:A:503:PG4:H22	4:A:503:PG4:H82	2.03	0.41
1:B:183:GLU:O	1:B:187[A]:ARG:HG3	2.21	0.41
1:A:326:LEU:HD23	1:A:336:LEU:HD12	2.02	0.41
1:B:15:LEU:H	1:B:15:LEU:HG	1.68	0.41
1:B:82:ARG:HG2	1:B:86:LYS:NZ	2.35	0.41
1:A:12:TYR:HB3	1:A:17:LYS:HD3	2.03	0.40
1:B:193:ALA:O	1:B:197:TYR:HD1	2.03	0.40
1:C:256:PHE:O	1:C:418:LYS:NZ	2.55	0.40
1:A:95:SER:O	1:A:99:VAL:HG23	2.22	0.40
1:B:338:LEU:HD12	1:B:338:LEU:HA	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	422/438 (96%)	409 (97%)	13 (3%)	0	100	100
1	B	422/438 (96%)	408 (97%)	14 (3%)	0	100	100
1	C	422/438 (96%)	408 (97%)	14 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1266/1314 (96%)	1225 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/345 (96%)	330 (99%)	2 (1%)	86	95
1	B	332/345 (96%)	329 (99%)	3 (1%)	78	92
1	C	332/345 (96%)	326 (98%)	6 (2%)	59	85
All	All	996/1035 (96%)	985 (99%)	11 (1%)	73	90

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	TYR
1	A	209	ILE
1	B	9	TYR
1	B	121	THR
1	B	168	THR
1	C	8	ARG
1	C	15	LEU
1	C	289	ARG
1	C	376	ASP
1	C	378	THR
1	C	401	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	321	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 9 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DMU	B	505	-	34,34,34	1.51	8 (23%)	45,45,45	1.37	6 (13%)
5	PGE	A	505	-	9,9,9	0.31	0	8,8,8	0.27	0
4	PG4	A	503	-	12,12,12	0.53	0	11,11,11	0.24	0
5	PGE	B	506	-	9,9,9	0.31	0	8,8,8	0.31	0
7	PEG	C	512	-	6,6,6	0.49	0	5,5,5	0.26	0
2	QM5	C	501	-	21,28,28	1.51	4 (19%)	26,37,37	0.90	1 (3%)
5	PGE	A	507	-	9,9,9	0.32	0	8,8,8	0.32	0
7	PEG	C	508	-	6,6,6	0.49	0	5,5,5	0.30	0
5	PGE	B	507	-	9,9,9	0.31	0	8,8,8	0.32	0
7	PEG	C	510	-	6,6,6	0.49	0	5,5,5	0.25	0
7	PEG	C	513	-	6,6,6	0.49	0	5,5,5	0.28	0
7	PEG	B	503	-	6,6,6	0.49	0	5,5,5	0.24	0
7	PEG	B	504	-	6,6,6	0.49	0	5,5,5	0.26	0
2	QM5	A	501	6	21,28,28	1.48	4 (19%)	26,37,37	1.02	1 (3%)
4	PG4	A	504	-	12,12,12	0.53	0	11,11,11	0.18	0
3	DMU	A	502	-	34,34,34	1.53	8 (23%)	45,45,45	1.14	5 (11%)
7	PEG	C	511	-	6,6,6	0.49	0	5,5,5	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PG4	A	506	-	12,12,12	0.53	0	11,11,11	0.24	0
5	PGE	C	503	-	9,9,9	0.31	0	8,8,8	0.31	0
3	DMU	C	502	-	34,34,34	1.51	7 (20%)	45,45,45	1.32	6 (13%)
7	PEG	B	512	-	6,6,6	0.49	0	5,5,5	0.26	0
8	1PE	C	504	-	15,15,15	0.53	0	14,14,14	0.21	0
7	PEG	B	513	-	6,6,6	0.49	0	5,5,5	0.29	0
7	PEG	B	511	-	6,6,6	0.49	0	5,5,5	0.22	0
7	PEG	A	511	-	6,6,6	0.49	0	5,5,5	0.26	0
5	PGE	B	502	-	9,9,9	0.32	0	8,8,8	0.25	0
7	PEG	A	512	-	6,6,6	0.49	0	5,5,5	0.26	0
7	PEG	C	509	-	6,6,6	0.50	0	5,5,5	0.41	0
2	QM5	B	501	-	21,28,28	1.54	4 (19%)	26,37,37	0.97	3 (11%)
7	PEG	C	514	-	6,6,6	0.49	0	5,5,5	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DMU	B	505	-	-	9/19/59/59	0/2/2/2
5	PGE	A	505	-	-	2/7/7/7	-
4	PG4	A	503	-	-	5/10/10/10	-
5	PGE	B	506	-	-	5/7/7/7	-
7	PEG	C	512	-	-	1/4/4/4	-
2	QM5	C	501	-	-	9/16/24/24	0/2/2/2
5	PGE	A	507	-	-	3/7/7/7	-
7	PEG	C	508	-	-	0/4/4/4	-
5	PGE	B	507	-	-	4/7/7/7	-
7	PEG	C	510	-	-	2/4/4/4	-
7	PEG	C	513	-	-	1/4/4/4	-
7	PEG	B	503	-	-	3/4/4/4	-
7	PEG	B	504	-	-	1/4/4/4	-
2	QM5	A	501	6	-	5/16/24/24	0/2/2/2
4	PG4	A	504	-	-	3/10/10/10	-
3	DMU	A	502	-	-	8/19/59/59	0/2/2/2
7	PEG	C	511	-	-	2/4/4/4	-
4	PG4	A	506	-	-	5/10/10/10	-
5	PGE	C	503	-	-	4/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DMU	C	502	-	-	7/19/59/59	0/2/2/2
7	PEG	B	512	-	-	2/4/4/4	-
8	1PE	C	504	-	-	9/13/13/13	-
7	PEG	B	513	-	-	1/4/4/4	-
7	PEG	B	511	-	-	3/4/4/4	-
7	PEG	A	511	-	-	0/4/4/4	-
5	PGE	B	502	-	-	3/7/7/7	-
7	PEG	A	512	-	-	0/4/4/4	-
7	PEG	C	509	-	-	2/4/4/4	-
2	QM5	B	501	-	-	5/16/24/24	0/2/2/2
7	PEG	C	514	-	-	2/4/4/4	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	505	DMU	O1-C9	4.05	1.54	1.44
3	A	502	DMU	O1-C9	4.04	1.54	1.44
3	C	502	DMU	O1-C9	3.89	1.53	1.44
2	B	501	QM5	C3-N2	3.69	1.50	1.40
2	A	501	QM5	C3-N2	3.60	1.50	1.40
2	C	501	QM5	C3-N2	3.50	1.50	1.40
3	C	502	DMU	C11-C9	-2.86	1.42	1.51
3	A	502	DMU	C11-C9	-2.86	1.42	1.51
3	B	505	DMU	C11-C9	-2.84	1.42	1.51
2	B	501	QM5	N3-N2	2.81	1.48	1.39
3	A	502	DMU	O1-C10	2.79	1.48	1.41
3	C	502	DMU	O1-C10	2.77	1.48	1.41
2	A	501	QM5	N3-N2	2.72	1.48	1.39
2	C	501	QM5	N3-N2	2.65	1.47	1.39
2	B	501	QM5	C12-N3	2.65	1.47	1.40
2	A	501	QM5	C12-N3	2.59	1.47	1.40
2	C	501	QM5	C12-N3	2.58	1.47	1.40
3	A	502	DMU	C7-C5	-2.55	1.45	1.52
3	B	505	DMU	O3-C5	2.54	1.49	1.43
3	C	502	DMU	C7-C5	-2.51	1.46	1.52
3	B	505	DMU	O5-C6	2.49	1.48	1.41
3	B	505	DMU	O4-C7	2.49	1.48	1.43
3	A	502	DMU	O4-C7	2.44	1.48	1.43
3	A	502	DMU	O3-C5	2.44	1.48	1.43
3	A	502	DMU	O5-C6	2.44	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	DMU	O3-C5	2.43	1.48	1.43
3	B	505	DMU	O1-C10	2.43	1.48	1.41
3	C	502	DMU	O4-C7	2.42	1.48	1.43
3	B	505	DMU	C7-C5	-2.31	1.46	1.52
3	C	502	DMU	O5-C6	2.30	1.47	1.41
2	B	501	QM5	C10-N1	-2.30	1.43	1.47
2	A	501	QM5	C10-N1	-2.23	1.43	1.47
2	C	501	QM5	C10-N1	-2.16	1.43	1.47
3	A	502	DMU	O5-C4	2.03	1.49	1.44
3	B	505	DMU	C8-C9	2.02	1.57	1.53

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	DMU	O1-C10-C5	4.00	118.82	110.35
3	B	505	DMU	C8-C7-C5	3.55	117.03	110.82
3	B	505	DMU	C7-C8-C9	3.42	116.34	110.24
3	C	502	DMU	C10-C5-C7	3.28	116.83	110.00
3	C	502	DMU	C10-O7-C3	-2.97	110.60	117.96
3	B	505	DMU	C1-C2-C3	2.92	116.35	109.68
2	A	501	QM5	O1-C7-C6	-2.91	103.20	109.91
3	A	502	DMU	O1-C10-C5	2.82	116.31	110.35
3	B	505	DMU	C10-C5-C7	2.77	115.77	110.00
2	C	501	QM5	O1-C7-C6	-2.76	103.56	109.91
3	B	505	DMU	C10-O7-C3	-2.74	111.18	117.96
3	C	502	DMU	C10-O1-C9	2.68	118.96	113.69
3	A	502	DMU	C10-C5-C7	2.66	115.55	110.00
3	B	505	DMU	C6-C1-C2	2.50	115.19	110.00
3	A	502	DMU	C10-O1-C9	2.24	118.08	113.69
3	C	502	DMU	C1-C2-C3	2.24	114.79	109.68
3	A	502	DMU	C10-O7-C3	-2.15	112.64	117.96
2	B	501	QM5	O1-C7-C6	-2.11	105.04	109.91
3	A	502	DMU	O5-C4-C3	2.10	114.17	109.75
3	C	502	DMU	O5-C4-C3	2.08	114.14	109.75
2	B	501	QM5	C3-N2-N3	2.02	124.45	118.74
2	B	501	QM5	C12-N3-N2	2.02	124.44	118.74

There are no chirality outliers.

All (106) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	501	QM5	C11-C10-C8-O1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	501	QM5	C13-C12-N3-N2
2	C	501	QM5	C17-C12-N3-N2
2	C	501	QM5	C4-C3-N2-N3
2	C	501	QM5	C2-C3-N2-N3
2	C	501	QM5	C3-N2-N3-C12
2	A	501	QM5	C9-C8-O1-C7
2	A	501	QM5	C13-C12-N3-N2
2	A	501	QM5	C17-C12-N3-N2
2	A	501	QM5	C3-N2-N3-C12
3	C	502	DMU	C19-C18-O16-C6
2	B	501	QM5	C9-C8-O1-C7
2	B	501	QM5	C13-C12-N3-N2
2	B	501	QM5	C17-C12-N3-N2
2	B	501	QM5	C3-N2-N3-C12
7	C	509	PEG	C1-C2-O2-C3
3	A	502	DMU	O6-C11-C9-O1
3	C	502	DMU	O6-C11-C9-O1
3	B	505	DMU	O6-C11-C9-O1
3	C	502	DMU	O6-C11-C9-C8
3	B	505	DMU	O6-C11-C9-C8
5	A	507	PGE	O2-C3-C4-O3
5	B	506	PGE	O2-C3-C4-O3
5	C	503	PGE	O2-C3-C4-O3
4	A	506	PG4	O2-C3-C4-O3
3	A	502	DMU	O6-C11-C9-C8
8	C	504	1PE	OH6-C15-C25-OH5
5	B	506	PGE	O1-C1-C2-O2
4	A	506	PG4	O4-C7-C8-O5
5	B	502	PGE	O1-C1-C2-O2
3	C	502	DMU	C25-C28-C31-C34
3	A	502	DMU	C25-C28-C31-C34
4	A	503	PG4	O4-C7-C8-O5
8	C	504	1PE	OH2-C12-C22-OH3
3	B	505	DMU	O5-C4-C57-O61
3	B	505	DMU	C18-C19-C22-C25
3	B	505	DMU	C25-C28-C31-C34
3	C	502	DMU	C28-C31-C34-C37
3	B	505	DMU	C19-C22-C25-C28
4	A	503	PG4	O2-C3-C4-O3
7	B	513	PEG	O1-C1-C2-O2
5	A	507	PGE	O1-C1-C2-O2
7	C	510	PEG	O2-C3-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	C	509	PEG	O2-C3-C4-O4
3	A	502	DMU	O5-C4-C57-O61
3	B	505	DMU	C22-C25-C28-C31
2	A	501	QM5	C6-C7-O1-C8
5	B	507	PGE	O1-C1-C2-O2
7	B	511	PEG	O1-C1-C2-O2
8	C	504	1PE	OH4-C13-C23-OH3
7	B	511	PEG	C4-C3-O2-C2
7	C	511	PEG	C1-C2-O2-C3
5	B	507	PGE	O2-C3-C4-O3
3	A	502	DMU	C18-C19-C22-C25
7	C	510	PEG	C1-C2-O2-C3
2	B	501	QM5	C6-C7-O1-C8
4	A	504	PG4	O2-C3-C4-O3
7	C	511	PEG	O1-C1-C2-O2
5	A	505	PGE	C1-C2-O2-C3
7	B	503	PEG	C4-C3-O2-C2
5	B	506	PGE	C3-C4-O3-C5
8	C	504	1PE	C12-C22-OH3-C23
5	B	507	PGE	C4-C3-O2-C2
3	B	505	DMU	O5-C6-O16-C18
3	A	502	DMU	O5-C6-O16-C18
7	B	512	PEG	C1-C2-O2-C3
5	B	506	PGE	C1-C2-O2-C3
8	C	504	1PE	C24-C14-OH5-C25
7	B	503	PEG	C1-C2-O2-C3
4	A	503	PG4	C3-C4-O3-C5
5	C	503	PGE	O3-C5-C6-O4
7	C	513	PEG	C1-C2-O2-C3
8	C	504	1PE	C25-C15-OH6-C26
3	C	502	DMU	O16-C18-C19-C22
8	C	504	1PE	C16-C26-OH6-C15
2	C	501	QM5	N1-C10-C8-O1
7	B	504	PEG	C1-C2-O2-C3
3	A	502	DMU	C28-C31-C34-C37
5	C	503	PGE	C3-C4-O3-C5
5	B	502	PGE	C1-C2-O2-C3
5	A	505	PGE	C4-C3-O2-C2
7	C	514	PEG	C1-C2-O2-C3
3	B	505	DMU	C31-C34-C37-C40
5	B	507	PGE	C1-C2-O2-C3
3	C	502	DMU	C22-C25-C28-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	C	504	1PE	OH7-C16-C26-OH6
5	C	503	PGE	C1-C2-O2-C3
4	A	503	PG4	C1-C2-O2-C3
7	B	511	PEG	C1-C2-O2-C3
4	A	506	PG4	C5-C6-O4-C7
3	A	502	DMU	C19-C22-C25-C28
5	B	506	PGE	C4-C3-O2-C2
4	A	506	PG4	C8-C7-O4-C6
5	A	507	PGE	C3-C4-O3-C5
7	C	512	PEG	O2-C3-C4-O4
4	A	504	PG4	C5-C6-O4-C7
4	A	504	PG4	O3-C5-C6-O4
2	C	501	QM5	C9-C8-O1-C7
2	C	501	QM5	C10-C8-O1-C7
7	B	503	PEG	O1-C1-C2-O2
5	B	502	PGE	C4-C3-O2-C2
4	A	503	PG4	C6-C5-O3-C4
8	C	504	1PE	OH5-C14-C24-OH4
7	B	512	PEG	C4-C3-O2-C2
4	A	506	PG4	O3-C5-C6-O4
7	C	514	PEG	C4-C3-O2-C2


There are no ring outliers.



7 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	505	DMU	1	0
4	A	503	PG4	1	0
2	C	501	QM5	1	0
3	A	502	DMU	1	0
7	C	511	PEG	1	0
3	C	502	DMU	1	0
8	C	504	1PE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/438 (96%)	0.28	36 (8%) 10 3	125, 161, 225, 386	0
1	B	423/438 (96%)	0.33	40 (9%) 8 3	127, 160, 225, 372	0
1	C	423/438 (96%)	0.24	45 (10%) 6 2	122, 175, 226, 328	0
All	All	1270/1314 (96%)	0.28	121 (9%) 8 3	122, 165, 227, 386	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	16	TRP	10.1
1	B	342	LEU	9.6
1	A	126	GLU	9.1
1	A	127	ALA	8.1
1	B	130	PRO	7.9
1	C	127	ALA	7.2
1	C	205	GLN	7.2
1	A	16	TRP	7.1
1	B	129	PRO	6.9
1	A	124	ALA	6.7
1	B	338	LEU	6.5
1	B	125	ILE	6.2
1	B	347	THR	6.2
1	B	343	VAL	6.2
1	A	377	LEU	6.0
1	C	126	GLU	5.8
1	C	12	TYR	5.7
1	C	11	ASP	5.5
1	C	130	PRO	5.5
1	C	123	LYS	5.4
1	B	359	PRO	5.4
1	C	129	PRO	5.2
1	C	128	GLN	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	123	LYS	5.1
1	C	421	LYS	5.0
1	B	16	TRP	4.9
1	C	10	LEU	4.7
1	B	346	LEU	4.6
1	C	124	ALA	4.6
1	C	14	VAL	4.6
1	A	375	LEU	4.6
1	B	124	ALA	4.5
1	C	121	THR	4.3
1	C	9	TYR	4.3
1	C	122	GLY	4.2
1	C	418	LYS	4.1
1	A	324	THR	4.1
1	A	370	LEU	4.0
1	B	361	ALA	3.9
1	A	372	SER	3.8
1	C	423	LEU	3.8
1	C	379	PRO	3.8
1	A	342	LEU	3.7
1	A	325	VAL	3.7
1	B	360	GLY	3.7
1	B	341	GLN	3.7
1	A	326	LEU	3.7
1	C	354	GLY	3.7
1	A	128	GLN	3.6
1	A	376	ASP	3.6
1	B	128	GLN	3.6
1	C	350	LEU	3.5
1	A	387	TYR	3.5
1	C	13	PRO	3.5
1	B	339	GLY	3.5
1	C	35	PHE	3.5
1	C	375	LEU	3.5
1	B	110	ASN	3.5
1	A	82	ARG	3.4
1	B	255	VAL	3.4
1	A	125	ILE	3.4
1	B	254	LYS	3.4
1	C	422	GLU	3.4
1	C	377	LEU	3.4
1	B	109	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	344	VAL	3.2
1	B	167	ILE	3.2
1	B	131	SER	3.1
1	C	342	LEU	3.1
1	B	369	VAL	3.1
1	B	345	VAL	3.0
1	B	350	LEU	3.0
1	B	428	TRP	3.0
1	B	35	PHE	2.9
1	C	343	VAL	2.9
1	C	376	ASP	2.9
1	A	369	VAL	2.9
1	C	36	GLY	2.8
1	B	176	GLU	2.8
1	C	258	ILE	2.8
1	B	358	VAL	2.8
1	A	328	VAL	2.8
1	A	20	TRP	2.8
1	B	132	LEU	2.7
1	B	258	ILE	2.7
1	C	279	SER	2.7
1	B	123	LYS	2.6
1	C	256	PHE	2.6
1	A	205	GLN	2.6
1	C	378	THR	2.6
1	B	177	ARG	2.6
1	A	371	GLN	2.6
1	C	346	LEU	2.6
1	A	122	GLY	2.6
1	A	279	SER	2.5
1	C	368	MET	2.5
1	A	373	VAL	2.5
1	A	374	GLY	2.5
1	C	419	THR	2.5
1	C	277	THR	2.4
1	A	106	GLY	2.4
1	A	81	GLY	2.3
1	B	340	GLN	2.3
1	C	347	THR	2.3
1	C	430	SER	2.3
1	A	176	GLU	2.3
1	C	15	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	166	ALA	2.2
1	A	12	TYR	2.2
1	B	37	TYR	2.2
1	C	37	TYR	2.2
1	B	134	GLN	2.2
1	B	257	GLY	2.2
1	A	389	MET	2.2
1	B	262	LYS	2.1
1	A	31	ILE	2.1
1	A	338	LEU	2.1
1	C	257	GLY	2.0
1	C	403	MET	2.0
1	A	329	ALA	2.0
1	A	343	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NA	C	507	1/1	-0.54	2.08	224,224,224,224	0
5	PGE	B	507	10/10	-0.13	1.53	165,185,206,209	0
7	PEG	C	514	7/7	0.02	0.98	192,194,198,199	0
5	PGE	B	502	10/10	0.15	0.43	170,179,184,186	0
7	PEG	B	513	7/7	0.28	2.19	186,202,214,217	0
4	PG4	A	504	13/13	0.29	0.63	211,219,224,224	0
5	PGE	B	506	10/10	0.30	1.27	205,222,223,223	0
7	PEG	C	509	7/7	0.42	0.25	141,143,157,161	0
7	PEG	C	513	7/7	0.42	0.82	188,190,194,194	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	PG4	A	506	13/13	0.43	0.58	195,198,206,208	0
7	PEG	A	512	7/7	0.43	1.26	144,163,184,191	0
5	PGE	A	505	10/10	0.44	0.45	189,197,201,202	0
7	PEG	B	511	7/7	0.47	1.17	167,174,180,182	0
6	NA	B	510	1/1	0.48	1.55	150,150,150,150	0
6	NA	A	510	1/1	0.49	1.63	140,140,140,140	0
5	PGE	A	507	10/10	0.54	0.48	192,200,212,215	0
5	PGE	C	503	10/10	0.57	0.58	187,209,223,225	0
8	1PE	C	504	16/16	0.59	1.13	171,181,193,193	0
2	QM5	B	501	27/27	0.62	0.53	179,185,230,231	0
7	PEG	B	504	7/7	0.63	1.53	165,173,177,177	0
7	PEG	C	511	7/7	0.63	0.79	143,153,162,162	0
3	DMU	C	502	33/33	0.66	1.10	145,215,232,233	0
7	PEG	C	510	7/7	0.67	0.49	180,194,201,203	0
7	PEG	A	511	7/7	0.67	0.64	160,170,175,179	0
2	QM5	C	501	27/27	0.69	0.38	183,192,225,229	0
7	PEG	C	508	7/7	0.69	0.88	182,188,195,196	0
7	PEG	B	503	7/7	0.70	0.15	154,159,161,161	0
3	DMU	A	502	33/33	0.73	0.66	182,195,234,236	0
4	PG4	A	503	13/13	0.79	0.26	193,199,209,210	0
7	PEG	B	512	7/7	0.80	0.67	172,181,185,186	0
3	DMU	B	505	33/33	0.81	0.34	164,196,221,225	0
2	QM5	A	501	27/27	0.81	0.34	157,176,230,231	0
6	NA	A	509	1/1	0.81	0.23	164,164,164,164	0
7	PEG	C	512	7/7	0.84	0.53	200,209,212,213	0
6	NA	A	508	1/1	0.89	0.50	132,132,132,132	0
6	NA	C	505	1/1	0.91	0.37	138,138,138,138	0
6	NA	B	508	1/1	0.93	0.67	147,147,147,147	0
6	NA	B	509	1/1	0.94	0.33	169,169,169,169	0
6	NA	C	506	1/1	0.94	0.27	191,191,191,191	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around QM5 C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around DMU A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU B 505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.