



## wwPDB EM Validation Summary Report ⓘ

Apr 13, 2026 – 12:25 PM JST

PDB ID : 20YW / pdb\_000020yw  
EMDB ID : EMD-67421  
Title : Cryo-EM structure of SspE-R133A from E.coli  
Authors : Zhou, Y.F.; Zhang, K.  
Deposited on : 2025-12-03  
Resolution : 2.81 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11740 ( 2.31 - 3.31 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	818	
1	B	818	
1	C	818	
1	D	818	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 16574 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DUF262 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	587	Total	C	N	O	S	0	0
			4792	3065	810	904	13		
1	B	587	Total	C	N	O	S	0	0
			4792	3065	810	904	13		
1	C	426	Total	C	N	O	S	0	0
			3491	2233	585	664	9		
1	D	427	Total	C	N	O	S	0	0
			3499	2238	585	667	9		

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP A0A8H9XTE3
A	2	ILE	-	expression tag	UNP A0A8H9XTE3
A	3	ILE	-	expression tag	UNP A0A8H9XTE3
A	4	ALA	-	expression tag	UNP A0A8H9XTE3
A	5	LYS	-	expression tag	UNP A0A8H9XTE3
A	6	SER	-	expression tag	UNP A0A8H9XTE3
A	7	SER	-	expression tag	UNP A0A8H9XTE3
A	8	ILE	-	expression tag	UNP A0A8H9XTE3
A	9	VAL	-	expression tag	UNP A0A8H9XTE3
A	10	GLY	-	expression tag	UNP A0A8H9XTE3
A	11	LYS	-	expression tag	UNP A0A8H9XTE3
A	12	ILE	-	expression tag	UNP A0A8H9XTE3
A	13	THR	-	expression tag	UNP A0A8H9XTE3
A	14	PHE	-	expression tag	UNP A0A8H9XTE3
A	15	VAL	-	expression tag	UNP A0A8H9XTE3
A	16	VAL	-	expression tag	UNP A0A8H9XTE3
A	17	LYS	-	expression tag	UNP A0A8H9XTE3
A	18	CYS	-	expression tag	UNP A0A8H9XTE3
A	19	ARG	-	expression tag	UNP A0A8H9XTE3
A	20	ASN	-	expression tag	UNP A0A8H9XTE3
A	21	VAL	-	expression tag	UNP A0A8H9XTE3
A	22	ASN	-	expression tag	UNP A0A8H9XTE3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	23	PHE	-	expression tag	UNP A0A8H9XTE3
A	24	LEU	-	expression tag	UNP A0A8H9XTE3
A	25	ILE	-	expression tag	UNP A0A8H9XTE3
A	26	ASN	-	expression tag	UNP A0A8H9XTE3
A	27	SER	-	expression tag	UNP A0A8H9XTE3
A	28	ILE	-	expression tag	UNP A0A8H9XTE3
A	29	LYS	-	expression tag	UNP A0A8H9XTE3
A	30	SER	-	expression tag	UNP A0A8H9XTE3
A	31	ARG	-	expression tag	UNP A0A8H9XTE3
A	32	GLY	-	expression tag	UNP A0A8H9XTE3
A	33	TYR	-	expression tag	UNP A0A8H9XTE3
A	133	ALA	ARG	engineered mutation	UNP A0A8H9XTE3
A	606	ARG	LYS	conflict	UNP A0A8H9XTE3
A	774	LYS	GLU	conflict	UNP A0A8H9XTE3
B	1	MET	-	initiating methionine	UNP A0A8H9XTE3
B	2	ILE	-	expression tag	UNP A0A8H9XTE3
B	3	ILE	-	expression tag	UNP A0A8H9XTE3
B	4	ALA	-	expression tag	UNP A0A8H9XTE3
B	5	LYS	-	expression tag	UNP A0A8H9XTE3
B	6	SER	-	expression tag	UNP A0A8H9XTE3
B	7	SER	-	expression tag	UNP A0A8H9XTE3
B	8	ILE	-	expression tag	UNP A0A8H9XTE3
B	9	VAL	-	expression tag	UNP A0A8H9XTE3
B	10	GLY	-	expression tag	UNP A0A8H9XTE3
B	11	LYS	-	expression tag	UNP A0A8H9XTE3
B	12	ILE	-	expression tag	UNP A0A8H9XTE3
B	13	THR	-	expression tag	UNP A0A8H9XTE3
B	14	PHE	-	expression tag	UNP A0A8H9XTE3
B	15	VAL	-	expression tag	UNP A0A8H9XTE3
B	16	VAL	-	expression tag	UNP A0A8H9XTE3
B	17	LYS	-	expression tag	UNP A0A8H9XTE3
B	18	CYS	-	expression tag	UNP A0A8H9XTE3
B	19	ARG	-	expression tag	UNP A0A8H9XTE3
B	20	ASN	-	expression tag	UNP A0A8H9XTE3
B	21	VAL	-	expression tag	UNP A0A8H9XTE3
B	22	ASN	-	expression tag	UNP A0A8H9XTE3
B	23	PHE	-	expression tag	UNP A0A8H9XTE3
B	24	LEU	-	expression tag	UNP A0A8H9XTE3
B	25	ILE	-	expression tag	UNP A0A8H9XTE3
B	26	ASN	-	expression tag	UNP A0A8H9XTE3
B	27	SER	-	expression tag	UNP A0A8H9XTE3
B	28	ILE	-	expression tag	UNP A0A8H9XTE3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	29	LYS	-	expression tag	UNP A0A8H9XTE3
B	30	SER	-	expression tag	UNP A0A8H9XTE3
B	31	ARG	-	expression tag	UNP A0A8H9XTE3
B	32	GLY	-	expression tag	UNP A0A8H9XTE3
B	33	TYR	-	expression tag	UNP A0A8H9XTE3
B	133	ALA	ARG	engineered mutation	UNP A0A8H9XTE3
B	606	ARG	LYS	conflict	UNP A0A8H9XTE3
B	774	LYS	GLU	conflict	UNP A0A8H9XTE3
C	1	MET	-	initiating methionine	UNP A0A8H9XTE3
C	2	ILE	-	expression tag	UNP A0A8H9XTE3
C	3	ILE	-	expression tag	UNP A0A8H9XTE3
C	4	ALA	-	expression tag	UNP A0A8H9XTE3
C	5	LYS	-	expression tag	UNP A0A8H9XTE3
C	6	SER	-	expression tag	UNP A0A8H9XTE3
C	7	SER	-	expression tag	UNP A0A8H9XTE3
C	8	ILE	-	expression tag	UNP A0A8H9XTE3
C	9	VAL	-	expression tag	UNP A0A8H9XTE3
C	10	GLY	-	expression tag	UNP A0A8H9XTE3
C	11	LYS	-	expression tag	UNP A0A8H9XTE3
C	12	ILE	-	expression tag	UNP A0A8H9XTE3
C	13	THR	-	expression tag	UNP A0A8H9XTE3
C	14	PHE	-	expression tag	UNP A0A8H9XTE3
C	15	VAL	-	expression tag	UNP A0A8H9XTE3
C	16	VAL	-	expression tag	UNP A0A8H9XTE3
C	17	LYS	-	expression tag	UNP A0A8H9XTE3
C	18	CYS	-	expression tag	UNP A0A8H9XTE3
C	19	ARG	-	expression tag	UNP A0A8H9XTE3
C	20	ASN	-	expression tag	UNP A0A8H9XTE3
C	21	VAL	-	expression tag	UNP A0A8H9XTE3
C	22	ASN	-	expression tag	UNP A0A8H9XTE3
C	23	PHE	-	expression tag	UNP A0A8H9XTE3
C	24	LEU	-	expression tag	UNP A0A8H9XTE3
C	25	ILE	-	expression tag	UNP A0A8H9XTE3
C	26	ASN	-	expression tag	UNP A0A8H9XTE3
C	27	SER	-	expression tag	UNP A0A8H9XTE3
C	28	ILE	-	expression tag	UNP A0A8H9XTE3
C	29	LYS	-	expression tag	UNP A0A8H9XTE3
C	30	SER	-	expression tag	UNP A0A8H9XTE3
C	31	ARG	-	expression tag	UNP A0A8H9XTE3
C	32	GLY	-	expression tag	UNP A0A8H9XTE3
C	33	TYR	-	expression tag	UNP A0A8H9XTE3
C	133	ALA	ARG	engineered mutation	UNP A0A8H9XTE3

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	606	ARG	LYS	conflict	UNP A0A8H9XTE3
C	774	LYS	GLU	conflict	UNP A0A8H9XTE3
D	1	MET	-	initiating methionine	UNP A0A8H9XTE3
D	2	ILE	-	expression tag	UNP A0A8H9XTE3
D	3	ILE	-	expression tag	UNP A0A8H9XTE3
D	4	ALA	-	expression tag	UNP A0A8H9XTE3
D	5	LYS	-	expression tag	UNP A0A8H9XTE3
D	6	SER	-	expression tag	UNP A0A8H9XTE3
D	7	SER	-	expression tag	UNP A0A8H9XTE3
D	8	ILE	-	expression tag	UNP A0A8H9XTE3
D	9	VAL	-	expression tag	UNP A0A8H9XTE3
D	10	GLY	-	expression tag	UNP A0A8H9XTE3
D	11	LYS	-	expression tag	UNP A0A8H9XTE3
D	12	ILE	-	expression tag	UNP A0A8H9XTE3
D	13	THR	-	expression tag	UNP A0A8H9XTE3
D	14	PHE	-	expression tag	UNP A0A8H9XTE3
D	15	VAL	-	expression tag	UNP A0A8H9XTE3
D	16	VAL	-	expression tag	UNP A0A8H9XTE3
D	17	LYS	-	expression tag	UNP A0A8H9XTE3
D	18	CYS	-	expression tag	UNP A0A8H9XTE3
D	19	ARG	-	expression tag	UNP A0A8H9XTE3
D	20	ASN	-	expression tag	UNP A0A8H9XTE3
D	21	VAL	-	expression tag	UNP A0A8H9XTE3
D	22	ASN	-	expression tag	UNP A0A8H9XTE3
D	23	PHE	-	expression tag	UNP A0A8H9XTE3
D	24	LEU	-	expression tag	UNP A0A8H9XTE3
D	25	ILE	-	expression tag	UNP A0A8H9XTE3
D	26	ASN	-	expression tag	UNP A0A8H9XTE3
D	27	SER	-	expression tag	UNP A0A8H9XTE3
D	28	ILE	-	expression tag	UNP A0A8H9XTE3
D	29	LYS	-	expression tag	UNP A0A8H9XTE3
D	30	SER	-	expression tag	UNP A0A8H9XTE3
D	31	ARG	-	expression tag	UNP A0A8H9XTE3
D	32	GLY	-	expression tag	UNP A0A8H9XTE3
D	33	TYR	-	expression tag	UNP A0A8H9XTE3
D	133	ALA	ARG	engineered mutation	UNP A0A8H9XTE3
D	606	ARG	LYS	conflict	UNP A0A8H9XTE3
D	774	LYS	GLU	conflict	UNP A0A8H9XTE3


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DUF262 domain-containing protein




- Molecule 1: DUF262 domain-containing protein






- Molecule 1: DUF262 domain-containing protein



- Molecule 1: DUF262 domain-containing protein



ASP	E388	LYS	LEU	S391	E394	R395	S396	K397	S396	Y401	V402	I405	S411	K414	S415	N416	D417	K418	Q419	L431	R441	K450	L459	Q463	R467	I476	R477	Y478	SER	TRP	PRO	ASP	ASP	LYS	SER	SER	THR	THR	TYR	ALA	GLU	ALA	GLN	THR			
GLU	VAL	ILE	LEU	CYS	ILE	ASP	LEU	LEU	ARG	LYS	PHE	ASN	HIS	THR	ILE	GLY	PRO	ASP	LEU	ILE	ARG	VAL	VAL	SER	GLU	ILE	ALA	ILE	ASN	ASN	ASN	PHE	ILE	ASN	THR	ASP	GLY	ASN	VAL	GLY	THR	THR	GLY	THR	TRP	ARG	SER
SER	ARG	ARG	THR	THR	GLU	ASN	ILE	ASP	SER	HIS	TYR	ARG	LEU	MET	TYR	GLY	TYR	GLU	ASP	VAL	GLY	ASP	MET	ASN	GLU	ILE	THR	LEU	ASN	VAL	ILE	GLY	LEU	LYS	ARG	ALA	PHE	LEU	ALA	LYS	THR	LEU	THR	GLY	GLY	VAL	
GLY	SER	LYS	ASP	TRP	TRP	VAL	LYS	ALA	ILE	SER	LYS	PRO	ALA	TYR	ASN	GLN	LYS	GLU	ILE	LEU	LEU	ALA	HIS	ASP	SER	VAL	GLY	PRO	GLY	LEU	THR	THR	VAL	GLY	LEU	SER	PRO	MET	LEU	ALA	LYS	GLY	GLY	ASN	TRP		
LYS	GLY	GLU	GLN	LEU	GLN	THR	ILE	GLU	HIS	ASP	PRO	GLN	GLU	LYS	TRP	GLY	ASP	ILE	TYR	GLU	GLN	ILE	ASP	THR	THR	THR	LEU	LEU	PRO	SER	ARG	THR	VAL	GLU	ASN	GLY	THR	LEU	PRO	TRP	LYS	THR	VAL	LYS	THR		
TYR	LYS	ILE	LEU	SER	ALA	MET	THR	PRO	ASP	GLN	LEU	LEU	GLN	GLY	ILE	GLY	GLU	LEU	ALA	GLN	SER	SER	LEU	LEU	SER	TYR	ILE	LEU	LEU	VAL	LYS	ALA	ALA	GLU	ASP	GLY	THR	THR	THR	LYS	GLY	GLY	GLY	GLY			
ARG	SER	VAL	ARG	ILE	ALA	GLU	LEU	ALA	TRP	ASP	ASN	ALA	TRP	GLN	GLY	GLY	GLY	GLN	GLY	GLN	LEU	LEU	LEU	LEU	SER	TYR	PRO	PRO	LEU	VAL	LYS	ALA	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL		

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	179737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	45	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	54.054	Depositor
Minimum map value	-26.891	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	4	Depositor
Map size ( $\text{\AA}$ )	359.1, 359.1, 359.1	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.855, 0.855, 0.855	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.17	0/4883	0.32	0/6578
1	B	0.20	0/4883	0.31	0/6578
1	C	0.15	0/3560	0.31	0/4793
1	D	0.16	0/3567	0.30	0/4803
All	All	0.18	0/16893	0.31	0/22752

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4792	0	4826	59	0
1	B	4792	0	4826	49	0
1	C	3491	0	3502	37	0
1	D	3499	0	3504	33	0
All	All	16574	0	16658	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 172 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:224:TYR:OH	1:C:262:ARG:NH1	2.24	0.71
1:C:426:ILE:HD12	1:C:449:LEU:HD11	1.73	0.69
1:A:374:LEU:O	1:A:446:ARG:NH2	2.26	0.68
1:B:492:SER:O	1:B:535:ARG:NH2	2.26	0.67
1:A:557:ARG:NH2	1:A:561:ARG:O	2.28	0.67

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/818 (71%)	566 (98%)	13 (2%)	0	100	100
1	B	579/818 (71%)	565 (98%)	14 (2%)	0	100	100
1	C	422/818 (52%)	407 (96%)	15 (4%)	0	100	100
1	D	421/818 (52%)	409 (97%)	12 (3%)	0	100	100
All	All	2001/3272 (61%)	1947 (97%)	54 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	527/732 (72%)	526 (100%)	1 (0%)	87	96
1	B	527/732 (72%)	527 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	385/732 (53%)	385 (100%)	0	100	100
1	D	386/732 (53%)	386 (100%)	0	100	100
All	All	1825/2928 (62%)	1824 (100%)	1 (0%)	87	96

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	273	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 16 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	271	ASN
1	C	226	HIS
1	B	399	HIS
1	C	223	HIS
1	B	356	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-67421. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210



Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 233




Y Index: 218




Z Index: 214


### 6.3.2 Raw map



X Index: 232



Y Index: 218




Z Index: 208


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 182  $\text{nm}^3$ ; this corresponds to an approximate mass of 164 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.356 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.356  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.81	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.31	3.95	3.35

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.31 differs from the reported value 2.81 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-67421 and PDB model 20YW. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.9340	<div><div></div></div> 0.5600
A	<div><div></div></div> 0.9330	<div><div></div></div> 0.5390
B	<div><div></div></div> 0.9570	<div><div></div></div> 0.5760
C	<div><div></div></div> 0.9190	<div><div></div></div> 0.5630
D	<div><div></div></div> 0.9200	<div><div></div></div> 0.5620

