



Full wwPDB EM Validation Report ⓘ

May 11, 2026 – 10:42 PM EDT

PDB ID : 11JD / pdb_000011jd
EMDB ID : EMD-75733
Title : RNA Vault Shoulder with ADPR bound, extended conformation, focused refinement (MVP/PARP4/TEP1 NADP sample)
Authors : Osinski, A.; Tagliabracci, V.S.
Deposited on : 2026-02-26
Resolution : 2.37 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	4742 (1.87 - 2.87)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	893	
1	B	893	
1	C	893	

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf
2	C	1	Total	C	H	N	O	P	0
			57	15	21	5	14	2	

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		AltConf
3	A	131	Total	O	0
			131	131	
3	B	139	Total	O	0
			139	139	
3	C	133	Total	O	0
			133	133	

73%

73%

MET	GLU	VAL	GLY	GLY	GLU	ALA	ALA	V481	GLY	VAL	VAL
	VAL	LYS	ALA	ALA	VAL	ALA	ALA	V487	LEU	PRO	GLY
	LYS	PHE	TLE	TLE	GLU	HIS	GLY	R604	VAL	TYR	GLY
	LYS	GLN	GLY	GLY	GLY	ALA	ALA	R511	PRO	SER	LYS
	PRO	MET	GLY	GLY	GLY	ARG	LEU	F523	ALA	PHE	LEU
	ARG	GLU	VAL	VAL	VAL	GLU	GLN	T624	VAL	GLN	LEU
	VAL	TLE	LEU	GLN	GLN	GLN	GLN	I529	GLY	PRO	GLY
	ALA	GLY	GLN	ALA	ALA	ALA	ALA	L539	VAL	GLY	GLY
	SER	SER	LYS	LYS	GLY	GLY	ARG	A542	ARG	GLY	GLY
	PRO	ARG	ALA	ALA	LEU	LEU	GLY	Y543	GLY	GLN	GLN
TLE	GLY	ASP	GLN	GLY	GLY	GLY	GLY	K573	GLY	P381	ILE
	GLY	LEU	ALA	ALA	LEU	GLN	GLN	A574	GLY	ASP	GLN
	GLY	ALA	LEU	LEU	LEU	LYS	LYS	I575	GLY	D392	GLN
	ILE	VAL	ALA	TLE	TLE	ILE	ILE	G605	GLY	C396	VAL
	SER	ALA	GLY	GLY	GLY	GLY	GLY	PHE	GLY	K397	TYR
	PRO	GLY	THR	THR	THR	ASP	ASP	GLU	VAL	V398	VAL
	GLN	GLU	GLU	GLU	GLU	SER	SER	THR	LEU	V398	SER
	GLN	GLN	GLY	GLY	GLY	GLY	GLY	GLY	GLY	Y406	GLY
	LYS	VAL	GLN	GLN	ALA	ALA	ALA	ALA	GLY	E412	GLN
	PRO	LEU	VAL	VAL	VAL	ALA	ALA	GLY	GLY	V415	GLY
LEU	PRO	GLN	GLN	GLN	GLN	ALA	ALA	PRO	LEU	GLY	LEU
	GLY	SER	LYS	LYS	LYS	ARG	ARG	ASP	LEU	K429	LEU
	LEU	VAL	VAL	VAL	VAL	GLY	GLY	GLY	ARG	GLY	ARG
	ASN	GLY	LEU	LEU	LEU	LEU	LEU	MET	GLN	GLN	ALA
	HIS	LEU	GLY	GLY	GLY	ALA	ALA	ALA	ASP	LEU	LEU
	VAL	LYS	LEU	LEU	LEU	GLY	GLY	LEU	PRO	GLN	GLN
	VAL	VAL	GLY	GLY	GLY	LEU	LEU	PRO	LEU	LEU	PRO
	PRO	THR	THR	THR	THR	GLY	GLY	ARG	ALA	ALA	LEU
	VAL	LEU	VAL	VAL	VAL	ALA	ALA	PRO	ASP	GLY	GLY
	LEU	ILE	TYR	TYR	TYR	LEU	LEU	R623	ARG	ARG	GLY
ARG	THR	THR	ALA	ALA	ALA	SER	SER	Q648	GLY	GLY	GLY
	ASP	ASP	ARG	ARG	ARG	MET	MET	Q648	GLY	GLY	GLY
	GLY	GLY	ALA	ALA	ALA	ALA	ALA	R651	ASP	GLY	ASP
	SER	SER	GLN	GLN	VAL	VAL	VAL	D652	THR	THR	GLY
	THR	THR	LEU	LEU	GLY	GLY	GLY	Q659	ALA	ALA	LYS
	PRO	PRO	LEU	LEU	SER	THR	THR	LEU	LYS	LYS	VAL
	ILE	ILE	LEU	LEU	THR	THR	THR	LEU	THR	THR	VAL
	ASN	ASN	GLY	GLY	GLY	GLY	GLY	LEU	SER	SER	SER
	LEU	LEU	VAL	VAL	VAL	ALA	ALA	ILE	LEU	GLN	HIS
	PHE	PHE	THR	THR	THR	ALA	ALA	ILE	ALA	GLN	GLN
TRP	ALA	ALA	GLN	GLN	GLY	GLY	GLY	THR	LEU	PRO	ALA
	THR	THR	LYS	LYS	LYS	ALA	ALA	ILE	LEU	GLY	GLY
	ALA	ALA	LYS	LYS	LYS	ALA	ALA	ILE	LEU	ASP	ASP
	GLY	GLY	ALA	ALA	ALA	ALA	ALA	THR	THR	HIS	HIS
	ASP	PHE	GLN	GLN	GLY	GLY	GLY	THR	THR	TRP	TRP
	GLY	GLY	LEU	LEU	LEU	GLY	GLY	ASN	ASN	LEU	LEU
	LEU	LEU	ALA	ALA	ALA	ARG	ARG	SER	SER	LEU	LEU
	GLY	GLY	VAL	VAL	VAL	ALA	ALA	GLN	GLN	ARG	ARG
	VAL	VAL	VAL	VAL	VAL	ALA	ALA	GLY	GLY	TRP	TRP
	ARG	ARG	VAL	VAL	VAL	ALA	ALA	GLY	GLY	ARG	ARG

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	3024138	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.153	Depositor
Minimum map value	-0.702	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.043	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	182.528, 182.528, 182.528	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.713, 0.713, 0.713	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AR6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/1978	0.23	0/2684
1	B	0.14	0/1973	0.24	0/2676
1	C	0.13	0/1973	0.23	0/2676
All	All	0.13	0/5924	0.23	0/8036

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1941	1938	1938	13	0
1	B	1936	1934	1934	18	0
1	C	1936	1934	1934	20	0
2	A	36	21	21	1	0
2	B	36	21	21	0	0
2	C	36	21	21	2	0
3	A	131	0	0	3	0
3	B	139	0	0	5	0
3	C	133	0	0	6	0
All	All	6324	5869	5869	51	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:381:PRO:O	3:B:2101:HOH:O	2.01	0.77
1:C:573:LYS:NZ	3:C:2102:HOH:O	2.16	0.73
1:B:456:ARG:NH1	3:B:2105:HOH:O	2.22	0.72
1:A:406:TYR:OH	1:A:412:GLU:OE1	2.05	0.72
1:A:386:GLU:OE1	3:A:2101:HOH:O	2.08	0.71
1:C:381:PRO:O	3:C:2101:HOH:O	2.09	0.69
1:B:492:GLU:OE2	3:B:2102:HOH:O	2.13	0.67
1:A:456:ARG:NH1	3:A:2103:HOH:O	2.28	0.67
1:A:550:ASN:N	1:A:557:GLU:OE2	2.29	0.66
1:C:456:ARG:NH2	3:C:2101:HOH:O	2.29	0.65
1:B:392:ASP:O	1:B:396:GLY:N	2.31	0.63
1:C:524:THR:HG22	1:C:542:ALA:HB2	1.81	0.63
1:A:573:LYS:NZ	3:A:2104:HOH:O	2.32	0.62
1:C:392:ASP:O	1:C:396:GLY:N	2.31	0.61
1:C:456:ARG:NH1	3:C:2103:HOH:O	2.31	0.61
1:A:392:ASP:O	1:A:396:GLY:N	2.33	0.61
1:B:404:SER:OG	3:B:2103:HOH:O	2.17	0.59
1:A:543:TYR:CE1	1:A:575:ILE:HG21	2.39	0.58
1:C:524:THR:HG22	1:C:542:ALA:CB	2.34	0.57
1:B:543:TYR:CE1	1:B:575:ILE:HG21	2.39	0.57
1:B:561:LEU:O	3:B:2104:HOH:O	2.17	0.57
1:C:543:TYR:CE1	1:C:575:ILE:HG21	2.41	0.56
1:A:506:LYS:NZ	1:A:524:THR:O	2.40	0.53
1:C:481:VAL:HG11	1:C:487:VAL:HG22	1.92	0.52
1:A:648:GLN:OE1	1:A:651:ARG:NH2	2.43	0.50
1:C:648:GLN:OE1	1:C:651:ARG:NH2	2.43	0.50
1:B:645:PRO:O	1:B:651:ARG:NH1	2.46	0.49
1:C:398:VAL:HG11	1:C:415:TRP:CD2	2.46	0.49
1:B:481:VAL:HG11	1:B:487:VAL:HG22	1.94	0.49
1:B:398:VAL:HG11	1:B:415:TRP:CD2	2.47	0.49
1:B:599:ILE:O	1:B:603:VAL:HG23	2.13	0.48
1:A:523:PHE:HA	2:A:2001:AR6:O1B	2.14	0.48
1:C:504:ARG:NH2	3:C:2110:HOH:O	2.46	0.48
1:C:398:VAL:O	1:C:474:ARG:NH1	2.45	0.48
1:A:481:VAL:HG11	1:A:487:VAL:HG22	1.96	0.47
1:A:645:PRO:O	1:A:651:ARG:NH1	2.46	0.46
1:B:529:ILE:HD12	1:B:583:VAL:HG21	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:406:TYR:OH	1:C:412:GLU:OE1	2.34	0.44
1:C:648:GLN:NE2	1:C:652:ASP:OD1	2.51	0.44
1:C:529:ILE:CD1	1:C:539:LEU:HD13	2.48	0.43
1:B:506:LYS:NZ	1:B:524:THR:O	2.47	0.43
1:B:472:ASP:O	1:B:476:LYS:N	2.52	0.43
1:B:588:PHE:HZ	1:B:654:LEU:HD11	1.84	0.42
1:A:398:VAL:HG11	1:A:415:TRP:CD2	2.55	0.41
1:C:524:THR:HG21	3:C:2110:HOH:O	2.20	0.41
1:C:523:PHE:HA	2:C:2001:AR6:O1B	2.20	0.41
1:B:398:VAL:O	1:B:474:ARG:NH1	2.52	0.41
1:C:511:ARG:NH2	2:C:2001:AR6:O1A	2.54	0.41
1:B:529:ILE:CD1	1:B:539:LEU:HD13	2.51	0.40
1:C:605:GLY:O	1:C:623:ARG:N	2.55	0.40
1:B:401:VAL:HG11	1:B:406:TYR:CG	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	239/893 (27%)	237 (99%)	2 (1%)	0	100	100
1	B	238/893 (27%)	237 (100%)	1 (0%)	0	100	100
1	C	238/893 (27%)	237 (100%)	1 (0%)	0	100	100
All	All	715/2679 (27%)	711 (99%)	4 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/755 (28%)	211 (100%)	0	100	100
1	B	211/755 (28%)	211 (100%)	0	100	100
1	C	211/755 (28%)	210 (100%)	1 (0%)	81	90
All	All	633/2265 (28%)	632 (100%)	1 (0%)	85	94

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	539	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	544	ASN
1	C	469	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	AR6	A	2001	-	39,39,39	1.23	2 (5%)	56,60,60	0.66	0
2	AR6	C	2001	-	39,39,39	1.23	2 (5%)	56,60,60	0.67	0
2	AR6	B	2001	-	39,39,39	1.23	2 (5%)	56,60,60	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AR6	A	2001	-	-	7/22/54/54	0/4/4/4
2	AR6	C	2001	-	-	8/22/54/54	0/4/4/4
2	AR6	B	2001	-	-	8/22/54/54	0/4/4/4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	AR6	PA-O3A	4.41	1.64	1.59
2	B	2001	AR6	PB-O3A	4.37	1.64	1.59
2	A	2001	AR6	PB-O3A	4.34	1.64	1.59
2	C	2001	AR6	PA-O3A	4.33	1.64	1.59
2	B	2001	AR6	PA-O3A	4.30	1.64	1.59
2	C	2001	AR6	PB-O3A	4.29	1.64	1.59

There are no bond angle outliers.

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2001	AR6	C5'-O5'-PA-O1A
2	A	2001	AR6	C5'-O5'-PA-O3A
2	A	2001	AR6	C5D-O5D-PB-O1B
2	A	2001	AR6	C5D-O5D-PB-O2B
2	A	2001	AR6	C5D-O5D-PB-O3A
2	A	2001	AR6	O4'-C4'-C5'-O5'
2	B	2001	AR6	C5'-O5'-PA-O1A
2	B	2001	AR6	C5'-O5'-PA-O2A
2	B	2001	AR6	C5'-O5'-PA-O3A
2	C	2001	AR6	C5'-O5'-PA-O1A
2	C	2001	AR6	C5'-O5'-PA-O2A
2	C	2001	AR6	C5'-O5'-PA-O3A
2	A	2001	AR6	C3'-C4'-C5'-O5'
2	B	2001	AR6	C3'-C4'-C5'-O5'
2	B	2001	AR6	O4'-C4'-C5'-O5'
2	B	2001	AR6	O4D-C4D-C5D-O5D
2	C	2001	AR6	C3'-C4'-C5'-O5'
2	C	2001	AR6	O4D-C4D-C5D-O5D
2	B	2001	AR6	C3D-C4D-C5D-O5D
2	C	2001	AR6	C3D-C4D-C5D-O5D
2	C	2001	AR6	O4'-C4'-C5'-O5'
2	C	2001	AR6	C4D-C5D-O5D-PB
2	B	2001	AR6	C4D-C5D-O5D-PB


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2001	AR6	1	0
2	C	2001	AR6	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-75733. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 115




Y Index: 105




Z Index: 134


6.3.2 Raw map



X Index: 143



Y Index: 116




Z Index: 140


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_75733_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 100 nm³; this corresponds to an approximate mass of 91 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.422 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.422 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.37	-	-
Author-provided FSC curve	2.37	2.74	2.43
Unmasked-calculated*	2.79	3.07	2.83

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.79 differs from the reported value 2.37 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-75733 and PDB model 11JD. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9410	<div></div> 0.6650
A	<div></div> 0.9340	<div></div> 0.6610
B	<div></div> 0.9500	<div></div> 0.6690
C	<div></div> 0.9460	<div></div> 0.6660

