



## Full wwPDB EM Validation Report ⓘ

Jun 8, 2026 – 06:36 PM EDT

PDB ID : 11MH / pdb\_000011mh  
EMDB ID : EMD-75835  
Title : Cryo-EM Structure of Human C3 Pro-Convertase bound to the Compstatin Analog Cp60, TED Conformation 2  
Authors : Herbine, K.; Lambris, J.  
Deposited on : 2026-03-04  
Resolution : 3.00 Å(reported)  
Based on initial model : 2XWJ

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 ( 2.50 - 3.50 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	645	
2	B	915	
3	C	16	
4	D	739	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	E	2	

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 18079 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement C3 beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	642	Total	C	N	O	S	0	0
			5007	3187	848	957	15		

- Molecule 2 is a protein called Complement C3b alpha' chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	903	Total	C	N	O	S	0	0
			7211	4570	1213	1390	38		

- Molecule 3 is a protein called Compstatin Cp60.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	16	Total	C	N	O	S	0	0
			144	96	26	20	2		

- Molecule 4 is a protein called Complement factor B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	715	Total	C	N	O	S	0	0
			5645	3545	983	1084	33		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is NICKEL (II) ION (CCD ID: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
6	A	1	Total	Ni	0
			1	1	
6	D	1	Total	Ni	0
			1	1	

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	D	1	Total	C	N	O	0
			14	8	1	5	
7	D	1	Total	C	N	O	0
			14	8	1	5	

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Complement C3 beta chain

Chain A: 



- Molecule 2: Complement C3b alpha' chain

Chain B: 




- Molecule 3: Compstatin Cp60

Chain C: 



- Molecule 4: Complement factor B



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	119822	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Patch CTF estimation	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43.36	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	2100	Depositor
Magnification	130000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	20.369	Depositor
Minimum map value	-0.127	Depositor
Average map value	-0.019	Depositor
Map value standard deviation	0.460	Depositor
Recommended contour level	3	Depositor
Map size (Å)	358.7712, 358.7712, 358.7712	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9343, 0.9343, 0.9343	Depositor



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IML, NI, NAG, SAR, EXL, DTY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.27	0/5108	0.51	4/6940 (0.1%)
2	B	0.19	0/7355	0.47	3/9958 (0.0%)
3	C	0.95	0/102	1.79	2/130 (1.5%)
4	D	0.28	0/5773	0.57	9/7815 (0.1%)
All	All	0.26	0/18338	0.53	18/24843 (0.1%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	507	PHE	CA-CB-CG	8.97	122.77	113.80
4	D	367	HIS	CA-CB-CG	8.07	121.87	113.80
1	A	535	ASP	CA-CB-CG	7.43	120.03	112.60
4	D	256	ILE	N-CA-C	-6.25	104.66	110.53
4	D	97	ASN	CA-CB-CG	6.18	118.78	112.60
3	C	7	ASP	CA-CB-CG	6.04	118.64	112.60
1	A	506	SER	CA-C-O	-5.92	115.10	121.38
4	D	326	SER	N-CA-C	5.50	119.17	111.30
3	C	3	CYS	CB-CA-C	-5.49	97.37	109.56
4	D	256	ILE	CA-C-N	-5.45	112.26	121.85
4	D	256	ILE	C-N-CA	-5.45	112.26	121.85
2	B	1640	PRO	N-CA-C	5.31	121.43	114.27
4	D	703	GLN	CA-CB-CG	5.29	124.68	114.10
2	B	1640	PRO	CA-C-O	-5.20	112.35	118.90
2	B	1641	ASN	CB-CA-C	5.18	119.95	110.10
1	A	504	ILE	CB-CA-C	5.11	115.69	110.94
4	D	254	ASP	CA-CB-CG	5.06	117.66	112.60
4	D	348	PRO	CB-CA-C	-5.04	104.77	110.92

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5007	0	5067	31	0
2	B	7211	0	7136	61	0
3	C	144	0	131	2	0
4	D	5645	0	5486	33	0
5	E	28	0	25	0	0
6	A	1	0	0	0	0
6	D	1	0	0	0	0
7	B	14	0	13	0	0
7	D	28	0	26	0	0
All	All	18079	0	17884	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1592:GLU:HG2	2:B:1594:PRO:HD2	1.57	0.84
2:B:859:ARG:HH21	2:B:861:GLN:HE22	1.27	0.81
2:B:1367:CYS:HA	2:B:1436:CYS:HB2	1.64	0.79
1:A:551:ARG:HG3	1:A:552:GLN:H	1.50	0.75
4:D:218:GLU:HG2	4:D:450:LEU:HG	1.74	0.69
2:B:1163:ARG:HA	2:B:1163:ARG:NH1	2.08	0.67
2:B:1578:LYS:HE2	2:B:1608:HIS:HE1	1.61	0.65
4:D:489:ALA:HB2	4:D:677:PRO:HG3	1.81	0.63
2:B:1049:LYS:HA	2:B:1049:LYS:HE3	1.80	0.63
2:B:1485:ARG:HH11	2:B:1485:ARG:HG3	1.62	0.62
2:B:1578:LYS:HE2	2:B:1608:HIS:CE1	2.34	0.62
1:A:457:MET:HE1	1:A:465:ILE:HG13	1.82	0.61
1:A:87:GLN:HG2	1:A:96:GLU:HG2	1.83	0.60
4:D:170:LEU:HB3	4:D:193:CYS:SG	2.42	0.60
4:D:309:TRP:O	4:D:313:GLN:HG2	2.03	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1367:CYS:HA	2:B:1436:CYS:CB	2.32	0.58
1:A:183:LYS:HG2	1:A:199:GLU:HG2	1.86	0.58
4:D:662:SER:HB3	4:D:663:PRO:HD3	1.87	0.56
2:B:1366:ILE:O	2:B:1436:CYS:HB2	2.05	0.56
1:A:353:PHE:HA	1:A:383:GLY:O	2.06	0.55
2:B:1302:THR:HG22	2:B:1304:GLU:H	1.72	0.55
2:B:992:ASN:HD22	2:B:992:ASN:C	2.16	0.54
4:D:704:LYS:HB3	4:D:704:LYS:NZ	2.24	0.53
2:B:859:ARG:HH21	2:B:861:GLN:NE2	2.03	0.52
4:D:568:ARG:HG2	4:D:569:PRO:HD2	1.91	0.52
2:B:1117:LYS:HB3	2:B:1117:LYS:NZ	2.26	0.51
2:B:1641:ASN:O	4:D:327:GLY:HA2	2.11	0.51
4:D:513:LYS:HD3	4:D:522:ASP:HB3	1.90	0.51
4:D:494:TYR:CZ	4:D:560:LYS:HG3	2.46	0.50
4:D:44:TYR:HB3	4:D:45:PRO:HD3	1.93	0.50
2:B:867:PRO:HD2	2:B:870:SER:OG	2.12	0.50
3:C:7:ASP:OD1	3:C:7:ASP:N	2.41	0.49
2:B:1159:MET:O	2:B:1160:ASN:HB2	2.11	0.49
2:B:1485:ARG:HG3	2:B:1485:ARG:NH1	2.28	0.49
2:B:1050:ARG:HH22	2:B:1103:ILE:HG12	1.77	0.49
4:D:385:TYR:HE1	4:D:389:ASP:HB2	1.78	0.48
4:D:435:ASN:O	4:D:439:VAL:HG23	2.13	0.48
2:B:1025:GLU:O	2:B:1028:LYS:HG2	2.13	0.48
4:D:724:LEU:O	4:D:728:LYS:HG3	2.13	0.48
1:A:396:LYS:HB3	1:A:396:LYS:NZ	2.29	0.48
2:B:1095:VAL:HG13	2:B:1118:ASP:OD1	2.14	0.48
2:B:1141:ASN:O	2:B:1144:PRO:HD2	2.14	0.48
2:B:1043:ALA:HB1	2:B:1052:PRO:HB3	1.95	0.48
2:B:1238:ARG:HG2	2:B:1240:TYR:OH	2.14	0.48
2:B:1331:LYS:HB2	2:B:1331:LYS:NZ	2.29	0.48
2:B:1575:GLU:HG3	2:B:1578:LYS:HZ1	1.79	0.47
4:D:354:ARG:HG3	4:D:354:ARG:HH11	1.79	0.47
1:A:544:LYS:HG3	1:A:562:LYS:HB3	1.96	0.47
2:B:1609:TRP:CE2	2:B:1627:LEU:HD23	2.50	0.47
4:D:436:LEU:HD22	4:D:440:PHE:CE2	2.50	0.47
2:B:804:MET:HG3	2:B:805:GLN:N	2.29	0.47
2:B:1385:MET:HE3	2:B:1385:MET:HB3	1.70	0.47
4:D:268:LEU:O	4:D:272:ILE:HG13	2.15	0.47
2:B:1039:GLN:HB3	2:B:1040:PRO:HD2	1.96	0.46
4:D:248:LEU:HD13	4:D:268:LEU:HD13	1.96	0.46
2:B:1342:LYS:HB2	2:B:1342:LYS:HE3	1.66	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:51:CYS:HB3	4:D:57:TRP:CE3	2.50	0.46
4:D:52:ARG:NH1	4:D:52:ARG:HB3	2.31	0.46
4:D:267:CYS:HB3	4:D:440:PHE:CD2	2.51	0.46
1:A:49:SER:C	1:A:50:GLU:HG2	2.42	0.45
2:B:1543:ILE:HD12	2:B:1554:VAL:HG21	1.98	0.45
4:D:195:ASP:H	4:D:198:MET:HE3	1.81	0.45
2:B:1133:LYS:HD3	2:B:1147:ILE:HD11	1.97	0.45
1:A:551:ARG:HG3	1:A:552:GLN:N	2.27	0.45
2:B:1001:ILE:HD13	2:B:1001:ILE:HA	1.86	0.45
1:A:22:LEU:HD22	1:A:33:VAL:HG11	1.98	0.45
2:B:1195:LYS:HB3	2:B:1195:LYS:NZ	2.32	0.44
4:D:354:ARG:HG3	4:D:354:ARG:NH1	2.32	0.44
2:B:1213:TYR:CZ	2:B:1252:MET:HE3	2.53	0.44
1:A:572:VAL:HG12	2:B:753:VAL:HG22	1.99	0.44
2:B:990:GLU:N	2:B:990:GLU:OE1	2.51	0.44
2:B:1048:VAL:HB	2:B:1049:LYS:HD2	2.00	0.44
4:D:728:LYS:HE3	4:D:738:PHE:HB3	2.00	0.44
1:A:81:ASN:HB3	1:A:100:LEU:HD11	2.00	0.44
1:A:42:GLY:HA3	1:A:44:LYS:NZ	2.33	0.43
1:A:363:TYR:CE2	1:A:364:ARG:HD3	2.53	0.43
4:D:460:ARG:O	4:D:461:LYS:C	2.61	0.43
1:A:291:ASN:N	1:A:292:PRO:HD3	2.33	0.43
1:A:551:ARG:CZ	1:A:551:ARG:HB2	2.48	0.43
4:D:464:ASP:OD1	4:D:464:ASP:N	2.52	0.43
1:A:77:GLU:HB2	1:A:80:ARG:HH21	1.83	0.43
2:B:1590:TRP:HB3	2:B:1597:SER:HB2	2.00	0.43
2:B:1243:GLY:H	2:B:1246:SER:HB2	1.83	0.43
4:D:24:PHE:H	4:D:24:PHE:HD1	1.67	0.42
2:B:1504:LYS:HG2	2:B:1504:LYS:O	2.20	0.42
1:A:611:LYS:HB3	1:A:611:LYS:HE3	1.91	0.42
1:A:184:ILE:HB	1:A:198:THR:HG22	2.00	0.42
3:C:14:IML:HB	3:C:14:IML:HN2	1.74	0.42
1:A:20:MET:HE2	1:A:20:MET:HB2	1.95	0.42
2:B:990:GLU:O	2:B:994:ILE:HG13	2.20	0.42
2:B:1582:MET:HA	2:B:1605:TRP:O	2.19	0.42
2:B:1157:ASN:N	2:B:1157:ASN:HD22	2.17	0.42
4:D:45:PRO:HB2	4:D:60:LEU:HD22	2.00	0.42
1:A:134:LEU:C	1:A:135:LEU:HD12	2.45	0.41
2:B:1116:GLU:OE2	2:B:1116:GLU:HA	2.19	0.41
2:B:1199:GLU:HG2	2:B:1200:ASP:N	2.34	0.41
2:B:1349:PRO:HD3	2:B:1363:ILE:HD11	2.01	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1204:GLN:O	2:B:1208:VAL:HG23	2.21	0.41
4:D:323:LYS:HE2	4:D:323:LYS:HB2	1.87	0.41
1:A:136:PRO:HG3	2:B:787:MET:HE2	2.02	0.41
1:A:337:LYS:HD3	1:A:337:LYS:HA	1.88	0.41
2:B:759:PRO:HA	2:B:760:PRO:HD3	1.84	0.41
2:B:1121:LEU:O	2:B:1125:VAL:HG23	2.20	0.41
1:A:78:LYS:H	1:A:78:LYS:HD3	1.86	0.41
2:B:1609:TRP:CD2	2:B:1627:LEU:HD23	2.55	0.41
2:B:1035:LEU:HD23	2:B:1035:LEU:HA	1.87	0.41
4:D:26:LEU:O	4:D:27:LEU:HD23	2.20	0.41
4:D:347:VAL:HA	4:D:348:PRO:HD2	1.93	0.41
1:A:252:GLY:HA3	1:A:303:TYR:CZ	2.56	0.41
1:A:559:MET:HB3	1:A:559:MET:HE3	1.88	0.41
1:A:606:THR:HG23	1:A:607:PRO:HD2	2.02	0.41
2:B:834:GLN:NE2	2:B:869:LYS:HD3	2.36	0.41
2:B:1078:LEU:O	2:B:1082:VAL:HG23	2.21	0.41
1:A:142:MET:HE3	1:A:142:MET:HB3	1.99	0.41
2:B:1126:LEU:HD21	2:B:1177:MET:SD	2.61	0.41
2:B:1415:ALA:HB3	2:B:1418:ASP:OD2	2.21	0.40
4:D:583:ARG:HH12	4:D:683:ARG:HB3	1.86	0.40
1:A:75:LYS:HD2	1:A:75:LYS:C	2.45	0.40
2:B:1103:ILE:H	2:B:1103:ILE:HG13	1.57	0.40
1:A:10:ASN:ND2	1:A:635:ARG:HH11	2.19	0.40
2:B:1055:TRP:HZ3	2:B:1107:MET:SD	2.44	0.40
2:B:1193:LYS:HB2	2:B:1193:LYS:NZ	2.36	0.40
4:D:150:ARG:HE	4:D:165:HIS:CD2	2.39	0.40
1:A:203:LYS:HG2	1:A:204:GLU:N	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	640/645 (99%)	628 (98%)	12 (2%)	0	100	100
2	B	899/915 (98%)	884 (98%)	14 (2%)	1 (0%)	48	80
3	C	11/16 (69%)	10 (91%)	1 (9%)	0	100	100
4	D	711/739 (96%)	695 (98%)	16 (2%)	0	100	100
All	All	2261/2315 (98%)	2217 (98%)	43 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	1051	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	566/567 (100%)	554 (98%)	12 (2%)	47	75
2	B	799/810 (99%)	786 (98%)	13 (2%)	55	79
3	C	11/11 (100%)	7 (64%)	4 (36%)	0	1
4	D	623/644 (97%)	611 (98%)	12 (2%)	50	76
All	All	1999/2032 (98%)	1958 (98%)	41 (2%)	46	75

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	THR
1	A	22	LEU
1	A	77	GLU
1	A	78	LYS
1	A	218	GLU
1	A	462	GLU
1	A	478	LEU
1	A	506	SER
1	A	554	VAL
1	A	559	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	590	THR
1	A	625	THR
2	B	737	GLU
2	B	1001	ILE
2	B	1056	LEU
2	B	1073	ILE
2	B	1087	LEU
2	B	1103	ILE
2	B	1121	LEU
2	B	1133	LYS
2	B	1181	LYS
2	B	1338	LYS
2	B	1497	PHE
2	B	1505	VAL
2	B	1506	THR
3	C	2	ILE
3	C	3	CYS
3	C	7	ASP
3	C	16	LYS
4	D	24	PHE
4	D	62	THR
4	D	140	CYS
4	D	165	HIS
4	D	193	CYS
4	D	253	SER
4	D	255	SER
4	D	319	TYR
4	D	441	TYR
4	D	471	GLN
4	D	541	GLU
4	D	595	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	178	ASN
1	A	452	ASN
1	A	490	GLN
1	A	558	GLN
2	B	834	GLN
2	B	835	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	861	GLN
2	B	862	GLN
2	B	992	ASN
2	B	1033	GLN
2	B	1114	ASN
2	B	1157	ASN
2	B	1235	ASN
2	B	1290	HIS
2	B	1333	GLN
2	B	1401	ASN
2	B	1462	ASN
2	B	1499	GLN
2	B	1608	HIS
2	B	1620	ASN
3	C	11	HIS
4	D	176	GLN
4	D	415	ASN
4	D	426	HIS
4	D	459	HIS
4	D	559	ASN
4	D	708	GLN
4	D	712	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SAR	C	9	3	3,4,5	0.43	0	1,3,5	1.75	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	IML	C	14	3	7,8,9	0.65	0	6,9,11	1.29	1 (16%)
3	EXL	C	5	3	15,16,17	2.19	3 (20%)	17,22,24	1.51	4 (23%)
3	DTY	C	1	3	11,12,13	0.23	0	10,15,17	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAR	C	9	3	-	1/1/2/3	-
3	IML	C	14	3	-	2/8/10/12	-
3	EXL	C	5	3	-	1/5/6/8	0/2/2/2
3	DTY	C	1	3	-	0/5/6/8	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	5	EXL	C11-C16	-5.88	1.33	1.41
3	C	5	EXL	C03-N02	-4.53	1.30	1.37
3	C	5	EXL	C12-C11	2.55	1.43	1.39

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	5	EXL	C16-N02-C03	2.94	110.67	108.54
3	C	5	EXL	C04-C03-N02	-2.86	108.23	110.55
3	C	14	IML	CB-CA-C	2.60	116.34	112.77
3	C	5	EXL	C01-N02-C16	-2.42	123.45	125.69
3	C	5	EXL	C05-C04-C03	2.31	129.88	126.67

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	9	SAR	C-CA-N-CN
3	C	14	IML	CB-CA-N-CN
3	C	14	IML	C-CA-CB-CG2
3	C	5	EXL	C04-C05-CA-C

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	14	IML	1	0

## 5.5 Carbohydrates

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	E	1	1,5	14,14,15	0.74	0	17,19,21	1.27	2 (11%)
5	NAG	E	2	5	14,14,15	0.72	0	17,19,21	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	E	2	5	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	1	NAG	O5-C1-C2	-3.53	105.83	111.29
5	E	1	NAG	O4-C4-C3	-2.73	103.94	110.38

There are no chirality outliers.


All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	E	1	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	D	803	4	14,14,15	0.43	0	17,19,21	0.55	0
7	NAG	B	1701	2	14,14,15	0.72	0	17,19,21	0.83	0
7	NAG	D	802	4	14,14,15	0.48	0	17,19,21	1.17	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	D	803	4	-	2/6/23/26	0/1/1/1
7	NAG	B	1701	2	-	0/6/23/26	0/1/1/1
7	NAG	D	802	4	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	802	NAG	O5-C1-C2	3.11	116.11	111.29
7	D	802	NAG	O5-C5-C4	-2.32	105.18	110.83

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	D	803	NAG	C8-C7-N2-C2
7	D	803	NAG	O7-C7-N2-C2

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## Ligand NAG B 1701



## Ligand NAG D 802



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-75835. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)

### 6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


### 6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 188




Y Index: 211




Z Index: 201


### 6.3.2 Raw map



X Index: 188



Y Index: 200




Z Index: 201


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 136 nm<sup>3</sup>; this corresponds to an approximate mass of 123 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of  $0.333 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.333  $\text{\AA}^{-1}$



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.00	3.34	3.06
Unmasked-calculated*	3.68	4.49	3.78

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.68 differs from the reported value 3.0 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-75835 and PDB model 11MH. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9550	<div></div> 0.6620
A	<div></div> 0.9700	<div></div> 0.6840
B	<div></div> 0.9500	<div></div> 0.6480
C	<div></div> 0.9070	<div></div> 0.6480
D	<div></div> 0.9510	<div></div> 0.6630
E	<div></div> 0.6430	<div></div> 0.4450

