



Full wwPDB EM Validation Report ⓘ

Apr 20, 2026 – 03:25 PM EDT

PDB ID : 11SY / pdb_000011sy
EMDB ID : EMD-76026
Title : Cryo-EM structure of substrate engaged p97-Ufd1-NPL4-Faf1 complex (NPL4 focused)
Authors : Liao, Z.; Martin, A.
Deposited on : 2026-03-11
Resolution : 4.28 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	4493 (3.79 - 4.78)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	611	<div> <div>56%</div> <div>19%</div> <div>25%</div> </div>
2	H	76	<div> <div>58%</div> <div>42%</div> </div>
2	I	76	<div> <div>36%</div> <div>17%</div> <div>47%</div> </div>
2	J	76	<div> <div>67%</div> <div>33%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	76	<div><div></div><div>8%</div><div>58%</div><div>42%</div></div>
3	P	313	<div><div></div><div>6%</div><div>90%</div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6018 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear protein localization protein 4 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	G	457	Total	C	N	O	S	0	0
			3653	2315	621	699	18		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-2	MET	-	initiating methionine	UNP Q8TAT6
G	-1	GLY	-	expression tag	UNP Q8TAT6
G	0	GLY	-	expression tag	UNP Q8TAT6
G	1	GLY	-	expression tag	UNP Q8TAT6

- Molecule 2 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	76	Total	C	N	O	S	0	0
			601	378	105	117	1		
2	I	40	Total	C	N	O		0	0
			315	199	53	63			
2	J	76	Total	C	N	O	S	0	0
			601	378	105	117	1		
2	K	76	Total	C	N	O	S	0	0
			601	378	105	117	1		

- Molecule 3 is a protein called Ubiquitin recognition factor in ER-associated degradation protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	P	30	Total	C	N	O	0	0
			245	161	45	39		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	308	HIS	-	expression tag	UNP Q92890
P	309	HIS	-	expression tag	UNP Q92890
P	310	HIS	-	expression tag	UNP Q92890
P	311	HIS	-	expression tag	UNP Q92890
P	312	HIS	-	expression tag	UNP Q92890
P	313	HIS	-	expression tag	UNP Q92890


- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
4	G	2	Total 2	Zn 2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nuclear protein localization protein 4 homolog



- Molecule 2: Ubiquitin




- Molecule 2: Ubiquitin




- Molecule 2: Ubiquitin

M1
T9
G10
K11
V17
E18
P19
T22
I23
E24
R25
V26
K27
A28
K29
I30
I36
Q40
Q41
R42
L43
L44
F45
A46
G47
K48
Q49
L56
S57
L67
H68
R72
L73
G76

Chain K: 

Year	Publications
2015	1
2016	1
2017	2
2018	2
2019	2
2020	7
2021	4
2022	4
2023	6
2024	6
2025	7

Chain P:  6% 1% 90%

HIS	HIS	HIS	GLY	ILE	SER	THR	ILE	MET
			VAL	ILE	THR	THR	PHE	
HIS	HIS	HIS	GLU	ILE	SER	THR	THR	SER
			PRO	GLU	LYS	PRO	PHE	
HIS	HIS	HIS	SER	CYS	GLN	GLN	MET	ASN
			PRO	ASP	GLN	LEU	MET	
HIS	HIS	HIS	SER	MET	ASN	PRO	PHE	MET
			P248	ASN	GLN	LYS	ASP	
HIS	HIS	HIS	I249	VAL	SER	THR	LEU	HIS
			K250	ASP	PRO	THR	PRO	
HIS	HIS	HIS	P251	PHE	ASP	ASN	ASN	ILE
			I254	ASP	PHE	LYS	PRO	
HIS	HIS	HIS	K255	ALA	LEU	ASN	ASN	ARG
			R256	PRO	ASP	SER	PRO	
HIS	HIS	HIS	R256	LEU	ILE	THR	ASP	PHE
			I259	GLY	ASN	ARG	GLN	
HIS	HIS	HIS	K260	LYS	PRO	THR	MET	ASN
			Y261	GLU	ARG	THR	ARG	
HIS	HIS	HIS	F270	PRO	LYS	HIS	HIS	SER
			I271	ALA	CYS	CYS	PHE	
HIS	HIS	HIS	R272	VAL	VAL	GLY	THR	GLN
			I277	LEU	LEU	VAL	THR	
HIS	HIS	HIS	R275	GLN	ASN	GLU	GLU	TYR
			P276	VAL	ALA	PHE	CYS	
HIS	HIS	HIS	L277	GLU	ASN	GLY	ILE	LEU
			VAL	GLY	ALA	GLY	ALA	
HIS	HIS	HIS	LYS	THR	PHE	ASN	GLY	ASN
			LYS	ALA	ALA	ILE	ASN	
HIS	HIS	HIS	VAL	GLU	CYS	LEU	CYS	ILE
			GLU	GLY	LEU	ALA	ALA	
HIS	HIS	HIS	GLU	GLU	THR	THR	LEU	PRO
			ASP	ALA	THR	PRO	ASN	
HIS	HIS	HIS	GLU	ASP	GLY	PRO	ASN	GLY
			ALA	HIS	ASP	HIS	ASP	
HIS	HIS	HIS	GLY	SER	VAL	TRP	ARG	ASP
			GLY	GLY	ILE	MET	SER	
HIS	HIS	HIS	ARG	TYR	ALA	MET	ASP	ASP
			PHE	ALA	ILE	GLN	VAL	
HIS	HIS	HIS	VAL	GLY	ASN	ASN	GLY	GLY
			ALA	GLU	TYR	LEU	LYS	
HIS	HIS	HIS	PHE	LEU	ASN	LEU	GLY	GLY
			SER	GLY	GLU	LEU	LYS	
HIS	HIS	HIS	GLY	PHE	LYS	GLU	GLY	ILE
			GLU	ARG	ILE	GLU	ILE	
HIS	HIS	HIS	GLY	ALA	TYR	GLY	ILE	ILE
			GLN	PHE	GLU	GLY	GLY	
HIS	HIS	HIS	SER	SER	LEU	LEU	MET	PRO
			SER	GLY	ARG	VAL	SER	
HIS	HIS	HIS	LEU	SER	VAL	GLN	VAL	ALA
			ARG	SER	MET	VAL	LEU	
HIS	HIS	HIS	LYS	GLY	ASN	GLU	GLY	ASP
			GLY	ARG	THR	SER	GLN	
HIS	HIS	HIS	GLY	ASP	LYS	VAL	ASN	LEU
			ARG	GLY	PRO	ASN	GLN	
HIS	HIS	HIS	LYS	GLY	ASP	GLN	SER	ASP
			PRO	GLY	LYS	GLN	ASP	
HIS	HIS	HIS	HIS	LYS	LYS	GLN	ARG	LEU
			HIS	LYS	ALA	VAL	ASN	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20565	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	105000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.969	Depositor
Minimum map value	-0.456	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.115	Depositor
Map size (Å)	378.24, 378.24, 378.24	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.4775, 1.4775, 1.4775	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.11	0/3743	0.30	0/5081
2	H	0.11	0/607	0.33	0/816
2	I	0.15	0/318	0.45	0/428
2	J	0.10	0/607	0.30	0/816
2	K	0.10	0/607	0.29	0/816
3	P	0.12	0/251	0.30	0/335
All	All	0.11	0/6133	0.31	0/8292

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	3653	0	3541	88	0
2	H	601	0	629	26	0
2	I	315	0	329	11	0
2	J	601	0	629	19	0
2	K	601	0	629	28	0
3	P	245	0	266	9	0
4	G	2	0	0	0	0
All	All	6018	0	6023	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:132:HIS:CD2	1:G:138:CYS:SG	2.62	0.92
2:H:43:LEU:H	2:H:50:LEU:HD22	1.44	0.80
2:H:5:VAL:HG22	2:H:67:LEU:HB2	1.75	0.69
1:G:247:GLN:HB2	1:G:285:LEU:HD21	1.77	0.66
1:G:407:PRO:HD3	3:P:271:ILE:HD11	1.79	0.65
2:K:19:PRO:HA	2:K:56:LEU:HB2	1.79	0.65
2:K:45:PHE:HB3	2:K:50:LEU:HD21	1.77	0.65
1:G:185:ASN:HA	1:G:389:ASN:HD21	1.63	0.63
3:P:270:PHE:HB2	3:P:272:ARG:HH11	1.62	0.63
2:K:42:ARG:HG2	2:K:72:ARG:HD3	1.82	0.62
1:G:190:ILE:HD11	1:G:420:TYR:HB3	1.80	0.62
1:G:552:ILE:HA	1:G:555:LEU:HD12	1.83	0.60
1:G:302:LYS:HD2	1:G:529:LEU:HD21	1.83	0.60
2:K:56:LEU:HB3	2:K:61:ILE:HB	1.83	0.60
2:K:2:GLN:HB2	2:K:63:LYS:HE2	1.83	0.60
1:G:137:LYS:HG3	1:G:142:VAL:HG22	1.83	0.59
2:K:70:VAL:HG13	2:K:71:LEU:H	1.66	0.59
2:H:45:PHE:HB3	2:H:67:LEU:HD13	1.84	0.59
2:H:43:LEU:HB2	2:H:50:LEU:HD13	1.85	0.58
2:H:43:LEU:HD12	2:H:67:LEU:HB3	1.84	0.58
1:G:122:TYR:HA	1:G:143:PRO:HB3	1.85	0.58
1:G:394:LEU:HG	1:G:400:LEU:HB2	1.86	0.57
2:J:17:VAL:HG11	2:J:26:VAL:HG22	1.86	0.57
1:G:514:VAL:HG13	1:G:515:THR:HG23	1.85	0.57
1:G:283:ASN:HA	3:P:272:ARG:HH12	1.69	0.56
2:J:22:THR:HG22	2:J:23:ILE:H	1.70	0.56
1:G:318:GLU:HB3	1:G:326:ARG:HG2	1.87	0.56
2:K:23:ILE:HG23	2:K:43:LEU:HD22	1.86	0.56
1:G:259:HIS:HD2	1:G:262:ILE:H	1.52	0.56
2:H:42:ARG:HD2	2:H:44:ILE:HD11	1.86	0.56
2:H:62:GLN:HB2	2:H:65:SER:HB2	1.86	0.56
1:G:524:SER:HB2	2:K:8:LEU:HD22	1.88	0.55
2:H:4:PHE:HE1	2:H:14:THR:HG22	1.72	0.55
2:H:56:LEU:HD23	2:H:61:ILE:HG12	1.88	0.55
1:G:144:LEU:HD23	1:G:151:TYR:HB2	1.89	0.55
1:G:125:ARG:HH21	1:G:141:CYS:HB3	1.71	0.55
2:J:19:PRO:HA	2:J:56:LEU:HB2	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:43:LEU:HB3	2:K:50:LEU:HD12	1.89	0.54
1:G:160:LYS:HE3	2:I:34:GLU:HB2	1.90	0.54
1:G:472:PRO:HB3	1:G:481:GLU:HB3	1.88	0.54
1:G:144:LEU:HD21	1:G:148:ASP:HB3	1.88	0.54
2:H:72:ARG:HB2	2:H:74:ARG:NH2	2.23	0.54
1:G:549:TRP:CE3	1:G:552:ILE:HD11	2.43	0.54
1:G:145:GLU:OE2	1:G:147:PHE:HB2	2.09	0.53
1:G:424:VAL:HG23	1:G:440:ALA:HB3	1.90	0.53
2:J:44:ILE:HG23	2:J:68:HIS:HB2	1.90	0.53
1:G:427:LYS:HB3	2:I:22:THR:HG22	1.90	0.53
1:G:165:HIS:HA	1:G:168:ILE:HD12	1.90	0.53
2:J:36:ILE:HG23	2:J:41:GLN:HE21	1.74	0.52
2:K:44:ILE:HB	2:K:68:HIS:HB2	1.91	0.52
1:G:382:PHE:HB3	1:G:454:THR:HG21	1.91	0.52
2:J:36:ILE:HD11	2:J:40:GLN:HG2	1.91	0.52
1:G:348:GLN:HB2	1:G:392:MET:HE1	1.91	0.52
1:G:323:GLY:HA2	2:I:48:LYS:HB2	1.92	0.51
1:G:478:VAL:HA	2:H:68:HIS:NE2	2.24	0.51
2:K:40:GLN:C	2:K:72:ARG:H	2.18	0.51
2:K:40:GLN:HG3	2:K:73:LEU:HB3	1.92	0.51
1:G:383:GLU:HB3	1:G:385:TYR:CE1	2.45	0.51
1:G:232:THR:HG21	1:G:466:ILE:HG12	1.93	0.51
1:G:237:PHE:HD2	1:G:238:LEU:HD22	1.75	0.51
2:K:26:VAL:HA	2:K:29:LYS:HD2	1.93	0.51
1:G:318:GLU:H	1:G:325:VAL:HA	1.76	0.51
2:K:42:ARG:HG3	2:K:72:ARG:HA	1.93	0.51
2:J:9:THR:HG21	2:J:11:LYS:HZ2	1.76	0.50
2:I:33:LYS:NZ	2:I:35:GLY:HA2	2.27	0.50
2:K:70:VAL:HG13	2:K:71:LEU:N	2.27	0.50
1:G:440:ALA:HB1	1:G:443:LEU:HD13	1.93	0.50
1:G:386:GLN:HB2	1:G:450:ILE:HB	1.94	0.50
1:G:401:LEU:HD21	3:P:261:TYR:HA	1.94	0.50
1:G:523:ASP:HB2	2:K:9:THR:HG22	1.93	0.49
1:G:259:HIS:CD2	1:G:262:ILE:H	2.30	0.49
1:G:554:GLN:HE22	2:J:49:GLN:H	1.60	0.49
1:G:335:PHE:C	1:G:336:LEU:HD12	2.37	0.49
1:G:348:GLN:HG2	1:G:367:PHE:HB3	1.94	0.49
2:I:27:LYS:HA	2:I:30:ILE:HG22	1.95	0.49
1:G:259:HIS:HB3	1:G:265:GLY:HA3	1.94	0.49
1:G:237:PHE:CD1	1:G:273:ILE:HG21	2.48	0.49
1:G:551:THR:HA	2:J:47:GLY:HA2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:251:TYR:HB2	1:G:274:TYR:HB3	1.95	0.48
2:H:8:LEU:HD23	2:H:70:VAL:HG12	1.95	0.48
2:H:49:GLN:H	2:H:59:TYR:HE2	1.61	0.48
2:K:6:LYS:HZ1	2:K:66:THR:HG22	1.77	0.48
1:G:185:ASN:HD21	1:G:363:PHE:HA	1.79	0.47
3:P:275:ARG:HD2	3:P:276:PRO:HD2	1.97	0.47
1:G:247:GLN:H	1:G:282:GLN:HA	1.78	0.47
2:H:48:LYS:HZ3	2:J:73:LEU:HD23	1.78	0.47
2:K:43:LEU:HG	2:K:69:LEU:HD21	1.95	0.47
1:G:303:LEU:HD22	1:G:529:LEU:HD13	1.96	0.47
2:K:27:LYS:HD3	2:K:38:PRO:HB3	1.97	0.47
1:G:221:ARG:HB3	1:G:450:ILE:HG21	1.97	0.47
1:G:337:SER:HB2	1:G:340:GLU:OE1	2.15	0.47
2:H:42:ARG:HH11	2:H:72:ARG:NH1	2.13	0.47
2:H:43:LEU:HB3	2:H:67:LEU:HD12	1.96	0.47
2:J:24:GLU:HA	2:J:27:LYS:HG2	1.96	0.47
2:K:19:PRO:HB2	2:K:57:SER:HB3	1.97	0.47
1:G:222:HIS:CE1	1:G:364:GLY:HA3	2.51	0.46
1:G:528:LEU:HB2	1:G:543:TRP:CD2	2.50	0.46
1:G:249:PHE:HE1	1:G:310:TRP:CE3	2.33	0.46
2:K:41:GLN:C	2:K:72:ARG:HB2	2.41	0.46
3:P:251:PRO:HA	3:P:254:ILE:HD12	1.96	0.46
2:J:17:VAL:HG22	2:J:29:LYS:HD2	1.98	0.46
2:J:26:VAL:O	2:J:30:ILE:HG12	2.17	0.45
2:J:43:LEU:HD12	2:J:67:LEU:HB3	1.98	0.45
1:G:307:LYS:HG2	1:G:367:PHE:HE1	1.82	0.45
1:G:368:VAL:HA	1:G:386:GLN:OE1	2.15	0.45
2:J:45:PHE:HB2	2:J:67:LEU:HD13	1.98	0.45
2:H:25:ASN:HB3	2:H:29:LYS:NZ	2.32	0.45
1:G:107:GLU:HG3	1:G:356:ARG:HG3	1.98	0.45
1:G:375:GLY:HA3	1:G:381:HIS:CE1	2.52	0.45
1:G:237:PHE:HD1	1:G:273:ILE:HG21	1.80	0.45
1:G:384:GLY:C	1:G:385:TYR:HD1	2.24	0.45
1:G:528:LEU:HB2	1:G:543:TRP:CE2	2.52	0.45
1:G:138:CYS:O	1:G:142:VAL:HG23	2.17	0.44
2:K:42:ARG:HA	2:K:72:ARG:CZ	2.47	0.44
1:G:227:MET:HB3	1:G:269:GLU:HG2	1.98	0.44
2:K:45:PHE:HE1	2:K:65:SER:HB3	1.83	0.44
2:I:25:ASN:O	2:I:29:LYS:HG2	2.16	0.44
1:G:541:GLN:HA	1:G:544:LYS:HG2	2.00	0.44
1:G:471:PHE:CD1	1:G:472:PRO:HD2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:22:THR:HG22	2:J:23:ILE:N	2.31	0.44
1:G:336:LEU:HD21	1:G:449:ILE:HD13	2.00	0.43
2:J:19:PRO:HB2	2:J:57:SER:HB3	2.00	0.43
2:J:40:GLN:HA	2:J:72:ARG:HE	1.83	0.43
2:I:33:LYS:HZ3	2:I:35:GLY:HA2	1.83	0.43
1:G:471:PHE:CG	1:G:472:PRO:HD2	2.54	0.43
1:G:527:LEU:HB2	1:G:543:TRP:HD1	1.83	0.43
2:H:6:LYS:HG3	2:H:66:THR:HG22	2.00	0.43
2:H:57:SER:HA	2:H:61:ILE:HG22	2.00	0.43
1:G:249:PHE:HE1	1:G:310:TRP:HE3	1.65	0.43
1:G:275:GLU:HB3	1:G:474:GLU:HG2	2.00	0.43
1:G:219:LYS:N	1:G:219:LYS:HD3	2.33	0.43
1:G:380:VAL:HB	2:I:45:PHE:HB3	2.01	0.43
1:G:161:HIS:HD1	1:G:221:ARG:NH1	2.16	0.43
1:G:485:PHE:HE2	1:G:518:VAL:HG21	1.84	0.43
1:G:406:ALA:HB2	3:P:256:ARG:HB3	2.00	0.43
1:G:537:GLU:O	1:G:541:GLN:HG2	2.18	0.43
2:H:37:PRO:O	2:H:41:GLN:HG3	2.19	0.43
2:H:27:LYS:HB3	2:H:38:PRO:HB3	2.01	0.42
1:G:227:MET:HE1	2:I:40:GLN:HG2	2.02	0.42
1:G:447:TYR:HE2	2:I:23:ILE:HG13	1.84	0.42
2:H:4:PHE:CE1	2:H:14:THR:HG22	2.53	0.42
1:G:231:HIS:O	1:G:231:HIS:CG	2.73	0.42
2:H:56:LEU:HB3	2:H:61:ILE:HG21	2.02	0.42
1:G:307:LYS:HG2	1:G:367:PHE:CE1	2.55	0.42
1:G:253:TYR:HE1	1:G:307:LYS:HE2	1.85	0.41
2:H:72:ARG:HA	2:H:72:ARG:HD3	1.86	0.41
1:G:547:GLU:HG3	2:K:74:ARG:HH22	1.86	0.41
1:G:299:ILE:O	1:G:303:LEU:HD23	2.20	0.41
2:H:49:GLN:HG3	2:H:50:LEU:H	1.84	0.41
1:G:411:TYR:CG	3:P:259:PRO:HG3	2.55	0.41
1:G:123:ARG:HD2	1:G:141:CYS:HA	2.02	0.41
2:H:36:ILE:HG13	2:H:69:LEU:HD21	2.03	0.41
3:P:248:PRO:HB2	3:P:249:ILE:H	1.73	0.41
2:K:71:LEU:HD12	2:K:71:LEU:O	2.20	0.41
2:I:11:LYS:HA	2:I:11:LYS:HD2	1.82	0.41
1:G:310:TRP:HZ2	1:G:344:ALA:HB2	1.85	0.40
2:J:9:THR:HG21	2:J:11:LYS:NZ	2.36	0.40
2:K:39:ASP:O	2:K:72:ARG:HB3	2.21	0.40
2:K:40:GLN:O	2:K:71:LEU:HA	2.21	0.40
1:G:213:ILE:HB	1:G:424:VAL:HG12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:254:GLY:HA2	1:G:305:LEU:HD12	2.03	0.40
1:G:504:ILE:HD12	1:G:504:ILE:HA	1.95	0.40
2:K:36:ILE:HD11	2:K:40:GLN:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	455/611 (74%)	436 (96%)	19 (4%)	0	100	100
2	H	74/76 (97%)	67 (90%)	7 (10%)	0	100	100
2	I	38/76 (50%)	32 (84%)	6 (16%)	0	100	100
2	J	74/76 (97%)	71 (96%)	3 (4%)	0	100	100
2	K	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
3	P	28/313 (9%)	27 (96%)	1 (4%)	0	100	100
All	All	743/1228 (60%)	702 (94%)	41 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	407/531 (77%)	407 (100%)	0	100	100
2	H	68/68 (100%)	68 (100%)	0	100	100
2	I	36/68 (53%)	36 (100%)	0	100	100
2	J	68/68 (100%)	68 (100%)	0	100	100
2	K	68/68 (100%)	68 (100%)	0	100	100
3	P	27/273 (10%)	27 (100%)	0	100	100
All	All	674/1076 (63%)	674 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	165	HIS
1	G	389	ASN
1	G	475	ASN
2	I	31	GLN
2	K	68	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-76026. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 141




Y Index: 146




Z Index: 114


6.3.2 Raw map



X Index: 142



Y Index: 0




Z Index: 114


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.115. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 542 nm^3 ; this corresponds to an approximate mass of 490 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.234 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.234 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.28	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	7.78	10.15	8.01

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.78 differs from the reported value 4.28 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-76026 and PDB model 11SY. Per-residue inclusion information can be found in [section 3](#) on [page 6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.115 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.115).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.115) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.9220	<div><div></div></div> 0.2850
G	<div><div></div></div> 0.9310	<div><div></div></div> 0.3150
H	<div><div></div></div> 0.9320	<div><div></div></div> 0.2130
I	<div><div></div></div> 0.9460	<div><div></div></div> 0.3340
J	<div><div></div></div> 0.9610	<div><div></div></div> 0.2250
K	<div><div></div></div> 0.7900	<div><div></div></div> 0.1880
P	<div><div></div></div> 0.9540	<div><div></div></div> 0.3340

1.0

0.0

<0.0