



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 23, 2026 – 02:12 PM JST

PDB ID : 45YB / pdb_000045yb
Title : X-ray Structure of Human PSMA Expressed in Sf9 Cells after Treatment with Endoglycosidase Endo-H
Authors : Rongchang, C.; Yinlong, Y.; Hongjin, C.; Lande, F.; Ming, J.; Luyu, Z.; Xinyu, W.; Kai, Z.
Deposited on : 2026-09-14
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	707	2% 81% 16% .
1	B	707	% 86% 12% .
2	C	2	50% 50%
2	E	2	100%
3	D	3	33% 67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	A	801	X	-	-	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 11374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate carboxypeptidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	690	Total	C	N	O	S	0	0	0
			5486	3523	921	1025	17			
1	B	695	Total	C	N	O	S	0	0	0
			5537	3559	929	1032	17			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0
5	B	1	Total Cl 1 1	0	0


- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Ca 1 1	0	0
6	B	1	Total Ca 1 1	0	0

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	2	Total Zn 2 2	0	0
7	B	2	Total Zn 2 2	0	0

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	23	Total	O	0	0
			23	23		
9	B	35	Total	O	0	0
			35	35		

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%

MAG1
MAG2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%

MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.33Å 78.10Å 259.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	21.38 – 2.60 21.38 – 2.60	Depositor EDS
% Data completeness (in resolution range)	93.6 (21.38-2.60) 93.3 (21.38-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.75 (at 2.60Å)	Xtriage
Refinement program	PHENIX (2.1_6048: ???)	Depositor
R, R_{free}	0.217 , 0.247 0.217 , 0.247	Depositor DCC
R_{free} test set	2189 reflections (3.48%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.072	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.043 for k,h,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11374	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL, BMA, CA, CL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/5636	0.40	0/7636
1	B	0.17	0/5694	0.40	0/7720
All	All	0.17	0/11330	0.40	0/15356

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5486	0	5334	74	0
1	B	5537	0	5376	50	0
2	C	28	0	25	0	0
2	E	28	0	25	0	0
3	D	39	0	34	0	0
4	A	70	0	65	4	0
4	B	84	0	78	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	2	0	0	0	0
7	B	2	0	0	0	0
8	A	12	0	15	0	0
8	B	24	0	32	0	0
9	A	23	0	0	0	0
9	B	35	0	0	0	0
All	All	11374	0	10984	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:509:MET:HG3	1:A:510:PRO:HD2	1.63	0.78
1:B:58:MET:HE1	1:B:586:GLU:HG2	1.72	0.71
1:A:517:SER:HB3	1:A:699:LYS:HG3	1.72	0.70
1:A:257:ASN:HD21	1:A:259:LEU:HG	1.58	0.68
1:A:295:HIS:HB2	1:A:346:ILE:HD11	1.74	0.68
1:A:688:ARG:HH12	1:B:678:PRO:HB2	1.60	0.67
1:A:366:VAL:HB	1:A:413:ARG:HG3	1.77	0.66
1:A:74:LEU:HD22	1:A:559:TYR:HD1	1.60	0.65
1:B:295:HIS:HB2	1:B:346:ILE:HD11	1.78	0.64
1:B:358:VAL:HB	1:B:420:SER:HB3	1.82	0.61
1:A:358:VAL:HB	1:A:420:SER:HB3	1.82	0.61
1:B:657:ASN:HD22	1:B:658:PRO:HD2	1.65	0.60
1:B:259:LEU:HD21	1:B:289:LEU:HD23	1.84	0.59
1:A:96:ILE:HG22	1:A:358:VAL:HG11	1.85	0.57
1:B:192:MET:HE1	1:B:329:VAL:HG21	1.87	0.56
1:B:456:ILE:HD12	1:B:456:ILE:O	2.06	0.56
1:A:99:GLN:NE2	4:A:805:NAG:H62	2.20	0.56
1:B:148:PRO:HG2	1:B:151:TYR:HB2	1.87	0.56
1:A:382:VAL:HG11	1:A:555:VAL:HG23	1.87	0.56
1:B:446:GLY:O	1:B:669:MET:HE2	2.05	0.55
1:A:483:SER:HB3	1:A:493:LEU:HA	1.89	0.55
1:A:571:LYS:HE3	1:A:572:TYR:CE2	2.43	0.54
1:B:68:GLU:O	1:B:72:LYS:HD3	2.07	0.54
1:B:373:ILE:HG12	1:B:417:LEU:HB2	1.89	0.54
1:A:657:ASN:OD1	1:A:659:ILE:HG12	2.08	0.54
1:A:257:ASN:HD21	1:A:259:LEU:CG	2.21	0.53
1:A:100:TRP:HB3	1:A:105:LEU:HD12	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:413:ARG:HH12	1:A:661:LEU:HD21	1.72	0.53
1:A:377:HIS:CE1	1:A:388:PRO:HB3	2.44	0.52
1:B:382:VAL:HG11	1:B:555:VAL:HG23	1.91	0.52
1:B:551:LEU:HD22	1:B:556:TYR:HB2	1.92	0.52
1:A:403:GLY:O	1:A:407:LYS:HG3	2.10	0.51
1:A:637:LYS:O	1:A:641:GLU:HG3	2.10	0.51
1:A:473:LEU:CD2	1:A:583:MET:HG2	2.41	0.51
1:A:363:ARG:HG2	1:B:750:ALA:HB1	1.92	0.51
1:B:163:ALA:HB3	1:B:257:ASN:HA	1.93	0.51
1:B:377:HIS:CE1	1:B:388:PRO:HB3	2.46	0.50
1:B:574:LEU:O	1:B:578:GLN:HG3	2.10	0.50
1:B:659:ILE:O	1:B:663:MET:HG3	2.11	0.50
1:A:99:GLN:OE1	1:A:396:HIS:HE1	1.94	0.50
1:A:579:VAL:HG12	1:A:583:MET:HE2	1.94	0.49
1:A:688:ARG:NH1	1:B:678:PRO:HB2	2.25	0.49
1:B:384:GLY:HA3	1:B:389:GLN:HG2	1.95	0.49
1:A:659:ILE:O	1:A:663:MET:HG3	2.12	0.49
1:B:740:GLN:O	1:B:744:GLU:HG3	2.13	0.49
1:B:75:TYR:O	1:B:79:GLN:HG2	2.13	0.48
1:A:456:ILE:HD12	1:A:456:ILE:O	2.13	0.48
1:A:58:MET:HE1	1:A:586:GLU:HG2	1.95	0.48
1:A:283:ILE:H	1:A:283:ILE:HD12	1.80	0.47
1:B:424:GLU:HG2	1:B:428:LEU:HD23	1.97	0.47
1:A:529:GLY:O	1:A:673:ARG:HD2	2.14	0.47
1:A:669:MET:HE2	1:A:669:MET:HB3	1.77	0.47
1:A:473:LEU:HD12	1:A:594:PRO:HG2	1.96	0.47
1:A:410:TRP:CZ3	1:A:412:PRO:HD3	2.50	0.46
1:B:403:GLY:O	1:B:407:LYS:HG3	2.16	0.46
1:B:207:LYS:NZ	1:B:543:THR:HB	2.30	0.46
1:A:242:TYR:CG	1:A:243:PRO:HA	2.51	0.46
1:B:239:VAL:HG21	1:B:246:TRP:CZ2	2.51	0.45
1:A:663:MET:HE1	1:B:368:PRO:HG2	1.98	0.45
1:A:740:GLN:O	1:A:744:GLU:HG3	2.16	0.45
1:A:745:THR:HA	1:B:441:LEU:HD21	1.99	0.45
1:A:210:ARG:HA	1:A:213:LYS:HD2	1.97	0.45
1:B:218:GLN:NE2	1:B:291:SER:H	2.15	0.45
1:B:453:ASP:O	1:B:454:SER:C	2.59	0.45
1:A:149:PRO:HA	1:A:152:GLU:OE1	2.16	0.45
1:A:718:LYS:HE2	1:A:718:LYS:HA	1.97	0.45
1:B:70:ILE:HG21	1:B:573:HIS:HB3	1.99	0.45
1:B:131:ILE:HD11	1:B:171:GLU:HG3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:99:GLN:HE21	4:A:805:NAG:H62	1.82	0.44
1:A:261:LEU:HD21	1:A:267:PRO:HG3	1.99	0.44
1:A:246:TRP:NE1	4:A:806:NAG:H81	2.32	0.44
1:B:468:PRO:HG2	1:B:603:VAL:HG21	1.99	0.44
1:A:374:LEU:HD23	1:A:450:ILE:HB	1.98	0.44
1:A:543:THR:HG23	1:A:544:ASN:OD1	2.17	0.44
1:A:469:LEU:HD21	1:A:671:LEU:HD23	2.00	0.44
1:A:622:MET:HG2	1:A:627:VAL:HB	2.00	0.44
1:B:97:GLN:HG3	1:B:108:VAL:HG12	2.00	0.44
1:A:733:TYR:CE1	1:B:278:ALA:HA	2.53	0.44
1:B:210:ARG:CZ	1:B:256:GLY:HA3	2.48	0.43
1:A:257:ASN:ND2	1:A:259:LEU:HG	2.31	0.43
1:B:177:VAL:HG12	1:B:188:LEU:HD22	2.00	0.43
1:B:105:LEU:HD23	1:B:108:VAL:HG22	2.00	0.43
1:A:453:ASP:O	1:A:454:SER:C	2.61	0.43
1:A:286:ALA:HB3	1:A:289:LEU:HD22	2.01	0.43
1:A:170:PRO:HD2	1:A:344:MET:HB2	2.00	0.43
1:A:395:VAL:O	1:A:399:VAL:HG23	2.19	0.43
1:A:75:TYR:O	1:A:79:GLN:HG2	2.19	0.42
1:A:592:VAL:HG11	1:A:650:LEU:HD21	2.01	0.42
1:A:562:VAL:HA	1:A:566:TYR:HB2	2.01	0.42
1:A:131:ILE:HG22	1:A:137:GLU:HG2	2.02	0.42
1:B:690:VAL:O	1:B:706:PRO:HD2	2.20	0.42
1:A:565:PHE:O	4:A:806:NAG:H82	2.19	0.42
1:A:118:SER:CB	1:A:164:PHE:H	2.33	0.42
1:A:551:LEU:HD22	1:A:556:TYR:HB2	2.02	0.42
1:A:690:VAL:O	1:A:706:PRO:HD2	2.19	0.42
1:A:650:LEU:HD11	1:A:668:LEU:HD11	2.02	0.42
1:A:689:HIS:HB3	1:A:692:TYR:O	2.20	0.42
1:B:248:LEU:HD11	1:B:252:GLY:HA3	2.02	0.42
1:A:150:GLY:H	1:A:152:GLU:CD	2.29	0.41
1:A:160:PRO:HA	1:A:255:ARG:HG2	2.03	0.41
1:A:169:MET:HA	1:A:344:MET:O	2.21	0.41
1:A:669:MET:HE3	1:A:670:PHE:CE1	2.56	0.41
1:A:120:PRO:HG3	1:A:161:PHE:CG	2.56	0.41
1:B:105:LEU:HD12	1:B:105:LEU:HA	1.90	0.41
1:A:259:LEU:HD23	1:A:290:PRO:HD3	2.03	0.41
1:A:355:ILE:HG21	1:A:423:ALA:HB2	2.03	0.41
1:A:377:HIS:NE2	1:A:388:PRO:HB3	2.35	0.41
1:A:473:LEU:HD23	1:A:473:LEU:C	2.46	0.41
1:B:58:MET:HG2	1:B:62:LEU:HD12	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:591:ILE:HG23	1:B:661:LEU:HD21	2.03	0.41
1:B:657:ASN:HD22	1:B:658:PRO:CD	2.33	0.41
1:B:110:LEU:CD2	1:B:358:VAL:HG22	2.52	0.40
1:B:622:MET:HG2	1:B:627:VAL:HB	2.04	0.40
1:A:424:GLU:HG2	1:A:428:LEU:HD23	2.03	0.40
1:A:545:LYS:HE3	1:A:546:PHE:CE2	2.56	0.40
1:B:209:PHE:CE2	1:B:211:GLY:HA3	2.56	0.40
1:B:391:GLY:O	1:B:395:VAL:HG23	2.22	0.40
1:B:469:LEU:HD21	1:B:671:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	684/707 (97%)	663 (97%)	18 (3%)	3 (0%)	30	51
1	B	693/707 (98%)	671 (97%)	19 (3%)	3 (0%)	30	51
All	All	1377/1414 (97%)	1334 (97%)	37 (3%)	6 (0%)	30	51

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	335	GLY
1	A	454	SER
1	B	335	GLY
1	B	454	SER
1	B	382	VAL
1	A	382	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	587/603 (97%)	581 (99%)	6 (1%)	68	86
1	B	592/603 (98%)	590 (100%)	2 (0%)	86	94
All	All	1179/1206 (98%)	1171 (99%)	8 (1%)	76	89

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	THR
1	A	124	HIS
1	A	456	ILE
1	A	519	ASN
1	A	537	TYR
1	A	600	TYR
1	B	396	HIS
1	B	600	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	257	ASN
1	A	303	GLN
1	A	396	HIS
1	A	443	GLN
1	A	697	HIS
1	B	79	GLN
1	B	218	GLN
1	B	260	ASN
1	B	350	ASN
1	B	544	ASN
1	B	657	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	C	1	1,2	14,14,15	0.72	0	17,19,21	0.84	1 (5%)
2	NAG	C	2	2	14,14,15	0.73	0	17,19,21	0.74	0
3	NAG	D	1	1,3	14,14,15	0.74	0	17,19,21	0.81	1 (5%)
3	NAG	D	2	3	14,14,15	0.77	0	17,19,21	0.79	0
3	BMA	D	3	3	11,11,12	0.87	0	15,15,17	2.35	4 (26%)
2	NAG	E	1	1,2	14,14,15	0.71	0	17,19,21	0.92	1 (5%)
2	NAG	E	2	2	14,14,15	0.73	0	17,19,21	0.92	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
3	NAG	D	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	3	BMA	C1-O5-C5	6.91	121.55	112.19
3	D	3	BMA	O5-C1-C2	2.81	115.10	110.77
2	E	1	NAG	C1-O5-C5	2.31	115.32	112.19
3	D	3	BMA	O4-C4-C3	-2.31	105.01	110.35
2	C	1	NAG	C1-O5-C5	2.24	115.22	112.19
2	E	2	NAG	C2-N2-C7	2.20	126.04	122.90
3	D	3	BMA	O3-C3-C2	-2.05	106.06	109.99
3	D	1	NAG	C1-O5-C5	2.03	114.94	112.19


There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 8 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	GOL	B	810	-	5,5,5	0.40	0	5,5,5	0.40	0
4	NAG	A	804	1	14,14,15	0.67	0	17,19,21	0.89	1 (5%)
8	GOL	A	811	7	5,5,5	0.32	0	5,5,5	0.44	0
8	GOL	B	813	-	5,5,5	0.34	0	5,5,5	0.38	0
4	NAG	A	805	1	14,14,15	0.70	0	17,19,21	0.74	1 (5%)
4	NAG	A	806	1	14,14,15	0.66	0	17,19,21	0.98	0
8	GOL	A	810	-	5,5,5	0.35	0	5,5,5	0.41	0
4	NAG	B	803	1	14,14,15	0.68	0	17,19,21	0.88	1 (5%)
4	NAG	B	804	1	14,14,15	0.68	0	17,19,21	0.79	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	805	1	14,14,15	0.66	0	17,19,21	1.14	1 (5%)
4	NAG	A	801	1	14,14,15	0.69	0	17,19,21	1.39	3 (17%)
4	NAG	B	802	1	14,14,15	0.72	0	17,19,21	0.82	0
4	NAG	B	806	1	14,14,15	0.71	0	17,19,21	0.88	0
4	NAG	B	801	1	14,14,15	0.72	0	17,19,21	0.73	0
4	NAG	A	803	1	14,14,15	0.69	0	17,19,21	0.91	0
8	GOL	B	811	-	5,5,5	0.34	0	5,5,5	0.34	0
8	GOL	B	812	7	5,5,5	0.32	0	5,5,5	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	B	810	-	-	0/4/4/4	-
4	NAG	A	804	1	-	0/6/23/26	0/1/1/1
8	GOL	A	811	7	-	0/4/4/4	-
8	GOL	B	813	-	-	0/4/4/4	-
4	NAG	A	805	1	-	0/6/23/26	0/1/1/1
4	NAG	A	806	1	-	0/6/23/26	0/1/1/1
8	GOL	A	810	-	-	2/4/4/4	-
4	NAG	B	803	1	-	0/6/23/26	0/1/1/1
4	NAG	B	804	1	-	0/6/23/26	0/1/1/1
4	NAG	B	805	1	-	0/6/23/26	0/1/1/1
4	NAG	A	801	1	1/1/5/7	0/6/23/26	0/1/1/1
4	NAG	B	802	1	-	0/6/23/26	0/1/1/1
4	NAG	B	806	1	-	0/6/23/26	0/1/1/1
4	NAG	B	801	1	-	1/6/23/26	0/1/1/1
4	NAG	A	803	1	-	0/6/23/26	0/1/1/1
8	GOL	B	811	-	-	0/4/4/4	-
8	GOL	B	812	7	-	2/4/4/4	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	801	NAG	C1-O5-C5	3.47	116.89	112.19
4	A	801	NAG	C2-N2-C7	2.41	126.34	122.90
4	A	801	NAG	O4-C4-C3	-2.32	104.99	110.35
4	B	803	NAG	C1-O5-C5	2.30	115.31	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	805	NAG	C1-O5-C5	2.23	115.21	112.19
4	B	804	NAG	C1-O5-C5	2.10	115.03	112.19
4	A	804	NAG	C1-O5-C5	2.03	114.95	112.19
4	A	805	NAG	C1-O5-C5	2.02	114.92	112.19

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	801	NAG	C1

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	812	GOL	C1-C2-C3-O3
8	A	810	GOL	C1-C2-C3-O3
8	B	812	GOL	O2-C2-C3-O3
8	A	810	GOL	O2-C2-C3-O3
4	B	801	NAG	C4-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	805	NAG	2	0
4	A	806	NAG	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand GOL B 810




Ligand NAG A 804












Ligand GOL A 810







Ligand NAG B 803














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	690/707 (97%)	0.18	16 (2%) 61 55	17, 45, 75, 107	0
1	B	695/707 (98%)	-0.06	5 (0%) 84 82	13, 34, 62, 93	0
All	All	1385/1414 (97%)	0.06	21 (1%) 72 68	13, 39, 70, 107	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	655	LYS	4.1
1	A	124	HIS	3.6
1	B	102	GLU	3.5
1	A	134	ASP	2.8
1	A	542	GLU	2.7
1	A	410	TRP	2.6
1	A	507	SER	2.4
1	B	505	GLU	2.4
1	A	149	PRO	2.3
1	A	488	PHE	2.3
1	A	569	MET	2.2
1	B	364	GLY	2.2
1	B	507	SER	2.2
1	A	335	GLY	2.1
1	A	465	ASP	2.1
1	A	503	SER	2.1
1	A	191	ASP	2.1
1	A	109	GLU	2.1
1	A	123	THR	2.0
1	B	510	PRO	2.0
1	A	132	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BMA	D	3	11/12	0.51	0.18	52,52,52,52	0
3	NAG	D	2	14/15	0.66	0.18	73,80,85,90	0
2	NAG	C	2	14/15	0.70	0.12	55,61,63,65	0
2	NAG	E	1	14/15	0.74	0.18	88,98,112,112	0
2	NAG	E	2	14/15	0.74	0.14	52,52,52,52	0
2	NAG	C	1	14/15	0.81	0.10	60,63,64,64	0
3	NAG	D	1	14/15	0.85	0.10	43,51,56,66	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	801	14/15	0.51	0.17	47,47,47,47	0
4	NAG	A	806	14/15	0.69	0.19	69,77,82,84	0
8	GOL	A	810	6/6	0.74	0.15	28,29,29,29	0
4	NAG	B	801	14/15	0.77	0.18	30,30,30,30	0
4	NAG	A	804	14/15	0.77	0.13	52,53,59,60	0
4	NAG	B	805	14/15	0.78	0.12	47,47,47,47	0
4	NAG	A	805	14/15	0.79	0.12	53,56,58,58	0
8	GOL	B	813	6/6	0.79	0.13	46,48,49,49	0
4	NAG	B	803	14/15	0.80	0.10	40,43,44,45	0
4	NAG	B	806	14/15	0.80	0.11	38,40,41,41	0
8	GOL	B	812	6/6	0.84	0.12	30,32,33,33	0
8	GOL	B	811	6/6	0.85	0.13	32,33,33,33	0
4	NAG	B	804	14/15	0.86	0.10	37,38,40,40	0
6	CA	B	807	1/1	0.86	0.08	25,25,25,25	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	A	803	14/15	0.86	0.10	29,30,31,31	0
5	CL	A	802	1/1	0.87	0.11	52,52,52,52	0
8	GOL	A	811	6/6	0.88	0.13	46,48,48,49	0
8	GOL	B	810	6/6	0.92	0.10	26,26,26,26	0
4	NAG	B	802	14/15	0.94	0.07	25,25,25,25	0
5	CL	B	814	1/1	0.95	0.14	52,52,52,52	0
6	CA	A	807	1/1	0.96	0.04	29,29,29,29	0
7	ZN	A	808	1/1	0.97	0.04	40,40,40,40	0
7	ZN	A	809	1/1	0.97	0.05	35,35,35,35	0
7	ZN	B	808	1/1	0.98	0.03	30,30,30,30	0
7	ZN	B	809	1/1	0.98	0.06	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAG A 801:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG A 806:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL A 810:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG A 804:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG B 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around GOL B 813:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG B 803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG B 806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 812:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GOL B 811:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around NAG B 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CA B 807:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL A 811:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 810:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 814:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CA A 807:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 809:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN B 808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.