



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 27, 2026 – 11:35 am BST

PDB ID : 28ZP / pdb_000028zp
Title : Crystal structure of human DHX8 in complex with compound 34 and ADP
Authors : Felisberto-Rodrigues, C.; Silva, S.T.N.; Le Bihan, Y.-V.; van Montfort, R.L.M.
Deposited on : 2026-03-03
Resolution : 2.57 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	680	80% 12% 7%
1	B	680	83% 10% 6%
1	C	680	83% 10% 6%
1	D	680	81% 11% 7%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 20756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent RNA helicase DHX8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	632	Total	C	N	O	S	0	2	0
			4917	3150	815	917	35			
1	B	638	Total	C	N	O	S	0	1	0
			4916	3156	805	920	35			
1	C	638	Total	C	N	O	S	0	4	0
			4962	3174	826	928	34			
1	D	633	Total	C	N	O	S	7	2	1
			4839	3102	799	904	34			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	547	MET	-	initiating methionine	UNP Q14562
A	1221	HIS	-	expression tag	UNP Q14562
A	1222	HIS	-	expression tag	UNP Q14562
A	1223	HIS	-	expression tag	UNP Q14562
A	1224	HIS	-	expression tag	UNP Q14562
A	1225	HIS	-	expression tag	UNP Q14562
A	1226	HIS	-	expression tag	UNP Q14562
B	547	MET	-	initiating methionine	UNP Q14562
B	1221	HIS	-	expression tag	UNP Q14562
B	1222	HIS	-	expression tag	UNP Q14562
B	1223	HIS	-	expression tag	UNP Q14562
B	1224	HIS	-	expression tag	UNP Q14562
B	1225	HIS	-	expression tag	UNP Q14562
B	1226	HIS	-	expression tag	UNP Q14562
C	547	MET	-	initiating methionine	UNP Q14562
C	1221	HIS	-	expression tag	UNP Q14562
C	1222	HIS	-	expression tag	UNP Q14562
C	1223	HIS	-	expression tag	UNP Q14562
C	1224	HIS	-	expression tag	UNP Q14562
C	1225	HIS	-	expression tag	UNP Q14562
C	1226	HIS	-	expression tag	UNP Q14562

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	547	MET	-	initiating methionine	UNP Q14562
D	1221	HIS	-	expression tag	UNP Q14562
D	1222	HIS	-	expression tag	UNP Q14562
D	1223	HIS	-	expression tag	UNP Q14562
D	1224	HIS	-	expression tag	UNP Q14562
D	1225	HIS	-	expression tag	UNP Q14562
D	1226	HIS	-	expression tag	UNP Q14562

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		
4	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is 2-[2-[4-(propan-2-ylamino)phenyl]ethylsulfanyl]pyridine-3-carboxylic acid (CCD ID: A1J1H) (formula: C₁₇H₂₀N₂O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	0	0
			22	17	2	2	1		
6	B	1	Total	C	N	O	S	0	0
			22	17	2	2	1		
6	C	1	Total	C	N	O	S	0	0
			22	17	2	2	1		
6	D	1	Total	C	N	O	S	0	0
			22	17	2	2	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	195	Total	O	0	0
			195	195		
7	B	189	Total	O	0	0
			189	189		
7	C	180	Total	O	0	1
			181	181		
7	D	148	Total	O	0	1
			149	149		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP-dependent RNA helicase DHX8




• Molecule 1: ATP-dependent RNA helicase DHX8





• Molecule 1: ATP-dependent RNA helicase DHX8





• Molecule 1: ATP-dependent RNA helicase DHX8



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.15Å 167.53Å 136.97Å 90.00° 92.51° 90.00°	Depositor
Resolution (Å)	37.37 – 2.57 37.37 – 2.57	Depositor EDS
% Data completeness (in resolution range)	99.7 (37.37-2.57) 99.7 (37.37-2.57)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.58Å)	Xtriage
Refinement program	BUSTER 2.10.4 (26-JUL-2023)	Depositor
R, R_{free}	0.204 , 0.243 0.199 , 0.237	Depositor DCC
R_{free} test set	4511 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å ²)	44.9	Xtriage
Anisotropy	0.358	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 70.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.076 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	20756	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, A1J1H, DMS, ADP, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.68	1/5017 (0.0%)	1.02	7/6810 (0.1%)
1	B	0.67	0/5013	1.00	3/6801 (0.0%)
1	C	0.66	0/5061	1.01	7/6871 (0.1%)
1	D	0.66	1/4939 (0.0%)	1.01	2/6710 (0.0%)
All	All	0.67	2/20030 (0.0%)	1.01	19/27192 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	839	THR	CA-C	5.70	1.60	1.53
1	D	986	GLU	CA-C	5.01	1.58	1.53

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1185	ASP	CA-C-N	6.66	126.44	119.05
1	C	1185	ASP	C-N-CA	6.66	126.44	119.05
1	C	909	ARG	N-CA-C	6.65	118.61	111.36
1	A	721	ASP	CA-C-N	6.55	129.38	120.54
1	A	721	ASP	C-N-CA	6.55	129.38	120.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4917	0	4839	51	0
1	B	4916	0	4769	37	0
1	C	4962	0	4818	40	0
1	D	4839	0	4668	42	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	16	0	24	0	0
4	B	20	0	30	1	0
4	C	8	0	12	1	0
4	D	16	0	24	0	0
5	A	52	0	78	5	0
5	B	32	0	48	2	0
5	C	28	0	42	0	0
5	D	36	0	54	0	0
6	A	22	0	0	1	0
6	B	22	0	0	1	0
6	C	22	0	0	1	0
6	D	22	0	0	1	0
7	A	195	0	0	2	0
7	B	189	0	0	1	0
7	C	181	0	0	0	0
7	D	149	0	0	0	0
All	All	20756	0	19454	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 171 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:712:LYS:HZ1	5:A:1308:EDO:H11	1.44	0.81
1:A:712:LYS:NZ	5:A:1308:EDO:H11	1.96	0.81
1:B:688:HIS:CE1	1:B:844:THR:HG21	2.20	0.76
1:C:1119:ASP:OD1	1:C:1120:PRO:HD2	1.85	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:688:HIS:CE1	1:A:844:THR:HG21	2.22	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	632/680 (93%)	615 (97%)	16 (2%)	1 (0%)	43	63
1	B	635/680 (93%)	616 (97%)	18 (3%)	1 (0%)	43	63
1	C	638/680 (94%)	624 (98%)	13 (2%)	1 (0%)	43	63
1	D	633/680 (93%)	618 (98%)	14 (2%)	1 (0%)	43	63
All	All	2538/2720 (93%)	2473 (97%)	61 (2%)	4 (0%)	43	63

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1016	ASN
1	B	1016	ASN
1	C	1016	ASN
1	D	1016	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/603 (86%)	504 (98%)	13 (2%)	42	67
1	B	497/603 (82%)	489 (98%)	8 (2%)	55	77
1	C	510/603 (85%)	497 (98%)	13 (2%)	42	67
1	D	489/603 (81%)	478 (98%)	11 (2%)	45	70
All	All	2013/2412 (84%)	1968 (98%)	45 (2%)	45	70

5 of 45 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	969	ASP
1	D	695	ASP
1	C	989	LEU
1	C	1181	PHE
1	D	784	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	706	GLN
1	C	1065	ASN
1	C	924	ASN
1	D	640	GLN
1	B	579	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 64 ligands modelled in this entry, 4 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	A	1305	-	3,3,3	0.15	0	2,2,2	0.33	0
4	DMS	A	1312	-	3,3,3	0.68	0	3,3,3	0.49	0
5	EDO	B	2106	-	3,3,3	0.20	0	2,2,2	0.29	0
5	EDO	D	1316	-	3,3,3	0.30	0	2,2,2	0.23	0
6	A1J1H	C	1310	-	23,23,23	0.36	0	29,30,30	0.64	0
5	EDO	B	2115	-	3,3,3	0.28	0	2,2,2	0.30	0
5	EDO	A	1309	-	3,3,3	0.32	0	2,2,2	0.06	0
4	DMS	C	1306	-	3,3,3	0.67	0	3,3,3	0.48	0
5	EDO	A	1307	-	3,3,3	0.14	0	2,2,2	0.36	0
4	DMS	D	1308	-	3,3,3	0.65	0	3,3,3	0.48	0
5	EDO	A	1317	-	3,3,3	0.23	0	2,2,2	0.25	0
5	EDO	C	1312	-	3,3,3	0.20	0	2,2,2	0.35	0
5	EDO	D	1309	-	3,3,3	0.30	0	2,2,2	0.29	0
6	A1J1H	D	1311	-	23,23,23	0.40	0	29,30,30	0.70	2 (6%)
6	A1J1H	A	1311	-	23,23,23	0.42	0	29,30,30	0.77	1 (3%)
5	EDO	A	1304	-	3,3,3	0.25	0	2,2,2	0.07	0
5	EDO	B	2107	-	3,3,3	0.37	0	2,2,2	0.15	0
2	ADP	C	1301	3	27,29,29	0.81	1 (3%)	42,45,45	0.59	1 (2%)
4	DMS	A	1313	-	3,3,3	0.68	0	3,3,3	0.33	0
5	EDO	D	1314	-	3,3,3	0.26	0	2,2,2	0.22	0
4	DMS	A	1303	-	3,3,3	0.69	0	3,3,3	0.45	0
5	EDO	A	1320	-	3,3,3	0.28	0	2,2,2	0.30	0
5	EDO	C	1305	-	3,3,3	0.17	0	2,2,2	0.18	0
5	EDO	A	1315	-	3,3,3	0.32	0	2,2,2	0.20	0
4	DMS	B	2108	-	3,3,3	0.63	0	3,3,3	0.55	0
5	EDO	A	1316	-	3,3,3	0.17	0	2,2,2	0.42	0
5	EDO	A	1319	-	3,3,3	0.25	0	2,2,2	0.30	0
5	EDO	A	1318	-	3,3,3	0.40	0	2,2,2	0.18	0
5	EDO	C	1308	-	3,3,3	0.35	0	2,2,2	0.15	0
5	EDO	D	1307	-	3,3,3	0.18	0	2,2,2	0.32	0
2	ADP	B	2102	3	27,29,29	1.00	2 (7%)	42,45,45	0.69	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	A1J1H	B	2109	-	23,23,23	0.39	0	29,30,30	0.83	2 (6%)
2	ADP	A	1301	3	27,29,29	1.01	3 (11%)	42,45,45	0.63	2 (4%)
5	EDO	D	1305	-	3,3,3	0.31	0	2,2,2	0.07	0
5	EDO	B	2114	-	3,3,3	0.31	0	2,2,2	0.26	0
4	DMS	A	1314	-	3,3,3	0.61	0	3,3,3	0.37	0
4	DMS	C	1304	-	3,3,3	0.66	0	3,3,3	0.40	0
5	EDO	B	2104	-	3,3,3	0.39	0	2,2,2	0.15	0
5	EDO	D	1313	-	3,3,3	0.11	0	2,2,2	0.35	0
5	EDO	A	1308	-	3,3,3	0.35	0	2,2,2	0.19	0
4	DMS	B	2110	-	3,3,3	0.76	0	3,3,3	0.32	0
4	DMS	D	1312	-	3,3,3	0.71	0	3,3,3	0.37	0
5	EDO	B	2101	-	3,3,3	0.29	0	2,2,2	0.16	0
5	EDO	D	1304	-	3,3,3	0.21	0	2,2,2	0.21	0
5	EDO	D	1310	-	3,3,3	0.35	0	2,2,2	0.15	0
5	EDO	C	1307	-	3,3,3	0.17	0	2,2,2	0.31	0
5	EDO	B	2116	-	3,3,3	0.29	0	2,2,2	0.24	0
4	DMS	B	2111	-	3,3,3	0.69	0	3,3,3	0.33	0
4	DMS	B	2112	-	3,3,3	0.69	0	3,3,3	0.27	0
4	DMS	B	2105	-	3,3,3	0.58	0	3,3,3	0.25	0
4	DMS	D	1303	-	3,3,3	0.68	0	3,3,3	0.38	0
5	EDO	A	1306	-	3,3,3	0.30	0	2,2,2	0.22	0
5	EDO	B	2113	-	3,3,3	0.27	0	2,2,2	0.23	0
5	EDO	C	1303	-	3,3,3	0.32	0	2,2,2	0.05	0
5	EDO	C	1309	-	3,3,3	0.27	0	2,2,2	0.23	0
5	EDO	C	1311	-	3,3,3	0.28	0	2,2,2	0.14	0
4	DMS	D	1306	-	3,3,3	0.73	0	3,3,3	0.40	0
2	ADP	D	1301	3	27,29,29	1.02	2 (7%)	42,45,45	0.58	1 (2%)
5	EDO	D	1315	-	3,3,3	0.24	0	2,2,2	0.35	0
5	EDO	A	1310	-	3,3,3	0.34	0	2,2,2	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1305	-	-	0/1/1/1	-
5	EDO	B	2106	-	-	1/1/1/1	-
5	EDO	D	1316	-	-	1/1/1/1	-
6	A1J1H	C	1310	-	-	4/14/14/14	0/2/2/2
5	EDO	B	2115	-	-	0/1/1/1	-
5	EDO	A	1309	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	1307	-	-	1/1/1/1	-
5	EDO	C	1312	-	-	0/1/1/1	-
5	EDO	A	1317	-	-	1/1/1/1	-
5	EDO	D	1309	-	-	1/1/1/1	-
6	A1J1H	D	1311	-	-	4/14/14/14	0/2/2/2
6	A1J1H	A	1311	-	-	4/14/14/14	0/2/2/2
5	EDO	A	1304	-	-	0/1/1/1	-
5	EDO	B	2107	-	-	1/1/1/1	-
2	ADP	C	1301	3	-	5/16/32/32	0/3/3/3
5	EDO	D	1314	-	-	0/1/1/1	-
5	EDO	A	1320	-	-	0/1/1/1	-
5	EDO	C	1305	-	-	1/1/1/1	-
5	EDO	A	1315	-	-	0/1/1/1	-
5	EDO	A	1316	-	-	1/1/1/1	-
5	EDO	A	1319	-	-	1/1/1/1	-
5	EDO	A	1318	-	-	1/1/1/1	-
5	EDO	C	1308	-	-	0/1/1/1	-
5	EDO	D	1307	-	-	0/1/1/1	-
2	ADP	B	2102	3	-	9/16/32/32	0/3/3/3
6	A1J1H	B	2109	-	-	4/14/14/14	0/2/2/2
2	ADP	A	1301	3	-	4/16/32/32	0/3/3/3
5	EDO	D	1305	-	-	0/1/1/1	-
5	EDO	B	2114	-	-	0/1/1/1	-
5	EDO	D	1313	-	-	0/1/1/1	-
5	EDO	B	2104	-	-	1/1/1/1	-
5	EDO	A	1308	-	-	0/1/1/1	-
5	EDO	B	2101	-	-	0/1/1/1	-
5	EDO	D	1304	-	-	0/1/1/1	-
5	EDO	D	1310	-	-	1/1/1/1	-
5	EDO	C	1307	-	-	0/1/1/1	-
5	EDO	B	2116	-	-	0/1/1/1	-
5	EDO	A	1306	-	-	0/1/1/1	-
5	EDO	B	2113	-	-	1/1/1/1	-
5	EDO	C	1303	-	-	1/1/1/1	-
5	EDO	C	1309	-	-	0/1/1/1	-
5	EDO	C	1311	-	-	0/1/1/1	-
2	ADP	D	1301	3	-	5/16/32/32	0/3/3/3
5	EDO	D	1315	-	-	0/1/1/1	-
5	EDO	A	1310	-	-	1/1/1/1	-

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2102	ADP	PB-O1B	-3.33	1.39	1.50
2	D	1301	ADP	PB-O3B	-3.06	1.43	1.54
2	A	1301	ADP	PB-O1B	-2.73	1.41	1.50
2	D	1301	ADP	PB-O1B	-2.60	1.42	1.50
2	C	1301	ADP	PB-O1B	-2.58	1.42	1.50

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	2109	A1J1H	C15-C11-S	-3.04	117.97	121.11
6	A	1311	A1J1H	C15-C11-S	-2.86	118.15	121.11
2	B	2102	ADP	C4'-O4'-C1'	-2.67	103.59	109.47
2	A	1301	ADP	C4'-O4'-C1'	-2.37	104.24	109.47
6	B	2109	A1J1H	C10-C9-C6	2.32	118.12	113.97

There are no chirality outliers.

5 of 55 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1301	ADP	C5'-O5'-PA-O1A
2	B	2102	ADP	PA-O3A-PB-O2B
2	B	2102	ADP	C5'-O5'-PA-O1A
2	B	2102	ADP	C5'-O5'-PA-O2A
2	C	1301	ADP	C5'-O5'-PA-O1A

There are no ring outliers.


13 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	1310	A1J1H	1	0
4	C	1306	DMS	1	0
5	A	1307	EDO	1	0
6	D	1311	A1J1H	1	0
6	A	1311	A1J1H	1	0
5	A	1304	EDO	1	0
5	B	2107	EDO	1	0
5	A	1315	EDO	1	0
4	B	2108	DMS	1	0
6	B	2109	A1J1H	1	0
5	A	1308	EDO	2	0
5	B	2101	EDO	1	0
5	B	2113	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand A1J1H A 1311



Ligand ADP C 1301







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	632/680 (92%)	0.11	9 (1%) 73 70	22, 48, 73, 84	2 (0%)
1	B	638/680 (93%)	0.14	10 (1%) 70 67	27, 51, 71, 82	1 (0%)
1	C	638/680 (93%)	0.17	13 (2%) 65 61	23, 51, 75, 97	4 (0%)
1	D	633/680 (93%)	0.29	20 (3%) 50 45	27, 54, 84, 103	2 (0%)
All	All	2541/2720 (93%)	0.18	52 (2%) 65 61	22, 51, 76, 103	9 (0%)

The worst 5 of 52 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1187	THR	3.9
1	C	1197	ARG	3.8
1	C	1181	PHE	3.6
1	C	1180	PHE	3.6
1	C	1193	LYS	3.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	A	1313	4/4	0.70	0.28	113,113,113,113	0
5	EDO	D	1310	4/4	0.70	0.20	74,74,74,74	0
5	EDO	B	2115	4/4	0.71	0.17	69,69,70,70	0
5	EDO	A	1310	4/4	0.71	0.22	70,70,70,70	0
5	EDO	B	2107	4/4	0.73	0.25	71,71,71,71	0
5	EDO	B	2113	4/4	0.73	0.23	75,75,75,75	0
4	DMS	D	1306	4/4	0.75	0.25	94,94,94,94	0
5	EDO	B	2114	4/4	0.75	0.15	70,70,70,70	0
5	EDO	A	1318	4/4	0.76	0.18	66,66,66,66	0
4	DMS	B	2111	4/4	0.76	0.23	109,109,109,109	0
5	EDO	C	1311	4/4	0.77	0.19	73,73,73,73	0
4	DMS	D	1308	4/4	0.77	0.23	63,63,63,63	4
5	EDO	D	1315	4/4	0.79	0.20	80,80,80,80	0
5	EDO	D	1309	4/4	0.80	0.16	77,77,77,77	0
5	EDO	A	1319	4/4	0.80	0.15	66,67,67,67	0
4	DMS	D	1303	4/4	0.80	0.22	93,93,93,93	0
4	DMS	B	2112	4/4	0.81	0.26	72,73,73,73	4
5	EDO	B	2104	4/4	0.83	0.21	68,68,69,69	0
4	DMS	B	2110	4/4	0.83	0.20	87,87,87,87	0
5	EDO	A	1317	4/4	0.83	0.13	68,68,68,68	0
5	EDO	A	1307	4/4	0.84	0.15	65,65,65,66	0
5	EDO	D	1314	4/4	0.84	0.13	77,77,78,78	0
4	DMS	A	1312	4/4	0.84	0.20	92,92,93,93	0
5	EDO	C	1309	4/4	0.85	0.15	61,61,62,62	0
3	MG	C	1302	1/1	0.85	0.15	50,50,50,50	0
5	EDO	C	1307	4/4	0.85	0.19	77,77,77,77	0
5	EDO	A	1316	4/4	0.86	0.14	58,58,58,59	0
4	DMS	D	1312	4/4	0.86	0.20	75,75,75,75	0
4	DMS	A	1303	4/4	0.86	0.21	66,66,67,67	4
4	DMS	B	2108	4/4	0.86	0.20	88,88,88,88	0
5	EDO	D	1313	4/4	0.87	0.12	43,44,44,45	4
4	DMS	C	1306	4/4	0.87	0.21	95,95,95,95	0
5	EDO	C	1308	4/4	0.87	0.12	63,63,63,63	0
5	EDO	A	1306	4/4	0.89	0.13	56,56,56,56	0
4	DMS	C	1304	4/4	0.89	0.20	74,74,74,74	4
4	DMS	A	1314	4/4	0.89	0.21	85,85,85,85	4
5	EDO	D	1305	4/4	0.90	0.13	58,58,58,58	0
5	EDO	C	1303	4/4	0.90	0.14	58,59,59,59	0
3	MG	A	1302	1/1	0.90	0.14	50,50,50,50	0
4	DMS	B	2105	4/4	0.90	0.18	101,101,101,101	0
5	EDO	B	2101	4/4	0.90	0.13	51,52,53,53	0
5	EDO	A	1308	4/4	0.90	0.10	65,65,65,65	0
5	EDO	B	2116	4/4	0.91	0.13	65,65,65,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	1320	4/4	0.91	0.12	61,61,61,61	0
5	EDO	C	1312	4/4	0.91	0.13	72,73,73,73	0
5	EDO	D	1316	4/4	0.91	0.18	76,76,76,76	0
3	MG	D	1302	1/1	0.92	0.09	46,46,46,46	0
5	EDO	A	1305	4/4	0.92	0.16	65,65,65,66	0
2	ADP	B	2102	27/27	0.92	0.12	44,54,56,57	0
5	EDO	C	1305	4/4	0.92	0.12	53,53,54,54	0
2	ADP	D	1301	27/27	0.92	0.11	45,54,56,56	27
5	EDO	D	1307	4/4	0.92	0.12	54,54,55,55	0
5	EDO	B	2106	4/4	0.93	0.07	60,60,60,61	0
5	EDO	A	1315	4/4	0.93	0.11	55,55,56,56	0
2	ADP	C	1301	27/27	0.93	0.10	36,45,45,47	27
6	A1J1H	A	1311	22/22	0.93	0.11	45,47,51,51	0
6	A1J1H	D	1311	22/22	0.93	0.11	41,46,50,50	0
3	MG	B	2103	1/1	0.94	0.10	36,36,36,36	0
6	A1J1H	B	2109	22/22	0.94	0.10	35,40,45,45	0
6	A1J1H	C	1310	22/22	0.94	0.10	38,43,47,47	0
2	ADP	A	1301	27/27	0.94	0.11	39,49,50,51	27
5	EDO	A	1309	4/4	0.95	0.09	50,50,51,51	0
5	EDO	A	1304	4/4	0.96	0.08	49,49,50,50	0
5	EDO	D	1304	4/4	0.96	0.09	59,59,59,60	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP B 2102:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 1301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP C 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1J1H A 1311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1H D 1311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1J1H B 2109:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1H C 1310:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP A 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.