



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 27, 2026 – 12:25 pm BST

PDB ID : 28ZR / pdb_000028zr
Title : Crystal structure of human DHX8 in complex with compound 51 and ADP
Authors : Felisberto-Rodrigues, C.; Silva, S.T.N.; Le Bihan, Y.-V.; van Montfort, R.L.M.
Deposited on : 2026-03-03
Resolution : 2.45 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	680	81% 12% 7%
1	B	680	85% 9% 6%
1	C	680	84% 9% 7%
1	D	680	84% 9% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	1311	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 20966 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent RNA helicase DHX8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	631	Total	C	N	O	S	0	3	0
			4929	3151	823	920	35			
1	B	638	Total	C	N	O	S	0	12	0
			5021	3213	838	936	34			
1	C	633	Total	C	N	O	S	6	4	1
			4920	3156	811	919	34			
1	D	633	Total	C	N	O	S	0	2	0
			4871	3118	807	911	35			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	547	MET	-	initiating methionine	UNP Q14562
A	1221	HIS	-	expression tag	UNP Q14562
A	1222	HIS	-	expression tag	UNP Q14562
A	1223	HIS	-	expression tag	UNP Q14562
A	1224	HIS	-	expression tag	UNP Q14562
A	1225	HIS	-	expression tag	UNP Q14562
A	1226	HIS	-	expression tag	UNP Q14562
B	547	MET	-	initiating methionine	UNP Q14562
B	1221	HIS	-	expression tag	UNP Q14562
B	1222	HIS	-	expression tag	UNP Q14562
B	1223	HIS	-	expression tag	UNP Q14562
B	1224	HIS	-	expression tag	UNP Q14562
B	1225	HIS	-	expression tag	UNP Q14562
B	1226	HIS	-	expression tag	UNP Q14562
C	547	MET	-	initiating methionine	UNP Q14562
C	1221	HIS	-	expression tag	UNP Q14562
C	1222	HIS	-	expression tag	UNP Q14562
C	1223	HIS	-	expression tag	UNP Q14562
C	1224	HIS	-	expression tag	UNP Q14562
C	1225	HIS	-	expression tag	UNP Q14562
C	1226	HIS	-	expression tag	UNP Q14562

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	547	MET	-	initiating methionine	UNP Q14562
D	1221	HIS	-	expression tag	UNP Q14562
D	1222	HIS	-	expression tag	UNP Q14562
D	1223	HIS	-	expression tag	UNP Q14562
D	1224	HIS	-	expression tag	UNP Q14562
D	1225	HIS	-	expression tag	UNP Q14562
D	1226	HIS	-	expression tag	UNP Q14562

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	B	1	Total	C	O	S	0	0
			4	2	1	1		
4	C	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C O S 4 2 1 1	0	0
4	C	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0
4	D	1	Total C O S 4 2 1 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0

- Molecule 6 is 2-[(2S)-1-[4-(propan-2-ylamino)phenyl]propan-2-yl]sulfanylpuridine-3-carboxylic acid (CCD ID: A1J1J) (formula: C₁₈H₂₂N₂O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	0	0
			23	18	2	2	1		
6	B	1	Total	C	N	O	S	0	0
			23	18	2	2	1		
6	C	1	Total	C	N	O	S	0	0
			23	18	2	2	1		
6	D	1	Total	C	N	O	S	0	0
			23	18	2	2	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	216	Total	O	0	4
			220	220		
7	B	212	Total	O	0	1
			213	213		
7	C	217	Total	O	0	0
			217	217		
7	D	167	Total	O	0	0
			167	167		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP-dependent RNA helicase DHX8




• Molecule 1: ATP-dependent RNA helicase DHX8



• Molecule 1: ATP-dependent RNA helicase DHX8





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.31Å 167.73Å 137.35Å 90.00° 92.61° 90.00°	Depositor
Resolution (Å)	35.80 – 2.45 35.80 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.4 (35.80-2.45) 99.4 (35.80-2.45)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 2.45Å)	Xtriage
Refinement program	BUSTER 2.10.4 (26-JUL-2023)	Depositor
R, R_{free}	0.215 , 0.252 0.209 , 0.244	Depositor DCC
R_{free} test set	5418 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 58.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.085 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	20966	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, A1J1J, ADP, EDO, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.69	1/5028 (0.0%)	1.01	8/6826 (0.1%)
1	B	0.68	0/5121	0.99	4/6948 (0.1%)
1	C	0.69	1/5019 (0.0%)	1.02	1/6807 (0.0%)
1	D	0.67	0/4976	1.02	7/6760 (0.1%)
All	All	0.68	2/20144 (0.0%)	1.01	20/27341 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	839	THR	CA-C	5.13	1.59	1.53
1	C	1157	THR	CA-C	5.02	1.54	1.52

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1180	PHE	CA-CB-CG	6.71	120.51	113.80
1	B	1040	GLY	N-CA-C	6.37	120.01	110.97
1	A	1040	GLY	N-CA-C	6.30	119.91	110.97
1	D	1040	GLY	N-CA-C	6.26	119.85	110.97
1	D	1180	PHE	CA-CB-CG	6.23	120.03	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4929	0	4849	49	0
1	B	5021	0	4881	30	0
1	C	4920	0	4794	32	0
1	D	4871	0	4712	37	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	16	0	24	0	0
4	B	12	0	18	0	0
4	C	12	0	18	1	0
4	D	24	0	36	2	0
5	A	44	0	66	11	0
5	B	36	0	54	1	0
5	C	36	0	54	1	0
5	D	24	0	36	2	0
6	A	23	0	0	0	0
6	B	23	0	0	0	0
6	C	23	0	0	0	0
6	D	23	0	0	0	0
7	A	220	0	0	1	0
7	B	213	0	0	0	0
7	C	217	0	0	1	0
7	D	167	0	0	2	0
All	All	20966	0	19590	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 146 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:688:HIS:CE1	1:B:844:THR:HG21	2.10	0.87
1:A:688:HIS:CE1	1:A:844:THR:HG21	2.09	0.86
1:A:712:LYS:HZ3	5:A:1311:EDO:H12	1.45	0.82
1:A:688:HIS:HE1	1:A:844:THR:HG21	1.42	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:688:HIS:CE1	1:C:844:THR:HG21	2.17	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	632/680 (93%)	611 (97%)	20 (3%)	1 (0%)	43	54
1	B	646/680 (95%)	623 (96%)	22 (3%)	1 (0%)	43	54
1	C	633/680 (93%)	617 (98%)	15 (2%)	1 (0%)	43	54
1	D	633/680 (93%)	616 (97%)	16 (2%)	1 (0%)	43	54
All	All	2544/2720 (94%)	2467 (97%)	73 (3%)	4 (0%)	43	54

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1016	ASN
1	B	1016	ASN
1	C	1016	ASN
1	D	1016	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/603 (86%)	513 (99%)	4 (1%)	73	83
1	B	510/603 (85%)	505 (99%)	5 (1%)	68	77
1	C	503/603 (83%)	497 (99%)	6 (1%)	63	74
1	D	491/603 (81%)	486 (99%)	5 (1%)	68	77
All	All	2021/2412 (84%)	2001 (99%)	20 (1%)	68	77

5 of 20 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	1181	PHE
1	D	720	LEU
1	D	1023	ASP
1	D	991	LYS
1	B	975	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1016	ASN
1	D	688	HIS
1	D	1030	GLN
1	C	1089	HIS
1	D	862	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 63 ligands modelled in this entry, 4 are monoatomic - leaving 59 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	EDO	D	2606	-	3,3,3	0.29	0	2,2,2	0.19	0
4	DMS	C	1305	-	3,3,3	0.65	0	3,3,3	0.29	0
5	EDO	A	1307	-	3,3,3	0.19	0	2,2,2	0.25	0
5	EDO	D	2610	-	3,3,3	0.45	0	2,2,2	0.19	0
5	EDO	B	1304	-	3,3,3	0.26	0	2,2,2	0.14	0
5	EDO	A	1313	-	3,3,3	0.28	0	2,2,2	0.16	0
5	EDO	C	1315	-	3,3,3	0.21	0	2,2,2	0.18	0
4	DMS	D	2614	-	3,3,3	0.68	0	3,3,3	0.46	0
4	DMS	A	1318	-	3,3,3	0.68	0	3,3,3	0.48	0
4	DMS	C	1304	-	3,3,3	0.53	0	3,3,3	0.37	0
2	ADP	A	1301	3	27,29,29	1.08	3 (11%)	42,45,45	0.72	2 (4%)
6	A1J1J	C	1310	-	23,24,24	0.77	2 (8%)	27,32,32	0.85	2 (7%)
5	EDO	A	1317	-	3,3,3	0.24	0	2,2,2	0.26	0
4	DMS	A	1303	-	3,3,3	0.72	0	3,3,3	0.34	0
5	EDO	C	1303	-	3,3,3	0.18	0	2,2,2	0.48	0
4	DMS	B	1310	-	3,3,3	0.72	0	3,3,3	0.42	0
5	EDO	B	1311	-	3,3,3	0.23	0	2,2,2	0.32	0
5	EDO	B	1303	-	3,3,3	0.37	0	2,2,2	0.19	0
5	EDO	A	1306	-	3,3,3	0.30	0	2,2,2	0.18	0
4	DMS	B	1306	-	3,3,3	0.69	0	3,3,3	0.34	0
6	A1J1J	D	2611	-	23,24,24	0.83	2 (8%)	27,32,32	0.79	2 (7%)
2	ADP	D	2602	3	27,29,29	0.95	2 (7%)	42,45,45	0.59	1 (2%)
4	DMS	C	1306	-	3,3,3	0.67	0	3,3,3	0.29	0
5	EDO	A	1310	-	3,3,3	0.17	0	2,2,2	0.38	0
5	EDO	C	1314	-	3,3,3	0.28	0	2,2,2	0.14	0
5	EDO	D	2605	-	3,3,3	0.31	0	2,2,2	0.08	0
6	A1J1J	A	1314	-	23,24,24	0.82	1 (4%)	27,32,32	0.88	2 (7%)
5	EDO	C	1308	-	3,3,3	0.28	0	2,2,2	0.22	0
5	EDO	C	1311	-	3,3,3	0.23	0	2,2,2	0.32	0
5	EDO	A	1315	-	3,3,3	0.40	0	2,2,2	0.08	0
5	EDO	A	1311	-	3,3,3	0.38	0	2,2,2	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DMS	A	1304	-	3,3,3	0.70	0	3,3,3	0.43	0
4	DMS	D	2607	-	3,3,3	0.70	0	3,3,3	0.41	0
5	EDO	B	1312	-	3,3,3	0.17	0	2,2,2	0.43	0
5	EDO	D	2609	-	3,3,3	0.23	0	2,2,2	0.20	0
5	EDO	B	1307	-	3,3,3	0.37	0	2,2,2	0.16	0
5	EDO	A	1316	-	3,3,3	0.37	0	2,2,2	0.04	0
6	A1J1J	B	1308	-	23,24,24	0.81	2 (8%)	27,32,32	0.86	2 (7%)
5	EDO	C	1312	-	3,3,3	0.30	0	2,2,2	0.21	0
5	EDO	C	1307	-	3,3,3	0.25	0	2,2,2	0.29	0
4	DMS	D	2604	-	3,3,3	0.66	0	3,3,3	0.42	0
5	EDO	D	2613	-	3,3,3	0.26	0	2,2,2	0.38	0
4	DMS	B	1305	-	3,3,3	0.57	0	3,3,3	0.32	0
4	DMS	D	2612	-	3,3,3	0.65	0	3,3,3	0.16	0
2	ADP	B	1301	3	27,29,29	1.03	2 (7%)	42,45,45	0.62	1 (2%)
4	DMS	D	2615	-	3,3,3	0.61	0	3,3,3	0.23	0
5	EDO	B	1315	-	3,3,3	0.32	0	2,2,2	0.20	0
5	EDO	C	1313	-	3,3,3	0.30	0	2,2,2	0.21	0
5	EDO	C	1309	-	3,3,3	0.26	0	2,2,2	0.19	0
5	EDO	D	2601	-	3,3,3	0.07	0	2,2,2	0.50	0
2	ADP	C	1301	3	27,29,29	0.95	2 (7%)	42,45,45	0.63	1 (2%)
5	EDO	A	1309	-	3,3,3	0.28	0	2,2,2	0.23	0
4	DMS	D	2608	-	3,3,3	0.68	0	3,3,3	0.38	0
5	EDO	B	1313	-	3,3,3	0.32	0	2,2,2	0.12	0
4	DMS	A	1308	-	3,3,3	0.66	0	3,3,3	0.19	0
5	EDO	B	1309	-	3,3,3	0.34	0	2,2,2	0.11	0
5	EDO	A	1305	-	3,3,3	0.20	0	2,2,2	0.14	0
5	EDO	B	1314	-	3,3,3	0.19	0	2,2,2	0.43	0
5	EDO	A	1312	-	3,3,3	0.53	0	2,2,2	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	D	2606	-	-	1/1/1/1	-
5	EDO	A	1307	-	-	0/1/1/1	-
5	EDO	D	2610	-	-	1/1/1/1	-
5	EDO	B	1304	-	-	0/1/1/1	-
5	EDO	A	1313	-	-	0/1/1/1	-
5	EDO	C	1315	-	-	1/1/1/1	-
2	ADP	A	1301	3	-	5/16/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	A1J1J	C	1310	-	-	4/15/16/16	0/2/2/2
5	EDO	A	1317	-	-	1/1/1/1	-
5	EDO	C	1303	-	-	0/1/1/1	-
5	EDO	B	1311	-	-	1/1/1/1	-
5	EDO	B	1303	-	-	1/1/1/1	-
5	EDO	A	1306	-	-	1/1/1/1	-
6	A1J1J	D	2611	-	-	4/15/16/16	0/2/2/2
2	ADP	D	2602	3	-	5/16/32/32	0/3/3/3
5	EDO	A	1310	-	-	0/1/1/1	-
5	EDO	C	1314	-	-	0/1/1/1	-
5	EDO	D	2605	-	-	1/1/1/1	-
6	A1J1J	A	1314	-	-	6/15/16/16	0/2/2/2
5	EDO	C	1308	-	-	0/1/1/1	-
5	EDO	C	1311	-	-	1/1/1/1	-
5	EDO	A	1315	-	-	1/1/1/1	-
5	EDO	A	1311	-	-	1/1/1/1	-
5	EDO	D	2609	-	-	1/1/1/1	-
5	EDO	B	1312	-	-	1/1/1/1	-
5	EDO	B	1307	-	-	1/1/1/1	-
5	EDO	A	1316	-	-	1/1/1/1	-
6	A1J1J	B	1308	-	-	5/15/16/16	0/2/2/2
5	EDO	C	1312	-	-	1/1/1/1	-
5	EDO	C	1307	-	-	1/1/1/1	-
5	EDO	D	2613	-	-	1/1/1/1	-
2	ADP	B	1301	3	-	8/16/32/32	0/3/3/3
5	EDO	B	1315	-	-	0/1/1/1	-
5	EDO	C	1313	-	-	0/1/1/1	-
5	EDO	C	1309	-	-	0/1/1/1	-
5	EDO	D	2601	-	-	0/1/1/1	-
2	ADP	C	1301	3	-	5/16/32/32	0/3/3/3
5	EDO	A	1309	-	-	0/1/1/1	-
5	EDO	B	1313	-	-	0/1/1/1	-
5	EDO	B	1309	-	-	0/1/1/1	-
5	EDO	A	1305	-	-	1/1/1/1	-
5	EDO	B	1314	-	-	1/1/1/1	-
5	EDO	A	1312	-	-	0/1/1/1	-

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1301	ADP	PB-O1B	-3.36	1.39	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1314	A1J1J	O-C	-3.27	1.20	1.30
6	D	2611	A1J1J	O-C	-3.18	1.20	1.30
2	A	1301	ADP	PB-O1B	-3.10	1.40	1.50
6	B	1308	A1J1J	O-C	-3.07	1.21	1.30

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1314	A1J1J	O1-C-C1	-3.22	114.12	121.94
6	C	1310	A1J1J	O1-C-C1	-3.13	114.35	121.94
6	B	1308	A1J1J	O1-C-C1	-3.03	114.57	121.94
6	D	2611	A1J1J	O1-C-C1	-2.85	115.03	121.94
2	A	1301	ADP	C4'-O4'-C1'	-2.76	103.38	109.47

There are no chirality outliers.

5 of 62 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1301	ADP	C5'-O5'-PA-O1A
2	B	1301	ADP	PA-O3A-PB-O3B
2	B	1301	ADP	C5'-O5'-PA-O1A
2	C	1301	ADP	C5'-O5'-PA-O1A
2	D	2602	ADP	C5'-O5'-PA-O1A

There are no ring outliers.


12 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	2610	EDO	2	0
4	C	1304	DMS	1	0
2	A	1301	ADP	1	0
5	A	1317	EDO	1	0
5	A	1310	EDO	1	0
5	C	1308	EDO	1	0
5	A	1311	EDO	4	0
4	D	2612	DMS	1	0
4	D	2608	DMS	1	0
5	B	1313	EDO	1	0
5	A	1305	EDO	2	0
5	A	1312	EDO	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1J1J C 1310




Ligand A1J1J D 2611




Ligand ADP D 2602




Ligand A1J1J A 1314




Ligand A1J1J B 1308



Ligand ADP B 1301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	631/680 (92%)	0.22	6 (0%) 79 80	25, 49, 72, 83	3 (0%)
1	B	638/680 (93%)	0.28	14 (2%) 62 64	22, 50, 69, 85	12 (1%)
1	C	633/680 (93%)	0.30	17 (2%) 56 57	23, 52, 73, 89	4 (0%)
1	D	633/680 (93%)	0.38	22 (3%) 47 47	25, 54, 78, 93	2 (0%)
All	All	2535/2720 (93%)	0.29	59 (2%) 61 63	22, 51, 74, 93	21 (0%)

The worst 5 of 59 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	719[A]	THR	5.5
1	C	1196	GLN	5.2
1	C	846	LEU	3.8
1	B	707[A]	LYS	3.7
1	D	913	LEU	3.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	A	1315	4/4	0.60	0.25	84,84,84,84	0
5	EDO	D	2610	4/4	0.62	0.22	68,69,69,69	0
4	DMS	D	2608	4/4	0.65	0.32	73,73,73,73	4
4	DMS	A	1303	4/4	0.68	0.26	96,96,96,96	0
5	EDO	A	1306	4/4	0.68	0.27	70,70,70,71	0
4	DMS	D	2615	4/4	0.69	0.24	121,121,121,121	0
4	DMS	D	2607	4/4	0.69	0.28	106,106,106,106	0
5	EDO	A	1312	4/4	0.70	0.35	64,64,64,64	0
4	DMS	B	1310	4/4	0.75	0.26	75,75,75,76	4
5	EDO	D	2606	4/4	0.76	0.24	73,73,73,74	0
4	DMS	B	1306	4/4	0.78	0.20	110,110,110,110	0
5	EDO	C	1308	4/4	0.79	0.18	72,72,72,72	0
5	EDO	A	1316	4/4	0.81	0.16	61,61,61,61	0
4	DMS	A	1308	4/4	0.81	0.22	97,97,97,97	0
5	EDO	B	1312	4/4	0.82	0.14	68,68,68,68	0
5	EDO	B	1315	4/4	0.82	0.15	68,68,68,68	0
4	DMS	D	2614	4/4	0.82	0.24	82,82,82,82	4
4	DMS	A	1318	4/4	0.82	0.31	116,117,117,117	0
5	EDO	A	1317	4/4	0.82	0.19	74,74,74,74	0
5	EDO	C	1312	4/4	0.83	0.20	78,78,78,78	0
5	EDO	B	1309	4/4	0.83	0.19	71,71,71,71	0
5	EDO	B	1303	4/4	0.83	0.16	60,60,61,62	0
5	EDO	C	1313	4/4	0.84	0.14	73,73,73,73	0
5	EDO	B	1307	4/4	0.84	0.12	68,68,68,68	0
4	DMS	D	2604	4/4	0.84	0.23	96,96,96,96	4
5	EDO	B	1311	4/4	0.85	0.14	68,68,68,68	0
5	EDO	A	1310	4/4	0.85	0.17	77,77,77,77	0
5	EDO	B	1314	4/4	0.85	0.23	82,82,82,82	0
4	DMS	C	1306	4/4	0.85	0.23	99,99,99,99	0
5	EDO	C	1307	4/4	0.85	0.17	69,69,69,69	0
5	EDO	B	1313	4/4	0.86	0.14	78,78,78,78	0
5	EDO	C	1311	4/4	0.86	0.14	72,72,72,72	0
5	EDO	A	1309	4/4	0.86	0.15	61,61,62,62	0
5	EDO	D	2609	4/4	0.87	0.15	73,73,73,73	0
5	EDO	D	2613	4/4	0.87	0.14	69,69,69,69	0
5	EDO	C	1303	4/4	0.88	0.14	56,56,56,56	0
3	MG	C	1302	1/1	0.88	0.14	31,31,31,31	0
3	MG	A	1302	1/1	0.89	0.14	41,41,41,41	0
4	DMS	A	1304	4/4	0.89	0.18	60,60,60,60	4
5	EDO	C	1309	4/4	0.89	0.10	58,58,58,58	0
5	EDO	A	1311	4/4	0.89	0.12	61,61,61,61	0
4	DMS	D	2612	4/4	0.89	0.17	94,94,94,94	4
3	MG	D	2603	1/1	0.90	0.20	46,46,46,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	DMS	B	1305	4/4	0.90	0.19	103,103,103,104	0
4	DMS	C	1305	4/4	0.90	0.18	81,81,81,81	4
5	EDO	C	1314	4/4	0.90	0.13	85,85,85,85	0
5	EDO	A	1307	4/4	0.91	0.14	60,60,61,61	0
5	EDO	C	1315	4/4	0.91	0.16	66,66,66,67	0
5	EDO	B	1304	4/4	0.92	0.11	58,59,59,59	0
2	ADP	B	1301	27/27	0.92	0.11	48,55,57,57	0
5	EDO	A	1313	4/4	0.92	0.10	55,55,55,55	0
4	DMS	C	1304	4/4	0.93	0.14	103,103,103,103	0
5	EDO	A	1305	4/4	0.93	0.11	50,51,51,52	0
2	ADP	C	1301	27/27	0.93	0.10	42,49,50,51	0
5	EDO	D	2601	4/4	0.93	0.13	61,61,61,61	0
2	ADP	D	2602	27/27	0.94	0.10	46,55,56,57	0
5	EDO	D	2605	4/4	0.94	0.11	53,53,54,54	0
2	ADP	A	1301	27/27	0.95	0.10	38,49,53,53	0
6	A1J1J	A	1314	23/23	0.95	0.09	32,35,37,37	0
6	A1J1J	B	1308	23/23	0.95	0.09	33,34,35,36	0
6	A1J1J	C	1310	23/23	0.95	0.08	36,37,38,38	0
6	A1J1J	D	2611	23/23	0.96	0.07	34,38,39,40	0
3	MG	B	1302	1/1	0.98	0.07	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ADP B 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP C 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP D 2602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around A1J1J A 1314:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1J1J B 1308:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1J1J C 1310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around A1J1J D 2611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.