



Full wwPDB X-ray Structure Validation Report ⓘ

May 30, 2020 – 02:12 pm BST

PDB ID : 198D
Title : A TRIGONAL FORM OF THE IDARUBICIN-D(CGATCG) COMPLEX:
CRYSTAL AND MOLECULAR STRUCTURE AT 2.0 ANGSTROMS RES-
OLUTION
Authors : Dautant, A.; Langlois D'Estaintot, B.; Gallois, B.; Brown, T.; Hunter, W.N.
Deposited on : 1994-11-28
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 798 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*CP*GP*AP*TP*CP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	6	Total 120	C 58	N 23	O 34	P 5	0	0	0
1	B	6	Total 120	C 58	N 23	O 34	P 5	0	0	0
1	C	6	Total 120	C 58	N 23	O 34	P 5	0	0	0
1	D	6	Total 120	C 58	N 23	O 34	P 5	0	0	0

- Molecule 2 is IDARUBICIN (three-letter code: DM5) (formula: C₂₆H₂₇NO₉).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 36	C 26	N 1	O 9	0	0
2	B	1	Total 36	C 26	N 1	O 9	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			36	26	1	9		
2	D	1	Total	C	N	O	0	0
			36	26	1	9		

- Molecule 3 is SPERMINE (three-letter code: SPM) (formula: C₁₀H₂₆N₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			14	10	4		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	47	Total	O	0	0
			47	47		
4	B	38	Total	O	0	0
			38	38		
4	C	37	Total	O	0	0
			37	37		
4	D	38	Total	O	0	0
			38	38		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: DNA (5'-D(*CP*GP*AP*TP*CP*G)-3')

Chain A:  83% 17%


 C1
C2
A3
T4
C5
G6


- Molecule 1: DNA (5'-D(*CP*GP*AP*TP*CP*G)-3')

Chain B:  100%


 C7
G8
A9
T10
C11
G12

- Molecule 1: DNA (5'-D(*CP*GP*AP*TP*CP*G)-3')

Chain C:  83% 17%

 C13
G14
A15
T16
C17
G18

- Molecule 1: DNA (5'-D(*CP*GP*AP*TP*CP*G)-3')

Chain D:  83% 17%

 C19
G20
A21
T22
C23
G24

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	53.00Å 53.00Å 33.06Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	18.00 – 1.97	Depositor
% Data completeness (in resolution range)	(Not available) (18.00-1.97)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	NUCLSQ	Depositor
R, R_{free}	0.188 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	798	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DM5, SPM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	2.57	7/134 (5.2%)	2.87	15/205 (7.3%)
1	B	2.18	6/134 (4.5%)	3.24	25/205 (12.2%)
1	C	2.54	8/134 (6.0%)	4.03	37/205 (18.0%)
1	D	2.34	6/134 (4.5%)	3.24	23/205 (11.2%)
All	All	2.41	27/536 (5.0%)	3.37	100/820 (12.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	6	DG	C5'-C4'	7.17	1.59	1.51
1	A	2	DG	C6-N1	-7.10	1.34	1.39
1	A	6	DG	N1-C2	-6.85	1.32	1.37
1	C	16	DT	C2-O2	6.84	1.27	1.22
1	C	16	DT	C4-O4	6.64	1.29	1.23
1	C	18	DG	N7-C5	6.52	1.43	1.39
1	B	8	DG	C2-N3	-6.38	1.27	1.32
1	D	23	DC	O4'-C1'	6.30	1.49	1.42
1	D	21	DA	N3-C4	6.26	1.38	1.34
1	A	4	DT	C5-C6	6.24	1.38	1.34
1	C	17	DC	C4'-O4'	-6.09	1.39	1.45
1	B	7	DC	C4-C5	-5.82	1.38	1.43
1	B	10	DT	O4'-C1'	5.79	1.49	1.42
1	D	21	DA	N7-C5	5.78	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	6	DG	C8-N7	-5.71	1.27	1.30
1	B	11	DC	C5-C6	5.70	1.39	1.34
1	D	20	DG	N3-C4	-5.70	1.31	1.35
1	B	7	DC	N3-C4	5.66	1.38	1.33
1	D	20	DG	N1-C2	-5.45	1.33	1.37
1	D	24	DG	C5-C4	-5.37	1.34	1.38
1	A	6	DG	C4'-O4'	-5.33	1.39	1.45
1	A	6	DG	O4'-C1'	5.30	1.48	1.42
1	C	17	DC	C2-N3	-5.30	1.31	1.35
1	C	15	DA	C5-C4	-5.29	1.35	1.38
1	B	7	DC	C4'-O4'	-5.29	1.39	1.45
1	C	18	DG	N3-C4	5.07	1.39	1.35
1	C	17	DC	C4'-C3'	5.04	1.58	1.53

All (100) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	17	DC	O4'-C1'-N1	24.58	125.21	108.00
1	B	12	DG	O4'-C1'-N9	15.12	118.58	108.00
1	C	14	DG	O4'-C1'-N9	14.04	117.83	108.00
1	A	5	DC	O4'-C1'-N1	13.33	117.33	108.00
1	D	23	DC	O4'-C1'-N1	12.46	116.72	108.00
1	C	14	DG	N9-C4-C5	10.52	109.61	105.40
1	A	2	DG	O4'-C1'-N9	10.45	115.31	108.00
1	D	23	DC	O4'-C4'-C3'	10.26	112.16	106.00
1	B	8	DG	N9-C4-C5	10.15	109.46	105.40
1	B	11	DC	O4'-C1'-N1	9.87	114.91	108.00
1	C	15	DA	N1-C2-N3	-9.80	124.40	129.30
1	C	17	DC	C2-N3-C4	8.98	124.39	119.90
1	C	15	DA	P-O3'-C3'	8.97	130.46	119.70
1	C	17	DC	N1-C2-O2	8.91	124.24	118.90
1	D	19	DC	O4'-C1'-N1	8.81	114.17	108.00
1	B	8	DG	C8-N9-C4	-8.78	102.89	106.40
1	C	17	DC	N3-C4-C5	-8.63	118.45	121.90
1	D	21	DA	C5-C6-N1	-8.59	113.40	117.70
1	C	15	DA	C6-N1-C2	8.59	123.75	118.60
1	C	15	DA	N1-C6-N6	8.56	123.74	118.60
1	C	16	DT	C2-N3-C4	-8.56	122.06	127.20
1	D	19	DC	N3-C4-C5	-8.55	118.48	121.90
1	A	3	DA	N1-C2-N3	-8.48	125.06	129.30
1	D	24	DG	O4'-C4'-C3'	-8.35	100.99	106.00
1	D	19	DC	C2-N3-C4	8.32	124.06	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	21	DA	N9-C4-C5	8.28	109.11	105.80
1	A	3	DA	P-O3'-C3'	8.10	129.41	119.70
1	C	18	DG	N9-C4-C5	7.99	108.60	105.40
1	A	4	DT	P-O3'-C3'	7.99	129.29	119.70
1	B	8	DG	C4-C5-N7	-7.82	107.67	110.80
1	D	22	DT	N3-C4-O4	-7.78	115.23	119.90
1	C	16	DT	N3-C4-C5	7.77	119.86	115.20
1	D	21	DA	O4'-C1'-N9	7.73	113.41	108.00
1	C	16	DT	P-O3'-C3'	7.67	128.91	119.70
1	D	21	DA	C6-N1-C2	7.59	123.15	118.60
1	C	13	DC	O4'-C4'-C3'	7.58	110.55	106.00
1	C	14	DG	C8-N9-C4	-7.24	103.51	106.40
1	C	14	DG	N1-C2-N3	7.20	128.22	123.90
1	C	14	DG	C4-C5-N7	-7.12	107.95	110.80
1	D	22	DT	N3-C2-O2	-7.10	118.04	122.30
1	B	11	DC	N3-C4-C5	-7.07	119.07	121.90
1	D	20	DG	O4'-C1'-N9	6.97	112.88	108.00
1	C	15	DA	C5-C6-N1	-6.95	114.22	117.70
1	B	7	DC	O4'-C1'-N1	6.91	112.83	108.00
1	C	16	DT	C4-C5-C7	6.75	123.05	119.00
1	B	8	DG	N1-C6-O6	-6.73	115.86	119.90
1	C	16	DT	N1-C2-N3	6.72	118.64	114.60
1	C	16	DT	C6-C5-C7	-6.65	118.91	122.90
1	A	3	DA	C6-N1-C2	6.57	122.54	118.60
1	D	23	DC	P-O3'-C3'	6.50	127.50	119.70
1	C	14	DG	C6-N1-C2	-6.49	121.21	125.10
1	B	8	DG	O4'-C1'-N9	6.31	112.42	108.00
1	C	14	DG	O4'-C1'-C2'	-6.23	100.92	105.90
1	B	8	DG	C5-C6-O6	6.23	132.34	128.60
1	B	8	DG	N3-C2-N2	-6.17	115.58	119.90
1	C	18	DG	N3-C4-C5	-6.04	125.58	128.60
1	A	4	DT	C6-C5-C7	-5.99	119.30	122.90
1	C	18	DG	C4-C5-C6	5.99	122.39	118.80
1	D	20	DG	C8-N9-C4	-5.99	104.00	106.40
1	A	1	DC	N3-C4-C5	-5.98	119.51	121.90
1	B	11	DC	C2-N3-C4	5.95	122.88	119.90
1	B	9	DA	C8-N9-C4	-5.95	103.42	105.80
1	C	16	DT	C6-N1-C2	-5.92	118.34	121.30
1	D	20	DG	N3-C2-N2	-5.91	115.76	119.90
1	B	7	DC	C2-N3-C4	5.91	122.85	119.90
1	B	7	DC	N3-C2-O2	5.86	126.00	121.90
1	D	20	DG	N7-C8-N9	5.81	116.01	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	12	DG	N7-C8-N9	5.77	115.99	113.10
1	D	22	DT	C5-C4-O4	5.75	128.92	124.90
1	C	17	DC	N3-C2-O2	-5.70	117.91	121.90
1	B	10	DT	N3-C2-O2	-5.59	118.95	122.30
1	C	18	DG	O4'-C1'-N9	-5.56	104.11	108.00
1	A	6	DG	O4'-C1'-N9	-5.55	104.11	108.00
1	D	21	DA	C5-C6-N6	5.52	128.12	123.70
1	B	8	DG	N3-C4-C5	-5.49	125.86	128.60
1	B	8	DG	C8-N9-C1'	5.48	134.12	127.00
1	B	12	DG	C5-N7-C8	-5.46	101.57	104.30
1	C	13	DC	C2-N3-C4	5.41	122.61	119.90
1	C	13	DC	C3'-C2'-C1'	5.41	108.99	102.50
1	B	10	DT	C1'-O4'-C4'	-5.39	104.71	110.10
1	D	19	DC	N3-C4-N4	5.38	121.76	118.00
1	B	8	DG	C6-N1-C2	-5.33	121.91	125.10
1	C	14	DG	N3-C2-N2	-5.28	116.20	119.90
1	A	3	DA	C3'-C2'-C1'	5.28	108.84	102.50
1	A	1	DC	O4'-C1'-C2'	5.28	110.12	105.90
1	C	16	DT	O4'-C1'-C2'	-5.26	101.69	105.90
1	B	12	DG	N3-C2-N2	-5.25	116.22	119.90
1	B	11	DC	N1-C2-O2	5.24	122.04	118.90
1	B	12	DG	O4'-C4'-C3'	-5.19	102.42	104.50
1	C	16	DT	O4'-C1'-N1	5.18	111.62	108.00
1	A	4	DT	C5-C6-N1	-5.17	120.60	123.70
1	A	5	DC	O5'-P-OP2	5.17	116.90	110.70
1	C	17	DC	C6-N1-C1'	5.11	126.93	120.80
1	C	16	DT	C1'-O4'-C4'	5.09	115.19	110.10
1	C	16	DT	N3-C2-O2	-5.09	119.25	122.30
1	D	23	DC	C1'-O4'-C4'	-5.08	105.02	110.10
1	D	20	DG	P-O3'-C3'	5.07	125.79	119.70
1	D	21	DA	C8-N9-C4	-5.05	103.78	105.80
1	A	3	DA	C5-C6-N1	-5.04	115.18	117.70
1	A	5	DC	N3-C4-C5	-5.01	119.90	121.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	17	DC	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	120	0	69	3	0
1	B	120	0	69	0	0
1	C	120	0	69	0	0
1	D	120	0	69	1	0
2	A	36	0	25	0	0
2	B	36	0	25	1	0
2	D	72	0	50	1	0
3	A	14	0	26	4	0
4	A	47	0	0	1	0
4	B	38	0	0	0	0
4	C	37	0	0	0	0
4	D	38	0	0	2	0
All	All	798	0	402	7	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (7) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:29:SPM:H22	4:A:95:HOH:O	1.83	0.78
1:A:5:DC:H6	3:A:29:SPM:HN0	1.33	0.76
1:A:5:DC:H2'	3:A:29:SPM:H122	1.72	0.72
2:D:27:DM5:H4	4:D:81:HOH:O	2.02	0.60
1:A:5:DC:C2'	3:A:29:SPM:H122	2.36	0.55
1:D:22:DT:H73	4:D:32:HOH:O	2.17	0.44
2:B:26:DM5:O6	2:B:26:DM5:O8	2.37	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SPM	A	29	-	13,13,13	0.90	0	12,12,12	0.48	0
2	DM5	A	25	-	38,40,40	2.25	17 (44%)	51,63,63	2.00	16 (31%)
2	DM5	B	26	-	38,40,40	2.15	14 (36%)	51,63,63	2.08	16 (31%)
2	DM5	D	28	-	38,40,40	2.48	20 (52%)	51,63,63	2.03	16 (31%)
2	DM5	D	27	-	38,40,40	2.34	15 (39%)	51,63,63	2.08	15 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SPM	A	29	-	-	6/11/11/11	-
2	DM5	A	25	-	-	0/10/56/56	0/5/5/5
2	DM5	B	26	-	-	1/10/56/56	0/5/5/5
2	DM5	D	28	-	-	0/10/56/56	0/5/5/5
2	DM5	D	27	-	-	2/10/56/56	0/5/5/5

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	28	DM5	C15-C16	-5.82	1.43	1.51
2	B	26	DM5	O13-C13	5.67	1.33	1.21
2	D	28	DM5	O13-C13	5.59	1.33	1.21
2	A	25	DM5	O4'-C4'	-5.47	1.30	1.43
2	D	27	DM5	O4'-C4'	-5.00	1.31	1.43
2	D	28	DM5	O19-C19	4.54	1.31	1.22
2	B	26	DM5	O4'-C4'	-4.51	1.32	1.43
2	D	27	DM5	O13-C13	4.37	1.30	1.21
2	D	27	DM5	C4-C5	4.33	1.46	1.39
2	A	25	DM5	C20-C5	-4.18	1.33	1.40
2	A	25	DM5	O13-C13	3.94	1.29	1.21
2	D	27	DM5	C15-C16	-3.93	1.46	1.51
2	D	28	DM5	C20-C19	-3.93	1.40	1.48
2	D	27	DM5	C20-C5	-3.88	1.34	1.40
2	B	26	DM5	C20-C19	-3.88	1.40	1.48
2	B	26	DM5	O12-C12	3.87	1.50	1.43
2	A	25	DM5	C15-C16	-3.86	1.46	1.51
2	D	28	DM5	O5'-C1'	3.57	1.51	1.42
2	A	25	DM5	C9-C16	-3.55	1.33	1.39
2	D	27	DM5	C20-C19	-3.53	1.41	1.48
2	D	27	DM5	O19-C19	3.53	1.29	1.22
2	A	25	DM5	O6-C6	3.46	1.29	1.22
2	B	26	DM5	C15-C16	-3.46	1.46	1.51
2	B	26	DM5	O19-C19	3.44	1.29	1.22
2	A	25	DM5	O19-C19	3.44	1.29	1.22
2	D	27	DM5	O6-C6	3.40	1.29	1.22
2	D	27	DM5	C3-C4	3.33	1.45	1.38
2	D	27	DM5	O5'-C1'	3.31	1.50	1.42
2	D	28	DM5	O6-C6	3.09	1.28	1.22
2	A	25	DM5	O8-C8	-3.03	1.29	1.37
2	B	26	DM5	C9-C10	2.91	1.56	1.51
2	D	28	DM5	O4'-C4'	-2.89	1.36	1.43
2	D	28	DM5	C11-C10	-2.85	1.46	1.52
2	A	25	DM5	C9-C10	2.79	1.56	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	25	DM5	C7-C6	-2.79	1.41	1.47
2	D	28	DM5	C3-C4	2.75	1.44	1.38
2	B	26	DM5	O6-C6	2.73	1.27	1.22
2	D	28	DM5	C18-C17	-2.70	1.36	1.41
2	D	28	DM5	C17-C16	2.64	1.44	1.40
2	D	28	DM5	C5-C6	-2.61	1.42	1.48
2	D	28	DM5	O10-C10	-2.51	1.40	1.44
2	D	27	DM5	O12-C12	2.46	1.48	1.43
2	B	26	DM5	O5'-C1'	2.44	1.48	1.42
2	A	25	DM5	C20-C19	-2.42	1.43	1.48
2	A	25	DM5	C3-C4	2.42	1.44	1.38
2	D	28	DM5	C18-C7	2.36	1.46	1.41
2	B	26	DM5	C18-C19	-2.36	1.42	1.47
2	D	28	DM5	C14-C13	2.35	1.56	1.50
2	B	26	DM5	C11-C12	-2.32	1.49	1.53
2	D	28	DM5	C3-C2	2.31	1.44	1.38
2	A	25	DM5	C2'-C1'	2.30	1.55	1.51
2	D	27	DM5	C5-C6	-2.30	1.43	1.48
2	D	28	DM5	C20-C5	-2.29	1.36	1.40
2	D	28	DM5	C4-C5	2.29	1.43	1.39
2	B	26	DM5	C14-C13	2.19	1.55	1.50
2	D	28	DM5	C18-C19	-2.17	1.42	1.47
2	D	27	DM5	C3-C2	2.16	1.43	1.38
2	B	26	DM5	C18-C17	-2.16	1.37	1.41
2	A	25	DM5	C3'-N3'	2.13	1.54	1.47
2	A	25	DM5	C3-C2	2.11	1.43	1.38
2	D	28	DM5	C2'-C1'	2.07	1.55	1.51
2	A	25	DM5	C4-C5	2.06	1.43	1.39
2	D	27	DM5	O5'-C5'	-2.05	1.39	1.44
2	D	27	DM5	C14-C13	2.03	1.55	1.50
2	B	26	DM5	C18-C7	2.03	1.45	1.41
2	A	25	DM5	O10-C10	2.01	1.48	1.44

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	27	DM5	C4-C5-C20	5.71	125.61	119.26
2	B	26	DM5	O4'-C4'-C5'	5.24	121.27	109.67
2	A	25	DM5	C2'-C3'-C4'	-4.92	102.61	110.04
2	D	28	DM5	C4-C5-C20	4.72	124.51	119.26
2	B	26	DM5	O13-C13-C12	-4.69	109.61	119.88
2	D	27	DM5	O13-C13-C12	-4.66	109.68	119.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	26	DM5	C4-C5-C20	4.66	124.44	119.26
2	B	26	DM5	O13-C13-C14	-4.64	112.32	121.35
2	D	27	DM5	O4'-C4'-C5'	4.47	119.58	109.67
2	D	28	DM5	C17-C18-C19	4.40	127.84	120.45
2	D	27	DM5	O13-C13-C14	-4.13	113.33	121.35
2	A	25	DM5	C4-C5-C20	4.02	123.73	119.26
2	A	25	DM5	C1-C20-C19	-3.99	112.76	119.25
2	D	28	DM5	O13-C13-C14	-3.96	113.64	121.35
2	D	28	DM5	O4'-C4'-C5'	3.84	118.17	109.67
2	D	28	DM5	C2'-C3'-C4'	-3.80	104.29	110.04
2	A	25	DM5	O4'-C4'-C5'	3.78	118.05	109.67
2	D	28	DM5	C6'-C5'-C4'	3.72	119.95	113.07
2	A	25	DM5	C14-C13-C12	3.70	125.67	118.92
2	D	28	DM5	O13-C13-C12	-3.67	111.86	119.88
2	D	27	DM5	C5-C20-C19	3.64	124.92	120.85
2	A	25	DM5	O13-C13-C14	-3.63	114.29	121.35
2	A	25	DM5	C1-C20-C5	3.58	123.24	119.26
2	D	27	DM5	C3-C4-C5	-3.57	113.07	119.81
2	D	28	DM5	C5-C20-C19	3.39	124.64	120.85
2	B	26	DM5	C14-C13-C12	3.35	125.03	118.92
2	B	26	DM5	C5-C20-C19	3.34	124.58	120.85
2	D	27	DM5	C4'-C3'-N3'	-3.26	104.51	110.97
2	B	26	DM5	C2'-C3'-C4'	-3.25	105.14	110.04
2	D	28	DM5	C7-C18-C19	-3.04	115.90	120.01
2	A	25	DM5	C15-C16-C17	-2.93	113.79	119.23
2	D	27	DM5	C1-C20-C19	-2.90	114.55	119.25
2	D	27	DM5	C4-C5-C6	-2.83	114.65	119.25
2	A	25	DM5	C4'-C3'-N3'	-2.83	105.36	110.97
2	A	25	DM5	C2-C1-C20	-2.79	114.53	119.81
2	B	26	DM5	C20-C5-C6	-2.79	117.72	120.85
2	B	26	DM5	C15-C16-C17	-2.77	114.09	119.23
2	B	26	DM5	C7-C18-C17	-2.74	115.72	119.68
2	A	25	DM5	C3-C2-C1	2.73	124.35	120.19
2	D	27	DM5	O10-C1'-O5'	2.70	118.60	109.86
2	D	28	DM5	C14-C13-C12	2.68	123.81	118.92
2	D	27	DM5	C14-C13-C12	2.63	123.71	118.92
2	D	27	DM5	C2'-C3'-C4'	-2.63	106.07	110.04
2	A	25	DM5	C5-C20-C19	2.58	123.74	120.85
2	D	27	DM5	O5'-C5'-C6'	2.58	112.27	106.70
2	D	28	DM5	C3-C4-C5	-2.53	115.03	119.81
2	A	25	DM5	O13-C13-C12	-2.47	114.46	119.88
2	B	26	DM5	C6'-C5'-C4'	2.39	117.50	113.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	26	DM5	C15-C16-C9	2.39	126.96	121.45
2	A	25	DM5	O5'-C5'-C6'	2.38	111.84	106.70
2	D	28	DM5	C7-C18-C17	-2.37	116.26	119.68
2	D	27	DM5	O12-C12-C11	2.33	114.68	109.41
2	D	28	DM5	C18-C17-C16	2.32	125.68	121.39
2	A	25	DM5	O4'-C4'-C3'	2.32	114.07	109.81
2	D	28	DM5	C20-C5-C6	-2.30	118.27	120.85
2	B	26	DM5	C3-C4-C5	-2.29	115.48	119.81
2	B	26	DM5	C17-C18-C19	2.27	124.26	120.45
2	D	28	DM5	O12-C12-C11	2.26	114.53	109.41
2	D	27	DM5	O6-C6-C7	-2.20	117.86	121.43
2	A	25	DM5	C3-C4-C5	-2.09	115.86	119.81
2	D	28	DM5	C1-C20-C19	-2.06	115.90	119.25
2	B	26	DM5	O4'-C4'-C3'	2.05	113.58	109.81
2	B	26	DM5	O17-C17-C18	-2.03	116.45	120.98

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	29	SPM	C7-C8-C9-N10
3	A	29	SPM	C6-C7-C8-C9
3	A	29	SPM	C8-C9-N10-C11
3	A	29	SPM	C2-C3-C4-N5
2	B	26	DM5	O12-C12-C13-C14
2	D	27	DM5	O12-C12-C13-C14
3	A	29	SPM	C12-C11-N10-C9
3	A	29	SPM	C7-C6-N5-C4
2	D	27	DM5	C9-C10-O10-C1'


There are no ring outliers.



3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	29	SPM	4	0
2	B	26	DM5	1	0
2	D	27	DM5	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.