



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 08:18 am BST

PDB ID : 3A3F
Title : Crystal structure of penicillin binding protein 4 (dacB) from Haemophilus influenzae, complexed with novel beta-lactam (FMZ)
Authors : Kawai, F.; Roper, D.I.; Park, S.-Y.; Tame, J.R.H.
Deposited on : 2009-06-12
Resolution : 2.10 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	453	 2% 81% 17%
1	B	453	 6% 79% 18%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7354 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Penicillin-binding protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	453	Total 3505	C 2237	N 605	O 651	S 12	0	0	0
1	B	453	Total 3501	C 2235	N 605	O 649	S 12	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	MET	-	EXPRESSION TAG	UNP A8E0K8
B	27	MET	-	EXPRESSION TAG	UNP A8E0K8

- Molecule 2 is (2R,4S)-5,5-dimethyl-2-[(1R)-2-oxo-1-((2R)-2-[(2-oxoimidazolidin-1-yl)amino]-2-phenylacetyl)amino)ethyl]-1,3-thiazolidine-4-carboxylic acid (three-letter code: FMZ) (formula: C₁₉H₂₅N₅O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			30	19	5	5	1		
2	B	1	Total	C	N	O	S	0	0
			30	19	5	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	176	Total	O	0	0
			176	176		
3	B	112	Total	O	0	0
			112	112		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Penicillin-binding protein 4



- Molecule 1: Penicillin-binding protein 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.80Å 92.10Å 104.45Å 90.00° 107.95° 90.00°	Depositor
Resolution (Å)	19.87 – 2.10 19.87 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.87-2.10) 96.0 (19.87-2.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 2.09Å)	Xtrriage
Refinement program	REFMAC 5.5.0066	Depositor
R, R_{free}	0.190 , 0.236 0.187 , 0.231	Depositor DCC
R_{free} test set	3317 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	26.4	Xtrriage
Anisotropy	0.240	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7354	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.11	1/3571 (0.0%)	0.98	3/4830 (0.1%)
1	B	0.98	1/3567 (0.0%)	0.93	0/4825
All	All	1.05	2/7138 (0.0%)	0.96	3/9655 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	180	CYS	CB-SG	-15.14	1.56	1.82
1	B	236	VAL	CB-CG2	5.08	1.63	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	48	LYS	CD-CE-NZ	-5.81	98.34	111.70
1	A	455	ASP	CB-CG-OD2	5.36	123.12	118.30
1	A	455	ASP	CB-CG-OD1	-5.28	113.55	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3505	0	3553	79	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3501	0	3549	80	0
2	A	30	0	23	2	0
2	B	30	0	23	2	0
3	A	176	0	0	7	0
3	B	112	0	0	3	0
All	All	7354	0	7148	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:154:ARG:NH1	1:B:163:LEU:HD13	1.48	1.24
1:B:154:ARG:HH11	1:B:163:LEU:CD1	1.63	1.11
1:B:217:ASN:O	1:B:220:PRO:HD2	1.61	1.00
1:B:154:ARG:HH11	1:B:163:LEU:HD13	0.80	0.96
1:A:66:LEU:H	1:A:449:ASN:HD21	1.15	0.93
1:B:66:LEU:H	1:B:449:ASN:HD21	1.13	0.92
1:A:202:GLN:HE21	1:A:202:GLN:N	1.67	0.91
1:B:137:LYS:HB3	1:B:274:GLU:HB3	1.50	0.91
1:B:218:GLU:N	1:B:218:GLU:OE2	2.04	0.90
1:A:202:GLN:NE2	1:A:202:GLN:H	1.69	0.90
1:A:98:LYS:HB3	1:A:98:LYS:HZ3	1.42	0.83
1:B:154:ARG:NH1	1:B:163:LEU:CD1	2.31	0.82
1:A:202:GLN:HE21	1:A:202:GLN:H	0.86	0.82
1:A:232:ASN:HD21	1:A:255:ASN:H	1.24	0.82
1:A:456:LEU:H	1:A:456:LEU:CD1	1.93	0.81
1:B:28:ILE:CD1	1:B:476:LEU:HD23	2.10	0.81
1:A:456:LEU:HG	1:B:355:ILE:HG23	1.62	0.81
1:B:425:LYS:HE2	1:B:456:LEU:HD23	1.64	0.80
1:A:240:LEU:HD23	1:A:240:LEU:N	1.98	0.77
1:A:456:LEU:HD12	1:A:456:LEU:H	1.49	0.76
1:B:137:LYS:CB	1:B:274:GLU:HB3	2.15	0.76
1:B:98:LYS:HD2	1:B:100:GLN:OE1	1.86	0.76
1:B:221:TYR:HD1	1:B:221:TYR:O	1.67	0.75
2:B:1:FMZ:HAVA	3:B:484:HOH:O	1.86	0.75
1:B:232:ASN:HD21	1:B:255:ASN:H	1.35	0.73
1:A:137:LYS:HG3	1:A:274:GLU:HB3	1.70	0.72
1:A:205:ILE:HD12	1:A:205:ILE:C	2.11	0.71
1:A:459:LYS:O	1:A:459:LYS:HG3	1.90	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:ASN:ND2	1:B:441:LYS:H	1.88	0.71
1:B:461:LYS:HG3	1:B:463:ALA:H	1.56	0.70
1:A:355:ILE:HD11	1:B:455:ASP:HA	1.73	0.70
1:A:355:ILE:CD1	1:B:455:ASP:HA	2.22	0.69
1:A:198:ASN:HB3	3:A:636:HOH:O	1.92	0.69
1:A:232:ASN:ND2	1:A:255:ASN:H	1.92	0.68
2:B:1:FMZ:CAV	3:B:484:HOH:O	2.42	0.67
1:B:90:GLU:HG2	1:B:295:LEU:HD23	1.77	0.65
1:B:119:THR:OG1	1:B:122:GLN:HG3	1.98	0.64
1:A:51:ASN:ND2	1:A:441:LYS:H	1.95	0.63
1:A:141:ASP:OD1	1:A:278:LYS:HG3	1.98	0.63
2:A:1:FMZ:CAV	3:A:13:HOH:O	2.47	0.62
1:A:240:LEU:H	1:A:240:LEU:HD23	1.64	0.62
1:B:66:LEU:H	1:B:449:ASN:ND2	1.93	0.62
1:A:425:LYS:NZ	1:A:456:LEU:HB3	2.14	0.62
1:A:98:LYS:NZ	1:A:98:LYS:HB3	2.14	0.62
1:A:66:LEU:H	1:A:449:ASN:ND2	1.94	0.62
1:A:326:TYR:OH	1:A:346:LYS:NZ	2.31	0.62
1:B:159:ILE:HD12	3:B:515:HOH:O	1.99	0.62
1:B:28:ILE:HD13	1:B:476:LEU:HD23	1.81	0.62
1:B:100:GLN:CG	1:B:100:GLN:O	2.47	0.62
1:B:137:LYS:HB3	1:B:274:GLU:CB	2.24	0.62
1:A:298:PRO:HD2	1:A:301:ASP:OD2	2.00	0.61
1:B:90:GLU:HG2	1:B:295:LEU:CD2	2.31	0.61
1:B:446:GLN:HE22	1:B:469:GLU:HG2	1.65	0.61
1:B:218:GLU:CA	1:B:218:GLU:OE2	2.49	0.60
1:B:80:LYS:HE3	1:B:387:LEU:O	2.02	0.60
1:A:51:ASN:HD21	1:A:441:LYS:H	1.49	0.59
1:A:211:VAL:HG23	1:A:236:VAL:HG23	1.85	0.58
1:B:196:LYS:CE	1:B:198:ASN:HD21	2.16	0.58
1:B:232:ASN:ND2	1:B:255:ASN:H	2.01	0.58
1:B:221:TYR:O	1:B:221:TYR:CD1	2.52	0.57
1:A:159:ILE:HD13	1:B:157:GLY:HA2	1.85	0.57
1:A:102:GLY:O	1:A:136:LYS:HD2	2.05	0.57
1:A:137:LYS:HD2	1:A:274:GLU:OE1	2.05	0.57
1:A:240:LEU:N	1:A:240:LEU:CD2	2.67	0.57
2:A:1:FMZ:CAU	3:A:13:HOH:O	2.53	0.56
1:A:51:ASN:H	1:A:51:ASN:HD22	1.52	0.55
1:B:453:THR:OG1	1:B:460:THR:HB	2.06	0.55
1:B:36:LYS:O	1:B:464:PRO:HB3	2.06	0.55
1:A:105:ASP:HA	1:A:139:ASN:HD22	1.70	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:344:LEU:HD12	1:B:351:PHE:HZ	1.72	0.55
1:A:309:LYS:HE2	1:A:309:LYS:HA	1.89	0.55
1:B:100:GLN:HG2	1:B:100:GLN:O	2.06	0.54
1:B:384:GLU:OE1	1:B:390:MET:HG2	2.07	0.53
1:B:100:GLN:O	1:B:101:ASN:HB2	2.09	0.52
1:B:137:LYS:HE2	1:B:139:ASN:ND2	2.24	0.52
1:A:269:ARG:HH11	1:A:269:ARG:HG3	1.75	0.52
1:A:120:ARG:HH21	1:A:120:ARG:HG2	1.75	0.52
1:A:193:GLU:HG3	3:A:615:HOH:O	2.09	0.52
1:A:51:ASN:N	1:A:51:ASN:HD22	2.08	0.52
1:B:216:SER:O	1:B:220:PRO:HD3	2.09	0.51
1:B:196:LYS:HE2	1:B:198:ASN:HD21	1.74	0.51
1:A:65:MET:HB3	1:A:449:ASN:ND2	2.25	0.51
1:A:205:ILE:HD12	1:A:205:ILE:O	2.10	0.50
1:B:453:THR:H	1:B:460:THR:CG2	2.25	0.50
1:B:409:ILE:H	1:B:409:ILE:HD12	1.77	0.50
1:B:51:ASN:HD21	1:B:441:LYS:H	1.56	0.50
1:A:100:GLN:HG2	1:A:100:GLN:O	2.11	0.50
1:A:425:LYS:HZ1	1:A:456:LEU:HB3	1.75	0.50
1:B:435:THR:CG2	1:B:439:GLY:HA2	2.42	0.50
1:B:412:PRO:HD2	1:B:474:ASN:HD21	1.78	0.49
1:A:384:GLU:OE1	1:A:390:MET:HG2	2.12	0.48
1:B:102:GLY:O	1:B:136:LYS:N	2.24	0.48
1:B:185:LEU:HG	1:B:197:ILE:HG12	1.95	0.48
1:B:204:PRO:HD2	1:B:259:TYR:CE1	2.48	0.48
1:A:341:LYS:O	1:A:345:GLN:HB2	2.13	0.48
1:A:397:GLY:HA2	1:A:403:SER:O	2.14	0.47
1:A:233:ARG:HD3	3:A:511:HOH:O	2.13	0.47
1:A:128:ALA:O	1:A:131:LYS:HB2	2.14	0.47
1:B:99:ILE:HD11	1:B:135:ILE:HD11	1.95	0.47
1:A:154:ARG:HG3	1:B:160:TRP:CE2	2.51	0.46
1:A:234:TYR:N	1:A:234:TYR:CD2	2.82	0.46
1:A:411:PRO:HA	3:A:608:HOH:O	2.14	0.46
1:A:98:LYS:CB	1:A:98:LYS:NZ	2.76	0.46
1:B:99:ILE:HA	1:B:103:ASN:O	2.16	0.46
1:A:120:ARG:HD2	3:A:541:HOH:O	2.15	0.46
1:A:425:LYS:HZ2	1:A:456:LEU:HB3	1.81	0.46
1:B:131:LYS:O	1:B:134:GLY:N	2.39	0.46
1:A:259:TYR:O	1:A:263:ILE:HG12	2.16	0.46
1:A:413:LEU:O	1:A:416:ASN:HB3	2.16	0.46
1:B:186:ASP:O	1:B:195:VAL:HG13	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:LYS:HE3	1:B:198:ASN:HD21	1.81	0.45
1:B:181:PHE:O	1:B:250:SER:HA	2.17	0.45
1:B:102:GLY:HA2	1:B:134:GLY:O	2.16	0.45
1:A:205:ILE:HG22	1:A:232:ASN:HB3	1.97	0.45
1:A:456:LEU:HD12	1:A:456:LEU:N	2.24	0.45
1:A:36:LYS:HE3	1:A:467:GLN:OE1	2.17	0.45
1:A:426:GLY:HA2	1:A:451:TYR:O	2.16	0.45
1:B:212:TYR:CZ	1:B:239:CYS:HB3	2.52	0.44
1:B:182:TYR:HA	1:B:249:LEU:O	2.18	0.44
1:A:205:ILE:CD1	1:A:205:ILE:C	2.82	0.44
1:A:217:ASN:O	1:A:220:PRO:HD2	2.17	0.44
1:A:141:ASP:OD1	1:A:278:LYS:CG	2.67	0.43
1:A:97:GLY:C	1:A:98:LYS:HD2	2.38	0.43
1:B:453:THR:OG1	1:B:460:THR:CB	2.67	0.43
1:B:33:LEU:O	1:B:36:LYS:HD2	2.19	0.43
1:A:262:ALA:O	1:A:266:ARG:HG3	2.19	0.43
1:A:365:HIS:NE2	1:B:159:ILE:HD13	2.34	0.43
1:B:154:ARG:HD3	1:B:163:LEU:HD22	2.01	0.42
1:A:199:VAL:HG11	1:A:205:ILE:HD11	1.99	0.42
1:A:62:SER:O	1:B:40:GLY:HA2	2.20	0.42
1:B:28:ILE:HD13	1:B:476:LEU:CD2	2.48	0.42
1:A:309:LYS:HE2	1:A:309:LYS:CA	2.46	0.42
1:B:455:ASP:N	1:B:455:ASP:OD1	2.51	0.42
1:A:154:ARG:HG3	1:B:160:TRP:CZ2	2.54	0.42
1:A:141:ASP:CG	1:A:278:LYS:HG3	2.40	0.42
1:B:323:ALA:HB2	1:B:336:GLY:HA2	2.02	0.42
1:B:71:GLN:HG3	1:B:71:GLN:O	2.20	0.41
1:A:153:ASP:O	1:A:171:PRO:HD2	2.20	0.41
1:A:456:LEU:N	1:A:456:LEU:CD1	2.74	0.41
1:A:101:ASN:HD22	1:A:101:ASN:HA	1.71	0.41
1:A:269:ARG:NH1	1:A:269:ARG:HG3	2.35	0.41
1:B:102:GLY:HA3	1:B:136:LYS:HE2	2.02	0.41
1:B:179:ASN:HA	1:B:179:ASN:HD22	1.52	0.41
1:A:289:GLN:O	1:A:289:GLN:HG3	2.21	0.41
1:B:237:LYS:HB2	1:B:237:LYS:HE2	1.94	0.41
1:B:394:PRO:HB2	1:B:402:ILE:HG12	2.02	0.41
1:A:282:PRO:O	1:A:283:GLN:HB2	2.20	0.41
1:B:425:LYS:NZ	1:B:456:LEU:HA	2.36	0.41
1:B:413:LEU:HD13	1:B:473:TYR:HB2	2.03	0.41
1:B:36:LYS:HB3	1:B:36:LYS:HE3	1.49	0.40
1:A:318:LEU:HD23	1:A:318:LEU:HA	1.92	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:THR:HB	1:A:173:ALA:HB3	2.03	0.40
1:A:334:GLN:HE21	1:B:223:GLN:CD	2.24	0.40
1:B:81:LEU:HD23	1:B:81:LEU:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	451/453 (100%)	443 (98%)	8 (2%)	0	100	100
1	B	451/453 (100%)	433 (96%)	15 (3%)	3 (1%)	22	18
All	All	902/906 (100%)	876 (97%)	23 (2%)	3 (0%)	41	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	100	GLN
1	B	191	PRO
1	B	101	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/378 (100%)	360 (95%)	18 (5%)	25	24
1	B	377/378 (100%)	359 (95%)	18 (5%)	25	24
All	All	755/756 (100%)	719 (95%)	36 (5%)	25	24

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	98	LYS
1	A	100	GLN
1	A	136	LYS
1	A	180	CYS
1	A	191	PRO
1	A	202	GLN
1	A	240	LEU
1	A	245	LYS
1	A	270	LYS
1	A	278	LYS
1	A	284	LYS
1	A	310	SER
1	A	329	ARG
1	A	386	LYS
1	A	409	ILE
1	A	456	LEU
1	A	457	GLU
1	B	36	LYS
1	B	71	GLN
1	B	98	LYS
1	B	111	SER
1	B	136	LYS
1	B	159	ILE
1	B	218	GLU
1	B	221	TYR
1	B	222	CYS
1	B	224	LEU
1	B	237	LYS
1	B	242	ARG
1	B	293	LYS
1	B	338	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	382	LYS
1	B	409	ILE
1	B	455	ASP
1	B	461	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	51	ASN
1	A	101	ASN
1	A	139	ASN
1	A	152	HIS
1	A	198	ASN
1	A	202	GLN
1	A	206	GLN
1	A	223	GLN
1	A	232	ASN
1	A	283	GLN
1	A	334	GLN
1	A	446	GLN
1	A	449	ASN
1	B	35	GLN
1	B	51	ASN
1	B	71	GLN
1	B	103	ASN
1	B	139	ASN
1	B	179	ASN
1	B	198	ASN
1	B	223	GLN
1	B	232	ASN
1	B	276	ASN
1	B	283	GLN
1	B	334	GLN
1	B	446	GLN
1	B	449	ASN
1	B	474	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMZ	B	1	1	22,32,32	2.03	5 (22%)	28,46,46	2.53	11 (39%)
2	FMZ	A	1	1	22,32,32	2.23	5 (22%)	28,46,46	2.21	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMZ	B	1	1	-	2/15/51/51	0/3/3/3
2	FMZ	A	1	1	-	3/15/51/51	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	FMZ	OAR-CAM	7.30	1.36	1.23
2	B	1	FMZ	OAR-CAM	6.67	1.35	1.23
2	A	1	FMZ	C6-S1	-3.85	1.77	1.85
2	A	1	FMZ	CAU-CAV	3.75	1.59	1.52
2	B	1	FMZ	C6-S1	-3.55	1.78	1.85
2	A	1	FMZ	CAS-CAK	-3.15	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	FMZ	CAU-CAV	2.70	1.57	1.52
2	B	1	FMZ	C13-S1	-2.21	1.79	1.84
2	A	1	FMZ	CAU-NAI	-2.20	1.43	1.47
2	B	1	FMZ	CAS-CAK	-2.06	1.49	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	FMZ	CAV-NAO-CAM	-5.73	107.72	113.60
2	B	1	FMZ	CAV-CAU-NAI	-5.68	95.16	102.06
2	B	1	FMZ	CAU-CAV-NAO	5.65	108.81	102.54
2	B	1	FMZ	CAV-NAO-CAM	-5.51	107.95	113.60
2	A	1	FMZ	CAU-CAV-NAO	5.04	108.13	102.54
2	A	1	FMZ	CAV-CAU-NAI	-4.81	96.21	102.06
2	B	1	FMZ	C6-S1-C13	3.93	102.40	93.99
2	B	1	FMZ	C1-C6-S1	3.53	115.13	109.21
2	B	1	FMZ	C3-CAK-NAL	-3.33	98.32	108.48
2	B	1	FMZ	C1-C6-C16	-3.19	105.58	110.78
2	A	1	FMZ	CBA-CAS-CAZ	3.04	122.09	118.29
2	B	1	FMZ	CAS-CAK-C3	2.99	114.89	108.16
2	A	1	FMZ	C1-C6-C16	-2.69	106.41	110.78
2	B	1	FMZ	OAR-CAM-NAO	-2.59	123.31	127.18
2	A	1	FMZ	C3-CAK-NAL	-2.57	100.63	108.48
2	B	1	FMZ	C14-N1-C3	-2.33	120.57	123.12
2	A	1	FMZ	CAS-CAK-C3	2.17	113.04	108.16
2	B	1	FMZ	C12-C6-S1	-2.10	99.65	103.81

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	1	FMZ	CAM-NAI-NAL-CAK
2	A	1	FMZ	C3-CAK-NAL-NAI
2	A	1	FMZ	CAM-NAI-NAL-CAK
2	B	1	FMZ	C15-C14-N1-C3
2	A	1	FMZ	C15-C14-N1-C3


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	FMZ	2	0
2	A	1	FMZ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	453/453 (100%)	-0.12	10 (2%) 62 66	13, 25, 43, 68	0
1	B	453/453 (100%)	0.21	28 (6%) 20 25	15, 31, 59, 77	0
All	All	906/906 (100%)	0.05	38 (4%) 36 42	13, 28, 53, 77	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	220	PRO	8.7
1	B	458	SER	7.9
1	B	457	GLU	7.9
1	B	460	THR	7.8
1	B	454	GLY	7.8
1	B	455	ASP	7.5
1	B	459	LYS	6.9
1	B	456	LEU	6.5
1	B	216	SER	6.1
1	A	458	SER	5.6
1	A	457	GLU	5.6
1	A	456	LEU	5.5
1	B	222	CYS	4.6
1	A	459	LYS	4.5
1	B	287	GLN	4.2
1	B	221	TYR	4.0
1	B	219	ALA	4.0
1	B	217	ASN	3.9
1	A	455	ASP	3.7
1	B	283	GLN	3.7
1	B	96	ASN	3.3
1	B	101	ASN	2.9
1	A	167	PHE	2.9
1	A	98	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	242	ARG	2.8
1	A	460	THR	2.8
1	B	100	GLN	2.7
1	B	139	ASN	2.6
1	B	110	VAL	2.6
1	B	167	PHE	2.6
1	B	246	PRO	2.4
1	B	98	LYS	2.4
1	A	101	ASN	2.3
1	B	108	LEU	2.3
1	A	108	LEU	2.2
1	B	93	LEU	2.1
1	B	54	GLN	2.1
1	B	102	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FMZ	B	1	30/30	0.94	0.10	19,26,48,49	0
2	FMZ	A	1	30/30	0.95	0.10	13,23,41,44	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FMZ B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FMZ A 1:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.