



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 20, 2023 – 12:11 pm GMT

PDB ID : 8A52
Title : Crystal structure of a chimeric LOV-Histidine kinase SB2F1 (asymmetrical variant, trigonal form with long c-axis)
Authors : Batra-Safferling, R.; Arinkin, V.; Granzin, J.
Deposited on : 2022-06-14
Resolution : 2.46 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	 16% 77% 16% • 6%
1	B	388	 11% 77% 16% • 6%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 5784 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative Sensory box protein,Putative Sensory box protein,Sensor protein FixL.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	364	2830	1751	514	552	4	9	65	0	0
1	B	364	2830	1751	514	552	4	9	62	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MSE	-	initiating methionine	UNP Q88JB0
A	-18	GLY	-	expression tag	UNP Q88JB0
A	-17	SER	-	expression tag	UNP Q88JB0
A	-16	SER	-	expression tag	UNP Q88JB0
A	-15	HIS	-	expression tag	UNP Q88JB0
A	-14	HIS	-	expression tag	UNP Q88JB0
A	-13	HIS	-	expression tag	UNP Q88JB0
A	-12	HIS	-	expression tag	UNP Q88JB0
A	-11	HIS	-	expression tag	UNP Q88JB0
A	-10	HIS	-	expression tag	UNP Q88JB0
A	-9	SER	-	expression tag	UNP Q88JB0
A	-8	SER	-	expression tag	UNP Q88JB0
A	-7	GLY	-	expression tag	UNP Q88JB0
A	-6	LEU	-	expression tag	UNP Q88JB0
A	-5	VAL	-	expression tag	UNP Q88JB0
A	-4	PRO	-	expression tag	UNP Q88JB0
A	-3	ARG	-	expression tag	UNP Q88JB0
A	-2	GLY	-	expression tag	UNP Q88JB0
A	-1	SER	-	expression tag	UNP Q88JB0
A	0	HIS	-	expression tag	UNP Q88JB0
B	-19	MSE	-	initiating methionine	UNP Q88JB0
B	-18	GLY	-	expression tag	UNP Q88JB0
B	-17	SER	-	expression tag	UNP Q88JB0
B	-16	SER	-	expression tag	UNP Q88JB0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	HIS	-	expression tag	UNP Q88JB0
B	-14	HIS	-	expression tag	UNP Q88JB0
B	-13	HIS	-	expression tag	UNP Q88JB0
B	-12	HIS	-	expression tag	UNP Q88JB0
B	-11	HIS	-	expression tag	UNP Q88JB0
B	-10	HIS	-	expression tag	UNP Q88JB0
B	-9	SER	-	expression tag	UNP Q88JB0
B	-8	SER	-	expression tag	UNP Q88JB0
B	-7	GLY	-	expression tag	UNP Q88JB0
B	-6	LEU	-	expression tag	UNP Q88JB0
B	-5	VAL	-	expression tag	UNP Q88JB0
B	-4	PRO	-	expression tag	UNP Q88JB0
B	-3	ARG	-	expression tag	UNP Q88JB0
B	-2	GLY	-	expression tag	UNP Q88JB0
B	-1	SER	-	expression tag	UNP Q88JB0
B	0	HIS	-	expression tag	UNP Q88JB0


- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$)

(labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative Sensory box protein,Putative Sensory box protein,Sensor protein FixL



- Molecule 1: Putative Sensory box protein,Putative Sensory box protein,Sensor protein FixL



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	138.25Å 138.25Å 94.99Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.25 – 2.46 45.25 – 2.46	Depositor EDS
% Data completeness (in resolution range)	71.3 (45.25-2.46) 71.3 (45.25-2.46)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.19rc6_4061	Depositor
R, R_{free}	0.243 , 0.295 0.245 , 0.302	Depositor DCC
R_{free} test set	1389 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	68.2	Xtrriage
Anisotropy	0.021	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 58.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5784	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/2862	0.55	0/3854
1	B	0.29	0/2862	0.55	0/3854
All	All	0.28	0/5724	0.55	0/7708

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2830	0	2791	55	0
1	B	2830	0	2791	53	0
2	A	31	0	12	2	0
2	B	31	0	12	0	0
3	A	31	0	19	0	0
3	B	31	0	19	1	0
All	All	5784	0	5644	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:MSE:HE2	1:B:145:MSE:HE2	1.62	0.81
1:A:277:MSE:HE1	1:A:284:GLU:H	1.52	0.73
1:A:277:MSE:HE3	1:A:304:THR:H	1.53	0.73
1:A:258:ASP:H	1:A:342:HIS:HE1	1.36	0.70
1:A:152:LEU:HD23	1:B:152:LEU:HD23	1.73	0.70
1:B:277:MSE:O	1:B:283:ARG:NH1	2.25	0.70
1:A:117:ARG:HE	1:B:117:ARG:CZ	2.06	0.68
1:A:136:LEU:HD21	1:A:267:VAL:HG11	1.77	0.66
1:A:171:ARG:NH1	1:A:190:ASP:OD1	2.30	0.65
1:B:171:ARG:NH1	1:B:190:ASP:OD1	2.31	0.64
1:A:298:GLU:HB2	1:A:361:THR:HG22	1.78	0.64
1:A:258:ASP:OD2	1:A:261:GLN:NE2	2.31	0.64
2:A:401:ATP:O1G	1:B:141:ARG:NH2	2.31	0.63
1:A:336:ARG:HD3	1:A:346:MSE:HB3	1.81	0.63
1:A:167:MSE:HE1	1:B:167:MSE:SE	2.50	0.62
1:B:41:THR:HG23	1:B:43:TYR:H	1.66	0.61
1:A:339:ILE:HG21	1:A:360:PHE:HB2	1.81	0.60
1:B:261:GLN:OE1	1:B:261:GLN:N	2.34	0.60
1:A:104:ASN:ND2	1:A:107:ASP:OD2	2.35	0.59
1:A:303:ASP:O	1:A:351:ASN:ND2	2.28	0.58
1:A:327:GLY:O	1:B:212:ARG:NH2	2.36	0.58
1:A:203:ILE:HG22	1:B:152:LEU:HD21	1.85	0.57
1:A:117:ARG:HH21	1:B:117:ARG:NH2	2.02	0.57
1:A:145:MSE:HE1	1:B:328:MSE:SE	2.54	0.57
1:B:208:ASP:HA	1:B:211:ALA:HB3	1.85	0.56
1:A:296:MSE:HE2	1:A:363:PRO:HB3	1.89	0.55
1:A:273:ALA:O	1:A:277:MSE:HG3	2.06	0.55
1:A:60:ASP:OD2	1:A:84:ARG:NE	2.32	0.55
1:A:136:LEU:HD22	1:A:232:LEU:HD13	1.88	0.54
1:A:258:ASP:H	1:A:342:HIS:CE1	2.23	0.54
1:A:128:ARG:O	1:A:132:LEU:HD23	2.08	0.54
1:B:240:GLN:HG3	1:B:242:VAL:HG23	1.88	0.54
1:B:303:ASP:O	1:B:351:ASN:ND2	2.37	0.54
1:A:2:ILE:HD11	1:A:6:LEU:HD23	1.90	0.53
1:A:117:ARG:HH21	1:B:117:ARG:HH21	1.57	0.53
1:B:225:LEU:HD11	1:B:263:GLN:HB2	1.92	0.52
1:A:240:GLN:HG3	1:A:242:VAL:HG23	1.91	0.52
1:A:202:ILE:HD13	1:B:155:GLU:HG2	1.91	0.51
1:A:137:VAL:HG22	1:B:137:VAL:HG22	1.92	0.51
1:B:261:GLN:O	1:B:264:GLN:HG2	2.11	0.51
1:B:163:ILE:O	1:B:167:MSE:HG2	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:222:LEU:HD21	1:B:362:LEU:HD12	1.93	0.50
1:B:293:ALA:HB3	1:B:296:MSE:HB2	1.94	0.50
1:B:236:GLY:O	1:B:240:GLN:HG2	2.12	0.49
1:B:217:LYS:HD3	1:B:258:ASP:HB2	1.95	0.49
1:A:37:PHE:HE1	1:A:116:GLN:HE21	1.60	0.49
1:A:261:GLN:OE1	1:A:261:GLN:N	2.44	0.48
1:A:328:MSE:HE1	1:B:210:VAL:HA	1.95	0.48
1:B:313:ILE:HA	1:B:316:LEU:HD12	1.96	0.48
1:B:139:VAL:HG11	1:B:260:VAL:HG11	1.95	0.48
1:B:257:ALA:HA	1:B:342:HIS:HD2	1.79	0.47
1:A:155:GLU:HG2	1:B:202:ILE:HD13	1.96	0.47
1:B:258:ASP:H	1:B:342:HIS:CD2	2.33	0.47
1:A:293:ALA:HB3	1:A:296:MSE:HB2	1.96	0.47
1:B:258:ASP:O	1:B:262:ILE:HG22	2.14	0.47
1:A:117:ARG:HE	1:B:117:ARG:NH2	2.13	0.46
1:B:158:GLN:HB3	1:B:159:PRO:HD3	1.97	0.46
1:A:330:VAL:HG11	1:B:145:MSE:HE1	1.97	0.46
1:A:277:MSE:HE3	1:A:304:THR:N	2.26	0.46
1:A:205:ARG:O	1:A:205:ARG:NH1	2.49	0.45
1:A:158:GLN:HB3	1:A:159:PRO:HD3	1.98	0.45
1:A:277:MSE:HE2	1:A:283:ARG:HA	1.98	0.45
1:A:247:SER:O	1:A:288:THR:HA	2.17	0.45
1:B:139:VAL:HG11	1:B:260:VAL:CG1	2.47	0.45
1:A:277:MSE:CE	1:A:304:THR:H	2.25	0.45
1:A:298:GLU:HA	1:A:361:THR:HA	1.99	0.44
1:B:312:VAL:C	1:B:314:PRO:HD2	2.37	0.44
1:A:338:ILE:O	1:A:342:HIS:HD2	2.01	0.44
1:A:80:CYS:HA	1:A:97:LEU:O	2.18	0.44
1:B:296:MSE:HE2	1:B:344:GLY:HA2	1.99	0.44
1:B:325:ASP:OD1	1:B:325:ASP:N	2.44	0.44
1:A:205:ARG:HH22	1:A:209:PHE:HD1	1.66	0.43
1:A:261:GLN:O	1:A:264:GLN:HG2	2.18	0.43
1:B:225:LEU:HD21	1:B:263:GLN:N	2.33	0.43
1:B:287:VAL:HA	1:B:300:GLU:O	2.17	0.43
1:A:59:GLU:H	1:A:59:GLU:CD	2.20	0.43
1:B:265:VAL:HG13	1:B:335:SER:OG	2.18	0.43
1:B:107:ASP:HB3	1:B:109:LEU:HB2	2.01	0.43
1:A:272:ASN:HB3	2:A:401:ATP:N7	2.34	0.43
1:B:104:ASN:ND2	1:B:107:ASP:OD2	2.52	0.42
1:B:54:ARG:NH2	3:B:402:FMN:O2P	2.45	0.42
1:B:125:THR:HG22	1:B:128:ARG:NH2	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:GLN:O	1:B:265:VAL:HG23	2.19	0.41
1:A:336:ARG:NE	1:A:346:MSE:O	2.54	0.41
1:A:340:GLU:HA	1:A:344:GLY:O	2.20	0.41
1:B:340:GLU:HA	1:B:344:GLY:O	2.21	0.41
1:B:200:GLY:O	1:B:203:ILE:HG13	2.21	0.41
1:A:10:MSE:HB3	1:B:113:ILE:HB	2.03	0.40
1:A:240:GLN:O	1:A:283:ARG:NH1	2.54	0.40
1:B:95:ASN:HD21	1:B:116:GLN:HE21	1.69	0.40
1:B:320:PHE:HA	1:B:328:MSE:O	2.21	0.40
1:A:163:ILE:O	1:A:167:MSE:HG2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/388 (93%)	354 (98%)	8 (2%)	0	100	100
1	B	362/388 (93%)	351 (97%)	11 (3%)	0	100	100
All	All	724/776 (93%)	705 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/311 (97%)	293 (97%)	9 (3%)	41	52
1	B	302/311 (97%)	298 (99%)	4 (1%)	69	79
All	All	604/622 (97%)	591 (98%)	13 (2%)	52	64

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	CYS
1	A	59	GLU
1	A	116	GLN
1	A	117	ARG
1	A	123	GLN
1	A	132	LEU
1	A	238	ARG
1	A	296	MSE
1	A	298	GLU
1	B	53	CYS
1	B	116	GLN
1	B	262	ILE
1	B	325	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	342	HIS
1	B	116	GLN
1	B	263	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ATP	A	401	-	26,33,33	0.60	0	31,52,52	0.79	1 (3%)
3	FMN	B	402	-	33,33,33	0.77	0	48,50,50	0.67	0
3	FMN	A	402	-	33,33,33	0.80	0	48,50,50	0.65	0
2	ATP	B	401	-	26,33,33	0.60	0	31,52,52	0.81	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	401	-	-	2/18/38/38	0/3/3/3
3	FMN	B	402	-	-	3/18/18/18	0/3/3/3
3	FMN	A	402	-	-	2/18/18/18	0/3/3/3
2	ATP	B	401	-	-	1/18/38/38	0/3/3/3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	ATP	C5-C6-N6	2.31	123.86	120.35
2	B	401	ATP	C5-C6-N6	2.28	123.81	120.35

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	FMN	C3'-C4'-C5'-O5'
3	A	402	FMN	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	402	FMN	C3'-C4'-C5'-O5'
3	B	402	FMN	C4'-C5'-O5'-P
2	A	401	ATP	PB-O3A-PA-O5'
2	B	401	ATP	PB-O3A-PA-O5'
3	B	402	FMN	O4'-C4'-C5'-O5'
2	A	401	ATP	C5'-O5'-PA-O1A


There are no ring outliers.


2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	ATP	2	0
3	B	402	FMN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	355/388 (91%)	0.92	62 (17%) 1 1	34, 87, 175, 237	13 (3%)
1	B	355/388 (91%)	0.76	44 (12%) 4 2	31, 82, 142, 189	13 (3%)
All	All	710/776 (91%)	0.84	106 (14%) 2 1	31, 85, 164, 237	26 (3%)

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	362	LEU	10.0
1	A	219	VAL	8.0
1	B	250	PRO	7.7
1	B	219	VAL	6.8
1	B	339	ILE	6.7
1	B	255	VAL	6.4
1	A	255	VAL	6.2
1	B	294	ASP	6.1
1	A	299	VAL	5.7
1	A	215	SER	5.6
1	A	254	LEU	5.4
1	B	362	LEU	5.3
1	B	222	LEU	5.3
1	A	248	LEU	5.2
1	A	251	GLY	5.1
1	B	289	ASN	5.1
1	A	289	ASN	5.0
1	A	339	ILE	5.0
1	B	220	GLU	4.9
1	B	332	LEU	4.7
1	A	290	THR	4.5
1	B	290	THR	4.5
1	A	361	THR	4.4
1	B	297	ILE	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	210	VAL	4.4
1	A	344	GLY	4.3
1	A	298	GLU	4.3
1	A	317	PHE	4.2
1	A	203	ILE	4.2
1	A	262	ILE	4.2
1	A	249	ASP	4.1
1	B	285	LEU	4.0
1	A	345	ARG	4.0
1	B	262	ILE	4.0
1	A	360	PHE	4.0
1	A	288	THR	3.9
1	B	257	ALA	3.9
1	B	342	HIS	3.9
1	B	361	THR	3.8
1	A	294	ASP	3.8
1	B	215	SER	3.8
1	B	360	PHE	3.8
1	A	257	ALA	3.7
1	A	352	ALA	3.7
1	B	336	ARG	3.7
1	A	336	ARG	3.7
1	A	223	SER	3.6
1	A	304	THR	3.6
1	A	342	HIS	3.6
1	A	355	GLY	3.6
1	B	316	LEU	3.5
1	B	160	LEU	3.4
1	A	256	LEU	3.3
1	A	316	LEU	3.3
1	B	225	LEU	3.3
1	A	263	GLN	3.3
1	A	258	ASP	3.2
1	B	299	VAL	3.2
1	B	130	GLN	3.1
1	A	297	ILE	3.0
1	A	229	ALA	3.0
1	A	250	PRO	3.0
1	A	347	TRP	2.9
1	B	321	PHE	2.9
1	A	222	LEU	2.9
1	B	291	PRO	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	274	LEU	2.9
1	B	313	ILE	2.8
1	A	292	ALA	2.8
1	A	246	PHE	2.8
1	A	291	PRO	2.7
1	B	254	LEU	2.7
1	A	270	PHE	2.7
1	A	348	ALA	2.6
1	A	261	GLN	2.6
1	A	241	ASN	2.6
1	A	300	GLU	2.5
1	A	216	GLU	2.5
1	B	338	ILE	2.4
1	A	285	LEU	2.4
1	A	286	VAL	2.4
1	A	266	LEU	2.4
1	B	292	ALA	2.4
1	A	338	ILE	2.3
1	B	312	VAL	2.3
1	B	259	ARG	2.3
1	A	312	VAL	2.3
1	B	330	VAL	2.3
1	A	252	ALA	2.3
1	B	344	GLY	2.3
1	A	330	VAL	2.2
1	B	140	SER	2.2
1	B	120	THR	2.2
1	A	225	LEU	2.2
1	A	209	PHE	2.1
1	A	243	GLN	2.1
1	B	314	PRO	2.1
1	B	142	LEU	2.1
1	A	205	ARG	2.1
1	A	214	GLU	2.1
1	B	347	TRP	2.0
1	A	265	VAL	2.0
1	B	265	VAL	2.0
1	A	232	LEU	2.0
1	B	315	ASN	2.0
1	B	266	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ATP	B	401	31/31	0.92	0.18	93,96,114,116	0
2	ATP	A	401	31/31	0.96	0.17	76,90,104,119	0
3	FMN	B	402	31/31	0.97	0.13	47,51,67,73	0
3	FMN	A	402	31/31	0.98	0.17	57,58,67,74	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP A 401:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.