



Full wwPDB X-ray Structure Validation Report ⓘ

May 19, 2020 – 08:53 pm BST

PDB ID : 3AGR
Title : Crystal structure of nucleoside triphosphate hydrolases from *Neospora caninum*
Authors : Matoba, K.; Shiba, T.; Seiki, M.; Asai, T.; Harada, S.
Deposited on : 2010-04-06
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	602	 % 82% 14% ..
1	B	602	 % 77% 17% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9179 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside triphosphate hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	591	4586	2885	807	867	27	0	0	0
1	B	591	4586	2885	807	867	27	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	4	Total	O	0	0
			4	4		
2	B	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nucleoside triphosphate hydrolase



- Molecule 1: Nucleoside triphosphate hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.66Å 140.78Å 301.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.51 – 2.80 42.51 – 2.80	Depositor EDS
% Data completeness (in resolution range)	93.2 (42.51-2.80) 93.2 (42.51-2.80)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.78 (at 2.81Å)	Xtrriage
Refinement program	REFMAC refmac_5.5.0109	Depositor
R, R_{free}	0.228 , 0.265 0.219 , 0.257	Depositor DCC
R_{free} test set	2354 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	72.2	Xtrriage
Anisotropy	0.554	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9179	wwPDB-VP
Average B, all atoms (Å ²)	92.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/4684	0.59	1/6343 (0.0%)
1	B	0.43	0/4684	0.58	0/6343
All	All	0.43	0/9368	0.58	1/12686 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	160	LEU	CA-CB-CG	5.50	127.94	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4586	0	4494	42	0
1	B	4586	0	4494	80	0
2	A	4	0	0	0	0
2	B	3	0	0	0	0
All	All	9179	0	8988	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:THR:HG22	1:B:165:ALA:H	1.04	1.19
1:B:567:LYS:HB3	1:B:568:PRO:HD2	1.18	1.15
1:B:567:LYS:HB3	1:B:568:PRO:CD	1.77	1.11
1:B:245:ARG:HG2	1:B:245:ARG:HH21	1.22	1.05
1:B:567:LYS:CB	1:B:568:PRO:HD2	1.99	0.92
1:A:302:GLN:HB3	1:A:436:LEU:HD11	1.53	0.91
1:B:164:THR:HG22	1:B:165:ALA:N	1.86	0.88
1:A:363:ASN:HD22	1:A:365:LEU:H	1.21	0.87
1:B:249:VAL:HG12	1:B:462:PRO:HG2	1.58	0.84
1:B:164:THR:CG2	1:B:165:ALA:H	1.90	0.81
1:B:221:ASN:HD21	1:B:249:VAL:H	1.28	0.79
1:B:279:ASN:HD22	1:B:282:HIS:H	1.28	0.77
1:B:506:VAL:HG21	1:B:524:LEU:HD22	1.67	0.77
1:B:200:ASN:HD22	1:B:202:GLU:H	1.33	0.74
1:B:438:ALA:HB2	1:B:448:GLU:HG2	1.73	0.70
1:B:245:ARG:HG2	1:B:245:ARG:NH2	1.96	0.68
1:B:43:VAL:HG22	1:B:159:VAL:HB	1.77	0.66
1:B:221:ASN:HD21	1:B:249:VAL:N	1.93	0.66
1:A:585:PHE:HB3	1:A:588:GLU:HG3	1.78	0.65
1:A:200:ASN:HD22	1:A:202:GLU:H	1.45	0.63
1:A:168:ARG:HA	1:A:175:ARG:HH21	1.62	0.63
1:B:254:VAL:HG13	1:B:470:MET:HG3	1.81	0.62
1:A:52:THR:HG23	1:A:86:ALA:O	2.00	0.61
1:A:363:ASN:ND2	1:A:365:LEU:H	1.96	0.61
1:B:221:ASN:ND2	1:B:249:VAL:H	1.98	0.61
1:B:162:CYS:HB2	1:B:574:TRP:CH2	2.36	0.60
1:B:366:LYS:HE2	1:B:370:THR:OG1	2.02	0.60
1:B:449:SER:OG	1:B:452:GLN:HG3	2.03	0.59
1:B:266:GLN:NE2	1:B:267:ASP:H	2.01	0.58
1:B:196:LYS:HD3	1:B:598:PHE:CE1	2.39	0.58
1:A:162:CYS:HB2	1:A:574:TRP:CH2	2.38	0.58
1:B:203:TRP:CD1	1:B:582:ARG:HG2	2.39	0.57
1:B:145:THR:H	1:B:148:GLN:HE21	1.52	0.57
1:B:394:ILE:HG23	1:B:403:ARG:HG2	1.85	0.57
1:B:161:LEU:HB3	1:B:204:THR:HG23	1.86	0.57
1:B:279:ASN:ND2	1:B:282:HIS:H	2.02	0.56
1:A:168:ARG:HA	1:A:175:ARG:NH2	2.20	0.56
1:A:26:GLN:O	1:A:30:ASP:HB2	2.06	0.56
1:B:245:ARG:CG	1:B:245:ARG:NH2	2.68	0.55
1:B:276:ARG:HH12	1:B:442:ALA:HA	1.72	0.55
1:B:509:ASN:HD22	1:B:510:GLY:H	1.55	0.55
1:B:92:LEU:HD13	1:B:178:LEU:HD22	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:298:VAL:HG11	1:B:447:PHE:HB2	1.89	0.54
1:A:472:ALA:O	1:A:476:THR:HG23	2.09	0.53
1:A:360:VAL:O	1:A:366:LYS:HG3	2.10	0.51
1:B:164:THR:CG2	1:B:165:ALA:N	2.59	0.51
1:A:73:PRO:HB2	1:A:222:HIS:NE2	2.25	0.51
1:B:145:THR:H	1:B:148:GLN:NE2	2.08	0.51
1:B:562:VAL:HG13	1:B:567:LYS:HA	1.92	0.51
1:A:200:ASN:HD22	1:A:200:ASN:C	2.14	0.51
1:B:266:GLN:HE21	1:B:267:ASP:H	1.58	0.51
1:A:494:LEU:HD13	1:A:539:VAL:HG22	1.93	0.50
1:A:265:LEU:HD22	1:A:269:THR:HG21	1.93	0.50
1:A:52:THR:HG21	1:A:88:LEU:HD22	1.93	0.50
1:B:256:GLY:HA2	1:B:305:VAL:HG22	1.92	0.50
1:B:599:THR:O	1:B:602:MET:HG2	2.11	0.50
1:B:179:PHE:HB3	1:B:183:ARG:NH1	2.26	0.50
1:B:394:ILE:CG2	1:B:403:ARG:HG2	2.41	0.50
1:A:200:ASN:ND2	1:A:202:GLU:H	2.08	0.50
1:A:382:LYS:HE3	1:A:384:MET:HB3	1.93	0.50
1:B:243:GLN:OE1	1:B:243:GLN:HA	2.12	0.50
1:A:13:GLU:C	1:A:15:GLU:H	2.15	0.49
1:A:200:ASN:HD22	1:A:202:GLU:N	2.10	0.49
1:B:254:VAL:HG13	1:B:470:MET:CG	2.41	0.49
1:A:331:PRO:HA	1:A:415:THR:HB	1.94	0.49
1:B:200:ASN:ND2	1:B:202:GLU:HB2	2.28	0.49
1:B:373:SER:HB3	1:B:403:ARG:NH2	2.27	0.49
1:B:223:LEU:HB3	1:B:561:VAL:HG21	1.93	0.49
1:B:163:SER:HB3	1:B:179:PHE:HZ	1.76	0.48
1:B:73:PRO:HB2	1:B:222:HIS:CE1	2.48	0.48
1:B:69:ARG:HG2	1:B:594:TYR:CE2	2.49	0.48
1:B:89:ARG:O	1:B:93:GLU:HG3	2.13	0.47
1:A:177:ALA:O	1:A:181:ILE:HG12	2.14	0.47
1:A:588:GLU:O	1:A:592:THR:HG23	2.15	0.47
1:B:37:ASP:HA	1:B:61:THR:O	2.14	0.47
1:B:477:MET:CE	1:B:498:SER:HA	2.44	0.47
1:B:44:VAL:HG13	1:B:57:PHE:CE2	2.50	0.47
1:A:422:GLN:HA	1:A:536:ALA:HB1	1.97	0.47
1:A:546:GLU:HA	1:A:546:GLU:OE2	2.15	0.46
1:B:276:ARG:NH1	1:B:442:ALA:HA	2.31	0.46
1:A:283:GLU:OE1	1:A:442:ALA:HB1	2.16	0.46
1:B:343:ALA:O	1:B:364:LYS:HB2	2.16	0.46
1:B:454:PHE:CE1	1:B:545:MET:HG2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:490:ASP:OD1	1:B:492:GLU:HG2	2.16	0.45
1:A:300:PHE:CZ	1:A:449:SER:HA	2.52	0.45
1:A:338:ARG:HG2	1:A:413:VAL:HG22	1.98	0.45
1:A:220:LEU:HD21	1:A:464:VAL:HG13	1.99	0.44
1:B:325:GLN:HE21	1:B:325:GLN:HA	1.82	0.44
1:A:103:ASP:O	1:A:107:ARG:HB2	2.18	0.44
1:B:113:ARG:HG2	1:B:113:ARG:H	1.50	0.44
1:B:331:PRO:HA	1:B:415:THR:OG1	2.17	0.44
1:A:160:LEU:HD23	1:A:160:LEU:N	2.32	0.44
1:B:262:VAL:HA	1:B:296:ILE:O	2.17	0.44
1:B:252:VAL:HG13	1:B:465:ILE:HD13	1.99	0.43
1:B:266:GLN:HA	1:B:266:GLN:HE21	1.83	0.43
1:B:279:ASN:HD21	1:B:281:GLN:HB2	1.83	0.43
1:B:217:PHE:CD1	1:B:262:VAL:HG12	2.53	0.43
1:B:477:MET:HE1	1:B:498:SER:HA	2.01	0.43
1:B:203:TRP:NE1	1:B:582:ARG:HG2	2.34	0.43
1:B:71:ILE:HD12	1:B:583:VAL:HG22	2.01	0.43
1:B:157:VAL:HG22	1:B:197:PHE:CD1	2.54	0.43
1:B:26:GLN:O	1:B:30:ASP:HB2	2.19	0.42
1:B:271:LEU:HB3	1:B:275:ILE:HG22	2.02	0.42
1:B:164:THR:HG23	1:B:212:GLU:OE1	2.20	0.42
1:B:338:ARG:HG2	1:B:413:VAL:HG12	2.01	0.42
1:A:126:ARG:O	1:A:130:GLN:HB2	2.20	0.42
1:B:157:VAL:HG22	1:B:197:PHE:HD1	1.83	0.42
1:A:122:GLU:HA	1:A:181:ILE:HG21	2.02	0.41
1:B:376:ASN:HA	1:B:377:PRO:HD3	1.95	0.41
1:A:314:LYS:HE2	1:A:393:LYS:O	2.20	0.41
1:A:220:LEU:HD23	1:A:251:VAL:HB	2.03	0.41
1:B:509:ASN:HB3	1:B:511:ASP:H	1.86	0.41
1:A:366:LYS:HB3	1:A:367:PRO:HD3	2.03	0.41
1:B:160:LEU:HD23	1:B:160:LEU:N	2.36	0.40
1:B:512:GLY:O	1:B:513:LEU:HB2	2.22	0.40
1:A:118:VAL:N	1:A:119:PRO:CD	2.84	0.40
1:A:52:THR:HG23	1:A:87:GLY:HA2	2.03	0.40
1:A:25:LEU:HA	1:A:25:LEU:HD12	1.96	0.40
1:A:495:ILE:O	1:A:499:ARG:HG3	2.21	0.40
1:A:311:LEU:HD11	1:A:436:LEU:HD21	2.04	0.40
1:B:179:PHE:CE2	1:B:206:PRO:HG3	2.57	0.40
1:B:161:LEU:O	1:B:204:THR:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/602 (98%)	564 (96%)	25 (4%)	0	100	100
1	B	589/602 (98%)	556 (94%)	32 (5%)	1 (0%)	47	78
All	All	1178/1204 (98%)	1120 (95%)	57 (5%)	1 (0%)	51	81

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	568	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	494/502 (98%)	444 (90%)	50 (10%)	7	22
1	B	494/502 (98%)	452 (92%)	42 (8%)	10	31
All	All	988/1004 (98%)	896 (91%)	92 (9%)	9	26

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	GLU
1	A	25	LEU
1	A	33	ARG
1	A	43	VAL
1	A	44	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	52	THR
1	A	53	ARG
1	A	88	LEU
1	A	92	LEU
1	A	106	SER
1	A	108	SER
1	A	113	ARG
1	A	130	GLN
1	A	147	GLU
1	A	157	VAL
1	A	160	LEU
1	A	171	HIS
1	A	175	ARG
1	A	182	LEU
1	A	185	LEU
1	A	200	ASN
1	A	205	ARG
1	A	223	LEU
1	A	242	LYS
1	A	254	VAL
1	A	260	GLN
1	A	269	THR
1	A	278	VAL
1	A	311	LEU
1	A	323	ARG
1	A	325	GLN
1	A	353	THR
1	A	362	LYS
1	A	363	ASN
1	A	364	LYS
1	A	370	THR
1	A	385	ASN
1	A	389	CYS
1	A	400	LEU
1	A	422	GLN
1	A	436	LEU
1	A	439	ASN
1	A	482	LEU
1	A	494	LEU
1	A	511	ASP
1	A	516	GLN
1	A	523	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	546	GLU
1	A	561	VAL
1	A	588	GLU
1	B	30	ASP
1	B	33	ARG
1	B	34	ARG
1	B	43	VAL
1	B	44	VAL
1	B	63	SER
1	B	66	ARG
1	B	69	ARG
1	B	91	VAL
1	B	92	LEU
1	B	96	LEU
1	B	103	ASP
1	B	113	ARG
1	B	132	LEU
1	B	157	VAL
1	B	159	VAL
1	B	160	LEU
1	B	182	LEU
1	B	200	ASN
1	B	245	ARG
1	B	252	VAL
1	B	254	VAL
1	B	266	GLN
1	B	271	LEU
1	B	295	VAL
1	B	301	MET
1	B	325	GLN
1	B	355	VAL
1	B	364	LYS
1	B	422	GLN
1	B	428	LEU
1	B	461	SER
1	B	464	VAL
1	B	480	LEU
1	B	508	ASN
1	B	509	ASN
1	B	516	GLN
1	B	534	THR
1	B	537	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	541	LEU
1	B	562	VAL
1	B	599	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	200	ASN
1	A	243	GLN
1	A	319	ASN
1	A	325	GLN
1	A	363	ASN
1	A	375	ASN
1	A	478	GLN
1	A	516	GLN
1	A	543	GLN
1	A	544	HIS
1	B	116	GLN
1	B	148	GLN
1	B	153	GLN
1	B	188	HIS
1	B	200	ASN
1	B	221	ASN
1	B	266	GLN
1	B	279	ASN
1	B	325	GLN
1	B	385	ASN
1	B	422	GLN
1	B	424	GLN
1	B	478	GLN
1	B	488	GLN
1	B	508	ASN
1	B	509	ASN
1	B	516	GLN
1	B	543	GLN
1	B	575	HIS
1	B	601	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	591/602 (98%)	-0.09	6 (1%) 82 77	60, 86, 146, 184	0
1	B	591/602 (98%)	-0.13	7 (1%) 79 73	59, 87, 134, 195	0
All	All	1182/1204 (98%)	-0.11	13 (1%) 80 75	59, 86, 139, 195	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	102	GLU	3.9
1	B	108	SER	3.2
1	A	384	MET	3.0
1	A	107	ARG	3.0
1	B	564	PRO	2.6
1	B	16	LYS	2.5
1	B	171	HIS	2.5
1	A	234	CYS	2.4
1	B	565	ASP	2.3
1	A	434	PHE	2.3
1	A	117	HIS	2.2
1	B	109	VAL	2.1
1	B	101	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.