



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 8, 2022 – 06:51 pm GMT

PDB ID : 8AXC
Title : Crystal structure of mouse Ces2c
Authors : Eisner, H.; Riegler-Berket, L.; Rodriguez Gamez, C.; Sagmeister, T.; Chalhoub, G.; Darnhofer, B.; Panikkaveetil Jawaharlal, J.; Birner-Gruenberger, R.; Pavkov-Keller, T.; Haemmerle, G.; Schoiswohl, G.; Oberer, M.
Deposited on : 2022-08-31
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	561	
1	B	561	
1	C	561	
1	D	561	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 33638 atoms, of which 15628 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Acylcarnitine hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	516	7969	2609	3883	697	748	32	0	10	0
1	B	532	8277	2702	4037	726	776	36	0	16	0
1	C	503	7798	2560	3790	682	737	29	0	14	0
1	D	518	7990	2617	3894	699	750	30	0	8	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	B	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		
2	D	1	Total	Cl	0	0
			1	1		

- Molecule 3 is NICOTINAMIDE (three-letter code: NCA) (formula: C₆H₆N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	H	N			O
3	A	1	Total	C	H	N	O	0	0
			13	6	4	2	1		
3	A	1	Total	C	H	N	O	0	0
			13	6	4	2	1		
3	B	1	Total	C	H	N	O	0	0
			13	6	4	2	1		
3	B	1	Total	C	H	N	O	0	0
			13	6	4	2	1		
3	C	1	Total	C	H	N	O	0	0
			13	6	4	2	1		
3	D	1	Total	C	H	N	O	0	0
			13	6	4	2	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total O S 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	383	Total O 383 383	0	0
5	B	417	Total O 417 417	0	0
5	C	336	Total O 336 336	0	0
5	D	381	Total O 381 381	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acylcarnitine hydrolase




- Molecule 1: Acylcarnitine hydrolase





- Molecule 1: Acylcarnitine hydrolase





● Molecule 1: Acylcarnitine hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.05Å 143.59Å 183.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.05 – 2.12 49.00 – 2.12	Depositor EDS
% Data completeness (in resolution range)	99.0 (49.05-2.12) 99.0 (49.00-2.12)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 2.12Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.163 , 0.196 0.171 , 0.204	Depositor DCC
R_{free} test set	7342 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	27.6	Xtrriage
Anisotropy	0.026	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	33638	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NCA, CL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	2/4235 (0.0%)	0.81	0/5755
1	B	0.73	0/4396	0.82	5/5968 (0.1%)
1	C	0.73	2/4160 (0.0%)	0.81	4/5656 (0.1%)
1	D	0.74	0/4228	0.81	3/5742 (0.1%)
All	All	0.73	4/17019 (0.0%)	0.81	12/23121 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	79[A]	GLU	CD-OE2	6.57	1.32	1.25
1	C	79[B]	GLU	CD-OE2	6.57	1.32	1.25
1	A	79	GLU	CD-OE1	6.19	1.32	1.25
1	A	79	GLU	CD-OE2	5.56	1.31	1.25

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	292	ARG	NE-CZ-NH2	7.21	123.91	120.30
1	B	451	ARG	NE-CZ-NH1	-5.78	117.41	120.30
1	B	100[A]	ASN	CB-CA-C	5.76	121.92	110.40
1	B	100[B]	ASN	CB-CA-C	5.76	121.92	110.40
1	C	451	ARG	NE-CZ-NH1	-5.60	117.50	120.30
1	D	292	ARG	NE-CZ-NH1	-5.56	117.52	120.30
1	C	451	ARG	NE-CZ-NH2	5.50	123.05	120.30
1	C	292	ARG	NE-CZ-NH2	5.41	123.00	120.30
1	C	31	GLU	CB-CA-C	5.20	120.79	110.40
1	B	530	ARG	NE-CZ-NH1	-5.16	117.72	120.30
1	B	208	ARG	NE-CZ-NH1	-5.15	117.72	120.30
1	D	100	ASN	CB-CA-C	5.05	120.50	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4086	3883	3967	14	0
1	B	4240	4037	4139	25	0
1	C	4008	3790	3874	25	0
1	D	4096	3894	3981	16	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	18	8	12	0	0
3	B	18	8	12	0	0
3	C	9	4	6	0	0
3	D	9	4	6	0	0
4	C	5	0	0	0	0
5	A	383	0	0	3	0
5	B	417	0	0	3	0
5	C	336	0	0	4	0
5	D	381	0	0	1	0
All	All	18010	15628	15997	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:100[A]:ASN:OD1	5:B:701:HOH:O	1.73	1.04
1:B:31:GLU:OE2	5:B:702:HOH:O	1.80	0.99
1:B:286:ASP:OD2	1:D:286[B]:ASP:OD2	1.82	0.95
1:C:283[B]:GLU:H	1:C:283[B]:GLU:CD	1.70	0.93
1:B:79:GLU:OE1	1:C:79[B]:GLU:OE1	1.90	0.89
1:B:288[B]:GLN:NE2	1:D:286[B]:ASP:OD2	2.07	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:ASP:OD1	1:B:288[B]:GLN:NE2	2.11	0.84
1:B:79:GLU:OE1	1:C:79[B]:GLU:CD	2.17	0.82
1:C:503:ASN:HD21	1:C:510:TRP:H	1.32	0.76
1:C:100[A]:ASN:OD1	5:C:701:HOH:O	2.05	0.74
1:A:57:VAL:CG2	1:A:168:VAL:HG13	2.21	0.70
1:D:100:ASN:OD1	5:D:702:HOH:O	2.08	0.70
1:C:283[B]:GLU:HG3	5:C:718:HOH:O	1.93	0.68
1:B:224:VAL:H	1:B:250[A]:HIS:HD2	1.42	0.67
1:B:223:ARG:HD3	1:B:250[B]:HIS:CE1	2.31	0.66
1:D:224:VAL:H	1:D:250[A]:HIS:HD2	1.42	0.66
1:B:286:ASP:OD2	1:D:286[B]:ASP:CG	2.35	0.65
1:C:224:VAL:H	1:C:250[A]:HIS:HD2	1.44	0.64
1:B:107:ALA:O	5:B:703:HOH:O	2.17	0.59
1:C:138:GLU:OE1	5:C:702:HOH:O	2.17	0.58
1:A:57:VAL:CG2	1:A:168:VAL:CG1	2.83	0.56
1:A:57:VAL:HG22	1:A:168:VAL:HG13	1.88	0.55
1:B:223:ARG:CD	1:B:250[B]:HIS:CE1	2.90	0.54
1:C:503:ASN:ND2	1:C:510:TRP:H	2.04	0.53
1:C:166:LEU:HA	1:C:490:MET:CE	2.39	0.53
1:B:286:ASP:CG	1:D:286[B]:ASP:OD2	2.49	0.51
1:A:31:GLU:OE1	5:A:701:HOH:O	2.19	0.51
1:B:182:GLY:HA3	1:B:306:ASN:HD21	1.76	0.51
1:B:166:LEU:HA	1:B:490:MET:CE	2.41	0.51
1:A:166:LEU:HA	1:A:490:MET:CE	2.42	0.49
1:D:166:LEU:HA	1:D:490:MET:CE	2.43	0.49
1:C:417:MET:HG2	5:C:886:HOH:O	2.11	0.49
1:D:100:ASN:ND2	1:D:306:ASN:HD22	2.09	0.49
1:A:104:LEU:HD21	1:A:157:MET:CE	2.43	0.49
1:C:283[B]:GLU:CD	1:C:283[B]:GLU:N	2.51	0.48
1:B:79:GLU:CD	1:C:79[B]:GLU:OE1	2.52	0.47
1:B:67:LYS:NZ	1:C:79[B]:GLU:OE2	2.41	0.46
1:B:79:GLU:OE1	1:C:79[B]:GLU:OE2	2.32	0.46
1:B:110:PRO:O	1:B:111:ASP:HB2	2.16	0.46
1:A:417:MET:HG2	5:A:916:HOH:O	2.15	0.45
1:A:474:MET:HE2	5:A:1043:HOH:O	2.16	0.45
1:D:544:LEU:HB3	1:D:545:PRO:HD3	1.99	0.45
1:A:57:VAL:HG23	1:A:168:VAL:CG1	2.47	0.45
1:D:341:ILE:O	1:D:437:PHE:HA	2.15	0.45
1:B:341:ILE:O	1:B:437:PHE:HA	2.17	0.45
1:D:224:VAL:H	1:D:250[A]:HIS:CD2	2.30	0.44
1:C:140:SER:O	1:D:559:ARG:HD3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:GLU:HA	1:B:255:GLU:O	2.18	0.44
1:B:166:LEU:HA	1:B:490:MET:HE3	2.00	0.43
1:A:341:ILE:O	1:A:437:PHE:HA	2.17	0.43
1:C:341:ILE:O	1:C:437:PHE:HA	2.19	0.43
1:A:544:LEU:HB3	1:A:545:PRO:HD3	1.99	0.42
1:D:263:ASP:HB3	1:D:311:MET:SD	2.58	0.42
1:C:267[B]:GLU:CD	1:C:267[B]:GLU:H	2.22	0.42
1:D:420:ILE:HB	1:D:421:PRO:HD3	2.00	0.42
1:C:166:LEU:HA	1:C:490:MET:HE3	2.00	0.42
1:C:229:GLU:HA	1:C:255:GLU:O	2.19	0.42
1:D:229:GLU:HA	1:D:255:GLU:O	2.19	0.42
1:A:104:LEU:HD21	1:A:157:MET:HE1	2.01	0.41
1:B:230:SER:HA	1:B:256:SER:O	2.20	0.41
1:A:230:SER:HA	1:A:256:SER:O	2.20	0.41
1:A:342:GLY:HA3	1:A:438:TYR:CE2	2.56	0.41
1:C:342:GLY:HA3	1:C:438:TYR:CE2	2.55	0.41
1:D:230:SER:HA	1:D:256:SER:O	2.20	0.41
1:B:544:LEU:HB3	1:B:545:PRO:HD3	2.02	0.41
1:C:544:LEU:HB3	1:C:545:PRO:HD3	2.02	0.41
1:C:230:SER:HA	1:C:256:SER:O	2.20	0.41
1:C:481[B]:GLU:HB3	1:C:524:ILE:HG23	2.03	0.41
1:B:156:GLY:HA2	1:B:160[B]:MET:HE1	2.02	0.41
1:C:31:GLU:HG3	1:C:33:ASN:H	1.85	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	522/561 (93%)	507 (97%)	15 (3%)	0	100 100
1	B	546/561 (97%)	531 (97%)	15 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	511/561 (91%)	498 (98%)	13 (2%)	0	100	100
1	D	520/561 (93%)	507 (98%)	13 (2%)	0	100	100
All	All	2099/2244 (94%)	2043 (97%)	56 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	444/474 (94%)	442 (100%)	2 (0%)	88	92
1	B	462/474 (98%)	459 (99%)	3 (1%)	86	90
1	C	434/474 (92%)	432 (100%)	2 (0%)	88	92
1	D	444/474 (94%)	442 (100%)	2 (0%)	88	92
All	All	1784/1896 (94%)	1775 (100%)	9 (0%)	88	92

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	227	PHE
1	A	493	TRP
1	B	138	GLU
1	B	227	PHE
1	B	493	TRP
1	C	227	PHE
1	C	493	TRP
1	D	227	PHE
1	D	493	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	454	HIS
1	B	306	ASN
1	C	503	ASN
1	C	546	GLN
1	D	100	ASN
1	D	454	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NCA	A	603	-	9,9,9	0.20	0	11,11,11	0.47	0
3	NCA	B	602	-	9,9,9	0.17	0	11,11,11	0.31	0
3	NCA	C	603	-	9,9,9	0.19	0	11,11,11	0.32	0
3	NCA	B	603	-	9,9,9	0.28	0	11,11,11	0.34	0
3	NCA	A	602	-	9,9,9	0.19	0	11,11,11	0.34	0
3	NCA	D	602	-	9,9,9	0.20	0	11,11,11	0.33	0
4	SO4	C	601	-	4,4,4	0.32	0	6,6,6	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NCA	A	603	-	-	0/4/4/4	0/1/1/1
3	NCA	B	602	-	-	0/4/4/4	0/1/1/1
3	NCA	C	603	-	-	0/4/4/4	0/1/1/1
3	NCA	B	603	-	-	0/4/4/4	0/1/1/1
3	NCA	A	602	-	-	0/4/4/4	0/1/1/1
3	NCA	D	602	-	-	0/4/4/4	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	516/561 (91%)	0.40	28 (5%) 25 31	17, 28, 65, 107	0
1	B	532/561 (94%)	0.49	46 (8%) 10 13	16, 27, 69, 122	0
1	C	503/561 (89%)	0.72	65 (12%) 3 4	17, 29, 76, 109	0
1	D	518/561 (92%)	0.73	72 (13%) 2 3	16, 28, 74, 115	0
All	All	2069/2244 (92%)	0.59	211 (10%) 6 8	16, 28, 72, 122	0

All (211) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	553	ALA	8.9
1	B	553	ALA	8.3
1	C	549	GLN	7.1
1	D	559	ARG	7.0
1	D	116	LEU	6.8
1	A	54	LYS	6.7
1	C	366	THR	6.6
1	D	50	VAL	6.4
1	D	554	SER	6.4
1	A	548	ILE	6.4
1	B	556	ASP	6.3
1	A	284	ALA	6.2
1	B	558	HIS	6.2
1	B	557	LYS	6.1
1	D	557	LYS	5.8
1	C	365	ILE	5.8
1	D	405	LEU	5.7
1	D	365	ILE	5.6
1	D	366	THR	5.6
1	A	549	GLN	5.6
1	B	103	MET	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	552	LYS	5.4
1	B	551	LEU	5.4
1	B	560	GLU	5.4
1	C	387	CYS	5.4
1	C	371	GLN	5.4
1	C	368	GLU	5.3
1	D	117	SER	5.3
1	D	552	LYS	5.3
1	C	364	GLY	5.2
1	C	399	THR	5.2
1	A	543	THR	5.2
1	C	396	MET	5.2
1	C	370	LEU	5.2
1	D	54	LYS	5.1
1	B	104	LEU	5.1
1	C	118	SER	5.1
1	D	546	GLN	5.0
1	C	546	GLN	4.9
1	D	561	LEU	4.9
1	A	387	CYS	4.8
1	C	55	ALA	4.8
1	D	372	ALA	4.7
1	C	388	SER	4.7
1	D	53	THR	4.6
1	C	393	GLU	4.6
1	A	384	PRO	4.6
1	B	559	ARG	4.5
1	B	51	LYS	4.5
1	B	398	ASP	4.5
1	C	550	GLU	4.5
1	A	383	LEU	4.4
1	D	398	ASP	4.4
1	D	558	HIS	4.4
1	D	551	LEU	4.4
1	C	384	PRO	4.3
1	C	104	LEU	4.3
1	C	372	ALA	4.3
1	C	548	ILE	4.2
1	C	369	ASN	4.1
1	D	368	GLU	4.0
1	D	48	ILE	4.0
1	D	560	GLU	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	29	SER	3.9
1	D	367	ARG	3.9
1	C	450	VAL	3.9
1	C	543	THR	3.9
1	D	400	GLU	3.9
1	D	30	PRO	3.9
1	D	389	ASP	3.9
1	C	398	ASP	3.8
1	C	389	ASP	3.8
1	C	397	GLY	3.8
1	B	405	LEU	3.8
1	C	374	LEU	3.8
1	D	550	GLU	3.8
1	A	450	VAL	3.8
1	D	475	LYS	3.8
1	C	474	MET	3.8
1	B	364	GLY	3.8
1	D	101	LEU	3.8
1	A	542	LYS	3.8
1	D	544	LEU	3.7
1	D	549	GLN	3.7
1	D	370	LEU	3.7
1	B	549	GLN	3.7
1	D	362	ILE	3.7
1	D	118	SER	3.7
1	D	397	GLY	3.6
1	B	554	SER	3.6
1	D	390	LEU	3.6
1	C	373	VAL	3.5
1	D	556	ASP	3.5
1	C	392	MET	3.5
1	C	405	LEU	3.5
1	B	550	GLU	3.5
1	B	404	THR	3.5
1	A	30	PRO	3.4
1	B	389	ASP	3.4
1	A	546	GLN	3.4
1	C	367	ARG	3.4
1	D	49	HIS	3.3
1	B	546	GLN	3.3
1	B	548	ILE	3.3
1	C	545	PRO	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	364	GLY	3.2
1	B	105	ASN	3.2
1	D	374	LEU	3.2
1	B	30	PRO	3.1
1	B	29	SER	3.1
1	D	55	ALA	3.1
1	C	383	LEU	3.1
1	B	403	GLN	3.1
1	C	547	LYS	3.1
1	A	398	ASP	3.1
1	C	402	ALA	3.0
1	B	555	GLN	3.0
1	C	285	MET	3.0
1	D	402	ALA	3.0
1	D	538	GLN	3.0
1	D	102	ASP	3.0
1	D	474	MET	3.0
1	B	107	ALA	3.0
1	C	400	GLU	2.9
1	B	32	ALA	2.9
1	A	379	VAL	2.9
1	C	50	VAL	2.9
1	C	102	ASP	2.9
1	D	386	GLU	2.9
1	B	399	THR	2.8
1	D	388	SER	2.8
1	C	538	GLN	2.8
1	A	365	ILE	2.8
1	B	368	GLU	2.8
1	B	400	GLU	2.8
1	C	360	GLN	2.8
1	C	332	GLU	2.8
1	C	284[A]	ALA	2.8
1	D	548	ILE	2.8
1	C	119	PHE	2.7
1	D	119	PHE	2.7
1	B	545	PRO	2.7
1	D	450	VAL	2.7
1	D	472	TRP	2.7
1	A	114	MET	2.7
1	D	375	LYS	2.7
1	A	538	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	32	ALA	2.7
1	B	367	ARG	2.7
1	B	547	LYS	2.7
1	C	376	ASP	2.6
1	C	544	LEU	2.6
1	D	399	THR	2.6
1	C	101[A]	LEU	2.6
1	C	391	LEU	2.6
1	D	47	LEU	2.6
1	B	52	ASP	2.6
1	C	375	LYS	2.6
1	D	387	CYS	2.6
1	C	353	PRO	2.6
1	C	401	ASP	2.6
1	C	449	ASP	2.5
1	D	355	VAL	2.5
1	D	391	LEU	2.5
1	D	476	LEU	2.5
1	D	376	ASP	2.5
1	B	448	LYS	2.5
1	C	205	ALA	2.5
1	A	448	LYS	2.4
1	B	544	LEU	2.4
1	B	35	ILE	2.4
1	D	360	GLN	2.4
1	D	103	MET	2.4
1	B	116	LEU	2.4
1	D	545	PRO	2.4
1	C	103	MET	2.4
1	B	401	ASP	2.4
1	A	545	PRO	2.3
1	C	475	LYS	2.3
1	D	250[A]	HIS	2.3
1	D	555	GLN	2.3
1	A	390	LEU	2.3
1	C	100[A]	ASN	2.3
1	C	250[A]	HIS	2.3
1	D	393	GLU	2.3
1	A	360	GLN	2.3
1	C	355	VAL	2.2
1	A	376	ASP	2.2
1	B	538	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	550	GLU	2.2
1	D	205	ALA	2.2
1	B	366	THR	2.2
1	C	471	PHE	2.2
1	A	285	MET	2.2
1	C	363	LYS	2.2
1	D	332	GLU	2.1
1	B	377	THR	2.1
1	A	119	PHE	2.1
1	A	283	GLU	2.1
1	D	396	MET	2.1
1	A	525	GLN	2.1
1	B	524	ILE	2.1
1	B	390	LEU	2.1
1	C	447	PHE	2.1
1	D	547	LYS	2.1
1	D	543	THR	2.0
1	C	539	PHE	2.0
1	C	409	PHE	2.0
1	D	286[A]	ASP	2.0
1	B	250[A]	HIS	2.0
1	C	477	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NCA	A	603	9/9	0.46	0.31	45,47,56,56	13

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NCA	C	603	9/9	0.80	0.20	30,39,42,43	0
3	NCA	A	602	9/9	0.87	0.17	29,35,38,38	0
3	NCA	B	602	9/9	0.89	0.14	22,29,33,33	0
3	NCA	B	603	9/9	0.91	0.19	36,39,49,52	13
3	NCA	D	602	9/9	0.93	0.12	23,31,36,36	0
4	SO4	C	601	5/5	0.97	0.11	34,36,44,44	5
2	CL	D	601	1/1	0.98	0.19	26,26,26,26	0
2	CL	C	602	1/1	0.99	0.21	26,26,26,26	0
2	CL	A	601	1/1	0.99	0.16	25,25,25,25	0
2	CL	B	601	1/1	0.99	0.15	26,26,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.