



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 18, 2021 – 05:17 am BST

PDB ID : 7B7S
Title : CDK2/cyclin A2 in complex with 3H-pyrazolo[4,3-f]quinoline-based derivative HSD1368
Authors : Djukic, S.; Skerlova, J.; Rezacova, P.
Deposited on : 2020-12-11
Resolution : 2.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 84%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">84% 12% .</p>
1	C	299	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">85% 11% .</p>
2	B	258	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">81% 17% ..</p>
2	D	258	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">88% 10% ..</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	SGM	D	601	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	N	O	P				S
1	A	287	2318	1506	394	409	1	8	0	1	0
1	C	288	2313	1503	393	408	1	8	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP P24941
C	0	SER	-	expression tag	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	254	2053	1330	334	378	11	0	0	0
2	D	254	2054	1330	334	379	11	0	0	0

- Molecule 3 is 7-(3-(trifluoromethyl)-1H-pyrazol-4yl)-3,8,10,11-tetrahydropyrazolo[4,3-f]thio pyrano[3,4-c]quinoline 9-oxide (three-letter code: T1T) (formula: C₁₇H₁₂F₃N₅OS) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	N	O			S
3	A	1	27	17	3	5	1	1	0	0
3	C	1	27	17	3	5	1	1	0	0

- Molecule 4 is NITRATE ION (three-letter code: NO3) (formula: NO₃).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	N O		
4	A	1	4	1 3	0	0
4	C	1	4	1 3	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula: C₃H₈O₂S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	D	1	Total	C	O	S	0	0
			6	3	2	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	17	Total 17	O 17	0	0
7	B	20	Total 20	O 20	0	0
7	C	26	Total 26	O 26	0	0
7	D	14	Total 14	O 14	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cyclin-dependent kinase 2




- Molecule 1: Cyclin-dependent kinase 2




- Molecule 2: Cyclin-A2



- Molecule 2: Cyclin-A2





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.08Å 164.70Å 73.41Å 90.00° 106.28° 90.00°	Depositor
Resolution (Å)	47.10 – 2.54 47.06 – 2.54	Depositor EDS
% Data completeness (in resolution range)	84.1 (47.10-2.54) 84.1 (47.06-2.54)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.54Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.246 , 0.291 0.249 , 0.291	Depositor DCC
R_{free} test set	2129 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtrriage
Anisotropy	0.022	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.018 for l,-k,h	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8888	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NO3, SO4, T1T, TPO, SGM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.78	0/2362	0.86	0/3198
1	C	0.78	0/2357	0.85	0/3191
2	B	0.81	0/2102	0.85	0/2853
2	D	0.78	0/2101	0.83	0/2848
All	All	0.79	0/8922	0.85	0/12090

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2318	0	2366	26	0
1	C	2313	0	2362	25	0
2	B	2053	0	2074	34	0
2	D	2054	0	2075	21	0
3	A	27	0	0	2	0
3	C	27	0	0	6	0
4	A	4	0	0	0	0
4	C	4	0	0	0	0
5	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	6	0	8	4	0
7	A	17	0	0	0	0
7	B	20	0	0	0	0
7	C	26	0	0	0	0
7	D	14	0	0	0	0
All	All	8888	0	8885	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:193:CYS:SG	6:D:601:SGM:S1	2.34	1.21
1:C:85:GLN:HG2	1:C:135:ILE:HD11	1.64	0.78
1:C:10:ILE:CG2	3:C:301:T1T:CAC	2.64	0.76
2:B:323:GLN:HB2	2:B:324:PRO:HD3	1.72	0.71
2:D:206:ILE:HD12	2:D:248:VAL:O	1.90	0.71
1:C:10:ILE:HG21	3:C:301:T1T:CAC	2.22	0.69
2:B:289:LYS:HG3	2:B:293:ARG:HD3	1.76	0.66
1:C:85:GLN:HB3	1:C:135:ILE:HG13	1.80	0.64
2:D:388:LYS:HB3	2:D:389:PRO:HD3	1.80	0.63
1:C:18:VAL:HG21	3:C:301:T1T:FAQ	1.92	0.60
2:B:274:GLU:HG2	2:B:277:GLU:HG3	1.84	0.59
2:B:367:VAL:HG23	2:B:368:THR:HG23	1.83	0.59
2:B:218:LEU:HB3	2:B:261:MET:HE2	1.85	0.57
2:B:205:ASP:OD1	2:B:250:ARG:NH2	2.38	0.56
1:C:35:ILE:HD13	1:C:48:ALA:HB2	1.87	0.56
1:A:35:ILE:HD13	1:A:48:ALA:HB2	1.87	0.56
2:D:305:ASP:HB3	6:D:601:SGM:H31	1.88	0.56
1:C:10:ILE:HG22	3:C:301:T1T:CAC	2.37	0.55
3:A:301:T1T:CAY	3:A:301:T1T:CAD	2.85	0.54
1:A:95:ALA:O	1:A:199:ARG:HD2	2.08	0.54
1:A:99:ILE:HG22	1:A:104:ILE:HG13	1.90	0.54
1:C:127:ASP:OD2	1:C:148:LEU:HD12	2.07	0.53
2:B:218:LEU:HB3	2:B:261:MET:CE	2.38	0.53
2:B:329:VAL:HG23	2:B:367:VAL:HG21	1.90	0.52
1:C:145:ASP:HB2	3:C:301:T1T:CAJ	2.39	0.52
2:B:429:THR:C	2:B:430:LEU:HD12	2.30	0.51
2:B:328:LYS:HE2	2:B:419:HIS:HB3	1.93	0.51
1:C:99:ILE:HG22	1:C:104:ILE:HG13	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:16:GLY:N	1:C:34:LYS:O	2.44	0.51
1:A:131[B]:GLN:O	1:A:131[B]:GLN:HG3	2.10	0.51
1:A:129:LYS:HE3	1:A:131[B]:GLN:HG2	1.92	0.50
1:A:223:ASP:H	1:A:226:VAL:HG22	1.77	0.50
1:A:222:PRO:HA	1:A:226:VAL:HG21	1.93	0.50
2:B:223:GLU:OE2	2:B:412:LYS:HE3	2.12	0.49
2:D:223:GLU:OE2	2:D:412:LYS:HE3	2.12	0.49
1:A:101:LEU:HB2	1:A:102:PRO:CD	2.43	0.49
1:A:231:THR:HA	1:A:236:TYR:CD2	2.48	0.49
1:C:10:ILE:HD12	1:C:18:VAL:HG12	1.94	0.49
2:B:207:THR:HG22	2:B:210:MET:SD	2.53	0.49
2:B:329:VAL:CG2	2:B:367:VAL:CG2	2.90	0.49
1:A:198:THR:C	1:A:199:ARG:HG2	2.33	0.49
2:D:210:MET:CE	2:D:250:ARG:HD3	2.43	0.48
1:C:71:HIS:NE2	1:C:74:ASN:HA	2.29	0.48
1:A:122:ARG:HH21	2:B:307:ALA:HB1	1.79	0.48
1:C:137:THR:O	1:C:293:VAL:HG13	2.14	0.48
2:D:206:ILE:CD1	2:D:248:VAL:O	2.60	0.48
2:B:385:GLU:HA	2:B:388:LYS:HE3	1.94	0.48
1:C:177:CYS:HB2	1:C:233:MET:CE	2.42	0.48
2:D:210:MET:SD	2:D:250:ARG:HG2	2.53	0.48
2:B:388:LYS:HB2	2:B:389:PRO:HD3	1.96	0.47
1:A:41:THR:O	2:B:288:LYS:NZ	2.36	0.47
1:A:198:THR:O	1:A:199:ARG:HG2	2.15	0.47
1:A:128:LEU:HD13	1:A:189:LEU:CD1	2.45	0.47
2:B:429:THR:O	2:B:430:LEU:HD12	2.14	0.47
2:D:401:ALA:N	2:D:402:PRO:CD	2.78	0.47
2:D:404:HIS:CE1	2:D:406:GLN:OE1	2.68	0.47
2:D:177:ASP:HB2	2:D:179:HIS:CE1	2.50	0.46
1:A:159:TYR:O	1:A:160:TPO:C	2.64	0.46
2:B:401:ALA:N	2:B:402:PRO:CD	2.78	0.46
1:C:231:THR:HA	1:C:236:TYR:CD1	2.51	0.46
1:C:156:VAL:HG21	1:C:181:SER:HB2	1.98	0.46
2:B:404:HIS:CE1	2:B:406:GLN:OE1	2.68	0.46
2:D:274:GLU:HG2	2:D:277:GLU:HG3	1.98	0.46
2:B:329:VAL:HG22	2:B:367:VAL:CG2	2.46	0.46
1:C:276:SER:HG	2:D:178:TYR:HE2	1.62	0.46
2:D:225:TYR:HE2	2:D:281:ILE:HG21	1.81	0.46
2:B:329:VAL:HG22	2:B:367:VAL:HG22	1.97	0.45
1:C:85:GLN:HG2	1:C:135:ILE:CD1	2.39	0.45
2:D:207:THR:CG2	2:D:210:MET:HG3	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:193:CYS:O	2:B:241:ARG:HD2	2.17	0.45
2:B:345:ASP:HA	2:B:346:PRO:HA	1.73	0.44
1:A:101:LEU:HB2	1:A:102:PRO:HD3	1.98	0.44
2:B:329:VAL:CG2	2:B:367:VAL:HG21	2.48	0.43
2:B:225:TYR:HE2	2:B:281:ILE:HG21	1.84	0.43
2:B:384:LEU:HD23	2:B:384:LEU:HA	1.88	0.43
1:C:177:CYS:HB2	1:C:233:MET:HE1	2.01	0.43
2:D:294:MET:O	2:D:298:VAL:HG23	2.18	0.43
1:A:145:ASP:HB2	3:A:301:T1T:CAJ	2.49	0.43
2:D:305:ASP:CB	6:D:601:SGM:H31	2.49	0.43
2:B:294:MET:O	2:B:298:VAL:HG23	2.18	0.43
2:B:418:TYR:O	2:B:421:VAL:HG13	2.20	0.42
1:A:177:CYS:HB2	1:A:233:MET:CE	2.49	0.42
1:C:203:PHE:CE1	1:C:215:ILE:HA	2.55	0.42
2:D:418:TYR:O	2:D:421:VAL:HG13	2.19	0.42
1:C:122:ARG:O	1:C:122:ARG:HG3	2.20	0.42
2:D:193:CYS:O	2:D:241:ARG:HD2	2.20	0.42
2:D:305:ASP:HB3	6:D:601:SGM:C3	2.50	0.42
2:D:210:MET:HE1	2:D:250:ARG:HD3	2.00	0.42
1:C:23:ASN:HB3	1:C:26:THR:OG1	2.20	0.42
2:B:210:MET:HE1	2:B:250:ARG:HH11	1.85	0.41
1:A:203:PHE:CE1	1:A:215:ILE:HA	2.55	0.41
1:A:209:ILE:HD12	1:A:209:ILE:HA	1.91	0.41
2:B:200:MET:HG2	2:B:208:ASN:OD1	2.20	0.41
2:B:274:GLU:CG	2:B:277:GLU:HG3	2.51	0.41
1:C:18:VAL:CG2	3:C:301:T1T:FAQ	2.57	0.41
1:A:122:ARG:O	1:A:122:ARG:HG3	2.20	0.41
1:A:128:LEU:HD13	1:A:189:LEU:HD13	2.00	0.41
1:C:209:ILE:HD12	1:C:209:ILE:HA	1.95	0.41
1:A:101:LEU:CB	1:A:102:PRO:CD	2.99	0.41
2:B:207:THR:HG23	2:B:210:MET:H	1.85	0.41
1:A:135:ILE:HG22	1:A:136:ASN:O	2.21	0.40
2:B:199:TYR:HE2	2:B:348:LEU:HD11	1.85	0.40
1:A:132:ASN:O	1:A:144:ALA:HB3	2.22	0.40
1:A:223:ASP:O	1:A:226:VAL:HG22	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/299 (93%)	265 (95%)	13 (5%)	1 (0%)	34	46
1	C	279/299 (93%)	263 (94%)	15 (5%)	1 (0%)	34	46
2	B	252/258 (98%)	242 (96%)	10 (4%)	0	100	100
2	D	250/258 (97%)	240 (96%)	10 (4%)	0	100	100
All	All	1060/1114 (95%)	1010 (95%)	48 (4%)	2 (0%)	47	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	VAL
1	C	164	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/263 (96%)	250 (99%)	3 (1%)	71	81
1	C	252/263 (96%)	250 (99%)	2 (1%)	81	88
2	B	228/232 (98%)	226 (99%)	2 (1%)	78	86
2	D	228/232 (98%)	225 (99%)	3 (1%)	69	80
All	All	961/990 (97%)	951 (99%)	10 (1%)	76	84

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ARG
1	A	150	ARG
1	A	181	SER
2	B	207	THR
2	B	250	ARG
1	C	150	ARG
1	C	268	HIS
2	D	206	ILE
2	D	207	THR
2	D	280	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	C	160	1	8,10,11	1.14	1 (12%)	10,14,16	1.03	0
1	TPO	A	160	1	8,10,11	0.59	0	10,14,16	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	C	160	1	-	2/9/11/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	1/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	160	TPO	P-O1P	2.50	1.58	1.50

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	160	TPO	CB-OG1-P-O2P
1	C	160	TPO	CB-OG1-P-O2P
1	C	160	TPO	CB-OG1-P-O3P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	160	TPO	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NO3	C	302	-	1,3,3	0.34	0	0,3,3	0.00	-
3	T1T	C	301	-	28,31,31	3.91	14 (50%)	31,48,48	2.55	7 (22%)
3	T1T	A	301	-	28,31,31	4.16	15 (53%)	31,48,48	2.82	9 (29%)
4	NO3	A	302	-	1,3,3	0.37	0	0,3,3	0.00	-
5	SO4	A	303	-	4,4,4	0.30	0	6,6,6	0.14	0
6	SGM	D	601	-	5,5,5	0.33	0	5,5,5	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SGM	D	601	-	-	0/4/4/4	-
3	T1T	C	301	-	-	0/6/19/19	0/4/5/5
3	T1T	A	301	-	-	0/6/19/19	0/4/5/5

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	T1T	CAI-CAH	-15.14	1.34	1.49
3	A	301	T1T	CAI-CAH	-14.91	1.34	1.49
3	C	301	T1T	CAC-SAB	7.96	1.96	1.80
3	A	301	T1T	CAC-SAB	7.53	1.95	1.80
3	A	301	T1T	CAD-CAE	-7.35	1.38	1.51
3	A	301	T1T	CAU-CAV	-5.69	1.32	1.41
3	C	301	T1T	CAD-CAE	-5.26	1.42	1.51
3	C	301	T1T	CAG-CAF	4.22	1.55	1.50
3	C	301	T1T	CAU-CAV	-4.20	1.34	1.41
3	A	301	T1T	CAN-CAM	4.07	1.57	1.51
3	C	301	T1T	CAI-CAM	-4.03	1.34	1.38
3	A	301	T1T	CAZ-CBA	-3.84	1.35	1.45
3	A	301	T1T	CAZ-CAV	-3.80	1.32	1.42
3	A	301	T1T	NAX-NAW	-3.52	1.30	1.37
3	A	301	T1T	CAY-CAZ	-3.45	1.33	1.40
3	A	301	T1T	NAK-NAL	-3.02	1.31	1.37
3	C	301	T1T	CAZ-CBA	-3.00	1.37	1.45
3	C	301	T1T	CAZ-CAV	-2.98	1.34	1.42
3	C	301	T1T	CAH-NAR	2.67	1.36	1.32
3	C	301	T1T	NAX-NAW	-2.65	1.32	1.37
3	A	301	T1T	CAH-CAF	-2.53	1.36	1.41
3	A	301	T1T	CAE-CBA	-2.51	1.38	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	T1T	CBA-CAS	-2.41	1.38	1.42
3	C	301	T1T	NAK-NAL	-2.16	1.32	1.37
3	A	301	T1T	CAT-CAS	-2.07	1.38	1.41
3	C	301	T1T	CAT-CAS	-2.05	1.38	1.41
3	C	301	T1T	CAY-CAZ	-2.03	1.36	1.40
3	A	301	T1T	CAM-NAL	-2.02	1.31	1.34
3	C	301	T1T	CAF-CAE	2.02	1.41	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	T1T	CAN-CAM-CAI	9.02	137.86	129.29
3	C	301	T1T	CAF-CAG-SAB	-8.05	94.35	114.14
3	C	301	T1T	CAI-CAH-NAR	6.56	126.16	115.81
3	A	301	T1T	CAI-CAH-NAR	6.18	125.57	115.81
3	A	301	T1T	CAF-CAG-SAB	-5.66	100.22	114.14
3	A	301	T1T	CAH-CAI-CAM	5.63	138.31	127.64
3	C	301	T1T	CAH-CAI-CAM	4.72	136.59	127.64
3	C	301	T1T	CAC-SAB-CAG	-3.70	90.80	97.48
3	C	301	T1T	CAC-CAD-CAE	-3.28	109.00	113.51
3	A	301	T1T	CAZ-CBA-CAS	3.13	120.70	117.78
3	C	301	T1T	CAZ-CBA-CAS	3.03	120.61	117.78
3	A	301	T1T	CAT-CAS-CBA	-2.57	117.56	120.16
3	A	301	T1T	CAN-CAM-NAL	-2.33	116.91	119.69
3	A	301	T1T	CAF-CAH-NAR	-2.31	117.81	122.63
3	C	301	T1T	CAN-CAM-CAI	2.11	131.29	129.29
3	A	301	T1T	CAC-CAD-CAE	-2.05	110.69	113.51

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	T1T	6	0
3	A	301	T1T	2	0
6	D	601	SGM	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	286/299 (95%)	0.24	6 (2%) 63 70	21, 37, 69, 88	0
1	C	287/299 (95%)	0.18	10 (3%) 44 51	21, 36, 66, 109	0
2	B	254/258 (98%)	0.19	5 (1%) 65 72	19, 35, 59, 91	0
2	D	254/258 (98%)	0.31	5 (1%) 65 72	21, 41, 61, 80	0
All	All	1081/1114 (97%)	0.23	26 (2%) 59 65	19, 37, 65, 109	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	385	GLU	4.2
1	A	290	THR	3.7
1	C	17	VAL	3.4
1	A	8	GLU	3.2
2	B	323	GLN	3.0
1	C	8	GLU	2.9
2	B	403	GLN	2.8
1	A	7	VAL	2.6
2	D	289	LYS	2.6
1	C	9	LYS	2.5
1	A	225	VAL	2.5
1	C	290	THR	2.4
1	C	36	ARG	2.3
1	C	16	GLY	2.3
2	D	384	LEU	2.3
1	C	74	ASN	2.2
1	C	288	ASP	2.2
1	A	17	VAL	2.2
2	D	411	GLU	2.2
2	D	367	VAL	2.2
1	A	9	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	372	TRP	2.2
2	D	388	LYS	2.1
1	C	7	VAL	2.1
2	B	384	LEU	2.1
1	C	135	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	A	160	11/12	0.97	0.14	27,34,41,41	0
1	TPO	C	160	11/12	0.97	0.16	21,30,43,47	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	A	303	5/5	0.72	0.37	87,89,98,100	0
6	SGM	D	601	6/6	0.84	0.23	56,60,62,65	0
3	T1T	A	301	27/27	0.86	0.25	41,56,64,75	27
3	T1T	C	301	27/27	0.86	0.22	39,59,66,76	27
4	NO3	A	302	4/4	0.87	0.22	37,39,44,45	0
4	NO3	C	302	4/4	0.90	0.15	30,30,33,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.