



# Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 11:06 pm BST

PDB ID : 3BNU  
Title : Crystal structure of polyamine oxidase FMS1 from *Saccharomyces cerevisiae* in complex with bis-(3S,3'S)-methylated spermine  
Authors : Huang, Q.; Hao, Q.  
Deposited on : 2007-12-14  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	516	 3% 76% 19% . .
1	B	516	 6% 73% 20% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SPZ	B	803	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Polyamine oxidase FMS1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	499	3845	2425	668	730	22	0	0	0
1	A	497	3905	2471	684	728	22	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	509	LEU	-	EXPRESSION TAG	UNP P50264
B	510	GLU	-	EXPRESSION TAG	UNP P50264
B	511	HIS	-	EXPRESSION TAG	UNP P50264
B	512	HIS	-	EXPRESSION TAG	UNP P50264
B	513	HIS	-	EXPRESSION TAG	UNP P50264
B	514	HIS	-	EXPRESSION TAG	UNP P50264
B	515	HIS	-	EXPRESSION TAG	UNP P50264
B	516	HIS	-	EXPRESSION TAG	UNP P50264
A	509	LEU	-	EXPRESSION TAG	UNP P50264
A	510	GLU	-	EXPRESSION TAG	UNP P50264
A	511	HIS	-	EXPRESSION TAG	UNP P50264
A	512	HIS	-	EXPRESSION TAG	UNP P50264
A	513	HIS	-	EXPRESSION TAG	UNP P50264
A	514	HIS	-	EXPRESSION TAG	UNP P50264
A	515	HIS	-	EXPRESSION TAG	UNP P50264
A	516	HIS	-	EXPRESSION TAG	UNP P50264

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	B	1	53	27	9	15	2	0	0
2	A	1	53	27	9	15	2	0	0

- Molecule 3 is (3S,3'S)-N 1 ,N 1 '-butane-1,4-diyldibutane-1,3-diamine (three-letter code: SPZ) (formula: C<sub>12</sub>H<sub>30</sub>N<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
3	B	1	16	12	4	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
3	A	1	16	12	4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	B	140	140	140	0	0
4	A	165	165	165	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polyamine oxidase FMS1



- Molecule 1: Polyamine oxidase FMS1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	162.19Å 103.00Å 77.52Å 90.00° 95.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 29.55 – 2.20	Depositor EDS
% Data completeness (in resolution range)	89.8 (30.00-2.20) 89.8 (29.55-2.20)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.20Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.217 , 0.268 0.216 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.6	Xtrriage
Anisotropy	0.270	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 46.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8193	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SPZ, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	1/3988 (0.0%)	0.60	0/5393
1	B	0.36	0/3923	0.59	0/5309
All	All	0.37	1/7911 (0.0%)	0.60	0/10702

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	112	GLU	CB-CG	-5.05	1.42	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3905	0	3762	70	0
1	B	3845	0	3639	96	0
2	A	53	0	31	3	0
2	B	53	0	31	1	0
3	A	16	0	30	5	0
3	B	16	0	30	9	0
4	A	165	0	0	2	0
4	B	140	0	0	4	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8193	0	7523	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:282:ILE:HD13	1:B:465:ALA:HB1	1.51	0.92
1:A:353:CYS:SG	1:A:400:PRO:HG2	2.17	0.83
1:B:377:GLN:NE2	1:B:377:GLN:H	1.78	0.81
1:B:353:CYS:SG	1:B:400:PRO:HG2	2.21	0.80
1:A:269:ARG:HA	1:A:269:ARG:NE	1.97	0.79
1:B:302:GLU:HG3	1:B:431:VAL:HB	1.64	0.79
1:B:67:HIS:NE2	3:B:803:SPZ:H1M	2.02	0.75
1:B:377:GLN:HE21	1:B:377:GLN:H	1.34	0.72
1:B:278:LEU:HA	1:B:470:GLN:HE22	1.53	0.72
1:B:174:TRP:O	3:B:803:SPZ:H1JA	1.89	0.72
1:B:439:ASN:HD21	1:B:442:ARG:HD3	1.55	0.70
1:B:189:PHE:H	1:B:189:PHE:HD2	1.38	0.70
1:A:158:ASN:HD22	1:A:328:ARG:HH21	1.39	0.69
1:B:48:LEU:CD2	1:B:63:ALA:HB3	2.24	0.68
1:B:415:ILE:HD13	1:B:426:ASN:OD1	1.94	0.68
1:A:377:GLN:H	1:A:377:GLN:NE2	1.92	0.67
1:B:189:PHE:N	1:B:189:PHE:HD2	1.92	0.66
1:B:271:ARG:HG3	1:B:271:ARG:HH11	1.61	0.66
1:B:138:ASP:HB3	4:B:908:HOH:O	1.94	0.66
1:A:264:PRO:O	1:A:265:GLU:HB3	1.97	0.64
1:B:470:GLN:HB3	1:B:474:ILE:HB	1.78	0.63
1:B:265:GLU:C	1:B:267:ASN:H	2.00	0.63
1:B:133:HIS:HB3	1:B:136:VAL:HG13	1.81	0.63
1:B:380:LEU:HD22	1:B:384:ILE:HG12	1.81	0.63
1:B:72:ASN:C	1:B:72:ASN:HD22	2.03	0.62
1:A:54:TYR:O	1:A:57:ARG:HG3	2.00	0.62
1:A:133:HIS:HB3	1:A:136:VAL:CG2	2.30	0.62
1:B:278:LEU:HA	1:B:470:GLN:NE2	2.15	0.61
1:A:259:ASN:O	1:A:262:VAL:HG22	2.01	0.61
1:A:332:ASN:HD21	1:A:334:ASP:HB2	1.65	0.60
1:B:189:PHE:CD2	1:B:189:PHE:N	2.64	0.60
1:A:158:ASN:ND2	1:A:328:ARG:HH21	2.00	0.60
1:B:63:ALA:HA	2:B:802:FAD:N5	2.17	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:PRO:HG2	1:B:216:TRP:CE2	2.38	0.59
1:B:67:HIS:NE2	3:B:803:SPZ:C1M	2.65	0.59
1:B:473:ARG:HG3	1:B:473:ARG:HH11	1.67	0.59
1:A:264:PRO:O	1:A:265:GLU:CB	2.51	0.58
1:A:311:SER:HA	1:A:362:ASN:HB3	1.86	0.58
1:B:224:LYS:HD2	1:B:239:GLU:OE1	2.04	0.58
1:A:122:MET:O	1:A:125:PHE:HB3	2.03	0.58
1:B:377:GLN:NE2	1:B:377:GLN:N	2.49	0.58
1:A:133:HIS:HB3	1:A:136:VAL:HG21	1.85	0.58
1:B:439:ASN:ND2	1:B:442:ARG:HD3	2.19	0.57
1:B:332:ASN:HD21	1:B:334:ASP:HB2	1.69	0.57
1:B:227:THR:HG23	1:B:275:GLN:HB3	1.86	0.57
1:B:176:GLY:C	1:B:177:LEU:HD12	2.25	0.57
1:A:174:TRP:CZ3	3:A:802:SPZ:H1AA	2.40	0.56
1:B:479:GLU:OE1	1:B:487:GLY:HA2	2.04	0.56
1:A:460:VAL:O	1:A:464:VAL:HG23	2.05	0.56
1:B:157:THR:OG1	1:B:160:GLN:HG3	2.06	0.56
1:B:66:HIS:HB2	1:B:196:ALA:HB3	1.86	0.55
1:B:99:TYR:HB3	1:B:316:LEU:HD11	1.87	0.55
1:A:164:LEU:N	1:A:165:PRO:HD2	2.22	0.55
1:B:212:PHE:HB2	1:B:213:PRO:HD2	1.89	0.55
1:B:252:THR:HG22	1:B:477:ALA:HB3	1.88	0.55
1:B:308:ASN:O	1:B:365:LYS:HD2	2.06	0.55
1:A:67:HIS:HE1	3:A:802:SPZ:H1A	1.73	0.54
1:B:475:ARG:HB3	1:B:499:GLU:OE1	2.08	0.54
3:B:803:SPZ:HN1O	3:B:803:SPZ:C1J	2.20	0.54
1:A:63:ALA:HA	2:A:801:FAD:N5	2.23	0.54
1:B:293:ALA:HB3	1:B:378:ALA:HB2	1.91	0.53
1:A:150:LEU:O	1:A:153:ARG:HD2	2.08	0.53
1:A:414:VAL:HA	1:A:430:PRO:HG2	1.91	0.53
1:A:189:PHE:CZ	3:A:802:SPZ:H1MA	2.43	0.53
1:A:322:GLU:O	1:A:326:ILE:HG13	2.08	0.52
1:A:240:ASP:OD1	1:A:242:THR:HG23	2.10	0.52
1:B:213:PRO:HG2	1:B:216:TRP:CD2	2.44	0.52
1:A:229:GLU:C	1:A:231:SER:H	2.13	0.52
1:A:479:GLU:OE1	1:A:487:GLY:HA2	2.10	0.52
1:A:252:THR:HG22	1:A:477:ALA:HB3	1.92	0.51
1:B:271:ARG:HD3	1:B:271:ARG:C	2.30	0.51
1:B:177:LEU:N	1:B:177:LEU:HD12	2.25	0.51
1:B:302:GLU:OE2	1:B:433:ARG:NH1	2.40	0.51
1:B:486:ALA:O	3:B:803:SPZ:C1E	2.58	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:488:CYS:SG	3:B:803:SPZ:N1F	2.82	0.51
1:B:311:SER:O	1:B:312:LYS:HE3	2.11	0.50
1:A:262:VAL:CG1	1:A:283:GLN:HG2	2.41	0.50
1:B:229:GLU:O	1:B:231:SER:N	2.44	0.50
1:B:186:ASP:HB2	4:B:855:HOH:O	2.11	0.50
1:B:486:ALA:O	3:B:803:SPZ:H1E	2.11	0.50
1:A:233:ASN:HB3	1:A:245:ASN:HD21	1.77	0.49
1:B:414:VAL:HA	1:B:430:PRO:HG2	1.94	0.49
1:B:57:ARG:HD3	1:B:369:VAL:CG1	2.43	0.49
1:A:14:ILE:N	1:A:14:ILE:HD12	2.27	0.49
1:B:173:LEU:N	1:B:173:LEU:HD22	2.28	0.49
1:A:237:ASN:OD1	1:A:243:VAL:HG22	2.13	0.49
1:B:239:GLU:HA	1:B:239:GLU:OE1	2.13	0.49
1:B:213:PRO:HG2	1:B:216:TRP:CD1	2.47	0.48
1:B:336:LEU:HD22	1:B:340:LEU:CD1	2.43	0.48
1:A:262:VAL:HG12	1:A:283:GLN:HG2	1.95	0.48
1:B:411:SER:HA	4:B:826:HOH:O	2.14	0.48
1:B:47:ARG:NH2	1:B:254:PRO:HB3	2.29	0.48
1:B:259:ASN:O	1:B:262:VAL:HG22	2.13	0.48
1:B:271:ARG:HG3	1:B:271:ARG:NH1	2.27	0.47
1:B:247:ASP:O	1:B:473:ARG:HD2	2.14	0.47
1:A:269:ARG:CZ	1:A:269:ARG:HA	2.44	0.47
1:B:254:PRO:HG2	1:B:257:VAL:HG23	1.96	0.47
1:A:293:ALA:HB3	1:A:378:ALA:HB2	1.97	0.47
1:B:165:PRO:O	1:B:169:ARG:HG3	2.14	0.47
1:B:70:LEU:HD23	1:A:152:ARG:CZ	2.45	0.47
1:A:470:GLN:HB3	1:A:474:ILE:HB	1.97	0.47
1:B:135:GLY:O	1:B:137:SER:N	2.48	0.46
1:A:432:LEU:HD21	1:A:435:ILE:HD11	1.98	0.46
1:A:269:ARG:HH11	1:A:269:ARG:HG2	1.79	0.46
1:B:332:ASN:ND2	1:B:334:ASP:HB2	2.30	0.46
1:A:226:ILE:HD13	1:A:251:ILE:HD11	1.97	0.46
1:A:48:LEU:CD2	1:A:63:ALA:HB3	2.45	0.46
1:A:213:PRO:HB2	1:A:216:TRP:CD1	2.50	0.46
1:A:123:SER:HB3	1:A:188:TYR:CE2	2.51	0.46
1:B:9:LYS:O	1:B:246:ALA:HA	2.16	0.46
1:A:67:HIS:NE2	3:A:802:SPZ:H1G	2.31	0.46
1:B:153:ARG:HG3	4:B:814:HOH:O	2.15	0.45
1:A:494:GLU:OE1	1:A:497:ARG:NH2	2.50	0.45
1:B:206:GLN:O	1:B:210:GLN:HG3	2.17	0.45
1:B:213:PRO:HG2	1:B:216:TRP:CG	2.52	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:GLU:HB2	4:A:861:HOH:O	2.17	0.45
1:B:213:PRO:O	1:B:216:TRP:HB2	2.17	0.45
1:A:229:GLU:O	1:A:231:SER:N	2.49	0.44
1:A:455:PRO:HG2	4:A:895:HOH:O	2.16	0.44
1:B:143:GLN:O	1:B:147:LYS:HG3	2.16	0.44
1:B:377:GLN:HE21	1:B:377:GLN:N	2.08	0.44
1:A:331:GLU:CB	1:A:335:GLU:HG3	2.48	0.44
1:B:359:PHE:HD2	1:B:375:LEU:HD22	1.82	0.44
1:A:229:GLU:C	1:A:231:SER:N	2.70	0.44
1:A:189:PHE:CE1	1:A:191:HIS:CE1	3.06	0.44
1:A:442:ARG:HG2	1:A:442:ARG:HH11	1.83	0.43
1:A:262:VAL:O	1:A:262:VAL:HG23	2.18	0.43
1:A:177:LEU:HD11	1:A:292:GLY:HA2	2.00	0.43
1:A:102:GLU:O	1:A:404:LYS:HE2	2.18	0.43
1:A:61:ILE:HD12	1:A:61:ILE:HA	1.85	0.43
1:A:68:ASP:HB3	1:A:192:GLN:HB2	2.00	0.43
1:A:471:ASP:OD1	1:A:471:ASP:C	2.56	0.43
1:B:164:LEU:N	1:B:165:PRO:HD2	2.34	0.43
1:B:353:CYS:SG	1:B:401:VAL:HG13	2.59	0.43
1:A:38:LEU:HD23	1:A:218:LYS:HB3	2.01	0.42
1:B:131:HIS:O	1:B:132:GLN:C	2.57	0.42
1:A:353:CYS:SG	1:A:401:VAL:HG13	2.59	0.42
2:A:801:FAD:C4X	3:A:802:SPZ:H1GA	2.49	0.42
1:B:291:PHE:H	1:B:451:SER:HA	1.83	0.42
1:B:423:ASN:HB3	1:B:426:ASN:ND2	2.35	0.42
1:B:485:GLY:O	1:B:488:CYS:HB2	2.19	0.42
1:A:200:ASN:O	1:A:203:SER:HB3	2.19	0.42
1:B:12:ILE:HG13	1:B:246:ALA:HB2	2.02	0.42
1:A:449:ALA:CB	2:A:801:FAD:HM83	2.49	0.42
1:B:213:PRO:CG	1:B:216:TRP:CE2	3.03	0.42
1:B:336:LEU:HD22	1:B:340:LEU:HD11	2.01	0.42
1:A:5:SER:HB3	1:A:6:PRO:CD	2.50	0.42
1:A:91:VAL:O	1:A:91:VAL:HG13	2.20	0.42
1:B:122:MET:O	1:B:125:PHE:HB3	2.20	0.42
3:B:803:SPZ:N1K	3:B:803:SPZ:N1O	2.68	0.42
1:A:269:ARG:NH1	1:A:269:ARG:HG2	2.34	0.41
1:B:265:GLU:C	1:B:267:ASN:N	2.69	0.41
1:B:60:ASP:HB3	1:B:63:ALA:O	2.19	0.41
1:A:171:LEU:HD13	1:A:187:THR:HG22	2.02	0.41
1:A:239:GLU:HG3	1:A:240:ASP:N	2.35	0.41
1:A:199:LEU:HD23	1:A:199:LEU:HA	1.76	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:HIS:HB3	1:B:177:LEU:HD13	2.01	0.41
3:B:803:SPZ:H1J	3:B:803:SPZ:H1MA	1.87	0.41
1:B:439:ASN:HD22	1:B:439:ASN:HA	1.70	0.41
1:A:269:ARG:CA	1:A:269:ARG:NE	2.75	0.41
1:B:167:LEU:HD23	1:B:167:LEU:C	2.41	0.41
1:A:39:GLU:HB3	1:A:219:LEU:HD23	2.01	0.41
1:B:421:ILE:HG22	1:B:421:ILE:O	2.19	0.41
1:B:332:ASN:HD22	1:B:334:ASP:H	1.69	0.41
1:A:129:GLU:OE1	1:A:129:GLU:HA	2.21	0.40
1:B:387:ILE:O	1:B:387:ILE:HG13	2.20	0.40
1:B:254:PRO:HG2	1:B:257:VAL:CG2	2.51	0.40
1:B:150:LEU:O	1:B:153:ARG:HG2	2.22	0.40
1:B:265:GLU:O	1:B:267:ASN:N	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/516 (95%)	461 (94%)	27 (6%)	3 (1%)	25	26
1	B	495/516 (96%)	445 (90%)	37 (8%)	13 (3%)	5	3
All	All	986/1032 (96%)	906 (92%)	64 (6%)	16 (2%)	9	7

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	136	VAL
1	B	200	ASN
1	B	231	SER
1	B	232	LYS
1	B	289	ILE

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	290	HIS
1	A	200	ASN
1	A	265	GLU
1	B	132	GLN
1	B	133	HIS
1	B	291	PHE
1	A	131	HIS
1	B	266	LYS
1	B	137	SER
1	B	421	ILE
1	B	350	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	417/457 (91%)	406 (97%)	11 (3%)	46	58
1	B	403/457 (88%)	386 (96%)	17 (4%)	30	38
All	All	820/914 (90%)	792 (97%)	28 (3%)	37	47

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	64	SER
1	B	72	ASN
1	B	124	LYS
1	B	153	ARG
1	B	177	LEU
1	B	179	TRP
1	B	189	PHE
1	B	201	TYR
1	B	267	ASN
1	B	271	ARG
1	B	312	LYS
1	B	336	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	362	ASN
1	B	377	GLN
1	B	380	LEU
1	B	439	ASN
1	B	479	GLU
1	A	64	SER
1	A	179	TRP
1	A	201	TYR
1	A	221	CYS
1	A	239	GLU
1	A	267	ASN
1	A	291	PHE
1	A	335	GLU
1	A	377	GLN
1	A	389	GLU
1	A	483	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	29	GLN
1	B	72	ASN
1	B	120	ASN
1	B	191	HIS
1	B	192	GLN
1	B	267	ASN
1	B	329	ASN
1	B	332	ASN
1	B	362	ASN
1	B	377	GLN
1	B	434	ASN
1	B	439	ASN
1	A	29	GLN
1	A	131	HIS
1	A	158	ASN
1	A	192	GLN
1	A	214	GLN
1	A	245	ASN
1	A	259	ASN
1	A	267	ASN
1	A	332	ASN
1	A	362	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	377	GLN
1	A	434	ASN
1	A	439	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FAD	A	801	-	51,58,58	1.69	10 (19%)	60,89,89	2.57	12 (20%)
3	SPZ	B	803	-	15,15,15	0.36	0	12,16,16	0.53	0
2	FAD	B	802	-	51,58,58	1.72	8 (15%)	60,89,89	2.49	12 (20%)
3	SPZ	A	802	-	15,15,15	0.38	0	12,16,16	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	801	-	-	4/30/50/50	0/6/6/6
3	SPZ	B	803	-	-	0/13/13/13	-
2	FAD	B	802	-	-	4/30/50/50	0/6/6/6
3	SPZ	A	802	-	-	0/13/13/13	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	802	FAD	C4X-C10	4.92	1.43	1.38
2	B	802	FAD	C10-N1	4.40	1.38	1.33
2	A	801	FAD	C4X-C10	4.39	1.43	1.38
2	B	802	FAD	C4X-N5	4.15	1.39	1.33
2	A	801	FAD	C4X-N5	4.11	1.39	1.33
2	A	801	FAD	C10-N1	3.88	1.38	1.33
2	B	802	FAD	C9A-N10	3.76	1.43	1.38
2	B	802	FAD	C4-N3	3.74	1.39	1.33
2	A	801	FAD	C9A-N10	3.56	1.43	1.38
2	A	801	FAD	C4-N3	3.51	1.39	1.33
2	A	801	FAD	C2A-N3A	2.88	1.36	1.32
2	B	802	FAD	C2A-N1A	2.78	1.39	1.33
2	A	801	FAD	C5B-C4B	2.71	1.60	1.51
2	A	801	FAD	C2A-N1A	2.65	1.38	1.33
2	B	802	FAD	C2A-N3A	2.63	1.36	1.32
2	A	801	FAD	C5X-N5	2.41	1.39	1.35
2	A	801	FAD	C1'-N10	2.39	1.50	1.48
2	B	802	FAD	C5B-C4B	2.30	1.58	1.51

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	FAD	C4-N3-C2	10.83	124.28	115.14
2	B	802	FAD	C4-N3-C2	10.45	123.97	115.14
2	A	801	FAD	O2A-PA-O5B	-7.67	72.10	107.75
2	B	802	FAD	O2A-PA-O5B	-7.32	73.76	107.75
2	A	801	FAD	O5B-PA-O1A	6.80	135.64	109.07
2	B	802	FAD	O5B-PA-O1A	6.76	135.47	109.07
2	A	801	FAD	O2A-PA-O1A	-6.14	81.90	112.24
2	B	802	FAD	O2A-PA-O1A	-5.64	84.38	112.24
2	B	802	FAD	C4X-C4-N3	-4.50	117.28	123.43
2	A	801	FAD	C4X-C4-N3	-4.49	117.29	123.43
2	B	802	FAD	C4X-N5-C5X	4.31	121.08	116.77
2	A	801	FAD	C4X-N5-C5X	4.27	121.04	116.77
2	A	801	FAD	C1'-N10-C9A	4.14	121.55	118.29

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	FAD	O4B-C1B-C2B	-4.09	100.94	106.93
2	B	802	FAD	C1'-N10-C9A	3.91	121.37	118.29
2	B	802	FAD	O4B-C1B-C2B	-3.88	101.26	106.93
2	A	801	FAD	C4-C4X-C10	-2.59	118.23	119.95
2	B	802	FAD	C5A-C6A-N6A	2.44	124.06	120.35
2	A	801	FAD	N3A-C2A-N1A	-2.38	124.95	128.68
2	A	801	FAD	O3'-C3'-C4'	-2.22	103.45	108.81
2	B	802	FAD	O3'-C3'-C4'	-2.17	103.56	108.81
2	B	802	FAD	N3A-C2A-N1A	-2.16	125.30	128.68
2	A	801	FAD	C5A-C6A-N6A	2.10	123.54	120.35
2	B	802	FAD	C4-C4X-C10	-2.02	118.62	119.95

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	FAD	C5B-O5B-PA-O1A
2	A	801	FAD	PA-O3P-P-O5'
2	B	802	FAD	C5B-O5B-PA-O1A
2	B	802	FAD	C3B-C4B-C5B-O5B
2	A	801	FAD	O4B-C4B-C5B-O5B
2	A	801	FAD	C3B-C4B-C5B-O5B
2	B	802	FAD	O4B-C4B-C5B-O5B
2	B	802	FAD	PA-O3P-P-O5'


There are no ring outliers.


4 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	FAD	3	0
3	B	803	SPZ	9	0
2	B	802	FAD	1	0
3	A	802	SPZ	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	497/516 (96%)	0.05	18 (3%) 42 41	18, 31, 56, 76	0
1	B	499/516 (96%)	0.22	30 (6%) 21 20	21, 35, 61, 85	0
All	All	996/1032 (96%)	0.13	48 (4%) 30 29	18, 33, 59, 85	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	134	LEU	8.4
1	A	230	PRO	5.9
1	B	133	HIS	4.9
1	B	230	PRO	4.8
1	B	137	SER	4.6
1	A	342	ARG	4.5
1	B	138	ASP	4.4
1	B	289	ILE	4.0
1	B	136	VAL	4.0
1	A	231	SER	4.0
1	B	232	LYS	3.9
1	A	131	HIS	3.6
1	A	343	GLU	3.6
1	A	339	MET	3.6
1	B	264	PRO	3.4
1	B	135	GLY	3.4
1	B	338	SER	3.4
1	A	14	ILE	3.3
1	B	425	ALA	3.3
1	B	132	GLN	3.0
1	B	454	PHE	2.9
1	B	251	ILE	2.9
1	A	5	SER	2.7
1	B	131	HIS	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	288	LYS	2.7
1	B	267	ASN	2.7
1	A	252	THR	2.6
1	B	14	ILE	2.6
1	B	231	SER	2.6
1	B	421	ILE	2.6
1	A	251	ILE	2.6
1	A	513	HIS	2.6
1	A	190	GLY	2.5
1	B	253	VAL	2.5
1	A	174	TRP	2.4
1	B	420	PRO	2.4
1	B	342	ARG	2.3
1	B	262	VAL	2.3
1	B	340	LEU	2.2
1	A	133	HIS	2.2
1	A	189	PHE	2.2
1	B	288	LYS	2.2
1	B	339	MET	2.2
1	B	455	PRO	2.1
1	B	458	ASP	2.1
1	A	512	HIS	2.0
1	B	245	ASN	2.0
1	A	250	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SPZ	B	803	16/16	0.66	0.31	54,58,60,60	0
3	SPZ	A	802	16/16	0.68	0.37	57,61,66,67	0
2	FAD	B	802	53/53	0.94	0.18	22,29,38,43	0
2	FAD	A	801	53/53	0.97	0.16	16,20,23,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.