



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 27, 2023 – 12:56 AM EDT

PDB ID : 6BXH  
Title : Menin in complex with MI-853  
Authors : Borkin, D.; Klossowski, S.; Pollock, J.; Linhares, B.; Cierpicki, T.; Grembecka, J.  
Deposited on : 2017-12-18  
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	509	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 3869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Menin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	468	3685	2361	629	680	15	0	3	0

There are 74 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP O00255
A	-3	GLY	-	expression tag	UNP O00255
A	-2	SER	-	expression tag	UNP O00255
A	-1	SER	-	expression tag	UNP O00255
A	0	SER	-	expression tag	UNP O00255
A	?	-	GLU	deletion	UNP O00255
A	?	-	GLU	deletion	UNP O00255
A	?	-	ARG	deletion	UNP O00255
A	?	-	PRO	deletion	UNP O00255
A	?	-	GLY	deletion	UNP O00255
A	?	-	GLU	deletion	UNP O00255
A	?	-	GLN	deletion	UNP O00255
A	?	-	SER	deletion	UNP O00255
A	?	-	GLN	deletion	UNP O00255
A	?	-	GLY	deletion	UNP O00255
A	?	-	THR	deletion	UNP O00255
A	?	-	GLN	deletion	UNP O00255
A	460	VAL	-	expression tag	UNP O00255
A	461	PRO	-	expression tag	UNP O00255
A	539	ALA	-	expression tag	UNP O00255
A	540	PRO	-	expression tag	UNP O00255
A	541	ALA	-	expression tag	UNP O00255
A	542	ALA	-	expression tag	UNP O00255
A	543	SER	-	expression tag	UNP O00255
A	544	PRO	-	expression tag	UNP O00255
A	545	PRO	-	expression tag	UNP O00255
A	546	PRO	-	expression tag	UNP O00255

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	547	GLU	-	expression tag	UNP O00255
A	548	GLY	-	expression tag	UNP O00255
A	549	PRO	-	expression tag	UNP O00255
A	550	VAL	-	expression tag	UNP O00255
A	551	LEU	-	expression tag	UNP O00255
A	552	THR	-	expression tag	UNP O00255
A	553	PHE	-	expression tag	UNP O00255
A	554	GLN	-	expression tag	UNP O00255
A	555	SER	-	expression tag	UNP O00255
A	556	GLU	-	expression tag	UNP O00255
A	557	LYS	-	expression tag	UNP O00255
A	558	MET	-	expression tag	UNP O00255
A	559	LYS	-	expression tag	UNP O00255
A	560	GLY	-	expression tag	UNP O00255
A	561	MET	-	expression tag	UNP O00255
A	562	LYS	-	expression tag	UNP O00255
A	563	GLU	-	expression tag	UNP O00255
A	564	LEU	-	expression tag	UNP O00255
A	565	LEU	-	expression tag	UNP O00255
A	566	VAL	-	expression tag	UNP O00255
A	567	ALA	-	expression tag	UNP O00255
A	568	THR	-	expression tag	UNP O00255
A	569	LYS	-	expression tag	UNP O00255
A	570	ILE	-	expression tag	UNP O00255
A	571	ASN	-	expression tag	UNP O00255
A	572	SER	-	expression tag	UNP O00255
A	573	SER	-	expression tag	UNP O00255
A	574	ALA	-	expression tag	UNP O00255
A	575	ILE	-	expression tag	UNP O00255
A	576	LYS	-	expression tag	UNP O00255
A	577	LEU	-	expression tag	UNP O00255
A	578	GLN	-	expression tag	UNP O00255
A	579	LEU	-	expression tag	UNP O00255
A	580	THR	-	expression tag	UNP O00255
A	581	ALA	-	expression tag	UNP O00255
A	582	GLN	-	expression tag	UNP O00255
A	583	SER	-	expression tag	UNP O00255
A	584	GLN	-	expression tag	UNP O00255
A	585	VAL	-	expression tag	UNP O00255
A	586	GLN	-	expression tag	UNP O00255
A	587	MET	-	expression tag	UNP O00255
A	588	LYS	-	expression tag	UNP O00255

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	589	LYS	-	expression tag	UNP O00255
A	590	GLN	-	expression tag	UNP O00255
A	591	LYS	-	expression tag	UNP O00255
A	592	VAL	-	expression tag	UNP O00255
A	593	SER	-	expression tag	UNP O00255

- Molecule 2 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C<sub>2</sub>H<sub>6</sub>OS).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	O			S
2	A	1	4	2	1	1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 1-{2-[4-(fluoroacetyl)piperazin-1-yl]ethyl}-4-methyl-5-[(4-{[6-(2,2,2-trifluoroethyl)thieno[2,3-d]pyrimidin-4-yl]amino}piperidin-1-yl)methyl]-1H-indole-2-carbonitrile (three-letter code: EE7) (formula: C<sub>32</sub>H<sub>36</sub>F<sub>4</sub>N<sub>8</sub>OS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	F	N	O	S	0	0
			46	32	4	8	1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	129	Total 129	O 129	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Menin





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	48.03Å 78.12Å 121.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.90 – 2.44 47.91 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.5 (47.90-2.44) 94.1 (47.91-2.45)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.12 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, $R_{free}$	0.190 , 0.255 0.200 , 0.256	Depositor DCC
$R_{free}$ test set	892 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.7	Xtrriage
Anisotropy	0.308	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 67.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3869	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.83% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, EE7, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/3775	0.44	0/5124

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3685	0	3646	69	0
2	A	4	0	6	0	0
3	A	5	0	0	0	0
4	A	46	0	0	0	0
5	A	129	0	0	3	0
All	All	3869	0	3652	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:ARG:H	1:A:131:ARG:HD3	1.39	0.88
1:A:385:ALA:O	1:A:399:SER:N	2.12	0.79
1:A:9:THR:O	1:A:11:PHE:N	2.18	0.75
1:A:561:MET:HG3	1:A:578:GLN:HG2	1.71	0.73
1:A:7:GLN:HB3	1:A:10:LEU:HD11	1.74	0.70
1:A:52:ARG:HD2	1:A:247:ILE:HD13	1.77	0.66
1:A:18:ASP:OD1	1:A:21:ARG:NH2	2.30	0.65
1:A:115:ARG:NH2	1:A:193:THR:O	2.30	0.64
1:A:47:PHE:HD1	1:A:74:GLY:HA2	1.63	0.64
1:A:556:GLU:OE2	1:A:559:LYS:NZ	2.31	0.63
1:A:134:PHE:HB2	1:A:137:ARG:HG3	1.79	0.63
1:A:29:ARG:HG3	1:A:31:GLU:H	1.65	0.62
1:A:221:LEU:HD22	1:A:356:GLU:HB3	1.81	0.61
1:A:102:ASP:HB3	1:A:105:LEU:HB3	1.84	0.59
1:A:561:MET:SD	1:A:575:ILE:HG23	2.44	0.57
1:A:108:ARG:O	1:A:110:GLY:N	2.37	0.57
1:A:17:ASP:O	1:A:21:ARG:HG3	2.05	0.56
1:A:249:LEU:H	1:A:249:LEU:HD23	1.69	0.56
1:A:314:ARG:N	1:A:314:ARG:HD2	2.22	0.55
1:A:49:ALA:HA	1:A:247:ILE:HG12	1.87	0.55
1:A:48:LEU:O	1:A:52:ARG:NH1	2.39	0.55
1:A:329:CYS:O	1:A:332:ARG:NH1	2.40	0.53
1:A:75:LEU:HD13	1:A:76:THR:N	2.25	0.52
1:A:255:GLU:H	1:A:255:GLU:CD	2.12	0.52
1:A:425:GLU:OE1	5:A:701:HOH:O	2.19	0.51
1:A:345:ALA:HA	1:A:348:ILE:HG22	1.93	0.51
1:A:106:TYR:HB3	1:A:117:LEU:HB2	1.94	0.50
1:A:249:LEU:HG	1:A:250:HIS:CD2	2.47	0.50
1:A:247:ILE:HD11	1:A:253:SER:HB2	1.93	0.50
1:A:318:ILE:HG21	1:A:360:ILE:HD11	1.94	0.50
1:A:101:VAL:HG11	1:A:168:LEU:HD11	1.94	0.49
1:A:75:LEU:HD22	1:A:76:THR:H	1.78	0.49
1:A:185:VAL:HG12	1:A:193:THR:HG22	1.93	0.49
1:A:355:ARG:O	1:A:356:GLU:HB2	2.12	0.49
1:A:555:SER:O	1:A:559:LYS:HG3	2.13	0.48
1:A:418:ASP:HA	1:A:558:MET:HG3	1.96	0.47
1:A:261:GLN:NE2	1:A:287:GLU:OE2	2.47	0.47
1:A:442:GLN:NE2	5:A:708:HOH:O	2.40	0.47
1:A:382:LEU:H	1:A:382:LEU:HD23	1.80	0.46
1:A:359:GLU:O	1:A:363:GLU:HG2	2.16	0.45
1:A:400:GLN:HA	1:A:405:GLN:HE22	1.80	0.45
1:A:321:TYR:HB2	1:A:344:THR:HG22	1.99	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:MET:HE2	1:A:578:GLN:HG3	1.98	0.45
1:A:35:VAL:HA	1:A:143:LEU:HD12	1.99	0.45
1:A:105:LEU:O	1:A:107:PRO:HD3	2.17	0.44
1:A:345:ALA:O	1:A:348:ILE:HG22	2.18	0.44
1:A:97:ILE:O	1:A:101:VAL:HG12	2.16	0.44
1:A:171:ARG:NH1	5:A:713:HOH:O	2.50	0.44
1:A:360:ILE:HD12	1:A:360:ILE:HA	1.82	0.44
1:A:206:ARG:HB3	1:A:209:GLN:CD	2.39	0.44
1:A:265:TRP:CH2	1:A:296:PRO:HD2	2.53	0.43
1:A:133:TYR:CG	1:A:151:LYS:HG2	2.53	0.43
1:A:47:PHE:CD1	1:A:74:GLY:HA2	2.49	0.43
1:A:133:TYR:HB3	1:A:151:LYS:HE3	2.01	0.42
1:A:205:ASP:N	1:A:205:ASP:OD1	2.52	0.42
1:A:284:ALA:HB2	1:A:301:LEU:HB2	2.00	0.42
1:A:189:ASN:HA	1:A:190:GLY:HA2	1.78	0.42
1:A:230:CYS:HB3	1:A:234:MET:HB2	2.02	0.42
1:A:346:THR:O	1:A:349:GLN:HG2	2.20	0.42
1:A:348:ILE:HG13	1:A:423:TRP:CD2	2.55	0.41
1:A:133:TYR:CD1	1:A:151:LYS:HG2	2.55	0.41
1:A:76:THR:OG1	1:A:77:TYR:N	2.53	0.41
1:A:147:ILE:HD12	1:A:147:ILE:HA	1.95	0.41
1:A:115:ARG:HB2	1:A:115:ARG:NH1	2.36	0.41
1:A:146:PHE:HB2	1:A:152:LEU:HD21	2.03	0.41
1:A:405:GLN:HA	1:A:451:VAL:HG21	2.03	0.41
1:A:348:ILE:HD12	1:A:348:ILE:HA	1.94	0.41
1:A:48:LEU:HD13	1:A:255:GLU:HB2	2.03	0.40
1:A:339:GLN:HB2	1:A:412:HIS:CD2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	465/509 (91%)	435 (94%)	23 (5%)	7 (2%)	10 9

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	109	GLU
1	A	386	GLY
1	A	10	LEU
1	A	9	THR
1	A	107	PRO
1	A	5	ALA
1	A	106	TYR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	390/428 (91%)	384 (98%)	6 (2%)	65 76

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	SER
1	A	92	ARG
1	A	131	ARG
1	A	204	GLU
1	A	205	ASP
1	A	276	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	260	GLN
1	A	339	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	A	602	-	4,4,4	0.14	0	6,6,6	0.05	0
4	EE7	A	603	-	42,51,51	2.79	11 (26%)	50,74,74	1.76	8 (16%)
2	DMS	A	601	-	3,3,3	0.65	0	3,3,3	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EE7	A	603	-	-	2/21/46/46	0/6/6/6

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	EE7	C6-C5	-8.23	1.34	1.44

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	EE7	CAJ-CAH	6.99	1.54	1.50
4	A	603	EE7	CAH-SAI	-6.56	1.61	1.74
4	A	603	EE7	CAV-CAW	-6.56	1.40	1.51
4	A	603	EE7	CBC-CBB	-5.03	1.39	1.51
4	A	603	EE7	C2-N3	4.68	1.39	1.32
4	A	603	EE7	C4-C5	-4.07	1.35	1.42
4	A	603	EE7	CAY-CAZ	-3.53	1.34	1.41
4	A	603	EE7	CAJ-CAK	3.52	1.53	1.49
4	A	603	EE7	CBB-CBA	-3.33	1.33	1.42
4	A	603	EE7	C2-N1	3.10	1.39	1.33

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	603	EE7	N3-C2-N1	-7.01	117.73	128.68
4	A	603	EE7	CBO-NBN-CBM	3.97	120.26	112.62
4	A	603	EE7	C5-C6-NAO	-3.63	117.21	120.63
4	A	603	EE7	C5-C4-SAI	-3.58	108.56	112.24
4	A	603	EE7	C2-N1-C6	3.45	119.55	116.59
4	A	603	EE7	C2-N3-C4	2.81	120.03	113.45
4	A	603	EE7	CBF-CBA-CAZ	2.66	108.59	106.27
4	A	603	EE7	C5-C4-N3	-2.03	121.56	124.94

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	603	EE7	OBS-CBQ-CBR-FBT
4	A	603	EE7	CBI-CBJ-NBK-CBP

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	468/509 (91%)	0.37	39 (8%) <b>11</b> <b>8</b>	25, 46, 124, 208	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	76	THR	13.0
1	A	6	ALA	12.7
1	A	386	GLY	10.4
1	A	74	GLY	9.0
1	A	5	ALA	8.9
1	A	385	ALA	8.2
1	A	7	GLN	7.4
1	A	110	GLY	7.0
1	A	461	PRO	6.1
1	A	401	GLY	5.8
1	A	77	TYR	5.2
1	A	75	LEU	4.8
1	A	104	SER	4.8
1	A	8	LYS	4.5
1	A	582	GLN	4.5
1	A	4	LYS	4.2
1	A	51	ASN	4.2
1	A	3	LEU	3.9
1	A	460	VAL	3.9
1	A	107	PRO	3.7
1	A	136	ASP	3.6
1	A	429	THR	3.3
1	A	190	GLY	3.2
1	A	188	PRO	3.2
1	A	458	VAL	3.2
1	A	53	VAL	3.1
1	A	108	ARG	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	249	LEU	2.7
1	A	9	THR	2.7
1	A	105	LEU	2.7
1	A	202	GLY	2.5
1	A	383	LEU	2.5
1	A	103	LEU	2.4
1	A	399	SER	2.3
1	A	459	SER	2.1
1	A	2	GLY	2.0
1	A	125	ILE	2.0
1	A	587	MET	2.0
1	A	102	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	A	602	5/5	0.78	0.22	121,122,123,125	0
4	EE7	A	603	46/46	0.93	0.16	21,33,72,93	0
2	DMS	A	601	4/4	0.98	0.18	41,45,46,53	4

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.