



wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 20, 2023 – 02:07 pm GMT

PDB ID : 8BZL
Title : Human 20S Proteasome in complex with peptide activator peptide BLM42
Authors : Henneberg, F.; Chari, A.; Jankowska, E.; Witkowska, J.
Deposited on : 2022-12-15
Resolution : 2.14 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2523 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	3	205	
1	I	205	
2	A	234	
2	O	234	
3	B	261	
3	P	261	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	C	248	
4	Q	248	
5	D	241	
5	R	241	
6	E	263	
6	S	263	
7	F	255	
7	T	255	
8	G	246	
8	U	246	
9	H	277	
9	V	277	
10	J	201	
10	X	201	
11	K	263	
11	Y	263	
12	L	241	
12	Z	241	
13	M	264	
13	a	264	
14	N	239	
14	b	239	
15	c	14	
15	d	14	
15	e	14	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	f	14	 21% 21% 79%
15	g	14	 14% 14% 7% 79%
15	h	14	 7% 29% 71%

2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 50949 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	3	204	1582	1007	264	292	19	0	1	0
1	I	204	1639	1042	275	303	19	13	7	0

- Molecule 2 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	227	1773	1133	302	332	6	0	2	0
2	O	221	1600	1021	274	299	6	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	B	238	1814	1146	312	346	10	0	0	0
3	P	238	1785	1130	307	339	9	0	2	0

- Molecule 4 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	C	225	1706	1074	306	321	5	0	0	0
4	Q	222	1685	1060	300	320	5	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	225	Total	C	N	O	S	0	1	0
			1641	1031	274	325	11			
5	R	230	Total	C	N	O	S	0	0	0
			1745	1098	291	345	11			

- Molecule 6 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	228	Total	C	N	O	S	0	0	0
			1756	1105	314	326	11			
6	S	237	Total	C	N	O	S	0	3	0
			1855	1166	336	342	11			

- Molecule 7 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	F	240	Total	C	N	O	S	8	5	0
			1885	1198	320	354	13			
7	T	239	Total	C	N	O	S	0	1	0
			1844	1171	316	345	12			

- Molecule 8 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	G	243	Total	C	N	O	S	0	3	0
			1881	1194	318	356	13			
8	U	230	Total	C	N	O	S	0	0	0
			1747	1105	294	335	13			

- Molecule 9 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	H	220	Total	C	N	O	S	0	4	0
			1686	1062	291	320	13			
9	V	218	Total	C	N	O	S	5	2	0
			1625	1024	272	317	12			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	2	0
			1576	1011	267	288	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	196	Total	C	N	O	S	0	2	0
			1573	1009	269	285	10			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	1	0
			1536	971	267	289	9			
11	Y	199	Total	C	N	O	S	0	3	0
			1560	986	275	289	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1647	1044	280	312	11			
12	Z	213	Total	C	N	O	S	0	2	0
			1649	1046	282	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	214	Total	C	N	O	S	0	0	0
			1669	1053	289	315	12			
13	a	215	Total	C	N	O	S	0	1	0
			1682	1062	290	318	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	197	Total	C	N	O	S	0	1	0
			1473	924	249	287	13			
14	b	198	Total	C	N	O	S	0	2	0
			1489	935	252	288	14			

- Molecule 15 is a protein called ARG-SER-TYR-TYR-SER.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	c	5	Total	C	N	O	0	0	0
			41	27	5	9			
15	d	5	Total	C	N	O	0	0	0
			41	27	5	9			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	e	3	Total 30	C 21	N 3	O 6	0	0	0
15	f	3	Total 30	C 21	N 3	O 6	0	0	0
15	g	3	Total 29	C 21	N 3	O 5	0	0	0
15	h	4	Total 35	C 24	N 4	O 7	0	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	3	1	Total 1	Cl 1	0	0
16	A	4	Total 4	Cl 4	0	0
16	B	2	Total 2	Cl 2	0	0
16	C	2	Total 2	Cl 2	0	0
16	D	1	Total 1	Cl 1	0	0
16	E	3	Total 3	Cl 3	0	0
16	F	1	Total 1	Cl 1	0	0
16	G	2	Total 2	Cl 2	0	0
16	H	2	Total 2	Cl 2	0	0
16	I	1	Total 1	Cl 1	0	0
16	K	4	Total 4	Cl 4	0	0
16	M	4	Total 4	Cl 4	0	0
16	N	3	Total 3	Cl 3	0	0
16	O	4	Total 4	Cl 4	0	0
16	P	1	Total 1	Cl 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	Q	2	Total 2	Cl 2	0	0
16	R	1	Total 1	Cl 1	0	0
16	S	2	Total 2	Cl 2	0	0
16	U	1	Total 1	Cl 1	0	0
16	V	2	Total 2	Cl 2	0	0
16	Y	5	Total 5	Cl 5	0	0
16	a	4	Total 4	Cl 4	0	0
16	b	2	Total 2	Cl 2	0	0

- Molecule 17 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	3	1	Total 1	Mg 1	0	0
17	H	2	Total 2	Mg 2	0	0
17	I	1	Total 1	Mg 1	0	0
17	J	1	Total 1	Mg 1	0	0
17	K	1	Total 1	Mg 1	0	0
17	V	2	Total 2	Mg 2	0	0
17	X	1	Total 1	Mg 1	0	0
17	Y	1	Total 1	Mg 1	0	0

- Molecule 18 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	3	1	Total	C O	0	0
			16	10 6		
18	G	1	Total	C O	0	0
			16	10 6		
18	I	1	Total	C O	0	0
			16	10 6		
18	I	1	Total	C O	0	0
			16	10 6		
18	K	1	Total	C O	0	0
			16	10 6		
18	M	1	Total	C O	0	0
			16	10 6		
18	U	1	Total	C O	0	0
			16	10 6		
18	Y	1	Total	C O	0	0
			16	10 6		
18	a	1	Total	C O	0	0
			16	10 6		

- Molecule 19 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	G	1	Total	K	0	0
			1	1		
19	L	1	Total	K	0	0
			1	1		
19	N	1	Total	K	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	U	1	Total K 1 1	0	0
19	Z	1	Total K 1 1	0	0
19	b	1	Total K 1 1	0	0

- Molecule 20 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	3	98	Total O 98 98	0	0
20	A	98	Total O 98 98	0	0
20	B	111	Total O 111 111	0	0
20	C	59	Total O 59 59	0	0
20	D	56	Total O 56 56	0	0
20	E	116	Total O 116 116	0	0
20	F	188	Total O 188 188	0	0
20	G	166	Total O 166 166	0	0
20	H	160	Total O 160 160	0	0
20	I	159	Total O 159 159	0	0
20	J	144	Total O 144 144	0	0
20	K	117	Total O 117 117	0	0
20	L	111	Total O 111 111	0	0
20	M	178	Total O 178 178	0	0
20	N	161	Total O 161 161	0	0
20	O	50	Total O 50 50	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	P	77	Total 77	O 77	0	0
20	Q	51	Total 51	O 51	0	0
20	R	111	Total 111	O 111	0	0
20	S	103	Total 103	O 103	0	0
20	T	104	Total 104	O 104	0	0
20	U	82	Total 82	O 82	0	0
20	V	110	Total 110	O 110	0	0
20	X	131	Total 131	O 131	0	0
20	Y	179	Total 179	O 179	0	0
20	Z	172	Total 172	O 172	0	0
20	a	195	Total 195	O 195	0	0
20	b	123	Total 123	O 123	0	0
20	c	1	Total 1	O 1	0	0
20	d	1	Total 1	O 1	0	0
20	e	3	Total 3	O 3	0	0
20	f	3	Total 3	O 3	0	0
20	g	5	Total 5	O 5	0	0
20	h	3	Total 3	O 3	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit beta type-3

Chain 3:  100%





- Molecule 1: Proteasome subunit beta type-3

Chain I:  99%





- Molecule 2: Proteasome subunit alpha type-2

Chain A:  91% 6%





- Molecule 2: Proteasome subunit alpha type-2

Chain O:  91% 4% 6%




- Molecule 3: Proteasome subunit alpha type-4

Chain B:  90% 2% 9%




- Molecule 3: Proteasome subunit alpha type-4



- Molecule 7: Proteasome subunit alpha type-3

Chain F: 93% 6%



- Molecule 7: Proteasome subunit alpha type-3

Chain T: 91% 2% 6%




- Molecule 8: Proteasome subunit alpha type-6

Chain G: 97% 2%





- Molecule 8: Proteasome subunit alpha type-6

Chain U: 91% 3% 7%




- Molecule 9: Proteasome subunit beta type-7

Chain H: 78% 21%



- Molecule 9: Proteasome subunit beta type-7

Chain V: 78% 21%



LEU
GLU
GLU
THR
VAL
GLN
THR
MET
THR
SER

● Molecule 10: Proteasome subunit beta type-2




M1
Q27
R86
L102
R153
N174
F196
PRO
LYS
GLN
GLY
SER

● Molecule 10: Proteasome subunit beta type-2



M1
R86
R95
L102
M174
F196
PRO
LYS
GLN
GLY
SER

● Molecule 11: Proteasome subunit beta type-5



MET
ALA
LEU
SER
VAL
LEU
GLU
ARG
PRO
LEU
PRO
VAL
ASN
GLN
ARG
GLY
PHE
PHE
GLY
LEU
LEU
GLY
GLY
ARG
ALA
ASP
LEU
LEU
LEU
ASP
GLY
PRO
GLY
SER
LEU
SER
ASP
GLY
LEU
SER
LEU
ALA
ALA
PRO
GLY
TRP
VAL
VAL
PRO
GLU
GLU
PRO
GLY
ILE
ILE
MET
LEU
HIS
GLY
T1

V12
K71
R141
V167
S200
GLY
SER
THR
PRO


● Molecule 11: Proteasome subunit beta type-5



MET
ALA
LEU
SER
VAL
LEU
GLU
ARG
PRO
LEU
PRO
VAL
ASN
GLN
ARG
GLY
PHE
PHE
GLY
LEU
LEU
GLY
GLY
ARG
ALA
ASP
LEU
LEU
LEU
ASP
GLY
PRO
GLY
SER
LEU
SER
ASP
GLY
LEU
SER
LEU
ALA
ALA
PRO
GLY
TRP
VAL
VAL
PRO
GLU
GLU
PRO
GLY
ILE
ILE
MET
LEU
HIS
GLY
T1


R141
E197
K198
Y199
SER
GLY
SER
THR
PRO

● Molecule 12: Proteasome subunit beta type-1



MET
LEU
SER
SER
THR
ALA
MET
TYR
SER
SER
PRO
ALA
GLY
ARG
ASP
LEU
GLY
MET
GLU
PRO
HIS
ARG
ARG
ALA
ALA
GLY
PRO
LEU
LEU
GLN
LEU
R1
F102
T207
D213


● Molecule 12: Proteasome subunit beta type-1




MET
LEU
SER
SER
THR
ALA
MET
TYR
SER
SER
PRO
ALA
GLY
ARG
ASP
LEU
GLY
MET
GLU
PRO
HIS
ARG
ARG
ALA
ALA
GLY
PRO
LEU
LEU
GLN
LEU
R1
F102
D213


- Molecule 13: Proteasome subunit beta type-4

Chain M:  80% 19%





- Molecule 13: Proteasome subunit beta type-4

Chain a:  81% 19%





- Molecule 14: Proteasome subunit beta type-6

Chain N:  82% 18%




- Molecule 14: Proteasome subunit beta type-6

Chain b:  82% 17%




- Molecule 15: ARG-SER-TYR-TYR-SER

Chain c:  7% 36% 64%




- Molecule 15: ARG-SER-TYR-TYR-SER

Chain d:  36% 64%




- Molecule 15: ARG-SER-TYR-TYR-SER


Chain e:  14% 21% 79%




- Molecule 15: ARG-SER-TYR-TYR-SER



- Molecule 15: ARG-SER-TYR-TYR-SER



- Molecule 15: ARG-SER-TYR-TYR-SER



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.92Å 203.26Å 316.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	107.12 – 2.14 107.18 – 2.14	Depositor EDS
% Data completeness (in resolution range)	81.6 (107.12-2.14) 81.6 (107.18-2.14)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.14Å)	Xtrriage
Refinement program	REFMAC 5.8.0352	Depositor
R, R_{free}	0.196 , 0.226 0.196 , 0.226	Depositor DCC
R_{free} test set	16355 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	39.2	Xtrriage
Anisotropy	0.034	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 46.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	50949	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 6V1, 1PE, MG, K, YCM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	3	0.25	0/1613	0.55	0/2177
1	I	0.26	0/1674	0.56	0/2255
2	A	0.26	0/1818	0.54	0/2467
2	O	0.27	0/1631	0.54	0/2224
3	B	0.26	0/1842	0.54	0/2494
3	P	0.26	0/1815	0.54	0/2461
4	C	0.25	0/1718	0.55	0/2327
4	Q	0.26	0/1698	0.55	0/2306
5	D	0.26	0/1665	0.52	0/2258
5	R	0.26	0/1771	0.53	0/2391
6	E	0.26	0/1772	0.55	0/2397
6	S	0.26	0/1883	0.55	0/2545
7	F	0.26	0/1932	0.54	0/2603
7	T	0.26	0/1882	0.55	0/2539
8	G	0.26	0/1893	0.55	0/2562
8	U	0.25	0/1749	0.54	0/2368
9	H	0.27	0/1719	0.55	0/2326
9	V	0.30	0/1657	0.54	0/2247
10	J	0.26	0/1612	0.55	0/2181
10	X	0.26	0/1612	0.55	0/2181
11	K	0.26	0/1567	0.56	0/2120
11	Y	0.27	0/1600	0.56	0/2160
12	L	0.27	0/1683	0.56	0/2270
12	Z	0.27	0/1682	0.57	0/2267
13	M	0.27	0/1702	0.58	0/2304
13	a	0.27	0/1718	0.58	0/2326
14	N	0.28	0/1502	0.52	0/2034
14	b	0.27	0/1517	0.52	0/2051
15	c	0.43	0/42	0.72	0/55
15	d	0.42	0/42	0.76	0/55
15	e	0.45	0/31	0.57	0/40
15	f	0.46	0/31	0.62	0/40

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
15	g	0.46	0/30	0.69	0/38
15	h	0.39	0/36	0.54	0/48
All	All	0.26	0/48139	0.55	0/65117

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	3	203/205 (99%)	197 (97%)	6 (3%)	0	100	100
1	I	208/205 (102%)	200 (96%)	8 (4%)	0	100	100
2	A	227/234 (97%)	216 (95%)	7 (3%)	4 (2%)	8	2
2	O	215/234 (92%)	210 (98%)	5 (2%)	0	100	100
3	B	234/261 (90%)	229 (98%)	5 (2%)	0	100	100
3	P	233/261 (89%)	227 (97%)	4 (2%)	2 (1%)	17	10
4	C	218/248 (88%)	208 (95%)	9 (4%)	1 (0%)	29	22
4	Q	215/248 (87%)	210 (98%)	5 (2%)	0	100	100
5	D	222/241 (92%)	219 (99%)	3 (1%)	0	100	100
5	R	226/241 (94%)	222 (98%)	4 (2%)	0	100	100
6	E	223/263 (85%)	218 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	S	237/263 (90%)	232 (98%)	5 (2%)	0	100	100
7	F	243/255 (95%)	240 (99%)	3 (1%)	0	100	100
7	T	238/255 (93%)	235 (99%)	2 (1%)	1 (0%)	34	29
8	G	242/246 (98%)	239 (99%)	3 (1%)	0	100	100
8	U	224/246 (91%)	220 (98%)	3 (1%)	1 (0%)	34	29
9	H	222/277 (80%)	218 (98%)	4 (2%)	0	100	100
9	V	216/277 (78%)	212 (98%)	4 (2%)	0	100	100
10	J	196/201 (98%)	192 (98%)	4 (2%)	0	100	100
10	X	196/201 (98%)	192 (98%)	4 (2%)	0	100	100
11	K	199/263 (76%)	196 (98%)	3 (2%)	0	100	100
11	Y	200/263 (76%)	197 (98%)	3 (2%)	0	100	100
12	L	213/241 (88%)	211 (99%)	2 (1%)	0	100	100
12	Z	213/241 (88%)	211 (99%)	2 (1%)	0	100	100
13	M	212/264 (80%)	207 (98%)	5 (2%)	0	100	100
13	a	214/264 (81%)	210 (98%)	4 (2%)	0	100	100
14	N	196/239 (82%)	195 (100%)	1 (0%)	0	100	100
14	b	196/239 (82%)	193 (98%)	3 (2%)	0	100	100
15	c	3/14 (21%)	3 (100%)	0	0	100	100
15	d	3/14 (21%)	3 (100%)	0	0	100	100
15	e	1/14 (7%)	1 (100%)	0	0	100	100
15	f	1/14 (7%)	1 (100%)	0	0	100	100
15	g	1/14 (7%)	1 (100%)	0	0	100	100
15	h	2/14 (14%)	2 (100%)	0	0	100	100
All	All	6092/6960 (88%)	5967 (98%)	116 (2%)	9 (0%)	51	51

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	P	52	ILE
2	A	199	GLU
2	A	50	LYS
3	P	51	ASN
7	T	208	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	3	170/174 (98%)	170 (100%)	0	100	100
1	I	179/174 (103%)	178 (99%)	1 (1%)	86	89
2	A	185/191 (97%)	176 (95%)	9 (5%)	25	20
2	O	153/191 (80%)	145 (95%)	8 (5%)	23	18
3	B	185/221 (84%)	183 (99%)	2 (1%)	73	76
3	P	177/221 (80%)	174 (98%)	3 (2%)	60	63
4	C	170/210 (81%)	164 (96%)	6 (4%)	36	33
4	Q	168/210 (80%)	165 (98%)	3 (2%)	59	60
5	D	168/203 (83%)	165 (98%)	3 (2%)	59	60
5	R	190/203 (94%)	188 (99%)	2 (1%)	73	76
6	E	183/223 (82%)	181 (99%)	2 (1%)	73	76
6	S	196/223 (88%)	193 (98%)	3 (2%)	65	68
7	F	197/212 (93%)	194 (98%)	3 (2%)	65	68
7	T	189/212 (89%)	184 (97%)	5 (3%)	46	45
8	G	197/208 (95%)	193 (98%)	4 (2%)	55	57
8	U	181/208 (87%)	175 (97%)	6 (3%)	38	35
9	H	184/228 (81%)	180 (98%)	4 (2%)	52	53
9	V	174/228 (76%)	171 (98%)	3 (2%)	60	63
10	J	167/171 (98%)	161 (96%)	6 (4%)	35	32
10	X	167/171 (98%)	163 (98%)	4 (2%)	49	49
11	K	151/202 (75%)	148 (98%)	3 (2%)	55	57
11	Y	156/202 (77%)	153 (98%)	3 (2%)	57	59
12	L	177/199 (89%)	175 (99%)	2 (1%)	73	76
12	Z	176/199 (88%)	175 (99%)	1 (1%)	86	89
13	M	176/215 (82%)	173 (98%)	3 (2%)	60	63
13	a	178/215 (83%)	177 (99%)	1 (1%)	86	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	152/181 (84%)	152 (100%)	0	100	100
14	b	153/181 (84%)	152 (99%)	1 (1%)	84	87
15	c	3/13 (23%)	3 (100%)	0	100	100
15	d	3/13 (23%)	3 (100%)	0	100	100
15	e	2/13 (15%)	2 (100%)	0	100	100
15	f	2/13 (15%)	2 (100%)	0	100	100
15	g	2/13 (15%)	1 (50%)	1 (50%)	0	0
15	h	3/13 (23%)	3 (100%)	0	100	100
All	All	4914/5754 (85%)	4822 (98%)	92 (2%)	59	59

5 of 92 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	P	178	ASP
7	T	218	GLU
4	Q	105	GLU
6	S	101	ARG
8	U	78	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 46 such sidechains are listed below:

Mol	Chain	Res	Type
3	P	40	ASN
8	U	128	ASN
3	P	146	GLN
5	R	227	HIS
10	X	174	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	6V1	U	161	8	12,15,16	0.54	0	9,20,22	0.95	0
8	6V1	G	161	8	12,15,16	0.63	0	9,20,22	1.07	0
8	YCM	U	137	8	7,9,10	0.54	0	4,10,12	0.46	0
6	6V1	E	148	6	12,15,16	0.63	0	9,20,22	0.79	0
4	YCM	C	63	4	7,9,10	0.49	0	4,10,12	0.52	0
6	6V1	S	148	6	12,15,16	0.66	0	9,20,22	0.89	0
8	YCM	G	137	8	7,9,10	0.56	0	4,10,12	0.46	0
4	YCM	Q	63	4	7,9,10	0.46	0	4,10,12	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	6V1	U	161	8	-	2/6/25/27	0/1/1/1
8	6V1	G	161	8	-	0/6/25/27	0/1/1/1
8	YCM	U	137	8	-	4/6/8/10	-
6	6V1	E	148	6	-	1/6/25/27	0/1/1/1
4	YCM	C	63	4	-	2/6/8/10	-
6	6V1	S	148	6	-	1/6/25/27	0/1/1/1
8	YCM	G	137	8	-	4/6/8/10	-
4	YCM	Q	63	4	-	5/6/8/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 19 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	G	137	YCM	C-CA-CB-SG
8	G	137	YCM	CE-CD-SG-CB
8	G	137	YCM	SG-CD-CE-NZ2
4	Q	63	YCM	N-CA-CB-SG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	Q	63	YCM	C-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 79 ligands modelled in this entry, 70 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	1PE	I	304	-	15,15,15	0.16	0	14,14,14	0.13	0
18	1PE	Y	307	-	15,15,15	0.19	0	14,14,14	0.11	0
18	1PE	U	303	-	15,15,15	0.19	0	14,14,14	0.11	0
18	1PE	a	305	-	15,15,15	0.19	0	14,14,14	0.10	0
18	1PE	M	305	-	15,15,15	0.19	0	14,14,14	0.10	0
18	1PE	G	304	-	15,15,15	0.16	0	14,14,14	0.12	0
18	1PE	3	303	-	15,15,15	0.19	0	14,14,14	0.11	0
18	1PE	K	306	-	15,15,15	0.17	0	14,14,14	0.14	0
18	1PE	I	303	-	15,15,15	0.22	0	14,14,14	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	I	304	-	-	6/13/13/13	-
18	1PE	Y	307	-	-	9/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	U	303	-	-	3/13/13/13	-
18	1PE	a	305	-	-	4/13/13/13	-
18	1PE	M	305	-	-	7/13/13/13	-
18	1PE	G	304	-	-	6/13/13/13	-
18	1PE	3	303	-	-	9/13/13/13	-
18	1PE	K	306	-	-	8/13/13/13	-
18	1PE	I	303	-	-	7/13/13/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 59 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	G	304	1PE	OH2-C12-C22-OH3
18	I	304	1PE	OH5-C14-C24-OH4
18	I	304	1PE	OH6-C15-C25-OH5
18	3	303	1PE	OH6-C15-C25-OH5
18	Y	307	1PE	OH5-C14-C24-OH4

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	3	204/205 (99%)	-0.07	1 (0%) 91 93	32, 47, 66, 83	0
1	I	204/205 (99%)	-0.14	0 100 100	22, 31, 50, 69	0
2	A	227/234 (97%)	0.06	3 (1%) 77 81	27, 45, 84, 100	0
2	O	221/234 (94%)	0.26	10 (4%) 33 40	42, 62, 98, 107	0
3	B	238/261 (91%)	0.15	4 (1%) 70 75	30, 53, 88, 114	0
3	P	238/261 (91%)	0.16	4 (1%) 70 75	35, 56, 98, 127	0
4	C	224/248 (90%)	0.57	19 (8%) 10 14	37, 63, 103, 120	0
4	Q	221/248 (89%)	0.25	7 (3%) 47 55	34, 58, 104, 115	0
5	D	225/241 (93%)	0.51	17 (7%) 13 17	39, 66, 90, 98	0
5	R	230/241 (95%)	0.15	1 (0%) 92 94	25, 50, 74, 98	0
6	E	227/263 (86%)	0.14	5 (2%) 62 68	28, 45, 83, 102	0
6	S	236/263 (89%)	0.09	5 (2%) 63 69	32, 47, 80, 105	0
7	F	240/255 (94%)	0.01	1 (0%) 92 94	24, 34, 61, 81	0
7	T	239/255 (93%)	0.19	6 (2%) 57 64	36, 52, 79, 97	0
8	G	241/246 (97%)	0.00	1 (0%) 92 94	22, 37, 72, 98	0
8	U	228/246 (92%)	0.31	8 (3%) 44 51	41, 62, 92, 107	0
9	H	220/277 (79%)	0.11	1 (0%) 91 93	21, 30, 77, 106	0
9	V	218/277 (78%)	0.04	1 (0%) 91 93	34, 47, 78, 107	0
10	J	196/201 (97%)	-0.09	1 (0%) 91 93	24, 37, 54, 72	0
10	X	196/201 (97%)	-0.07	0 100 100	29, 40, 55, 73	0
11	K	200/263 (76%)	-0.06	1 (0%) 91 93	31, 43, 65, 75	0
11	Y	199/263 (75%)	-0.09	0 100 100	23, 32, 52, 66	0
12	L	213/241 (88%)	0.04	0 100 100	29, 47, 74, 87	0
12	Z	213/241 (88%)	-0.00	0 100 100	20, 33, 58, 79	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	214/264 (81%)	0.02	0 100 100	22, 36, 64, 86	0
13	a	215/264 (81%)	0.00	1 (0%) 91 93	21, 33, 61, 86	0
14	N	197/239 (82%)	-0.09	0 100 100	20, 29, 49, 63	0
14	b	198/239 (82%)	-0.10	2 (1%) 82 86	26, 37, 59, 81	0
15	c	5/14 (35%)	0.97	1 (20%) 1 1	54, 55, 56, 56	3 (60%)
15	d	5/14 (35%)	1.07	0 100 100	59, 61, 61, 63	2 (40%)
15	e	3/14 (21%)	2.05	2 (66%) 0 0	82, 82, 91, 98	0
15	f	3/14 (21%)	3.49	3 (100%) 0 0	90, 90, 92, 94	0
15	g	3/14 (21%)	3.07	2 (66%) 0 0	59, 59, 60, 66	2 (66%)
15	h	4/14 (28%)	1.34	1 (25%) 0 0	59, 63, 65, 69	3 (75%)
All	All	6145/6960 (88%)	0.10	108 (1%) 68 74	20, 45, 85, 127	10 (0%)

The worst 5 of 108 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
15	f	12	TYR	4.6
4	C	176	TYR	4.3
4	C	138	PHE	4.2
6	E	201	ALA	4.0
4	C	200	GLN	4.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	YCM	Q	63	10/11	0.83	0.15	57,61,68,69	0
6	6V1	S	148	15/16	0.87	0.19	42,71,80,81	0
8	YCM	U	137	10/11	0.88	0.19	53,60,71,71	0
6	6V1	E	148	15/16	0.89	0.17	40,65,73,75	0
8	6V1	U	161	15/16	0.89	0.20	59,77,83,84	0
4	YCM	C	63	10/11	0.93	0.14	57,59,65,67	0
8	YCM	G	137	10/11	0.93	0.14	35,42,56,59	0
8	6V1	G	161	15/16	0.94	0.13	32,48,54,56	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
17	MG	H	303	1/1	0.73	0.10	42,42,42,42	0
18	1PE	K	306	16/16	0.77	0.21	62,69,79,79	0
18	1PE	a	305	16/16	0.78	0.23	73,82,88,89	0
18	1PE	I	304	16/16	0.79	0.27	65,79,92,92	0
19	K	L	301	1/1	0.79	0.16	73,73,73,73	0
18	1PE	M	305	16/16	0.81	0.17	83,87,93,94	0
18	1PE	Y	307	16/16	0.81	0.21	63,77,82,83	0
16	CL	M	302	1/1	0.81	0.13	76,76,76,76	0
18	1PE	I	303	16/16	0.81	0.17	59,69,74,75	0
17	MG	X	301	1/1	0.84	0.04	51,51,51,51	0
18	1PE	3	303	16/16	0.84	0.12	70,74,78,80	0
16	CL	E	303	1/1	0.84	0.19	91,91,91,91	0
17	MG	K	305	1/1	0.85	0.06	44,44,44,44	0
16	CL	K	303	1/1	0.85	0.17	83,83,83,83	0
16	CL	S	302	1/1	0.86	0.15	78,78,78,78	0
16	CL	O	303	1/1	0.87	0.10	83,83,83,83	0
19	K	b	303	1/1	0.87	0.10	59,59,59,59	0
16	CL	C	302	1/1	0.88	0.22	85,85,85,85	0
16	CL	Y	303	1/1	0.89	0.12	65,65,65,65	0
18	1PE	U	303	16/16	0.89	0.15	53,56,70,71	0
16	CL	D	301	1/1	0.90	0.13	88,88,88,88	0
16	CL	C	301	1/1	0.90	0.12	73,73,73,73	0
16	CL	O	304	1/1	0.91	0.11	91,91,91,91	0
16	CL	O	301	1/1	0.91	0.09	71,71,71,71	0
16	CL	K	302	1/1	0.92	0.09	75,75,75,75	0
16	CL	V	302	1/1	0.92	0.08	87,87,87,87	0
17	MG	V	303	1/1	0.93	0.09	48,48,48,48	0
16	CL	I	301	1/1	0.93	0.10	49,49,49,49	0
16	CL	A	304	1/1	0.93	0.10	76,76,76,76	0
17	MG	J	301	1/1	0.94	0.05	44,44,44,44	0
16	CL	B	302	1/1	0.94	0.07	62,62,62,62	0
16	CL	V	301	1/1	0.94	0.06	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	3	301	1/1	0.94	0.10	67,67,67,67	0
16	CL	Q	302	1/1	0.94	0.08	67,67,67,67	0
16	CL	a	301	1/1	0.94	0.09	63,63,63,63	0
16	CL	R	301	1/1	0.94	0.06	66,66,66,66	0
18	1PE	G	304	16/16	0.95	0.13	41,46,55,56	0
16	CL	S	301	1/1	0.95	0.51	85,85,85,85	0
16	CL	F	301	1/1	0.95	0.10	73,73,73,73	0
16	CL	G	302	1/1	0.95	0.10	92,92,92,92	0
16	CL	H	301	1/1	0.95	0.11	66,66,66,66	0
16	CL	E	302	1/1	0.96	0.06	54,54,54,54	0
16	CL	Y	305	1/1	0.96	0.14	63,63,63,63	0
16	CL	A	302	1/1	0.96	0.09	70,70,70,70	0
16	CL	a	302	1/1	0.96	0.14	63,63,63,63	0
19	K	U	302	1/1	0.96	0.07	50,50,50,50	0
16	CL	P	301	1/1	0.96	0.11	55,55,55,55	0
16	CL	U	301	1/1	0.97	0.11	59,59,59,59	0
16	CL	a	304	1/1	0.97	0.08	58,58,58,58	0
16	CL	N	301	1/1	0.97	0.09	50,50,50,50	0
16	CL	K	301	1/1	0.97	0.07	51,51,51,51	0
16	CL	Y	301	1/1	0.97	0.10	41,41,41,41	0
16	CL	O	302	1/1	0.97	0.08	66,66,66,66	0
17	MG	V	304	1/1	0.97	0.09	51,51,51,51	0
16	CL	Y	304	1/1	0.97	0.08	63,63,63,63	0
19	K	N	304	1/1	0.97	0.08	47,47,47,47	0
16	CL	K	304	1/1	0.97	0.08	74,74,74,74	0
19	K	Z	301	1/1	0.97	0.12	51,51,51,51	0
16	CL	B	301	1/1	0.97	0.07	42,42,42,42	0
16	CL	H	302	1/1	0.98	0.17	58,58,58,58	0
16	CL	E	301	1/1	0.98	0.11	71,71,71,71	0
16	CL	b	301	1/1	0.98	0.05	49,49,49,49	0
16	CL	b	302	1/1	0.98	0.10	57,57,57,57	0
17	MG	3	302	1/1	0.98	0.05	38,38,38,38	0
16	CL	M	301	1/1	0.98	0.14	69,69,69,69	0
17	MG	H	304	1/1	0.98	0.06	33,33,33,33	0
16	CL	A	301	1/1	0.98	0.06	56,56,56,56	0
16	CL	M	304	1/1	0.98	0.08	61,61,61,61	0
16	CL	Q	301	1/1	0.98	0.07	79,79,79,79	0
16	CL	A	303	1/1	0.98	0.08	63,63,63,63	0
16	CL	N	302	1/1	0.98	0.07	48,48,48,48	0
16	CL	N	303	1/1	0.98	0.07	40,40,40,40	0
19	K	G	303	1/1	0.99	0.08	40,40,40,40	0
17	MG	I	302	1/1	0.99	0.08	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	M	303	1/1	0.99	0.07	40,40,40,40	0
16	CL	a	303	1/1	0.99	0.09	43,43,43,43	0
16	CL	Y	302	1/1	0.99	0.07	66,66,66,66	0
16	CL	G	301	1/1	0.99	0.13	46,46,46,46	0
17	MG	Y	306	1/1	1.00	0.06	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.