



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2021 – 10:15 AM EDT

PDB ID : 1CCW
Title : STRUCTURE OF THE COENZYME B12 DEPENDENT ENZYME GLUTAMATE MUTASE FROM CLOSTRIDIUM COCHLEARIIUM
Authors : Reitzer, R.; Gruber, K.; Kratky, C.
Deposited on : 1999-03-01
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	137	
1	C	137	
2	B	483	
2	D	483	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CNC	C	800	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 11681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (GLUTAMATE MUTASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	137	1041	663	175	198	5	0	0	0
1	C	137	1041	663	175	198	5	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	45	LEU	VAL	conflict	UNP P80078
C	45	LEU	VAL	conflict	UNP P80078
A	60	VAL	LEU	conflict	UNP P80078
C	60	VAL	LEU	conflict	UNP P80078


- Molecule 2 is a protein called PROTEIN (GLUTAMATE MUTASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	483	3777	2392	644	717	24	0	4	0
2	D	483	3773	2391	643	716	23	0	3	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	130	PHE	TYR	conflict	UNP P80077
D	130	PHE	TYR	conflict	UNP P80077

- Molecule 3 is CYANOCOBALAMIN (three-letter code: CNC) (formula: C₆₃H₈₉CoN₁₄O₁₄P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Co	N	O			P
3	A	1	93	63	1	14	14	1	0	0
3	C	1	93	63	1	14	14	1	0	0

- Molecule 4 is D(-)-TARTARIC ACID (three-letter code: TAR) (formula: $C_4H_6O_6$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
4	B	1	10	4 6	0	0
4	D	1	10	4 6	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	193	Total 193	O 193	0	0
5	B	738	Total 738	O 738	0	0
5	C	198	Total 198	O 198	0	0
5	D	714	Total 714	O 714	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: PROTEIN (GLUTAMATE MUTASE)

Chain A:  87% 10%





- Molecule 1: PROTEIN (GLUTAMATE MUTASE)

Chain C:  86% 10%



- Molecule 2: PROTEIN (GLUTAMATE MUTASE)

Chain B:  90% 9%



- Molecule 2: PROTEIN (GLUTAMATE MUTASE)

Chain D:  89% 11%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.43Å 113.05Å 108.30Å 90.00° 95.79° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60	Depositor
% Data completeness (in resolution range)	84.5 (30.00-1.60)	Depositor
R_{merge}	0.03	Depositor
R_{sym}	0.07	Depositor
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.137 , 0.173	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	11681	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CNC, TAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/1058	1.29	7/1427 (0.5%)
1	C	0.51	0/1058	1.27	11/1427 (0.8%)
2	B	0.50	0/3864	1.25	37/5212 (0.7%)
2	D	0.52	0/3856	1.32	43/5202 (0.8%)
All	All	0.51	0/9836	1.29	98/13268 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	D	0	1
All	All	0	2

There are no bond length outliers.

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	66	ARG	NE-CZ-NH1	23.48	132.04	120.30
2	D	66	ARG	NE-CZ-NH2	-16.46	112.07	120.30
2	D	196	TYR	CB-CG-CD1	12.84	128.71	121.00
1	A	107	ARG	CD-NE-CZ	11.62	139.87	123.60
2	B	66	ARG	NE-CZ-NH1	11.46	126.03	120.30
2	D	130	PHE	CZ-CE2-CD2	11.38	133.75	120.10
1	A	136	ILE	O-C-N	11.17	140.58	122.70
2	B	459	ARG	NE-CZ-NH1	10.57	125.58	120.30
2	D	196	TYR	CG-CD1-CE1	10.04	129.33	121.30
2	B	130	PHE	CZ-CE2-CD2	9.69	131.73	120.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	196	TYR	CB-CG-CD1	8.90	126.34	121.00
2	D	101	GLN	CG-CD-OE1	8.88	139.35	121.60
2	B	101	GLN	CG-CD-OE1	8.79	139.18	121.60
2	D	358	ARG	NE-CZ-NH2	-8.78	115.91	120.30
2	B	449	ARG	NE-CZ-NH2	-8.72	115.94	120.30
2	B	130	PHE	CG-CD1-CE1	8.37	130.01	120.80
2	B	477	ARG	NE-CZ-NH2	-8.28	116.16	120.30
1	A	75	ARG	NE-CZ-NH2	-8.19	116.21	120.30
2	B	196	TYR	CG-CD1-CE1	8.19	127.85	121.30
1	C	115	ARG	NE-CZ-NH1	8.17	124.39	120.30
1	A	107	ARG	NE-CZ-NH1	8.17	124.38	120.30
1	A	115	ARG	NE-CZ-NH2	-8.02	116.29	120.30
2	B	266	ARG	NE-CZ-NH1	-8.02	116.29	120.30
2	D	130	PHE	CG-CD2-CE2	-7.83	112.19	120.80
2	B	358	ARG	NE-CZ-NH1	7.81	124.21	120.30
2	B	149	ARG	NE-CZ-NH1	7.80	124.20	120.30
2	B	477	ARG	NE-CZ-NH1	7.65	124.13	120.30
1	A	136	ILE	CA-C-O	-7.62	104.11	120.10
1	C	107	ARG	NE-CZ-NH2	-7.53	116.54	120.30
2	D	459	ARG	NE-CZ-NH1	7.50	124.05	120.30
2	D	213	ARG	NE-CZ-NH2	-7.40	116.60	120.30
2	B	66	ARG	NE-CZ-NH2	-7.39	116.61	120.30
2	D	447	ARG	NE-CZ-NH1	7.35	123.97	120.30
1	C	107	ARG	NE-CZ-NH1	7.33	123.97	120.30
2	D	130	PHE	CG-CD1-CE1	7.26	128.79	120.80
2	B	481	ARG	NE-CZ-NH1	-7.10	116.75	120.30
2	D	429	ARG	NE-CZ-NH1	7.00	123.80	120.30
2	D	96	ASP	CB-CG-OD1	-6.97	112.02	118.30
2	B	460	ASP	CB-CG-OD2	6.96	124.57	118.30
2	D	17	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	A	64	TYR	CB-CG-CD1	6.84	125.10	121.00
2	D	364[A]	GLU	O-C-N	-6.77	111.87	122.70
2	D	364[B]	GLU	O-C-N	-6.77	111.87	122.70
2	D	24	TRP	CG-CD1-NE1	6.65	116.75	110.10
2	B	80	ARG	NE-CZ-NH1	-6.60	117.00	120.30
1	C	117	TYR	CB-CG-CD1	-6.56	117.06	121.00
2	D	449	ARG	NE-CZ-NH1	-6.52	117.04	120.30
1	C	114	ASP	CB-CG-OD2	6.34	124.00	118.30
2	B	130	PHE	CG-CD2-CE2	-6.32	113.85	120.80
2	D	358	ARG	NE-CZ-NH1	6.32	123.46	120.30
2	D	24	TRP	CD1-CG-CD2	-6.29	101.27	106.30
2	D	80	ARG	NE-CZ-NH2	-6.12	117.24	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	24	TRP	CG-CD1-NE1	6.12	116.22	110.10
2	D	412	LYS	O-C-N	-6.09	112.96	122.70
2	D	105	ASP	CB-CG-OD1	6.02	123.72	118.30
1	C	113	TYR	CB-CG-CD1	5.99	124.59	121.00
2	B	213	ARG	NE-CZ-NH2	-5.93	117.33	120.30
2	B	130	PHE	CB-CG-CD2	5.93	124.95	120.80
2	D	213	ARG	CD-NE-CZ	5.88	131.84	123.60
2	B	37	ASP	CB-CG-OD1	5.78	123.50	118.30
2	B	213	ARG	NE-CZ-NH1	5.75	123.18	120.30
1	C	115	ARG	O-C-N	5.72	131.86	122.70
1	C	107	ARG	CD-NE-CZ	5.72	131.61	123.60
2	D	62	MET	CA-CB-CG	-5.70	103.62	113.30
2	B	11	GLU	C-N-CA	5.67	135.86	121.70
1	C	64	TYR	CB-CG-CD2	-5.66	117.60	121.00
2	B	429	ARG	NE-CZ-NH1	5.62	123.11	120.30
2	D	17	ARG	NE-CZ-NH2	-5.56	117.52	120.30
2	B	338	GLU	C-N-CA	5.55	135.58	121.70
2	D	281	TYR	CB-CG-CD2	-5.54	117.68	121.00
2	D	291	HIS	CB-CG-ND1	5.54	137.04	123.20
2	D	199	ARG	NE-CZ-NH1	5.50	123.05	120.30
2	B	188	GLU	O-C-N	-5.49	113.91	122.70
2	D	412	LYS	C-N-CA	5.41	135.23	121.70
1	C	70	ASP	CB-CG-OD2	-5.40	113.44	118.30
2	B	412	LYS	O-C-N	-5.39	114.08	122.70
2	D	364[A]	GLU	C-N-CA	5.38	135.15	121.70
2	D	364[B]	GLU	C-N-CA	5.38	135.15	121.70
2	D	196	TYR	CD1-CE1-CZ	-5.36	114.97	119.80
2	B	12	GLU	CA-CB-CG	5.35	125.18	113.40
2	D	10	ASP	CB-CG-OD1	5.35	123.11	118.30
2	D	292	GLN	CG-CD-NE2	-5.29	104.01	116.70
2	B	204	TYR	CB-CG-CD2	5.25	124.15	121.00
2	B	199	ARG	NE-CZ-NH1	5.23	122.91	120.30
2	D	422	ARG	NE-CZ-NH2	-5.22	117.69	120.30
2	D	453	ARG	NE-CZ-NH2	5.21	122.90	120.30
2	B	338	GLU	O-C-N	-5.20	114.38	122.70
2	B	73	ASP	CB-CG-OD1	5.19	122.97	118.30
2	D	24	TRP	CH2-CZ2-CE2	-5.17	112.23	117.40
2	B	203	PHE	CZ-CE2-CD2	-5.16	113.91	120.10
2	B	194	TRP	CA-CB-CG	-5.12	103.97	113.70
2	B	447	ARG	NE-CZ-NH2	-5.07	117.76	120.30
2	D	101	GLN	OE1-CD-NE2	-5.06	110.26	121.90
2	D	275	TYR	CB-CG-CD1	5.03	124.02	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	194	TRP	CA-CB-CG	-5.02	104.16	113.70
2	D	24	TRP	CD1-NE1-CE2	-5.01	104.49	109.00
1	C	84	GLU	O-C-N	5.01	131.71	123.20
2	B	482	PRO	C-N-CA	5.00	134.21	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	92	PRO	Peptide
2	D	92	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1041	0	1057	11	0
1	C	1041	0	1057	13	0
2	B	3777	0	3772	14	0
2	D	3773	0	3772	23	0
3	A	93	0	87	6	0
3	C	93	0	87	6	0
4	B	10	0	4	0	0
4	D	10	0	4	0	0
5	A	193	0	0	5	0
5	B	738	0	0	11	2
5	C	198	0	0	9	1
5	D	714	0	0	18	1
All	All	11681	0	9840	71	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:388:LYS:HE2	5:D:1566:HOH:O	1.85	0.75
1:A:1:MET:HB2	5:A:915:HOH:O	1.85	0.74
3:C:800:CNC:H622	2:D:297:PHE:H	1.35	0.74
2:B:4:LYS:HE3	5:B:1372:HOH:O	1.88	0.73
3:A:800:CNC:H622	2:B:297:PHE:H	1.37	0.73
2:D:137:LYS:HE2	5:D:1602:HOH:O	1.89	0.72
2:D:108:GLU:HG3	5:D:1492:HOH:O	1.88	0.72
1:C:45:LEU:HD23	5:C:821:HOH:O	1.90	0.71
1:C:48:LYS:HE2	1:C:52:GLU:OE2	1.90	0.71
2:D:133:LYS:O	2:D:137:LYS:HD3	1.92	0.70
1:C:17:ALA:O	1:C:21:LYS:HD3	1.90	0.70
2:D:133:LYS:HD2	5:D:1304:HOH:O	1.93	0.69
1:C:1:MET:HA	5:C:905:HOH:O	1.92	0.68
3:C:800:CNC:H362	3:C:800:CNC:H351	1.78	0.66
2:D:116:LYS:HD3	5:D:1608:HOH:O	1.96	0.64
2:D:417:LYS:HD2	5:D:1488:HOH:O	1.97	0.63
3:A:800:CNC:H362	3:A:800:CNC:H351	1.80	0.62
5:B:1522:HOH:O	2:D:359:MET:HE1	1.99	0.61
2:D:9:THR:OG1	2:D:12:GLU:HG3	2.00	0.61
2:D:137:LYS:HD2	5:D:1079:HOH:O	2.04	0.57
1:C:3:LYS:N	1:C:3:LYS:HD2	2.20	0.57
2:B:277:LYS:HE2	5:B:1494:HOH:O	2.04	0.57
2:D:377:LYS:HE2	5:D:1532:HOH:O	2.05	0.56
2:B:73:ASP:O	2:B:77:GLU:HG3	2.06	0.55
3:A:800:CNC:H552	3:A:800:CNC:H531	1.88	0.55
1:C:100:HIS:HE1	5:C:965:HOH:O	1.89	0.55
2:B:137:LYS:HE3	5:B:1215:HOH:O	2.07	0.54
2:D:425[A]:LEU:HD13	5:D:1296:HOH:O	2.08	0.53
2:D:482:PRO:HA	5:D:1289:HOH:O	2.09	0.53
2:D:130:PHE:HD1	5:D:1384:HOH:O	1.91	0.52
2:D:32:LEU:HD13	2:D:203:PHE:CE2	2.46	0.51
2:B:6:LYS:HE2	5:B:1289:HOH:O	2.10	0.51
3:C:800:CNC:H601	3:C:800:CNC:H252	1.93	0.51
2:B:108:GLU:HG2	5:B:1599:HOH:O	2.10	0.50
3:C:800:CNC:H552	3:C:800:CNC:H531	1.94	0.50
1:A:48:LYS:O	1:A:52:GLU:HG3	2.12	0.49
1:A:136:ILE:O	1:A:137:GLU:OE1	2.30	0.49
2:D:291:HIS:HE1	5:D:917:HOH:O	1.96	0.49
2:B:483:GLU:OXT	2:B:483:GLU:HG2	2.13	0.49
1:A:1:MET:HG2	1:A:2:GLU:N	2.28	0.48
2:B:186:THR:HG22	2:B:413:TYR:CZ	2.49	0.48
3:A:800:CNC:H601	3:A:800:CNC:H252	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLU:HG3	5:A:959:HOH:O	2.13	0.48
1:C:45:LEU:HD12	5:C:988:HOH:O	2.14	0.48
1:C:3:LYS:HA	5:C:991:HOH:O	2.14	0.47
2:B:183:LYS:HD3	5:B:1287:HOH:O	2.14	0.47
2:D:133:LYS:HD2	5:D:1602:HOH:O	2.14	0.47
1:C:109:LYS:HE3	5:C:925:HOH:O	2.15	0.45
1:A:42:PRO:HD2	1:A:45:LEU:HD12	1.99	0.45
1:A:42:PRO:HD2	1:A:45:LEU:CD1	2.46	0.45
2:D:266:ARG:NH1	5:D:1527:HOH:O	2.50	0.45
2:D:377:LYS:NZ	5:D:1297:HOH:O	2.50	0.45
1:A:29:ASN:ND2	5:A:899:HOH:O	2.49	0.44
1:A:52:GLU:HG3	5:A:986:HOH:O	2.18	0.44
1:A:68:GLU:HB2	5:A:838:HOH:O	2.17	0.44
2:B:4:LYS:HG3	5:B:1372:HOH:O	2.18	0.43
1:A:1:MET:HG2	1:A:2:GLU:O	2.18	0.43
2:D:108:GLU:O	2:D:112:LYS:HD2	2.19	0.43
2:D:112:LYS:NZ	5:D:1252:HOH:O	2.51	0.43
1:C:3:LYS:HB2	5:C:913:HOH:O	2.17	0.43
1:C:4:LYS:N	5:C:853:HOH:O	2.52	0.42
3:C:800:CNC:H351	3:C:800:CNC:C36	2.48	0.42
1:C:21:LYS:NZ	5:D:1593:HOH:O	2.49	0.42
2:B:130:PHE:HD1	5:B:1482:HOH:O	2.01	0.42
2:B:425:LEU:HD13	5:B:1288:HOH:O	2.20	0.42
1:C:3:LYS:HA	5:C:913:HOH:O	2.18	0.42
2:D:7:LYS:NZ	5:D:1583:HOH:O	2.51	0.41
3:C:800:CNC:H531	3:C:800:CNC:C55	2.50	0.41
3:A:800:CNC:H531	3:A:800:CNC:C55	2.49	0.41
2:B:137:LYS:HG3	5:B:998:HOH:O	2.22	0.40
3:A:800:CNC:H351	3:A:800:CNC:C36	2.47	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1482:HOH:O	5:C:963:HOH:O[2_647]	2.14	0.06
5:B:1242:HOH:O	5:D:1422:HOH:O[2_547]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	135/137 (98%)	131 (97%)	4 (3%)	0	100	100
1	C	135/137 (98%)	133 (98%)	2 (2%)	0	100	100
2	B	485/483 (100%)	477 (98%)	5 (1%)	3 (1%)	25	8
2	D	484/483 (100%)	475 (98%)	6 (1%)	3 (1%)	25	8
All	All	1239/1240 (100%)	1216 (98%)	17 (1%)	6 (0%)	29	11

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	293	TRP
2	D	293	TRP
2	B	150	HIS
2	D	150	HIS
2	D	151	GLY
2	B	151	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	111/111 (100%)	105 (95%)	6 (5%)	22	5
1	C	111/111 (100%)	105 (95%)	6 (5%)	22	5
2	B	400/396 (101%)	394 (98%)	6 (2%)	65	44
2	D	399/396 (101%)	391 (98%)	8 (2%)	55	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1021/1014 (101%)	995 (98%)	26 (2%)	47 22

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	3	LYS
1	A	54	LYS
1	A	64	TYR
1	A	135	ASN
1	A	137	GLU
2	B	6	LYS
2	B	183	LYS
2	B	247	ASN
2	B	297	PHE
2	B	361[A]	MET
2	B	361[B]	MET
1	C	3	LYS
1	C	21	LYS
1	C	48	LYS
1	C	64	TYR
1	C	84	GLU
1	C	137	GLU
2	D	56	LYS
2	D	57	LYS
2	D	133	LYS
2	D	137	LYS
2	D	247	ASN
2	D	328	PRO
2	D	420	PRO
2	D	483	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	5	ASN
2	B	23	GLN
2	B	33	GLN
2	B	212	ASN
2	B	247	ASN
2	D	5	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	23	GLN
2	D	212	ASN
2	D	247	ASN
2	D	291	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CNC	A	800	1	77,103,103	0.66	0	100,171,171	1.23	10 (10%)
4	TAR	D	900	-	3,9,9	0.28	0	6,12,12	1.66	1 (16%)
4	TAR	B	900	-	3,9,9	0.32	0	6,12,12	1.25	1 (16%)
3	CNC	C	800	1	77,103,103	0.66	0	100,171,171	1.16	8 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CNC	A	800	1	-	9/51/235/235	0/3/11/11
4	TAR	D	900	-	-	3/4/12/12	-
4	TAR	B	900	-	-	3/4/12/12	-
3	CNC	C	800	1	1/1/36/38	8/51/235/235	0/3/11/11

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	800	CNC	C16-C15-C14	-3.53	118.77	124.27
4	D	900	TAR	C4-C3-C2	-3.40	105.79	113.11
3	C	800	CNC	O7R-C2R-C3R	3.18	120.20	111.17
3	C	800	CNC	C7B-C8B-C9B	3.14	123.65	120.54
3	A	800	CNC	O34-C32-C31	-3.13	111.88	121.07
3	A	800	CNC	O7R-C2R-C3R	3.08	119.91	111.17
3	C	800	CNC	C5B-C4B-C9B	-2.96	117.03	121.22
3	A	800	CNC	C5B-C4B-C9B	-2.87	117.16	121.22
3	A	800	CNC	C36-C7-C37	-2.78	106.08	110.83
3	C	800	CNC	C16-C15-C14	-2.75	119.98	124.27
3	C	800	CNC	C55-C17-C16	2.75	119.07	109.92
3	A	800	CNC	C55-C17-C16	2.73	119.00	109.92
3	C	800	CNC	C3-C4-C5	-2.68	121.95	131.68
3	C	800	CNC	O34-C32-C31	-2.61	113.40	121.07
3	A	800	CNC	C3-C4-C5	-2.51	122.59	131.68
3	A	800	CNC	C1-C19-C18	-2.40	117.96	121.93
4	B	900	TAR	C4-C3-C2	-2.27	108.23	113.11
3	A	800	CNC	C13-C14-C15	-2.26	123.49	131.68
3	A	800	CNC	C31-C32-N33	2.11	123.07	116.51
3	C	800	CNC	C31-C32-N33	2.01	122.78	116.51

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	800	CNC	N24

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	800	CNC	C1P-C2P-O3-P
3	A	800	CNC	C3P-C2P-O3-P
3	C	800	CNC	C4-C3-C30-C31

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	C	800	CNC	C1P-C2P-O3-P
3	C	800	CNC	C3P-C2P-O3-P
4	B	900	TAR	C1-C2-C3-C4
4	D	900	TAR	C1-C2-C3-C4
3	C	800	CNC	C30-C31-C32-N33
3	C	800	CNC	C2P-O3-P-O2
3	C	800	CNC	C30-C31-C32-O34
3	A	800	CNC	C2P-O3-P-O2
3	A	800	CNC	C30-C31-C32-N33
3	A	800	CNC	C2-C3-C30-C31
3	A	800	CNC	C30-C31-C32-O34
4	B	900	TAR	C1-C2-C3-O3
4	D	900	TAR	C1-C2-C3-O3
4	D	900	TAR	O2-C2-C3-C4
3	C	800	CNC	C55-C56-C57-O58
3	A	800	CNC	C55-C56-C57-O58
3	C	800	CNC	C55-C56-C57-N59
3	A	800	CNC	C55-C56-C57-N59
4	B	900	TAR	O2-C2-C3-C4
3	A	800	CNC	C4-C3-C30-C31

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	800	CNC	6	0
3	C	800	CNC	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.