



Full wwPDB X-ray Structure Validation Report i

Oct 11, 2021 – 03:08 AM EDT

PDB ID : 3CE3
Title : Crystal structure of the tyrosine kinase domain of the hepatocyte growth factor receptor C-MET in complex with a Pyrrolopyridinepyridone based inhibitor
Authors : Sack, J.
Deposited on : 2008-02-28
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	A	314	16%	50%	30%	12%	• 7%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 2422 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hepatocyte growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	293	2323	1499	398	412	14	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1047	GLY	-	expression tag	UNP P08581
A	1048	ALA	-	expression tag	UNP P08581
A	1194	PHE	TYR	engineered mutation	UNP P08581
A	1234	PHE	TYR	engineered mutation	UNP P08581
A	1235	ASP	TYR	engineered mutation	UNP P08581
A	1272	LEU	VAL	engineered mutation	UNP P08581

- Molecule 2 is 1-(4-fluorophenyl)-N-[3-fluoro-4-(1H-pyrrolo[2,3-b]pyridin-4-yloxy)phenyl]-2-oxo-1,2-dihydropyridine-3-carboxamide (three-letter code: 1FN) (formula: C₂₅H₁₆F₂N₄O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
2	A	1	34	25	2	4	3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	65	65	65	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hepatocyte growth factor receptor



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	43.04Å 49.14Å 159.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 46.95 – 2.39	Depositor EDS
% Data completeness (in resolution range)	78.5 (50.00-2.40) 77.9 (46.95-2.39)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.65 (at 2.39Å)	Xtriage
Refinement program	BUSTER-TNT 2.1.1	Depositor
R , R_{free}	0.206 , 0.275 0.216 , 0.293	Depositor DCC
R_{free} test set	602 reflections (5.51%)	wwPDB-VP
Wilson B-factor (Å ²)	46.5	Xtriage
Anisotropy	0.675	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 77.9	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2422	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
1FN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/2380	0.56	0/3223

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2323	0	2348	170	0
2	A	34	0	16	5	0
3	A	65	0	0	4	0
All	All	2422	0	2364	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1147:LEU:HA	1:A:1153:PRO:HA	1.20	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1071:ILE:HG12	1:A:1146:CYS:HB2	1.30	1.10
1:A:1059:ASN:HB3	1:A:1062:LEU:HD13	1.13	1.08
1:A:1099:ASP:HB2	1:A:1105:ILE:HD12	1.36	1.04
1:A:1069:VAL:HG22	1:A:1145:ILE:HB	1.40	1.04
1:A:1124:PHE:HD2	1:A:1125:LEU:HD23	1.34	0.93
1:A:1070:VAL:HG23	1:A:1147:LEU:HD12	1.53	0.91
1:A:1071:ILE:CG1	1:A:1146:CYS:HB2	2.03	0.88
1:A:1076:LEU:HD22	1:A:1154:LEU:HD13	1.57	0.86
1:A:1097:LEU:HD23	1:A:1105:ILE:HD11	1.59	0.84
1:A:1239:ASN:HB2	1:A:1244:LYS:HG2	1.60	0.84
1:A:1147:LEU:HD12	1:A:1147:LEU:H	1.44	0.82
1:A:1059:ASN:CB	1:A:1062:LEU:HD13	2.04	0.79
1:A:1059:ASN:HB3	1:A:1062:LEU:CD1	2.06	0.78
1:A:1091:CYS:O	1:A:1110:LYS:HG2	1.84	0.78
1:A:1353:ASN:O	1:A:1357:VAL:HG23	1.83	0.78
1:A:1147:LEU:CA	1:A:1153:PRO:HA	2.10	0.77
1:A:1239:ASN:HB2	1:A:1244:LYS:CG	2.16	0.76
1:A:1239:ASN:N	1:A:1244:LYS:HG3	2.00	0.76
1:A:1148:ARG:HB2	1:A:1152:SER:H	1.49	0.75
1:A:1131:MET:CE	2:A:1401:1FN:H30	2.19	0.73
1:A:1076:LEU:N	1:A:1098:LEU:HD23	2.04	0.72
1:A:1131:MET:HE3	2:A:1401:1FN:H30	1.70	0.71
1:A:1097:LEU:HD23	1:A:1105:ILE:CD1	2.20	0.71
1:A:1137:PRO:O	1:A:1219:LYS:HE2	1.90	0.71
1:A:1070:VAL:HA	1:A:1145:ILE:O	1.91	0.70
1:A:1058:LEU:C	1:A:1060:PRO:HD3	2.11	0.70
1:A:1143:LEU:HB2	1:A:1156:VAL:HB	1.74	0.70
1:A:1099:ASP:HB2	1:A:1105:ILE:CD1	2.20	0.69
1:A:1145:ILE:HG23	1:A:1154:LEU:O	1.93	0.68
1:A:1056:SER:HA	1:A:1057:ALA:HB2	1.76	0.67
1:A:1244:LYS:HD3	3:A:54:HOH:O	1.94	0.67
1:A:1070:VAL:HG23	1:A:1147:LEU:CD1	2.24	0.67
1:A:1263:LYS:HD2	1:A:1324:ALA:O	1.93	0.67
1:A:1129:ILE:HD13	1:A:1129:ILE:N	2.09	0.66
1:A:1075:SER:C	1:A:1098:LEU:HD23	2.16	0.66
1:A:1069:VAL:HG22	1:A:1145:ILE:CB	2.23	0.66
1:A:1099:ASP:O	1:A:1101:ASP:N	2.28	0.66
1:A:1062:LEU:HD12	1:A:1062:LEU:N	2.11	0.66
1:A:1070:VAL:C	1:A:1071:ILE:HD13	2.17	0.65
1:A:1243:ALA:O	1:A:1244:LYS:HB2	1.95	0.65
1:A:1136:HIS:CG	1:A:1137:PRO:HD2	2.31	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1247:VAL:HG21	1:A:1289:THR:HB	1.78	0.64
1:A:1069:VAL:HG23	1:A:1144:GLY:HA2	1.79	0.63
1:A:1071:ILE:HD13	1:A:1071:ILE:N	2.13	0.62
1:A:1245:LEU:HB3	1:A:1246:PRO:HD2	1.82	0.62
1:A:1125:LEU:O	1:A:1129:ILE:HG12	2.00	0.62
1:A:1097:LEU:HB3	1:A:1105:ILE:HG12	1.79	0.62
1:A:1110:LYS:O	1:A:1155:VAL:HB	1.99	0.62
1:A:1077:ILE:HD12	1:A:1096:THR:CG2	2.29	0.61
1:A:1116:THR:HG23	1:A:1121:VAL:CG2	2.31	0.61
1:A:1321:HIS:ND1	1:A:1322:PRO:HD2	2.16	0.61
1:A:1059:ASN:N	1:A:1060:PRO:HD3	2.15	0.60
1:A:1076:LEU:C	1:A:1077:ILE:HG13	2.21	0.60
1:A:1078:VAL:HG22	1:A:1109:VAL:HG21	1.83	0.60
1:A:1124:PHE:CD2	1:A:1125:LEU:HD23	2.26	0.60
1:A:1144:GLY:O	1:A:1145:ILE:HG13	2.02	0.60
1:A:1076:LEU:CD1	1:A:1097:LEU:HD12	2.31	0.60
1:A:1151:GLY:O	1:A:1152:SER:HB2	2.01	0.59
1:A:1056:SER:CA	1:A:1057:ALA:HB2	2.32	0.59
1:A:1076:LEU:HD12	1:A:1097:LEU:HD12	1.84	0.59
1:A:1097:LEU:HB3	1:A:1105:ILE:CG1	2.32	0.59
1:A:1110:LYS:HE2	2:A:1401:1FN:H12	1.84	0.59
1:A:1071:ILE:HB	1:A:1146:CYS:SG	2.42	0.59
1:A:1247:VAL:CG2	1:A:1289:THR:HB	2.32	0.59
1:A:1056:SER:N	1:A:1057:ALA:HA	2.18	0.59
1:A:1071:ILE:CB	1:A:1146:CYS:HB2	2.32	0.59
1:A:1111:SER:CB	1:A:1154:LEU:HD23	2.33	0.58
1:A:1118:ILE:O	1:A:1118:ILE:HD12	2.04	0.58
1:A:1291:ASP:N	1:A:1291:ASP:OD1	2.37	0.58
1:A:1147:LEU:HD12	1:A:1147:LEU:N	2.17	0.58
1:A:1091:CYS:O	1:A:1109:VAL:O	2.23	0.57
1:A:1244:LYS:HA	3:A:54:HOH:O	2.04	0.57
1:A:1103:LYS:HG3	3:A:32:HOH:O	2.05	0.57
1:A:1346:GLY:HA2	3:A:9:HOH:O	2.03	0.57
1:A:1077:ILE:HD11	1:A:1098:LEU:HD11	1.87	0.57
1:A:1307:TYR:CD1	1:A:1348:HIS:HE1	2.22	0.56
1:A:1353:ASN:HB3	1:A:1356:TYR:CD2	2.40	0.56
1:A:1098:LEU:HD22	1:A:1098:LEU:N	2.21	0.56
1:A:1148:ARG:HG3	1:A:1152:SER:O	2.05	0.56
1:A:1077:ILE:HD12	1:A:1096:THR:HG22	1.89	0.55
1:A:1104:LYS:O	1:A:1104:LYS:HG3	2.05	0.55
1:A:1121:VAL:O	1:A:1125:LEU:HG	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1069:VAL:HG22	1:A:1069:VAL:O	2.07	0.55
1:A:1076:LEU:CD2	1:A:1154:LEU:HD13	2.32	0.54
1:A:1076:LEU:HD22	1:A:1154:LEU:CD1	2.33	0.54
1:A:1105:ILE:HG12	1:A:1105:ILE:O	2.07	0.54
1:A:1307:TYR:CE1	1:A:1348:HIS:HE1	2.26	0.54
1:A:1101:ASP:OD1	1:A:1102:GLY:N	2.41	0.54
1:A:1334:VAL:O	1:A:1338:SER:OG	2.26	0.54
1:A:1115:ILE:O	1:A:1115:ILE:HD13	2.08	0.53
1:A:1114:ARG:HG2	1:A:1115:ILE:N	2.24	0.53
1:A:1111:SER:HB3	1:A:1154:LEU:HA	1.91	0.53
1:A:1056:SER:N	1:A:1057:ALA:CA	2.72	0.52
1:A:1357:VAL:O	1:A:1358:ASN:HB2	2.09	0.52
1:A:1062:LEU:HD12	1:A:1062:LEU:H	1.75	0.52
1:A:1078:VAL:CG2	1:A:1109:VAL:HG21	2.40	0.52
1:A:1076:LEU:HG	1:A:1077:ILE:N	2.24	0.52
1:A:1253:GLU:HG2	1:A:1254:SER:N	2.26	0.51
1:A:1085:GLY:O	1:A:1086:ARG:HG3	2.11	0.51
1:A:1112:LEU:O	1:A:1113:ASN:O	2.29	0.51
1:A:1131:MET:HE2	2:A:1401:1FN:H30	1.93	0.51
1:A:1066:VAL:HG12	1:A:1066:VAL:O	2.11	0.51
1:A:1145:ILE:O	1:A:1145:ILE:HG22	2.10	0.51
1:A:1054:ASP:O	1:A:1055:LEU:HD12	2.12	0.50
1:A:1116:THR:O	1:A:1117:ASP:HB2	2.11	0.50
1:A:1352:VAL:HG23	1:A:1357:VAL:CG2	2.41	0.50
1:A:1091:CYS:O	1:A:1110:LYS:HA	2.11	0.50
1:A:1239:ASN:O	1:A:1240:LYS:HG3	2.12	0.50
1:A:1111:SER:OG	1:A:1154:LEU:HD23	2.12	0.50
1:A:1099:ASP:CB	1:A:1105:ILE:HD12	2.26	0.50
1:A:1179:LYS:HE3	1:A:1341:PHE:CZ	2.47	0.50
1:A:1069:VAL:HG23	1:A:1144:GLY:CA	2.41	0.49
1:A:1157:LEU:HD13	2:A:1401:1FN:C12	2.43	0.49
1:A:1097:LEU:CD2	1:A:1105:ILE:HD11	2.36	0.49
1:A:1062:LEU:C	1:A:1064:GLN:H	2.16	0.49
1:A:1147:LEU:HD23	1:A:1153:PRO:HB3	1.94	0.49
1:A:1148:ARG:HD3	1:A:1151:GLY:HA3	1.95	0.49
1:A:1084:ILE:HG13	1:A:1094:HIS:HD2	1.78	0.48
1:A:1069:VAL:HG23	1:A:1144:GLY:C	2.33	0.48
1:A:1239:ASN:HB2	1:A:1244:LYS:CB	2.43	0.48
1:A:1353:ASN:CB	1:A:1356:TYR:CD2	2.96	0.48
1:A:1071:ILE:HB	1:A:1146:CYS:HB2	1.96	0.48
1:A:1060:PRO:O	1:A:1061:GLU:HB2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1081:ASN:OD1	1:A:1081:ASN:N	2.38	0.47
1:A:1057:ALA:HB3	1:A:1060:PRO:HG3	1.96	0.47
1:A:1215:LYS:O	1:A:1216:PHE:HB2	2.13	0.47
1:A:1241:THR:O	1:A:1241:THR:HG23	2.13	0.47
1:A:1310:ASP:HB2	1:A:1311:PRO:CD	2.44	0.47
1:A:1178:VAL:O	1:A:1182:ILE:HG13	2.15	0.47
1:A:1293:THR:HG22	1:A:1297:LEU:HD12	1.97	0.47
1:A:1239:ASN:N	1:A:1244:LYS:CG	2.75	0.47
1:A:1055:LEU:C	1:A:1057:ALA:HB2	2.36	0.46
1:A:1147:LEU:HB3	1:A:1153:PRO:HG3	1.98	0.46
1:A:1183:GLY:O	1:A:1187:GLN:HG3	2.15	0.46
1:A:1245:LEU:HB3	1:A:1246:PRO:CD	2.45	0.46
1:A:1347:GLU:H	1:A:1347:GLU:HG3	1.61	0.45
1:A:1143:LEU:N	1:A:1156:VAL:O	2.41	0.45
1:A:1248:LYS:HE2	1:A:1284:TYR:HB2	1.98	0.45
1:A:1065:ALA:C	1:A:1067:GLN:H	2.21	0.44
1:A:1125:LEU:HD23	1:A:1125:LEU:N	2.31	0.44
1:A:1114:ARG:CG	1:A:1115:ILE:N	2.80	0.44
1:A:1146:CYS:O	1:A:1154:LEU:HB2	2.19	0.43
1:A:1240:LYS:HA	1:A:1245:LEU:HD21	2.00	0.43
1:A:1076:LEU:N	1:A:1098:LEU:CD2	2.79	0.43
1:A:1352:VAL:CG2	1:A:1357:VAL:CG2	2.97	0.43
1:A:1121:VAL:CG1	1:A:1125:LEU:HD11	2.49	0.43
1:A:1310:ASP:CB	1:A:1311:PRO:CD	2.96	0.43
1:A:1067:GLN:O	1:A:1070:VAL:HG12	2.19	0.42
1:A:1059:ASN:O	1:A:1061:GLU:N	2.52	0.42
1:A:1064:GLN:O	1:A:1067:GLN:HB2	2.19	0.42
1:A:1063:VAL:HG22	1:A:1063:VAL:O	2.20	0.42
1:A:1321:HIS:HB3	1:A:1327:ARG:HG2	2.02	0.42
1:A:1076:LEU:HD13	1:A:1097:LEU:HD12	2.02	0.42
1:A:1288:ASN:OD1	1:A:1288:ASN:N	2.49	0.42
1:A:1310:ASP:N	1:A:1311:PRO:HD2	2.34	0.42
1:A:1062:LEU:CD1	1:A:1062:LEU:N	2.82	0.42
1:A:1155:VAL:C	1:A:1156:VAL:HG22	2.39	0.42
1:A:1257:THR:O	1:A:1258:GLN:HB2	2.20	0.41
1:A:1262:THR:O	1:A:1265:ASP:HB2	2.21	0.41
1:A:1352:VAL:CG2	1:A:1357:VAL:HG22	2.50	0.41
1:A:1084:ILE:H	1:A:1093:TYR:HA	1.86	0.40
1:A:1202:HIS:O	1:A:1203:ARG:HB2	2.21	0.40
1:A:1076:LEU:CD1	1:A:1097:LEU:CD1	2.99	0.40
1:A:1112:LEU:HD12	1:A:1124:PHE:CD1	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1142:LEU:HD12	1:A:1144:GLY:O	2.21	0.40
1:A:1104:LYS:HB2	1:A:1104:LYS:HE3	1.77	0.40
1:A:1076:LEU:HD13	1:A:1097:LEU:CD1	2.51	0.40
1:A:1239:ASN:HB2	1:A:1244:LYS:HB2	2.02	0.40
1:A:1294:VAL:O	1:A:1298:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	289/314 (92%)	243 (84%)	25 (9%)	21 (7%)	1 0

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1057	ALA
1	A	1061	GLU
1	A	1086	ARG
1	A	1100	ASN
1	A	1113	ASN
1	A	1117	ASP
1	A	1063	VAL
1	A	1073	PRO
1	A	1088	HIS
1	A	1115	ILE
1	A	1118	ILE
1	A	1244	LYS
1	A	1060	PRO
1	A	1151	GLY
1	A	1297	LEU
1	A	1075	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1145	ILE
1	A	1223	PHE
1	A	1241	THR
1	A	1101	ASP
1	A	1152	SER

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	259/277 (94%)	213 (82%)	46 (18%)	2 2

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1055	LEU
1	A	1056	SER
1	A	1061	GLU
1	A	1062	LEU
1	A	1069	VAL
1	A	1074	SER
1	A	1075	SER
1	A	1077	ILE
1	A	1079	HIS
1	A	1081	ASN
1	A	1083	VAL
1	A	1084	ILE
1	A	1091	CYS
1	A	1092	VAL
1	A	1094	HIS
1	A	1098	LEU
1	A	1101	ASP
1	A	1105	ILE
1	A	1115	ILE
1	A	1116	THR
1	A	1118	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1120	GLU
1	A	1122	SER
1	A	1125	LEU
1	A	1129	ILE
1	A	1135	SER
1	A	1142	LEU
1	A	1147	LEU
1	A	1149	SER
1	A	1156	VAL
1	A	1164	ASP
1	A	1172	GLU
1	A	1215	LYS
1	A	1219	LYS
1	A	1244	LYS
1	A	1245	LEU
1	A	1254	SER
1	A	1258	GLN
1	A	1259	LYS
1	A	1286	ASP
1	A	1288	ASN
1	A	1289	THR
1	A	1291	ASP
1	A	1338	SER
1	A	1347	GLU
1	A	1355	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1079	HIS
1	A	1094	HIS
1	A	1106	HIS
1	A	1348	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	1FN	A	1401	-	36,38,38	2.84	20 (55%)	41,54,54	2.49	15 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	1FN	A	1401	-	-	0/16/16/16	0/5/5/5

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1401	1FN	C20-N21	6.05	1.48	1.37
2	A	1401	1FN	C26-N21	-5.51	1.37	1.44
2	A	1401	1FN	F35-C32	-4.74	1.24	1.36
2	A	1401	1FN	C12-C13	4.65	1.45	1.37
2	A	1401	1FN	C30-C26	4.62	1.47	1.38
2	A	1401	1FN	C4-N3	4.23	1.41	1.32
2	A	1401	1FN	C31-C30	3.29	1.44	1.38
2	A	1401	1FN	C31-C32	3.20	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1401	1FN	C11-N15	-3.17	1.35	1.41
2	A	1401	1FN	C20-C18	3.01	1.51	1.43
2	A	1401	1FN	O7-C6	2.99	1.47	1.40
2	A	1401	1FN	C5-C6	2.97	1.45	1.38
2	A	1401	1FN	C33-C32	2.95	1.42	1.37
2	A	1401	1FN	C10-C9	2.87	1.44	1.38
2	A	1401	1FN	C6-C1	2.80	1.50	1.42
2	A	1401	1FN	C9-C8	2.77	1.45	1.39
2	A	1401	1FN	C18-C17	-2.32	1.46	1.50
2	A	1401	1FN	C34-C26	2.31	1.42	1.38
2	A	1401	1FN	C17-N15	2.27	1.41	1.35
2	A	1401	1FN	C33-C34	2.22	1.42	1.38

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1401	1FN	C4-N3-C2	7.31	125.62	116.60
2	A	1401	1FN	C30-C31-C32	-6.22	111.94	118.36
2	A	1401	1FN	F35-C32-C31	-5.36	109.45	118.54
2	A	1401	1FN	C5-C4-N3	-4.92	116.96	124.58
2	A	1401	1FN	C31-C32-C33	3.65	127.68	122.83
2	A	1401	1FN	C30-C26-N21	2.95	122.97	119.41
2	A	1401	1FN	C34-C26-N21	-2.64	116.24	119.41
2	A	1401	1FN	C31-C30-C26	2.63	122.89	119.07
2	A	1401	1FN	O19-C17-C18	-2.59	118.14	121.72
2	A	1401	1FN	F35-C32-C33	2.55	122.87	118.54
2	A	1401	1FN	C10-C11-C12	2.50	122.62	119.65
2	A	1401	1FN	C9-C10-C11	-2.42	117.50	120.30
2	A	1401	1FN	C22-N21-C20	2.34	125.44	121.14
2	A	1401	1FN	F14-C13-C12	2.20	123.00	118.61
2	A	1401	1FN	F14-C13-C8	-2.14	114.81	118.05

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1401	1FN	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers i

There are no such residues in this entry.

5.8 Polymer linkage issues i

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	293/314 (93%)	0.57	49 (16%) 1 1	27, 54, 146, 159	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1147	LEU	11.5
1	A	1243	ALA	10.0
1	A	1241	THR	9.8
1	A	1116	THR	9.2
1	A	1073	PRO	9.0
1	A	1115	ILE	7.3
1	A	1124	PHE	6.9
1	A	1104	LYS	6.3
1	A	1145	ILE	6.1
1	A	1118	ILE	6.0
1	A	1153	PRO	5.3
1	A	1076	LEU	5.3
1	A	1239	ASN	5.2
1	A	1061	GLU	5.1
1	A	1242	GLY	4.8
1	A	1114	ARG	4.7
1	A	1058	LEU	4.6
1	A	1054	ASP	4.6
1	A	1091	CYS	4.6
1	A	1090	GLY	4.6
1	A	1072	GLY	4.5
1	A	1074	SER	4.3
1	A	1148	ARG	4.2
1	A	1057	ALA	4.0
1	A	1056	SER	4.0
1	A	1152	SER	4.0
1	A	1060	PRO	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1151	GLY	4.0
1	A	1240	LYS	3.6
1	A	1125	LEU	3.5
1	A	1154	LEU	3.4
1	A	1089	PHE	3.2
1	A	1075	SER	3.1
1	A	1113	ASN	3.1
1	A	1103	LYS	3.1
1	A	1098	LEU	2.8
1	A	1069	VAL	2.8
1	A	1062	LEU	2.8
1	A	1102	GLY	2.7
1	A	1358	ASN	2.6
1	A	1092	VAL	2.6
1	A	1245	LEU	2.4
1	A	1059	ASN	2.3
1	A	1117	ASP	2.3
1	A	1071	ILE	2.2
1	A	1149	SER	2.1
1	A	1070	VAL	2.1
1	A	1112	LEU	2.1
1	A	1111	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	1FN	A	1401	34/34	0.96	0.12	43,49,54,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.