



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2023 – 04:39 PM EDT

PDB ID : 6CGG
Title : Aminoglycoside Phosphotransferase (2'')-Ia in complex with GMPPNP, Magnesium, and Arbekacin
Authors : Caldwell, S.J.; Berghuis, A.M.
Deposited on : 2018-02-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	305	 91% 5% . .
1	B	305	 86% 10% .
1	C	305	 87% 7% 6%
1	D	305	 89% 6% 5%

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 10588 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional AAC/APH.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	296	Total 2439	C 1555	N 379	O 495	S 10	0	0	0
1	B	295	Total 2429	C 1550	N 377	O 492	S 10	0	0	0
1	C	288	Total 2383	C 1525	N 368	O 480	S 10	0	0	0
1	D	289	Total 2376	C 1516	N 370	O 480	S 10	0	0	0

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total 32	C 10	N 6	O 13	P 3	0	0
2	B	1	Total 41	C 10	N 7	O 19	P 5	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			32	10	6	13	3		
2	D	1	Total	C	N	O	P	0	1
			41	10	7	19	5		


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	2	Total	Mg	0	0
			2	2		
3	C	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		

- Molecule 5 is Arbekacin (three-letter code: 84G) (formula: C₂₂H₄₄N₆O₁₀).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
5	B	1	Total	C	N	O	0	0
			38	22	6	10		
5	D	1	Total	C	N	O	0	0
			38	22	6	10		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	186	Total O 186 186	0	0
7	A	8	Total O 8 8	0	0
7	B	215	Total O 215 215	0	0
7	B	7	Total O 7 7	0	0
7	C	171	Total O 171 171	0	0
7	C	8	Total O 8 8	0	0
7	D	115	Total O 115 115	0	0
7	D	6	Total O 6 6	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bifunctional AAC/APH





- Molecule 1: Bifunctional AAC/APH



- Molecule 1: Bifunctional AAC/APH



- Molecule 1: Bifunctional AAC/APH



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	90.33Å 99.78Å 93.51Å 90.00° 105.43° 90.00°	Depositor
Resolution (Å)	90.14 – 2.40 87.07 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (90.14-2.40) 100.0 (87.07-2.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 2.40Å)	Xtrriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.178 , 0.223 0.183 , 0.226	Depositor DCC
R_{free} test set	3153 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	50.0	Xtrriage
Anisotropy	0.557	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.019 for l,-k,h	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10588	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 84G, GOL, CL, MG, GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.99	3/2482 (0.1%)	0.94	4/3346 (0.1%)
1	B	0.98	5/2472 (0.2%)	0.95	7/3332 (0.2%)
1	C	0.98	2/2426 (0.1%)	0.97	5/3272 (0.2%)
1	D	0.87	0/2416	0.92	5/3256 (0.2%)
All	All	0.95	10/9796 (0.1%)	0.95	21/13206 (0.2%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	353	SER	CB-OG	-6.76	1.33	1.42
1	B	261	GLU	CD-OE1	5.89	1.32	1.25
1	B	445	GLU	CD-OE2	5.62	1.31	1.25
1	B	377	CYS	CB-SG	-5.47	1.72	1.81
1	A	293	GLU	CD-OE2	5.42	1.31	1.25
1	A	236	GLY	N-CA	5.41	1.54	1.46
1	B	353	SER	CB-OG	-5.14	1.35	1.42
1	C	477	TYR	CE1-CZ	-5.06	1.31	1.38
1	A	293	GLU	CD-OE1	5.01	1.31	1.25
1	B	191	TYR	CE2-CZ	-5.01	1.32	1.38

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	301	ASP	CB-CG-OD1	8.39	125.85	118.30
1	B	301	ASP	CB-CG-OD2	-7.87	111.21	118.30
1	D	424	ASP	CB-CG-OD2	-7.45	111.59	118.30
1	B	424	ASP	CB-CG-OD2	-7.25	111.78	118.30
1	A	424	ASP	CB-CG-OD1	7.20	124.78	118.30
1	C	267	ASP	CB-CG-OD1	6.49	124.14	118.30
1	C	424	ASP	CB-CG-OD1	6.18	123.86	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	424	ASP	CB-CG-OD2	-6.04	112.87	118.30
1	C	267	ASP	CB-CG-OD2	-6.00	112.90	118.30
1	D	424	ASP	CB-CG-OD1	5.83	123.54	118.30
1	A	374	ASP	CB-CG-OD2	-5.81	113.07	118.30
1	D	387	ARG	CA-CB-CG	-5.72	100.83	113.40
1	C	404	CYS	CA-CB-SG	-5.63	103.87	114.00
1	C	374	ASP	CB-CG-OD1	5.48	123.23	118.30
1	B	424	ASP	CB-CG-OD1	5.47	123.23	118.30
1	D	229	PHE	CB-CA-C	5.40	121.19	110.40
1	B	316	ASP	CB-CG-OD1	5.30	123.07	118.30
1	A	404	CYS	CA-CB-SG	-5.24	104.56	114.00
1	D	374	ASP	CB-CG-OD1	5.04	122.83	118.30
1	B	374	ASP	CB-CG-OD2	-5.03	113.78	118.30
1	B	374	ASP	CB-CG-OD1	5.02	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2439	0	2346	5	1
1	B	2429	0	2335	12	1
1	C	2383	0	2297	7	0
1	D	2376	0	2292	10	0
2	A	32	0	13	0	0
2	B	41	0	2	5	0
2	C	32	0	13	0	0
2	D	41	0	2	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	1	0
4	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	38	0	0	2	0
5	D	38	0	0	0	0
6	B	6	0	8	0	0
6	D	6	0	8	0	0
7	A	194	0	0	0	0
7	B	222	0	0	9	0
7	C	179	0	0	1	2
7	D	121	0	0	5	0
All	All	10588	0	9316	41	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:500[A]:GNP:O3G	7:B:904:HOH:O	1.55	1.19
2:B:500[B]:GNP:O2G	7:B:924:HOH:O	1.64	1.13
2:B:500[A]:GNP:PG	7:B:904:HOH:O	2.15	1.01
2:B:500[A]:GNP:O2B	7:B:909:HOH:O	1.89	0.89
1:D:186:VAL:HG13	1:D:205:ILE:HG23	1.66	0.77
1:D:186:VAL:CG1	1:D:205:ILE:HG23	2.23	0.67
1:D:359:ASN:OD1	7:D:1050:HOH:O	2.13	0.66
2:B:500[A]:GNP:O3G	7:B:924:HOH:O	2.15	0.63
1:C:461:LYS:HE3	7:C:1360:HOH:O	1.99	0.62
1:D:186:VAL:HG13	1:D:205:ILE:CG2	2.30	0.61
2:D:500[A]:GNP:O2B	7:D:909:HOH:O	2.16	0.59
1:B:411:GLU:OE2	5:B:600:84G:N4	2.36	0.58
1:B:298:LEU:HA	7:B:1268:HOH:O	2.06	0.56
1:D:208:ILE:HD11	7:D:1142:HOH:O	2.06	0.56
1:B:252:GLU:O	1:B:308:GLN:NE2	2.32	0.55
1:A:243:ILE:HD13	1:A:397:SER:HB2	1.89	0.54
1:D:252:GLU:O	1:D:308:GLN:NE2	2.35	0.53
1:C:252:GLU:O	1:C:308:GLN:NE2	2.32	0.52
1:D:189:MET:SD	1:D:227:THR:HG21	2.53	0.48
1:B:189:MET:SD	1:B:227:THR:HG21	2.54	0.48
1:D:326:GLN:NE2	7:D:1013:HOH:O	2.45	0.48
1:A:233:LYS:O	1:A:236:GLY:N	2.46	0.47
1:B:237:TYR:OH	7:B:909:HOH:O	2.16	0.47
1:C:185:ASN:ND2	1:C:217:TYR:OH	2.48	0.47
1:B:359:ASN:OD1	7:B:1050:HOH:O	2.20	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:VAL:HG11	1:C:358:LEU:HD22	1.98	0.46
1:B:462:GLN:NE2	4:B:802:CL:CL	2.85	0.46
1:C:243:ILE:HD13	1:C:397:SER:HB3	1.98	0.45
1:C:297:LEU:HD23	1:C:387:ARG:CD	2.48	0.44
1:B:213:ASP:OD1	1:B:455:TYR:OH	2.28	0.43
5:B:600:84G:O4	5:B:600:84G:C8	2.66	0.43
1:D:181:ASP:O	1:D:185:ASN:ND2	2.51	0.43
1:A:299:LYS:HE2	1:A:424:ASP:HB2	2.01	0.42
1:D:208:ILE:CD1	7:D:1142:HOH:O	2.66	0.42
1:A:189:MET:SD	1:A:227:THR:HG21	2.59	0.42
1:B:417:ILE:HD12	1:B:421:PHE:CE2	2.55	0.41
1:A:212:TYR:HE2	1:A:461:LYS:HZ3	1.69	0.41
1:B:436:LYS:NZ	7:B:1113:HOH:O	2.54	0.41
1:B:406:PHE:CG	1:B:426:LEU:HD21	2.57	0.40
1:B:317:ILE:HD11	1:B:370:LEU:HD22	2.04	0.40
1:C:406:PHE:CG	1:C:426:LEU:HD21	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:GLU:OE1	7:C:1080:HOH:O[2_747]	2.16	0.04
1:B:292:GLU:OE1	7:C:1173:HOH:O[2_646]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/305 (96%)	279 (96%)	13 (4%)	0	100	100
1	B	291/305 (95%)	280 (96%)	11 (4%)	0	100	100
1	C	284/305 (93%)	274 (96%)	10 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	283/305 (93%)	272 (96%)	10 (4%)	1 (0%)	34	48
All	All	1150/1220 (94%)	1105 (96%)	44 (4%)	1 (0%)	51	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	198	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/281 (96%)	267 (98%)	4 (2%)	65	80
1	B	269/281 (96%)	265 (98%)	4 (2%)	65	80
1	C	265/281 (94%)	262 (99%)	3 (1%)	73	87
1	D	264/281 (94%)	261 (99%)	3 (1%)	73	87
All	All	1069/1124 (95%)	1055 (99%)	14 (1%)	69	84

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	THR
1	A	231	THR
1	A	308	GLN
1	A	478	LYS
1	B	198	ASP
1	B	212	TYR
1	B	378	ASN
1	B	478	LYS
1	C	285	GLU
1	C	296	ASN
1	C	300	ARG
1	D	252	GLU
1	D	296	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	378	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	232	ASN
1	A	341	ASN
1	A	467	ASN
1	B	378	ASN
1	B	420	ASN
1	B	467	ASN
1	C	185	ASN
1	C	327	ASN
1	C	341	ASN
1	D	295	GLN
1	D	326	GLN
1	D	378	ASN
1	D	420	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 11 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GNP	B	500[A]	3	29,34,34	3.49	6 (20%)	33,54,54	2.51	9 (27%)
2	GNP	B	500[B]	3	29,34,34	2.63	6 (20%)	33,54,54	2.97	9 (27%)
2	GNP	D	500[A]	3	29,34,34	3.34	6 (20%)	33,54,54	2.29	7 (21%)
5	84G	B	600	-	39,40,40	1.25	2 (5%)	47,57,57	1.13	4 (8%)
2	GNP	D	500[B]	3	29,34,34	3.40	7 (24%)	33,54,54	2.58	8 (24%)
5	84G	D	600	-	39,40,40	0.76	2 (5%)	47,57,57	1.55	9 (19%)
2	GNP	A	500	3	29,34,34	3.14	8 (27%)	33,54,54	3.16	11 (33%)
6	GOL	D	804	-	5,5,5	0.30	0	5,5,5	0.44	0
2	GNP	C	500	3	29,34,34	2.89	8 (27%)	33,54,54	2.52	10 (30%)
6	GOL	B	804	-	5,5,5	0.79	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GNP	B	500[A]	3	-	1/14/38/38	0/3/3/3
2	GNP	B	500[B]	3	-	2/14/38/38	0/3/3/3
2	GNP	D	500[A]	3	-	0/14/38/38	0/3/3/3
5	84G	B	600	-	-	13/23/76/76	0/3/3/3
2	GNP	D	500[B]	3	-	4/14/38/38	0/3/3/3
5	84G	D	600	-	-	11/23/76/76	0/3/3/3
2	GNP	A	500	3	-	2/14/38/38	0/3/3/3
6	GOL	D	804	-	-	0/4/4/4	-
2	GNP	C	500	3	-	4/14/38/38	0/3/3/3
6	GOL	B	804	-	-	1/4/4/4	-

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	500[B]	GNP	PG-O1G	15.00	1.70	1.46
2	C	500	GNP	PG-O1G	12.62	1.66	1.46
2	B	500[A]	GNP	PB-O1B	12.47	1.66	1.46
2	D	500[A]	GNP	PB-O1B	11.92	1.65	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	GNP	PG-O1G	11.01	1.63	1.46
2	B	500[B]	GNP	PG-O1G	10.94	1.63	1.46
2	D	500[A]	GNP	PG-O1G	10.91	1.63	1.46
2	B	500[A]	GNP	PG-O1G	9.99	1.62	1.46
2	A	500	GNP	PB-O1B	7.82	1.58	1.46
5	B	600	84G	C2-C3	6.90	1.60	1.52
2	D	500[B]	GNP	PB-O1B	6.79	1.56	1.46
2	B	500[A]	GNP	PB-O3A	6.25	1.66	1.59
2	A	500	GNP	PG-O3G	4.65	1.69	1.56
2	A	500	GNP	PB-O3A	-4.33	1.53	1.59
2	A	500	GNP	PB-O2B	-4.28	1.45	1.56
2	B	500[A]	GNP	PB-O2B	-4.25	1.45	1.56
2	B	500[B]	GNP	PB-O2B	-4.24	1.45	1.56
2	D	500[A]	GNP	PB-O2B	-4.18	1.45	1.56
2	C	500	GNP	PB-O1B	4.08	1.52	1.46
2	B	500[B]	GNP	PG-O3G	4.05	1.67	1.56
2	C	500	GNP	PB-O2B	-4.03	1.45	1.56
2	D	500[A]	GNP	PG-O3G	-3.98	1.46	1.56
2	D	500[B]	GNP	PB-O2B	-3.98	1.46	1.56
2	B	500[A]	GNP	PG-O2G	-3.91	1.46	1.56
2	B	500[B]	GNP	PG-O2G	-3.77	1.46	1.56
2	D	500[B]	GNP	PG-O3G	-3.75	1.46	1.56
2	C	500	GNP	PG-O2G	-3.36	1.47	1.56
5	D	600	84G	C2-C3	3.30	1.56	1.52
2	A	500	GNP	C6-N1	3.20	1.38	1.33
2	A	500	GNP	PG-O2G	-3.18	1.48	1.56
2	B	500[B]	GNP	PB-O1B	3.15	1.51	1.46
2	D	500[A]	GNP	C6-N1	3.03	1.38	1.33
2	D	500[B]	GNP	C6-N1	3.03	1.38	1.33
2	C	500	GNP	C6-N1	2.99	1.38	1.33
2	B	500[A]	GNP	C6-N1	2.83	1.38	1.33
2	B	500[B]	GNP	C6-N1	2.83	1.38	1.33
5	B	600	84G	C15-C4	2.82	1.56	1.52
2	C	500	GNP	PB-O3A	-2.71	1.55	1.59
2	A	500	GNP	C4-N3	-2.63	1.31	1.35
2	C	500	GNP	PG-O3G	2.51	1.63	1.56
2	D	500[A]	GNP	PB-O3A	2.47	1.62	1.59
2	D	500[B]	GNP	PG-O2G	2.43	1.63	1.56
5	D	600	84G	C15-C4	2.21	1.55	1.52
2	D	500[B]	GNP	PB-O3A	-2.19	1.56	1.59
2	C	500	GNP	C5-C6	2.15	1.45	1.41

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	GNP	C5-C6-N1	-8.74	111.47	123.43
2	A	500	GNP	C5-C6-N1	-8.66	111.59	123.43
2	B	500[B]	GNP	O2B-PB-O1B	-8.47	92.16	109.92
2	D	500[A]	GNP	C5-C6-N1	-8.20	112.21	123.43
2	D	500[B]	GNP	C5-C6-N1	-8.20	112.21	123.43
2	B	500[A]	GNP	C5-C6-N1	-8.02	112.47	123.43
2	B	500[B]	GNP	C5-C6-N1	-8.02	112.47	123.43
2	A	500	GNP	O2B-PB-O1B	-7.75	93.68	109.92
2	A	500	GNP	O2B-PB-O3A	7.61	130.04	104.64
2	B	500[B]	GNP	O1G-PG-N3B	-6.71	101.89	111.77
2	C	500	GNP	C2-N1-C6	6.13	125.67	115.93
2	A	500	GNP	O1B-PB-N3B	6.07	120.71	111.77
2	B	500[A]	GNP	C2-N1-C6	5.98	125.43	115.93
2	B	500[B]	GNP	C2-N1-C6	5.98	125.43	115.93
2	D	500[A]	GNP	C2-N1-C6	5.84	125.21	115.93
2	D	500[B]	GNP	C2-N1-C6	5.84	125.21	115.93
2	A	500	GNP	C2-N1-C6	5.77	125.09	115.93
2	B	500[A]	GNP	O2B-PB-O1B	-5.76	97.85	109.92
2	D	500[B]	GNP	O2G-PG-O1G	-5.47	99.71	113.45
2	D	500[B]	GNP	O2B-PB-O3A	5.30	122.34	104.64
2	B	500[B]	GNP	O2B-PB-O3A	4.89	120.96	104.64
2	C	500	GNP	O2B-PB-O1B	-4.70	100.07	109.92
2	B	500[A]	GNP	O1G-PG-N3B	-4.12	105.70	111.77
5	D	600	84G	C8-O3-C9	4.10	117.67	113.13
2	C	500	GNP	O3G-PG-O1G	-3.88	103.71	113.45
2	D	500[A]	GNP	O2B-PB-O1B	-3.53	102.53	109.92
2	D	500[B]	GNP	O1G-PG-N3B	3.45	116.85	111.77
2	A	500	GNP	O3G-PG-O1G	-3.25	105.27	113.45
5	D	600	84G	O5-C15-C4	3.25	116.47	108.85
5	D	600	84G	O3-C9-C10	-3.16	97.18	108.89
5	D	600	84G	O2-C8-C13	3.10	113.42	108.23
5	B	600	84G	O2-C8-C13	-3.03	103.16	108.23
5	B	600	84G	C5-C4-C15	3.02	115.09	109.47
2	D	500[A]	GNP	O2G-PG-O1G	-2.96	106.01	113.45
2	A	500	GNP	N3-C2-N1	-2.94	123.30	127.22
2	B	500[B]	GNP	O3G-PG-O1G	-2.90	106.16	113.45
2	A	500	GNP	O2G-PG-O3G	2.88	115.31	107.64
2	C	500	GNP	O2B-PB-O3A	2.82	114.06	104.64
2	B	500[A]	GNP	C2-N3-C4	-2.78	112.19	115.36
2	B	500[B]	GNP	C2-N3-C4	-2.78	112.19	115.36
2	D	500[A]	GNP	N3-C2-N1	-2.75	123.55	127.22
2	D	500[B]	GNP	N3-C2-N1	-2.75	123.55	127.22
2	C	500	GNP	N3-C2-N1	-2.73	123.59	127.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500[A]	GNP	N3-C2-N1	-2.68	123.64	127.22
2	B	500[B]	GNP	N3-C2-N1	-2.68	123.64	127.22
2	D	500[A]	GNP	C2-N3-C4	-2.65	112.33	115.36
2	D	500[B]	GNP	C2-N3-C4	-2.65	112.33	115.36
2	B	500[A]	GNP	C4-C5-C6	-2.60	118.31	120.80
2	B	500[B]	GNP	C4-C5-C6	-2.60	118.31	120.80
5	D	600	84G	C15-C4-N1	2.59	115.38	110.58
2	B	500[A]	GNP	O3A-PB-N3B	2.59	113.77	106.59
2	A	500	GNP	C2-N3-C4	-2.56	112.43	115.36
5	D	600	84G	O5-C15-C14	-2.49	100.67	107.28
5	D	600	84G	O4-C14-C7	2.48	116.51	109.94
2	C	500	GNP	O3'-C3'-C2'	-2.48	103.81	111.82
2	C	500	GNP	C4-C5-C6	-2.47	118.44	120.80
2	D	500[A]	GNP	C4-C5-C6	-2.45	118.46	120.80
2	D	500[B]	GNP	C4-C5-C6	-2.45	118.46	120.80
5	B	600	84G	C5-C4-N1	-2.42	107.13	110.86
2	A	500	GNP	C1'-N9-C4	-2.38	122.46	126.64
2	C	500	GNP	O2G-PG-O3G	2.34	113.87	107.64
5	D	600	84G	O2-C7-C14	2.33	113.47	107.28
2	A	500	GNP	C4-C5-C6	-2.31	118.59	120.80
2	C	500	GNP	C2-N3-C4	-2.31	112.72	115.36
5	D	600	84G	C11-C9-C10	2.24	117.11	112.83
5	B	600	84G	C19-C20-C21	-2.15	106.38	111.06
2	B	500[A]	GNP	PB-O3A-PA	2.04	139.79	132.62

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	GNP	PG-N3B-PB-O1B
2	B	500[A]	GNP	PB-N3B-PG-O1G
2	B	500[B]	GNP	PG-N3B-PB-O1B
2	B	500[B]	GNP	PA-O3A-PB-O2B
2	C	500	GNP	PB-N3B-PG-O1G
2	C	500	GNP	PG-N3B-PB-O1B
2	D	500[B]	GNP	PB-N3B-PG-O1G
2	D	500[B]	GNP	PG-N3B-PB-O1B
5	B	600	84G	C-C1-C2-O
5	B	600	84G	N-C-C1-C2
5	D	600	84G	O-C2-C3-N1
5	B	600	84G	O6-C17-C18-O7
5	B	600	84G	C19-C17-C18-O7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	600	84G	C14-C15-O5-C16
6	B	804	GOL	O1-C1-C2-C3
5	D	600	84G	C19-C17-C18-O7
5	B	600	84G	C14-C7-O2-C8
5	D	600	84G	O-C2-C3-O1
5	D	600	84G	C14-C15-O5-C16
5	B	600	84G	O6-C16-O5-C15
5	B	600	84G	C15-C4-N1-C3
5	D	600	84G	O6-C17-C18-O7
2	D	500[B]	GNP	PB-O3A-PA-O1A
5	B	600	84G	C6-C7-O2-C8
5	D	600	84G	N-C-C1-C2
5	B	600	84G	C-C1-C2-C3
5	D	600	84G	O6-C16-O5-C15
2	A	500	GNP	PB-O3A-PA-O2A
5	D	600	84G	O3-C8-O2-C7
5	D	600	84G	C21-C16-O5-C15
5	D	600	84G	C14-C7-O2-C8
5	D	600	84G	C15-C4-N1-C3
2	C	500	GNP	PB-O3A-PA-O2A
2	C	500	GNP	PA-O3A-PB-O2B
2	D	500[B]	GNP	PA-O3A-PB-O2B
5	B	600	84G	C21-C16-O5-C15
5	B	600	84G	C4-C15-O5-C16
5	B	600	84G	O3-C8-O2-C7


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	500[A]	GNP	4	0
2	B	500[B]	GNP	1	0
2	D	500[A]	GNP	1	0
5	B	600	84G	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	296/305 (97%)	-0.16	3 (1%) 82 80	35, 54, 86, 109	0
1	B	295/305 (96%)	-0.09	2 (0%) 87 86	34, 52, 82, 110	0
1	C	288/305 (94%)	-0.10	1 (0%) 94 93	34, 54, 83, 102	0
1	D	289/305 (94%)	0.05	4 (1%) 75 73	47, 68, 94, 113	0
All	All	1168/1220 (95%)	-0.08	10 (0%) 84 82	34, 57, 88, 113	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	231	THR	7.1
1	D	473	TYR	4.2
1	D	474	LYS	2.8
1	A	232	ASN	2.8
1	D	215	VAL	2.5
1	B	212	TYR	2.3
1	A	236	GLY	2.3
1	B	208	ILE	2.2
1	C	185	ASN	2.0
1	D	208	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CL	B	802	1/1	0.64	0.30	98,98,98,98	0
6	GOL	B	804	6/6	0.80	0.19	65,81,84,85	0
5	84G	B	600	38/38	0.81	0.30	51,55,60,64	38
3	MG	C	702	1/1	0.89	0.06	53,53,53,53	0
4	CL	C	802	1/1	0.91	0.12	67,67,67,67	0
4	CL	A	802	1/1	0.91	0.07	82,82,82,82	0
3	MG	A	702	1/1	0.91	0.08	47,47,47,47	0
5	84G	D	600	38/38	0.92	0.19	69,81,90,95	0
3	MG	D	702	1/1	0.93	0.08	72,72,72,72	0
6	GOL	D	804	6/6	0.94	0.20	69,78,84,85	0
2	GNP	D	500[B]	32/32	0.96	0.14	49,54,60,61	9
2	GNP	D	500[A]	32/32	0.96	0.14	49,53,57,60	9
3	MG	B	702	1/1	0.96	0.09	65,65,65,65	0
2	GNP	B	500[B]	32/32	0.97	0.14	38,42,46,49	9
2	GNP	A	500	32/32	0.97	0.15	39,47,51,52	0
2	GNP	B	500[A]	32/32	0.97	0.14	38,42,46,48	9
3	MG	D	700	1/1	0.97	0.05	52,52,52,52	0
3	MG	B	700	1/1	0.98	0.08	45,45,45,45	0
2	GNP	C	500	32/32	0.99	0.12	43,46,55,55	0
3	MG	C	700	1/1	0.99	0.06	49,49,49,49	0
3	MG	A	700	1/1	0.99	0.07	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 84G B 600:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 84G D 600:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around GNP B 500 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GNP A 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.