



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2023 – 05:31 pm BST

PDB ID : 8CRN  
Title : Streptavidin S112Y Co-TAML artificial metalloenzyme  
Authors : Igareta, N.V.  
Deposited on : 2023-03-08  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 20%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="text-align: center; margin-top: 5px;">65%      11%      •      23%</p>
1	B	158	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 20%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="text-align: center; margin-top: 5px;">65%      11%      ••      23%</p>
1	C	158	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 19%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="text-align: center; margin-top: 5px;">2%      66%      11%      •      23%</p>
1	D	158	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 21%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="text-align: center; margin-top: 5px;">66%      9%      •      23%</p>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7456 atoms, of which 3456 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Streptavidin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
1	A	122	1787	577	864	160	186	82	1	0
1	B	122	1787	577	864	160	186	82	1	0
1	C	122	1787	577	864	160	186	82	1	0
1	D	122	1787	577	864	160	186	82	1	0

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	-	expression tag	UNP P22629
A	3	SER	-	expression tag	UNP P22629
A	4	MET	-	expression tag	UNP P22629
A	5	THR	-	expression tag	UNP P22629
A	6	GLY	-	expression tag	UNP P22629
A	7	GLY	-	expression tag	UNP P22629
A	8	GLN	-	expression tag	UNP P22629
A	9	GLN	-	expression tag	UNP P22629
A	10	MET	-	expression tag	UNP P22629
A	11	GLY	-	expression tag	UNP P22629
A	12	ARG	-	expression tag	UNP P22629
A	13	ASP	-	expression tag	UNP P22629
A	14	GLN	-	expression tag	UNP P22629
A	112	TYR	SER	engineered mutation	UNP P22629
B	2	ALA	-	expression tag	UNP P22629
B	3	SER	-	expression tag	UNP P22629
B	4	MET	-	expression tag	UNP P22629
B	5	THR	-	expression tag	UNP P22629
B	6	GLY	-	expression tag	UNP P22629
B	7	GLY	-	expression tag	UNP P22629
B	8	GLN	-	expression tag	UNP P22629

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	9	GLN	-	expression tag	UNP P22629
B	10	MET	-	expression tag	UNP P22629
B	11	GLY	-	expression tag	UNP P22629
B	12	ARG	-	expression tag	UNP P22629
B	13	ASP	-	expression tag	UNP P22629
B	14	GLN	-	expression tag	UNP P22629
B	112	TYR	SER	engineered mutation	UNP P22629
C	2	ALA	-	expression tag	UNP P22629
C	3	SER	-	expression tag	UNP P22629
C	4	MET	-	expression tag	UNP P22629
C	5	THR	-	expression tag	UNP P22629
C	6	GLY	-	expression tag	UNP P22629
C	7	GLY	-	expression tag	UNP P22629
C	8	GLN	-	expression tag	UNP P22629
C	9	GLN	-	expression tag	UNP P22629
C	10	MET	-	expression tag	UNP P22629
C	11	GLY	-	expression tag	UNP P22629
C	12	ARG	-	expression tag	UNP P22629
C	13	ASP	-	expression tag	UNP P22629
C	14	GLN	-	expression tag	UNP P22629
C	112	TYR	SER	engineered mutation	UNP P22629
D	2	ALA	-	expression tag	UNP P22629
D	3	SER	-	expression tag	UNP P22629
D	4	MET	-	expression tag	UNP P22629
D	5	THR	-	expression tag	UNP P22629
D	6	GLY	-	expression tag	UNP P22629
D	7	GLY	-	expression tag	UNP P22629
D	8	GLN	-	expression tag	UNP P22629
D	9	GLN	-	expression tag	UNP P22629
D	10	MET	-	expression tag	UNP P22629
D	11	GLY	-	expression tag	UNP P22629
D	12	ARG	-	expression tag	UNP P22629
D	13	ASP	-	expression tag	UNP P22629
D	14	GLN	-	expression tag	UNP P22629
D	112	TYR	SER	engineered mutation	UNP P22629

- Molecule 2 is Co-linked Tetra-amido macrocyclic ligand (three-letter code: VJL) (formula: C<sub>29</sub>H<sub>37</sub>CoN<sub>7</sub>O<sub>6</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Co	N	O			S
2	A	1	44	29	1	7	6	1	0	0
2	B	1	44	29	1	7	6	1	0	0
2	C	1	44	29	1	7	6	1	0	0
2	D	1	44	29	1	7	6	1	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Na	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	O S	0	0
			5	4 1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	24	Total	O	0	0
			24	24		
5	B	38	Total	O	0	0
			38	38		
5	C	39	Total	O	0	0
			39	39		
5	D	25	Total	O	0	0
			25	25		



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	192.51Å 57.62Å 57.62Å 90.00° 107.42° 90.00°	Depositor
Resolution (Å)	45.96 – 2.00 45.92 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (45.96-2.00) 98.0 (45.92-2.00)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.49 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.8.0352	Depositor
R, $R_{free}$	0.187 , 0.208 0.194 , 0.211	Depositor DCC
$R_{free}$ test set	1940 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.0	Xtrriage
Anisotropy	0.329	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 22.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.459 for -h-k-l,l,k 0.468 for -h+k-l,-l,-k 0.467 for -h-2*l,-k,l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7456	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, VJL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	1/951 (0.1%)	0.83	1/1301 (0.1%)
1	B	0.73	1/951 (0.1%)	1.11	3/1301 (0.2%)
1	C	0.86	2/951 (0.2%)	0.88	4/1301 (0.3%)
1	D	0.86	2/951 (0.2%)	0.89	3/1301 (0.2%)
All	All	0.75	6/3804 (0.2%)	0.93	11/5204 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	1	1
1	D	0	2
All	All	1	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	134	LYS	CA-C	-21.29	0.97	1.52
1	C	134	LYS	CA-C	-20.91	0.98	1.52
1	B	134	LYS	CA-C	-18.63	1.04	1.52
1	C	134	LYS	CG-CD	10.22	1.87	1.52
1	D	134	LYS	CG-CD	8.67	1.81	1.52
1	A	134	LYS	CG-CD	-6.14	1.31	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	134	LYS	CB-CG-CD	25.17	177.04	111.60
1	B	134	LYS	N-CA-C	9.23	135.92	111.00
1	C	134	LYS	N-CA-C	8.49	133.91	111.00
1	C	134	LYS	CG-CD-CE	-8.19	87.32	111.90
1	D	134	LYS	N-CA-C	7.34	130.83	111.00
1	D	134	LYS	CB-CG-CD	7.25	130.45	111.60
1	D	134	LYS	CB-CA-C	-6.97	96.47	110.40
1	C	134	LYS	CB-CG-CD	6.91	129.57	111.60
1	A	134	LYS	CB-CG-CD	6.47	128.43	111.60
1	C	134	LYS	CA-C-O	-6.32	106.82	120.10
1	B	134	LYS	CG-CD-CE	5.22	127.56	111.90

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	C	134	LYS	CA

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	84	ARG	Sidechain
1	C	53	ARG	Sidechain
1	D	53	ARG	Sidechain
1	D	84	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	923	864	860	14	0
1	B	923	864	861	18	0
1	C	923	864	861	13	0
1	D	923	864	860	12	0
2	A	44	0	0	0	0
2	B	44	0	0	4	0
2	C	44	0	0	0	0
2	D	44	0	0	2	0
3	A	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	5	0	0	0	0
5	A	24	0	0	0	0
5	B	38	0	0	4	0
5	C	39	0	0	2	1
5	D	25	0	0	0	0
All	All	4000	3456	3442	54	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:ARG:HH21	1:B:103:ARG:HG3	1.65	0.62
2:D:201:VJL:O2	2:D:201:VJL:C9	2.23	0.59
2:B:201:VJL:C15	5:B:322:HOH:O	2.50	0.57
1:A:107[B]:GLN:NE2	1:B:126:GLY:HA2	2.20	0.57
2:B:201:VJL:O6	1:D:121:LYS:NZ	2.33	0.56
1:C:103:ARG:HH21	1:C:103:ARG:HG3	1.71	0.55
1:D:103:ARG:HH21	1:D:103:ARG:HG3	1.73	0.54
1:D:13:ASP:OD2	1:D:64:PRO:HG3	2.07	0.53
1:B:105:ASN:OD1	1:B:129:THR:HG23	2.09	0.52
1:A:13:ASP:OD2	1:A:64:PRO:HG3	2.10	0.52
1:C:13:ASP:N	5:C:301:HOH:O	2.43	0.51
2:B:201:VJL:C9	2:B:201:VJL:O2	2.37	0.50
1:A:103:ARG:HG3	1:A:103:ARG:HH21	1.76	0.50
1:C:126:GLY:HA2	1:D:107[B]:GLN:NE2	2.27	0.49
1:A:126:GLY:HA2	1:B:107[B]:GLN:NE2	2.28	0.48
1:B:23:ASN:HA	1:B:129:THR:O	2.14	0.47
1:D:105:ASN:OD1	1:D:129:THR:HG23	2.13	0.47
1:B:13:ASP:OD2	1:B:64:PRO:HG3	2.15	0.47
1:C:107[B]:GLN:NE2	1:D:126:GLY:HA2	2.31	0.46
1:D:110:LEU:C	1:D:110:LEU:HD23	2.36	0.46
2:B:201:VJL:C14	5:B:322:HOH:O	2.65	0.45
1:B:127:HIS:HD2	5:B:332:HOH:O	1.99	0.45
1:A:73:LEU:C	1:A:73:LEU:HD12	2.37	0.45
1:C:30:ILE:O	1:C:41:GLY:HA3	2.16	0.45
1:C:73:LEU:HD12	1:C:73:LEU:C	2.37	0.45
1:B:110:LEU:C	1:B:110:LEU:HD23	2.36	0.45
1:C:110:LEU:C	1:C:110:LEU:HD23	2.37	0.44
1:A:14:GLN:HG3	1:A:33:ALA:O	2.17	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:LEU:C	1:B:73:LEU:HD12	2.37	0.44
1:B:13:ASP:N	5:B:303:HOH:O	2.50	0.43
1:B:91:THR:HB	1:C:91:THR:HB	1.99	0.43
1:B:22:TYR:HA	1:B:27:SER:O	2.18	0.43
1:A:110:LEU:C	1:A:110:LEU:HD23	2.39	0.43
1:A:103:ARG:HH21	1:A:103:ARG:CG	2.32	0.43
1:C:127:HIS:HD2	5:C:331:HOH:O	1.99	0.43
1:C:23:ASN:HB3	1:C:130:PHE:CE2	2.54	0.43
1:C:103:ARG:HH21	1:C:103:ARG:CG	2.32	0.43
1:B:103:ARG:NH2	1:B:103:ARG:CG	2.82	0.42
1:A:91:THR:HB	1:D:91:THR:HB	2.01	0.42
1:B:14:GLN:HE22	1:B:35:ALA:HB2	1.83	0.42
1:C:105:ASN:OD1	1:C:129:THR:HG23	2.19	0.42
1:D:23:ASN:HA	1:D:129:THR:O	2.19	0.42
1:D:23:ASN:HB3	1:D:130:PHE:CE2	2.54	0.42
1:A:22:TYR:O	1:A:130:PHE:HA	2.20	0.42
1:B:22:TYR:O	1:B:130:PHE:HA	2.19	0.41
1:B:134:LYS:H	1:B:134:LYS:HG3	1.75	0.41
1:A:105:ASN:OD1	1:A:129:THR:HG23	2.20	0.41
1:A:23:ASN:HA	1:A:129:THR:O	2.20	0.41
1:C:22:TYR:O	1:C:130:PHE:HA	2.20	0.41
1:A:107[B]:GLN:HE22	1:B:126:GLY:HA2	1.84	0.41
1:A:30:ILE:O	1:A:41:GLY:HA3	2.22	0.40
1:B:23:ASN:HB3	1:B:130:PHE:CE2	2.56	0.40
1:D:73:LEU:C	1:D:73:LEU:HD12	2.42	0.40
1:D:112:TYR:CD2	2:D:201:VJL:O3	2.74	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:338:HOH:O	5:C:338:HOH:O[2_554]	1.43	0.77

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	121/158 (77%)	119 (98%)	2 (2%)	0	100	100
1	B	121/158 (77%)	118 (98%)	3 (2%)	0	100	100
1	C	121/158 (77%)	119 (98%)	2 (2%)	0	100	100
1	D	121/158 (77%)	119 (98%)	2 (2%)	0	100	100
All	All	484/632 (77%)	475 (98%)	9 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	91/114 (80%)	90 (99%)	1 (1%)	73	78
1	B	91/114 (80%)	88 (97%)	3 (3%)	38	37
1	C	91/114 (80%)	89 (98%)	2 (2%)	52	55
1	D	91/114 (80%)	89 (98%)	2 (2%)	52	55
All	All	364/456 (80%)	356 (98%)	8 (2%)	52	55

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	134	LYS
1	B	14	GLN
1	B	53	ARG
1	B	134	LYS
1	C	132	LYS
1	C	134	LYS
1	D	84	ARG
1	D	134	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	B	14	GLN
1	B	127	HIS
1	D	14	GLN
1	D	127	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	VJL	B	201	-	46,50,50	1.63	11 (23%)	60,84,84	4.00	25 (41%)
2	VJL	C	201	-	46,50,50	1.38	7 (15%)	60,84,84	2.96	23 (38%)
2	VJL	A	201	-	46,50,50	1.43	10 (21%)	60,84,84	2.74	22 (36%)
4	SO4	B	202	-	4,4,4	0.35	0	6,6,6	0.05	0
2	VJL	D	201	-	46,50,50	1.79	7 (15%)	60,84,84	3.43	25 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VJL	A	201	-	-	4/12/117/117	0/7/7/7
2	VJL	D	201	-	-	3/12/117/117	0/7/7/7
2	VJL	B	201	-	-	0/12/117/117	0/7/7/7
2	VJL	C	201	-	-	2/12/117/117	0/7/7/7

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	201	VJL	C10-N3	7.72	1.63	1.46
2	B	201	VJL	C10-N3	6.45	1.60	1.46
2	A	201	VJL	C10-N3	4.10	1.55	1.46
2	C	201	VJL	C10-N3	4.01	1.55	1.46
2	D	201	VJL	CO1-N5	3.90	1.91	1.84
2	C	201	VJL	C23-C26	3.81	1.59	1.52
2	A	201	VJL	C23-C26	3.57	1.58	1.52
2	A	201	VJL	CO1-N5	3.51	1.91	1.84
2	D	201	VJL	C15-N7	-3.44	1.36	1.41
2	B	201	VJL	CO1-N5	3.38	1.90	1.84
2	D	201	VJL	C23-C26	3.19	1.57	1.52
2	C	201	VJL	C11-N3	3.07	1.40	1.33
2	B	201	VJL	O2-C11	-2.94	1.17	1.23
2	A	201	VJL	C11-N3	2.82	1.40	1.33
2	D	201	VJL	C23-C22	2.82	1.57	1.52
2	D	201	VJL	O2-C11	-2.65	1.17	1.23
2	B	201	VJL	C23-C22	2.56	1.56	1.52
2	B	201	VJL	C4-C3	2.55	1.57	1.53
2	B	201	VJL	C15-N7	-2.49	1.37	1.41
2	D	201	VJL	C4-C3	2.48	1.57	1.53
2	C	201	VJL	CO1-N5	2.42	1.88	1.84
2	B	201	VJL	C17-C16	2.34	1.43	1.39
2	C	201	VJL	C23-C22	2.26	1.56	1.52
2	C	201	VJL	C16-N4	-2.25	1.38	1.41
2	B	201	VJL	C23-C26	2.18	1.56	1.52
2	A	201	VJL	C4-C3	2.17	1.57	1.53
2	A	201	VJL	CO1-N6	2.16	1.88	1.84
2	A	201	VJL	C23-C22	2.16	1.56	1.52
2	B	201	VJL	C11-N3	2.16	1.38	1.33
2	A	201	VJL	O5-C26	2.11	1.25	1.22
2	B	201	VJL	CO1-N6	2.11	1.88	1.84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	VJL	C14-C15	2.10	1.43	1.39
2	A	201	VJL	O6-C30	-2.04	1.18	1.22
2	C	201	VJL	O2-C11	-2.02	1.19	1.23
2	B	201	VJL	O6-C30	-2.01	1.19	1.22

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	VJL	C12-C11-N3	15.67	150.72	117.09
2	D	201	VJL	C10-N3-C11	-13.83	90.54	122.08
2	B	201	VJL	C10-N3-C11	-12.09	94.50	122.08
2	B	201	VJL	O2-C11-N3	-10.86	100.97	122.61
2	C	201	VJL	C10-N3-C11	-10.72	97.64	122.08
2	D	201	VJL	O2-C11-N3	-9.21	104.26	122.61
2	A	201	VJL	C28-C27-N6	8.68	119.75	112.07
2	D	201	VJL	C12-C11-N3	8.47	135.28	117.09
2	C	201	VJL	O2-C11-N3	-8.29	106.09	122.61
2	C	201	VJL	C12-C11-N3	7.72	133.66	117.09
2	B	201	VJL	O2-C11-C12	-7.11	108.26	120.94
2	B	201	VJL	O3-C18-N4	-7.09	117.91	125.51
2	D	201	VJL	C9-C10-N3	7.00	132.22	112.21
2	A	201	VJL	C10-N3-C11	-6.45	107.37	122.08
2	C	201	VJL	O2-C11-C12	-5.95	110.33	120.94
2	A	201	VJL	O2-C11-N3	-5.85	110.96	122.61
2	A	201	VJL	O3-C18-N4	-5.82	119.27	125.51
2	B	201	VJL	O6-C30-N7	-5.65	119.45	125.51
2	A	201	VJL	C21-C19-N5	5.61	117.03	112.07
2	D	201	VJL	O2-C11-C12	-5.44	111.24	120.94
2	C	201	VJL	O3-C18-N4	-5.32	119.80	125.51
2	D	201	VJL	C2-N1-C1	-5.10	107.87	112.62
2	D	201	VJL	C15-N7-C30	-5.00	119.93	127.34
2	A	201	VJL	C9-C10-N3	4.86	126.10	112.21
2	D	201	VJL	N2-C1-N1	4.78	113.24	108.76
2	A	201	VJL	O6-C30-N7	-4.74	120.42	125.51
2	B	201	VJL	C21-C19-N5	4.70	116.23	112.07
2	B	201	VJL	C14-C13-C12	4.68	126.22	120.78
2	D	201	VJL	C14-C13-C12	4.68	126.22	120.78
2	B	201	VJL	C4-C3-N2	-4.62	107.16	113.03
2	B	201	VJL	C13-C12-C11	-4.50	106.04	120.62
2	A	201	VJL	C25-C23-C24	-4.48	102.81	109.31
2	B	201	VJL	C5-C2-N1	-4.40	109.18	113.13
2	C	201	VJL	C2-N1-C1	-4.36	108.55	112.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	201	VJL	O3-C18-N4	-4.34	120.85	125.51
2	B	201	VJL	C15-C16-N4	-4.26	105.65	112.63
2	C	201	VJL	N2-C1-N1	4.25	112.75	108.76
2	A	201	VJL	C2-N1-C1	-4.25	108.66	112.62
2	C	201	VJL	C20-C19-N5	4.15	115.74	112.07
2	B	201	VJL	N2-C1-N1	4.15	112.66	108.76
2	A	201	VJL	O2-C11-C12	-4.10	113.62	120.94
2	A	201	VJL	C12-C11-N3	4.09	125.87	117.09
2	B	201	VJL	C2-N1-C1	-4.01	108.89	112.62
2	C	201	VJL	C28-C27-N6	3.90	115.52	112.07
2	B	201	VJL	C17-C12-C11	3.86	133.23	120.44
2	B	201	VJL	C20-C19-N5	3.81	115.44	112.07
2	B	201	VJL	C9-C10-N3	3.81	123.11	112.21
2	D	201	VJL	C25-C23-C24	-3.79	103.82	109.31
2	B	201	VJL	C17-C16-N4	3.68	133.99	127.32
2	A	201	VJL	N2-C1-N1	3.66	112.19	108.76
2	B	201	VJL	C25-C23-C24	-3.62	104.06	109.31
2	B	201	VJL	C15-N7-C30	-3.60	122.00	127.34
2	C	201	VJL	C9-C10-N3	3.53	122.30	112.21
2	D	201	VJL	C20-C19-N5	3.51	115.18	112.07
2	B	201	VJL	C28-C27-N6	3.41	115.08	112.07
2	D	201	VJL	O6-C30-N7	-3.35	121.92	125.51
2	D	201	VJL	C4-C3-N2	-3.20	108.96	113.03
2	C	201	VJL	C17-C12-C11	-3.15	110.00	120.44
2	C	201	VJL	C25-C23-C24	-3.14	104.75	109.31
2	C	201	VJL	C5-C2-N1	-3.08	110.37	113.13
2	D	201	VJL	C3-C2-N1	3.07	105.97	102.67
2	A	201	VJL	C4-C3-N2	-3.06	109.14	113.03
2	D	201	VJL	C13-C12-C11	-3.01	110.87	120.62
2	C	201	VJL	C14-C15-N7	2.99	132.09	126.63
2	C	201	VJL	C3-C2-N1	2.95	105.84	102.67
2	D	201	VJL	C15-C16-N4	-2.88	107.91	112.63
2	D	201	VJL	C26-C23-C22	2.83	124.15	114.11
2	D	201	VJL	C13-C14-C15	-2.83	113.39	119.19
2	B	201	VJL	C3-C2-N1	2.82	105.70	102.67
2	D	201	VJL	C16-N4-C18	-2.74	123.28	127.34
2	C	201	VJL	C26-C23-C22	2.67	123.57	114.11
2	A	201	VJL	C3-C2-N1	2.64	105.51	102.67
2	C	201	VJL	O1-C1-N1	-2.63	122.17	125.94
2	C	201	VJL	C13-C12-C11	2.62	129.10	120.62
2	A	201	VJL	O5-C26-C23	-2.55	114.82	121.18
2	B	201	VJL	C21-C19-C18	-2.53	103.02	107.79

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	VJL	C5-C2-N1	-2.49	110.89	113.13
2	A	201	VJL	C16-N4-C18	-2.44	123.73	127.34
2	C	201	VJL	C16-C15-N7	-2.38	108.73	112.63
2	D	201	VJL	C12-C17-C16	-2.38	113.90	118.61
2	B	201	VJL	C26-C23-C22	2.38	122.54	114.11
2	A	201	VJL	O4-C22-C23	-2.36	115.31	121.18
2	C	201	VJL	C2-C5-S1	2.33	107.43	105.20
2	C	201	VJL	C4-C3-N2	-2.31	110.10	113.03
2	C	201	VJL	C5-C2-C3	-2.30	106.27	108.94
2	A	201	VJL	C14-C15-N7	2.29	130.81	126.63
2	A	201	VJL	C17-C12-C11	-2.25	112.99	120.44
2	B	201	VJL	C13-C14-C15	-2.23	114.62	119.19
2	D	201	VJL	C5-C2-N1	-2.20	111.15	113.13
2	A	201	VJL	C16-C15-N7	-2.16	109.09	112.63
2	D	201	VJL	C13-C12-C17	2.12	121.75	119.24
2	A	201	VJL	C12-C17-C16	2.10	122.77	118.61
2	D	201	VJL	C17-C12-C11	2.10	127.38	120.44
2	D	201	VJL	C6-C5-C2	2.09	120.81	114.73
2	C	201	VJL	C29-C27-N6	2.04	113.88	112.07

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	201	VJL	C12-C11-N3-C10
2	C	201	VJL	C12-C11-N3-C10
2	C	201	VJL	N3-C10-C9-C8
2	D	201	VJL	C9-C10-N3-C11
2	A	201	VJL	N3-C10-C9-C8
2	D	201	VJL	C12-C11-N3-C10
2	A	201	VJL	N3-C11-C12-C17
2	A	201	VJL	N3-C11-C12-C13
2	D	201	VJL	N3-C10-C9-C8


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	201	VJL	4	0
2	D	201	VJL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	122/158 (77%)	-0.25	1 (0%) 86 85	25, 35, 59, 71	5 (4%)
1	B	122/158 (77%)	-0.22	2 (1%) 72 70	25, 35, 60, 68	5 (4%)
1	C	122/158 (77%)	-0.22	3 (2%) 57 56	25, 35, 59, 67	5 (4%)
1	D	122/158 (77%)	-0.21	2 (1%) 72 70	25, 35, 59, 70	5 (4%)
All	All	488/632 (77%)	-0.22	8 (1%) 72 70	25, 35, 61, 71	20 (4%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	49	ASN	4.3
1	D	49	ASN	3.9
1	B	49	ASN	3.8
1	A	49	ASN	2.8
1	C	66	THR	2.7
1	C	133	VAL	2.4
1	B	66	THR	2.2
1	D	133	VAL	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	B	202	5/5	0.85	0.10	101,102,109,114	0
2	VJL	D	201	44/44	0.89	0.16	22,103,135,169	0
2	VJL	C	201	44/44	0.91	0.15	24,103,147,163	0
2	VJL	A	201	44/44	0.91	0.14	25,105,157,179	0
2	VJL	B	201	44/44	0.91	0.15	24,97,133,170	0
3	NA	A	202	1/1	0.99	0.07	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







**Electron density around VJL C 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around VJL A 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.