



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 10, 2020 – 03:28 AM BST

PDB ID : 4CYV
Title : Structure of the A_mallard_Sweden_51_2002 H10 Avian Haemmagglutinin
Authors : Vachieri, S.G.; Xiong, X.; Collins, P.J.; Walker, P.A.; Martin, S.R.; Haire, L.F.; McCauley, J.W.; Gamblin, S.J.; Skehel, J.J.
Deposited on : 2014-04-15
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	324	
1	C	324	
1	E	324	
2	B	172	
2	D	172	
2	F	172	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	5	 80% 20%
3	I	5	 80% 20%
3	K	5	 60% 40%
4	H	3	 67% 33%
5	J	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAN	K	4	-	-	-	X
3	MAN	K	5	X	-	-	-
4	BMA	H	3	-	-	-	X
5	NAG	J	2	X	-	-	-
6	NAG	A	401	X	-	-	-
6	NAG	A	420	X	-	-	-
6	NAG	C	420	X	-	-	-
6	NAG	E	420	X	-	-	-
7	EDO	E	1327	-	-	-	X
7	EDO	E	1328	-	-	X	-
7	EDO	F	1175	-	-	-	X
7	EDO	F	1176	-	-	X	-

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 12135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HEMAGGLUTININ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	318	Total 2427	C 1501	N 436	O 474	S 16	0	1	0
1	C	319	Total 2430	C 1504	N 437	O 473	S 16	0	0	0
1	E	319	Total 2426	C 1501	N 436	O 473	S 16	0	0	0

- Molecule 2 is a protein called HEMAGGLUTININ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	172	Total 1384	C 855	N 239	O 282	S 8	0	0	0
2	D	172	Total 1377	C 851	N 240	O 278	S 8	0	0	0
2	F	172	Total 1380	C 851	N 239	O 282	S 8	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	G	5	Total 61	C 34	N 2	O 25	0	0	0
3	I	5	Total 61	C 34	N 2	O 25	0	0	0
3	K	5	Total 61	C 34	N 2	O 25	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	H	3	39	22	2	15	0	0	0

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	J	2	28	16	2	10	0	0	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	A	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	D	1	Total	C	N	O	0	0
			14	8	1	5		
6	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0
7	C	1	Total C O 4 2 2	0	0
7	D	1	Total C O 4 2 2	0	0
7	E	1	Total C O 4 2 2	0	0
7	E	1	Total C O 4 2 2	0	0
7	E	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0
7	F	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	69	Total O 69 69	0	0
8	B	43	Total O 43 43	0	0
8	C	98	Total O 98 98	0	0
8	D	27	Total O 27 27	0	0
8	E	52	Total O 52 52	0	0
8	F	16	Total O 16 16	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HEMAGGLUTININ





- Molecule 1: HEMAGGLUTININ




- Molecule 1: HEMAGGLUTININ





- Molecule 2: HEMAGGLUTININ




- Molecule 2: HEMAGGLUTININ




- Molecule 2: HEMAGGLUTININ



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  67% 33%

MAG1
MAG2
B0IA3

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	67.61Å 227.99Å 68.72Å 90.00° 110.32° 90.00°	Depositor
Resolution (Å)	113.99 – 2.30 49.15 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.4 (113.99-2.30) 98.4 (49.15-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.214 , 0.252 0.217 , 0.254	Depositor DCC
R_{free} test set	4237 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	41.6	Xtrriage
Anisotropy	0.226	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.022 for l,-k,h	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12135	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, EDO, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	2/2479 (0.1%)	0.76	3/3361 (0.1%)
1	C	0.76	3/2479 (0.1%)	0.85	6/3361 (0.2%)
1	E	0.65	2/2475 (0.1%)	0.76	4/3357 (0.1%)
2	B	0.52	0/1409	0.65	0/1902
2	D	0.56	0/1402	0.66	0/1892
2	F	0.56	0/1405	0.66	0/1897
All	All	0.64	7/11649 (0.1%)	0.75	13/15770 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	114	GLU	CD-OE2	16.48	1.43	1.25
1	A	114	GLU	CD-OE2	14.82	1.42	1.25
1	E	114	GLU	CD-OE2	11.45	1.38	1.25
1	E	114	GLU	CB-CG	9.31	1.69	1.52
1	C	114	GLU	CB-CG	8.72	1.68	1.52
1	C	114	GLU	CA-CB	5.76	1.66	1.53
1	A	114	GLU	CB-CG	5.24	1.62	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	114	GLU	CA-CB-CG	8.99	133.19	113.40
1	C	114	GLU	CA-CB-CG	8.40	131.87	113.40
1	C	114	GLU	CG-CD-OE1	-7.93	102.43	118.30
1	C	264	ARG	NE-CZ-NH1	6.99	123.80	120.30
1	E	114	GLU	CG-CD-OE1	-6.94	104.42	118.30
1	E	114	GLU	CG-CD-OE2	6.50	131.31	118.30
1	C	114	GLU	CG-CD-OE2	6.22	130.73	118.30
1	A	114	GLU	CA-CB-CG	6.01	126.61	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	114	GLU	CG-CD-OE1	-5.96	106.38	118.30
1	C	50	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	E	290	THR	N-CA-C	-5.08	97.27	111.00
1	C	194	LEU	CA-CB-CG	5.06	126.94	115.30
1	A	114	GLU	CG-CD-OE2	5.06	128.42	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2427	0	2360	45	0
1	C	2430	0	2367	17	1
1	E	2426	0	2356	36	1
2	B	1384	0	1276	29	0
2	D	1377	0	1270	7	0
2	F	1380	0	1266	27	0
3	G	61	0	50	3	0
3	I	61	0	52	1	0
3	K	61	0	52	2	0
4	H	39	0	34	4	0
5	J	28	0	25	0	0
6	A	28	0	26	0	0
6	B	14	0	13	0	0
6	C	14	0	13	0	0
6	D	14	0	13	1	0
6	E	14	0	13	0	0
7	A	12	0	18	2	0
7	B	12	0	18	1	0
7	C	16	0	24	2	0
7	D	4	0	6	0	0
7	E	12	0	18	7	0
7	F	16	0	24	8	0
8	A	69	0	0	1	0
8	B	43	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	98	0	0	1	0
8	D	27	0	0	0	0
8	E	52	0	0	3	0
8	F	16	0	0	0	0
All	All	12135	0	11294	141	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:10:ILE:HG21	7:F:1176:EDO:O1	1.72	0.88
2:F:56:ILE:HG22	2:F:56:ILE:O	1.82	0.78
1:E:158(A):LYS:O	1:E:193:ASP:O	2.06	0.74
2:F:14:TRP:CE2	7:F:1176:EDO:H21	2.23	0.73
1:E:291:ARG:HB3	2:F:56:ILE:HG21	1.69	0.72
4:H:1:NAG:H3	4:H:1:NAG:H83	1.71	0.71
1:A:114:GLU:OE2	3:K:1:NAG:O7	2.11	0.68
1:A:44:GLU:OE1	1:A:290:THR:CG2	2.41	0.68
2:F:102:MET:SD	7:F:1175:EDO:O2	2.47	0.68
1:C:264:ARG:HH11	1:C:264:ARG:HG3	1.60	0.67
1:A:66:PRO:O	1:A:69:MET:HG2	1.94	0.66
2:F:10:ILE:CG2	7:F:1176:EDO:O1	2.44	0.65
8:E:2046:HOH:O	2:F:59:THR:HG21	1.95	0.65
1:A:295:GLN:HE21	1:A:297:LEU:H	1.45	0.65
1:A:295:GLN:HE22	1:A:298:SER:H	1.42	0.64
8:E:2046:HOH:O	2:F:59:THR:CG2	2.44	0.64
2:F:13:GLY:HA2	7:F:1176:EDO:O2	1.98	0.63
2:F:14:TRP:CD2	7:F:1176:EDO:H21	2.35	0.61
2:D:73:ILE:N	2:D:73:ILE:HD13	2.14	0.61
1:E:291:ARG:HB3	2:F:56:ILE:CG2	2.31	0.61
1:E:44:GLU:OE2	1:E:46:THR:HB	2.02	0.60
1:E:300:ARG:NH1	2:F:67:GLU:OE1	2.34	0.60
1:A:16:GLY:C	2:B:115:MET:HE1	2.22	0.60
4:H:1:NAG:H3	4:H:1:NAG:C8	2.32	0.59
1:C:264:ARG:CG	1:C:264:ARG:HH11	2.15	0.59
1:A:311:LYS:HE3	2:B:97:GLU:CD	2.23	0.59
1:A:76:CYS:O	1:A:80:LEU:HD13	2.03	0.58
1:A:111:LYS:NZ	8:A:2031:HOH:O	2.33	0.57
1:E:175:GLU:OE1	1:E:238:GLN:NE2	2.38	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:82:ASN:OD1	3:G:1:NAG:C2	2.47	0.57
1:A:257:VAL:HA	7:A:1328:EDO:H11	1.85	0.56
1:C:58:HIS:HE1	1:C:276:ASN:HD21	1.52	0.56
1:A:100:GLY:HA3	1:A:230:ILE:O	2.05	0.56
1:A:295:GLN:HE21	1:A:297:LEU:N	2.03	0.56
1:A:295:GLN:NE2	1:A:298:SER:H	2.02	0.56
1:E:154:LEU:HB2	7:E:1328:EDO:H21	1.87	0.56
2:F:102:MET:SD	7:F:1175:EDO:C2	2.94	0.55
1:C:18:HIS:HE1	8:C:2004:HOH:O	1.90	0.54
1:E:291:ARG:O	2:F:56:ILE:HG23	2.07	0.54
1:E:73:THR:HG22	1:E:74:PRO:HD2	1.90	0.54
1:A:69:MET:HB2	1:A:79:HIS:O	2.08	0.54
2:B:10:ILE:HD13	2:B:115:MET:CE	2.39	0.53
1:E:231:ASP:OD1	1:E:231:ASP:O	2.26	0.53
1:C:204:VAL:O	1:C:210:GLN:HA	2.09	0.52
1:E:295:GLN:OE1	1:E:297:LEU:N	2.43	0.52
2:B:10:ILE:HD13	2:B:115:MET:HE2	1.90	0.52
1:E:247:HIS:ND1	7:E:1328:EDO:O1	2.40	0.52
1:A:123:THR:CG2	1:A:255:SER:HA	2.40	0.51
1:A:151:LEU:HD23	1:A:254:PRO:HA	1.92	0.51
8:B:2005:HOH:O	2:F:95:GLN:HG3	2.10	0.51
1:A:123:THR:HG21	1:A:254:PRO:O	2.11	0.51
1:A:161:PHE:HB3	1:A:248:ASN:O	2.10	0.51
1:C:258:SER:OG	7:C:1328:EDO:O1	2.27	0.51
1:A:160:ASN:HD21	1:A:197:THR:HG22	1.75	0.51
1:A:216:VAL:HG22	1:C:212:ASN:HB2	1.92	0.51
1:A:44:GLU:OE1	1:A:290:THR:HG23	2.09	0.50
2:F:38:TYR:CE1	2:F:42:GLN:HG3	2.46	0.50
1:E:279:SER:CB	1:E:289:ASN:OD1	2.60	0.50
1:E:15:LEU:CD1	2:F:119:TYR:HA	2.42	0.49
1:E:208:THR:O	1:E:208:THR:CG2	2.59	0.49
1:A:44:GLU:HB2	1:A:290:THR:HG21	1.94	0.49
1:A:15:LEU:CD1	2:B:119:TYR:HA	2.42	0.49
2:B:95:GLN:HE22	2:F:95:GLN:NE2	2.11	0.49
2:D:150:GLU:HB3	6:D:211:NAG:H61	1.95	0.49
2:B:1:GLY:N	8:B:2001:HOH:O	2.45	0.48
1:C:47:SER:HB2	1:C:297:LEU:HD22	1.94	0.48
2:B:93:THR:O	2:B:97:GLU:HG3	2.13	0.48
2:D:150:GLU:O	2:D:154:ASN:HB2	2.14	0.48
1:E:11:ASP:OD1	1:E:11:ASP:N	2.45	0.48
1:C:220:ARG:HB2	1:C:221:PRO:CD	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:240:GLY:O	4:H:1:NAG:H82	2.14	0.47
1:A:210:GLN:HE21	1:E:231:ASP:HB3	1.78	0.47
1:E:15:LEU:HD21	2:F:24:PHE:CE1	2.49	0.47
1:E:154:LEU:HB2	7:E:1328:EDO:C2	2.44	0.47
1:E:208:THR:O	1:E:208:THR:HG22	2.14	0.47
2:B:82:ASN:OD1	3:G:1:NAG:H2	2.12	0.47
2:B:82:ASN:OD1	8:B:2020:HOH:O	2.20	0.47
1:A:22:ASN:HD22	1:A:22:ASN:N	2.12	0.47
1:E:140:MET:SD	1:E:143:GLY:O	2.73	0.47
2:B:32:THR:HG22	2:B:33:GLY:N	2.31	0.46
1:C:110:GLN:O	7:C:1329:EDO:H22	2.14	0.46
1:A:166:ASN:HD22	1:A:247:HIS:HE1	1.62	0.46
1:A:130:ILE:HD11	1:A:164:THR:HG21	1.96	0.46
2:B:55:LEU:HD21	2:B:99:LEU:HD21	1.98	0.46
1:A:123:THR:HG22	1:A:255:SER:HA	1.98	0.46
3:K:1:NAG:O4	3:K:2:NAG:H61	2.15	0.46
1:A:48:LEU:HD23	1:A:50:ARG:CZ	2.46	0.46
1:E:73:THR:HG22	1:E:74:PRO:CD	2.46	0.46
1:E:251:LEU:HB3	7:E:1328:EDO:O1	2.16	0.46
2:B:95:GLN:NE2	2:F:95:GLN:HE21	2.13	0.46
2:B:73:ILE:N	2:B:73:ILE:HD12	2.32	0.45
2:B:75:HIS:HE1	1:C:114:GLU:OE1	1.99	0.45
2:D:6:ILE:HD12	2:D:112:ASP:HA	1.97	0.45
1:C:190:GLU:O	1:C:194:LEU:HD22	2.15	0.45
1:E:179:MET:HB2	7:E:1326:EDO:H12	1.98	0.45
1:C:240:GLY:O	4:H:1:NAG:C8	2.64	0.45
1:E:17:HIS:HA	8:E:2002:HOH:O	2.16	0.45
1:E:295:GLN:O	1:E:308:TYR:HA	2.17	0.45
2:F:73:ILE:N	2:F:73:ILE:HD12	2.32	0.45
2:B:1:GLY:CA	8:B:2001:HOH:O	2.65	0.44
2:B:79:ASN:OD1	3:G:1:NAG:C8	2.65	0.44
1:A:189:GLN:OE1	1:A:189:GLN:N	2.44	0.44
2:B:95:GLN:NE2	2:D:95:GLN:NE2	2.65	0.44
1:A:72:GLY:HA2	1:A:80:LEU:HD11	1.99	0.44
1:E:178:ILE:HG13	1:E:257:VAL:HG12	1.99	0.44
2:F:52:LEU:O	2:F:56:ILE:HD12	2.18	0.44
2:B:88:ILE:HG21	7:B:1175:EDO:H22	1.99	0.44
1:E:114:GLU:OE2	3:I:1:NAG:O7	2.35	0.44
1:A:212:ASN:CG	1:E:216:VAL:HG21	2.38	0.43
1:A:160:ASN:HD22	1:A:160:ASN:N	2.17	0.43
1:A:212:ASN:ND2	1:E:216:VAL:HG21	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:ASN:ND2	1:A:247:HIS:HE1	2.16	0.43
1:A:44:GLU:OE1	1:A:290:THR:HG21	2.18	0.43
1:A:30:THR:HG22	2:B:105:GLN:HE22	1.83	0.43
1:C:220:ARG:HB2	1:C:221:PRO:HD2	2.00	0.42
1:A:114:GLU:OE2	2:B:64:GLU:OE2	2.37	0.42
2:F:171:LEU:O	2:F:172:ASN:CB	2.67	0.42
2:B:95:GLN:NE2	2:D:95:GLN:HE21	2.18	0.42
2:B:95:GLN:NE2	2:F:95:GLN:NE2	2.68	0.42
2:B:164:GLU:N	2:B:164:GLU:CD	2.73	0.42
1:A:101:ALA:N	1:A:231[A]:ASP:OD1	2.53	0.42
1:E:66:PRO:HA	1:E:69:MET:HE3	2.01	0.42
1:A:17:HIS:N	2:B:115:MET:HE1	2.35	0.41
2:B:167:LEU:O	2:B:171:LEU:HD13	2.20	0.41
1:E:177:LEU:HD23	1:E:177:LEU:C	2.41	0.41
1:E:247:HIS:CG	7:E:1328:EDO:O1	2.73	0.41
1:A:50:ARG:NH1	1:A:275:ASP:OD2	2.53	0.41
1:A:257:VAL:CA	7:A:1328:EDO:H11	2.50	0.41
1:C:151:LEU:HD23	1:C:254:PRO:HA	2.02	0.41
1:A:200:LEU:O	1:A:214:VAL:HG13	2.20	0.41
1:A:71:ILE:O	1:A:148:TYR:HB3	2.20	0.41
2:F:102:MET:SD	7:F:1175:EDO:H22	2.60	0.41
2:F:73:ILE:H	2:F:73:ILE:HD12	1.86	0.41
2:B:164:GLU:H	2:B:164:GLU:CD	2.24	0.41
1:E:151:LEU:HD23	1:E:254:PRO:HA	2.03	0.41
2:B:95:GLN:HE21	2:D:95:GLN:HE21	1.69	0.41
1:C:194:LEU:HD21	1:C:195:TYR:CE2	2.56	0.41
1:E:207:SER:HB3	1:E:241:ASP:OD1	2.21	0.41
1:E:161:PHE:CZ	7:E:1328:EDO:H21	2.56	0.40
1:A:166:ASN:HD22	1:A:247:HIS:CE1	2.39	0.40
2:F:56:ILE:CG2	2:F:56:ILE:O	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:83:THR:OG1	1:E:49:ASP:OD2[1_655]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/324 (98%)	304 (96%)	13 (4%)	0	100	100
1	C	317/324 (98%)	306 (96%)	11 (4%)	0	100	100
1	E	317/324 (98%)	299 (94%)	18 (6%)	0	100	100
2	B	170/172 (99%)	159 (94%)	11 (6%)	0	100	100
2	D	170/172 (99%)	166 (98%)	4 (2%)	0	100	100
2	F	170/172 (99%)	161 (95%)	9 (5%)	0	100	100
All	All	1461/1488 (98%)	1395 (96%)	66 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/275 (98%)	256 (95%)	14 (5%)	23	32
1	C	270/275 (98%)	258 (96%)	12 (4%)	28	39
1	E	269/275 (98%)	250 (93%)	19 (7%)	14	19
2	B	145/146 (99%)	140 (97%)	5 (3%)	37	51
2	D	143/146 (98%)	140 (98%)	3 (2%)	53	70
2	F	144/146 (99%)	138 (96%)	6 (4%)	30	42
All	All	1241/1263 (98%)	1182 (95%)	59 (5%)	25	36

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	29	LEU
1	A	48	LEU
1	A	73	THR
1	A	80	LEU
1	A	128	SER
1	A	137	LYS
1	A	159	GLN
1	A	160	ASN
1	A	164	THR
1	A	200	LEU
1	A	220	ARG
1	A	290	THR
1	A	310	ASN
2	B	58	LYS
2	B	72	GLU
2	B	113	SER
2	B	164	GLU
2	B	167	LEU
1	C	10	LEU
1	C	29	LEU
1	C	50	ARG
1	C	152	LYS
1	C	159	GLN
1	C	194	LEU
1	C	200	LEU
1	C	211	SER
1	C	246	SER
1	C	264	ARG
1	C	295	GLN
1	C	321	ARG
2	D	59	THR
2	D	73	ILE
2	D	160	SER
1	E	10	LEU
1	E	11	ASP
1	E	18	HIS
1	E	29	LEU
1	E	49	ASP
1	E	57	SER
1	E	73	THR
1	E	122	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	136	THR
1	E	159	GLN
1	E	194	LEU
1	E	198	GLN
1	E	210	GLN
1	E	227	SER
1	E	246	SER
1	E	255	SER
1	E	289	ASN
1	E	295	GLN
1	E	310	ASN
2	F	54	ARG
2	F	59	THR
2	F	113	SER
2	F	135	LYS
2	F	156	THR
2	F	164	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	18	HIS
1	A	22	ASN
1	A	160	ASN
1	A	166	ASN
1	A	183	HIS
1	A	224	ASN
1	A	238	GLN
1	A	247	HIS
1	A	295	GLN
1	A	304	GLN
2	B	75	HIS
2	B	105	GLN
2	B	117	ASN
1	C	58	HIS
1	C	222	GLN
1	C	276	ASN
2	D	95	GLN
1	E	22	ASN
1	E	159	GLN
1	E	160	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	95	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

20 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	G	1	3,2	14,14,15	1.84	3 (21%)	17,19,21	4.98	9 (52%)
3	NAG	G	2	3	14,14,15	0.93	1 (7%)	17,19,21	1.52	4 (23%)
3	BMA	G	3	3	11,11,12	0.81	0	15,15,17	2.03	3 (20%)
3	MAN	G	4	3	11,11,12	0.60	0	15,15,17	1.12	1 (6%)
3	MAN	G	5	3	11,11,12	0.67	0	15,15,17	1.56	3 (20%)
4	NAG	H	1	1,4	14,14,15	0.55	0	17,19,21	1.37	3 (17%)
4	NAG	H	2	4	14,14,15	0.76	0	17,19,21	1.39	3 (17%)
4	BMA	H	3	4	11,11,12	0.58	0	15,15,17	2.34	3 (20%)
3	NAG	I	1	3,2	14,14,15	0.74	0	17,19,21	1.75	6 (35%)
3	NAG	I	2	3	14,14,15	0.55	0	17,19,21	1.21	2 (11%)
3	BMA	I	3	3	11,11,12	0.66	0	15,15,17	2.20	2 (13%)
3	MAN	I	4	3	11,11,12	0.44	0	15,15,17	1.08	1 (6%)
3	MAN	I	5	3	11,11,12	0.62	0	15,15,17	1.73	4 (26%)
5	NAG	J	1	1,5	14,14,15	0.52	0	17,19,21	1.60	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	J	2	5	14,14,15	0.52	0	17,19,21	1.66	4 (23%)
3	NAG	K	1	3,2	14,14,15	0.65	0	17,19,21	1.72	5 (29%)
3	NAG	K	2	3	14,14,15	0.76	0	17,19,21	1.57	4 (23%)
3	BMA	K	3	3	11,11,12	0.66	0	15,15,17	1.70	4 (26%)
3	MAN	K	4	3	11,11,12	0.55	0	15,15,17	1.46	2 (13%)
3	MAN	K	5	3	11,11,12	0.73	0	15,15,17	2.27	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	2/2/19/22	0/1/1/1
3	MAN	G	4	3	-	2/2/19/22	0/1/1/1
3	MAN	G	5	3	-	0/2/19/22	1/1/1/1
4	NAG	H	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	BMA	H	3	4	-	1/2/19/22	0/1/1/1
3	NAG	I	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	1/2/19/22	0/1/1/1
3	MAN	I	4	3	-	0/2/19/22	0/1/1/1
3	MAN	I	5	3	-	0/2/19/22	1/1/1/1
5	NAG	J	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	J	2	5	1/1/5/7	4/6/23/26	0/1/1/1
3	NAG	K	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	BMA	K	3	3	-	1/2/19/22	0/1/1/1
3	MAN	K	4	3	-	0/2/19/22	1/1/1/1
3	MAN	K	5	3	1/1/4/5	1/2/19/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1	NAG	C1-C2	5.38	1.60	1.52
3	G	1	NAG	C8-C7	3.13	1.57	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1	NAG	C3-C2	2.43	1.57	1.52
3	G	2	NAG	O5-C1	-2.39	1.39	1.43

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	O5-C1-C2	-11.84	92.59	111.29
3	G	1	NAG	C1-C2-N2	7.98	124.13	110.49
3	G	1	NAG	C8-C7-N2	7.70	129.14	116.10
4	H	3	BMA	C1-O5-C5	7.48	122.33	112.19
3	I	3	BMA	C1-O5-C5	7.29	122.06	112.19
3	G	1	NAG	O7-C7-N2	-7.08	108.94	121.95
3	G	1	NAG	C1-O5-C5	6.10	120.45	112.19
3	G	3	BMA	O3-C3-C4	5.67	123.46	110.35
3	G	1	NAG	C2-N2-C7	4.97	129.98	122.90
3	K	5	MAN	O5-C1-C2	4.81	118.20	110.77
3	G	1	NAG	C3-C4-C5	-4.73	101.81	110.24
3	K	5	MAN	C3-C4-C5	4.70	118.63	110.24
3	K	5	MAN	C1-O5-C5	4.03	117.65	112.19
5	J	1	NAG	C4-C3-C2	-3.96	105.21	111.02
5	J	2	NAG	C4-C3-C2	-3.80	105.44	111.02
3	K	3	BMA	O5-C5-C6	-3.65	101.48	107.20
3	K	4	MAN	C1-O5-C5	3.64	117.13	112.19
3	G	1	NAG	O3-C3-C2	3.64	117.00	109.47
3	K	1	NAG	C1-O5-C5	3.43	116.84	112.19
3	I	5	MAN	C1-O5-C5	3.36	116.74	112.19
3	G	2	NAG	C1-O5-C5	3.36	116.74	112.19
4	H	2	NAG	C4-C3-C2	3.24	115.77	111.02
3	G	3	BMA	C3-C4-C5	-3.16	104.60	110.24
3	K	2	NAG	C2-N2-C7	-3.13	118.44	122.90
3	K	5	MAN	O5-C5-C4	3.13	118.44	110.83
3	K	2	NAG	C1-O5-C5	3.04	116.31	112.19
3	I	1	NAG	C6-C5-C4	3.02	120.08	113.00
3	K	1	NAG	C3-C4-C5	-2.98	104.92	110.24
3	I	5	MAN	O5-C5-C6	2.97	111.86	107.20
3	I	5	MAN	O5-C1-C2	-2.90	106.29	110.77
3	K	4	MAN	C1-C2-C3	2.87	113.19	109.67
3	G	5	MAN	C3-C4-C5	-2.82	105.21	110.24
3	K	1	NAG	O7-C7-N2	2.81	127.11	121.95
3	I	1	NAG	C3-C4-C5	-2.81	105.23	110.24
5	J	2	NAG	C1-C2-N2	2.79	115.25	110.49
5	J	1	NAG	O4-C4-C5	2.76	116.15	109.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	5	MAN	O5-C1-C2	-2.75	106.52	110.77
3	K	1	NAG	O5-C1-C2	-2.72	106.99	111.29
4	H	2	NAG	O5-C1-C2	-2.70	107.03	111.29
3	G	2	NAG	C3-C4-C5	2.66	114.98	110.24
3	K	3	BMA	C1-O5-C5	2.62	115.75	112.19
4	H	3	BMA	C1-C2-C3	2.60	112.87	109.67
4	H	1	NAG	O7-C7-C8	-2.58	117.27	122.06
3	G	2	NAG	C6-C5-C4	-2.57	106.98	113.00
3	K	2	NAG	O5-C5-C6	2.57	111.23	107.20
4	H	1	NAG	C1-O5-C5	2.56	115.66	112.19
5	J	2	NAG	C8-C7-N2	2.50	120.33	116.10
3	I	5	MAN	C3-C4-C5	-2.48	105.82	110.24
4	H	1	NAG	O5-C1-C2	-2.43	107.45	111.29
3	I	2	NAG	O5-C1-C2	-2.42	107.46	111.29
4	H	2	NAG	O4-C4-C5	2.39	115.24	109.30
3	K	1	NAG	C8-C7-N2	-2.38	112.07	116.10
3	G	4	MAN	O4-C4-C3	-2.38	104.85	110.35
3	I	1	NAG	O4-C4-C3	-2.37	104.87	110.35
3	I	1	NAG	C2-N2-C7	2.31	126.19	122.90
5	J	1	NAG	C1-O5-C5	2.28	115.29	112.19
4	H	3	BMA	C2-C3-C4	-2.28	106.95	110.89
3	I	1	NAG	O7-C7-N2	2.27	126.13	121.95
3	I	3	BMA	C2-C3-C4	-2.25	107.00	110.89
3	I	2	NAG	O5-C5-C6	2.24	110.72	107.20
5	J	2	NAG	O7-C7-C8	-2.21	117.95	122.06
3	I	4	MAN	O5-C5-C6	2.19	110.63	107.20
3	G	5	MAN	C1-O5-C5	2.17	115.14	112.19
3	G	2	NAG	O4-C4-C3	-2.14	105.41	110.35
3	G	1	NAG	O5-C5-C6	2.10	110.50	107.20
3	G	3	BMA	O2-C2-C3	2.08	114.31	110.14
3	K	2	NAG	O4-C4-C3	-2.05	105.62	110.35
3	K	3	BMA	C2-C3-C4	-2.03	107.38	110.89
3	K	3	BMA	C6-C5-C4	2.01	117.71	113.00
3	I	1	NAG	C1-O5-C5	2.00	114.91	112.19

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	J	2	NAG	C1
3	K	5	MAN	C1

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	2	NAG	O5-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
4	H	2	NAG	C4-C5-C6-O6
3	G	4	MAN	O5-C5-C6-O6
5	J	2	NAG	O5-C5-C6-O6
3	G	3	BMA	C4-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
3	G	4	MAN	C4-C5-C6-O6
5	J	2	NAG	C8-C7-N2-C2
5	J	2	NAG	O7-C7-N2-C2
4	H	1	NAG	C8-C7-N2-C2
4	H	1	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	K	5	MAN	O5-C5-C6-O6
5	J	2	NAG	C4-C5-C6-O6
5	J	1	NAG	C4-C5-C6-O6
3	G	3	BMA	O5-C5-C6-O6
5	J	1	NAG	O5-C5-C6-O6
4	H	3	BMA	O5-C5-C6-O6
3	K	3	BMA	O5-C5-C6-O6
4	H	1	NAG	C3-C2-N2-C7
3	I	3	BMA	C4-C5-C6-O6


All (3) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	K	4	MAN	C1-C2-C3-C4-C5-O5
3	I	5	MAN	C1-C2-C3-C4-C5-O5
3	G	5	MAN	C1-C2-C3-C4-C5-O5


5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	1	NAG	4	0
3	K	1	NAG	2	0
3	K	2	NAG	1	0
3	I	1	NAG	1	0
3	G	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	E	420	1	14,14,15	0.54	0	17,19,21	1.79	4 (23%)
7	EDO	C	1329	-	3,3,3	0.54	0	2,2,2	0.56	0
7	EDO	C	1328	-	3,3,3	0.65	0	2,2,2	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	EDO	A	1326	-	3,3,3	0.64	0	2,2,2	0.28	0
6	NAG	D	211	2	14,14,15	0.73	1 (7%)	17,19,21	1.32	2 (11%)
7	EDO	F	1175	-	3,3,3	0.63	0	2,2,2	0.14	0
6	NAG	A	420	1	14,14,15	0.57	0	17,19,21	1.85	3 (17%)
7	EDO	C	1327	-	3,3,3	0.44	0	2,2,2	0.33	0
7	EDO	E	1328	-	3,3,3	0.59	0	2,2,2	0.29	0
7	EDO	B	1175	-	3,3,3	0.41	0	2,2,2	0.52	0
6	NAG	C	420	1	14,14,15	0.60	0	17,19,21	2.58	4 (23%)
7	EDO	F	1173	-	3,3,3	0.50	0	2,2,2	0.03	0
7	EDO	D	1173	-	3,3,3	0.57	0	2,2,2	0.31	0
7	EDO	E	1326	-	3,3,3	0.41	0	2,2,2	0.72	0
7	EDO	A	1327	-	3,3,3	0.62	0	2,2,2	0.30	0
7	EDO	F	1174	-	3,3,3	0.37	0	2,2,2	0.97	0
6	NAG	A	401	1	14,14,15	0.55	0	17,19,21	1.72	3 (17%)
7	EDO	B	1173	-	3,3,3	0.62	0	2,2,2	0.15	0
7	EDO	E	1327	-	3,3,3	0.63	0	2,2,2	0.16	0
7	EDO	A	1328	-	3,3,3	0.70	0	2,2,2	0.37	0
7	EDO	F	1176	-	3,3,3	0.50	0	2,2,2	0.51	0
6	NAG	B	211	2	14,14,15	0.68	0	17,19,21	1.27	3 (17%)
7	EDO	B	1174	-	3,3,3	0.53	0	2,2,2	0.32	0
7	EDO	C	1326	-	3,3,3	0.61	0	2,2,2	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	E	420	1	1/1/5/7	4/6/23/26	0/1/1/1
7	EDO	C	1329	-	-	0/1/1/1	-
7	EDO	C	1328	-	-	1/1/1/1	-
7	EDO	A	1326	-	-	1/1/1/1	-
6	NAG	D	211	2	-	1/6/23/26	0/1/1/1
7	EDO	F	1175	-	-	1/1/1/1	-
6	NAG	A	420	1	1/1/5/7	2/6/23/26	0/1/1/1
7	EDO	C	1327	-	-	1/1/1/1	-
7	EDO	E	1328	-	-	1/1/1/1	-
7	EDO	B	1175	-	-	0/1/1/1	-
6	NAG	C	420	1	1/1/5/7	2/6/23/26	0/1/1/1
7	EDO	F	1173	-	-	1/1/1/1	-
7	EDO	D	1173	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	E	1326	-	-	0/1/1/1	-
7	EDO	A	1327	-	-	1/1/1/1	-
7	EDO	F	1174	-	-	1/1/1/1	-
6	NAG	A	401	1	1/1/5/7	2/6/23/26	0/1/1/1
7	EDO	B	1173	-	-	1/1/1/1	-
7	EDO	E	1327	-	-	1/1/1/1	-
7	EDO	A	1328	-	-	1/1/1/1	-
7	EDO	F	1176	-	-	1/1/1/1	-
6	NAG	B	211	2	-	0/6/23/26	0/1/1/1
7	EDO	B	1174	-	-	1/1/1/1	-
7	EDO	C	1326	-	-	0/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	211	NAG	C1-C2	2.40	1.55	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	420	NAG	O5-C1-C2	-8.21	98.32	111.29
6	A	420	NAG	O5-C1-C2	-5.72	102.25	111.29
6	E	420	NAG	O5-C1-C2	-5.18	103.11	111.29
6	A	401	NAG	C1-O5-C5	5.09	119.09	112.19
6	C	420	NAG	C2-N2-C7	-3.81	117.47	122.90
6	C	420	NAG	C4-C3-C2	3.67	116.40	111.02
6	A	420	NAG	C3-C4-C5	3.47	116.42	110.24
6	D	211	NAG	C1-C2-N2	3.36	116.23	110.49
6	A	401	NAG	O5-C5-C6	2.98	111.88	107.20
6	E	420	NAG	C1-C2-N2	2.84	115.33	110.49
6	B	211	NAG	C1-C2-N2	-2.81	105.69	110.49
6	A	401	NAG	C4-C3-C2	-2.48	107.38	111.02
6	C	420	NAG	C3-C4-C5	2.41	114.54	110.24
6	B	211	NAG	O5-C1-C2	-2.25	107.74	111.29
6	D	211	NAG	C1-O5-C5	2.17	115.14	112.19
6	E	420	NAG	C8-C7-N2	2.15	119.74	116.10
6	A	420	NAG	O3-C3-C2	-2.13	105.06	109.47
6	B	211	NAG	O7-C7-C8	-2.06	118.22	122.06
6	E	420	NAG	O5-C5-C6	2.06	110.44	107.20

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	E	420	NAG	C1
6	A	420	NAG	C1
6	C	420	NAG	C1
6	A	401	NAG	C1

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	C	1327	EDO	O1-C1-C2-O2
6	A	401	NAG	O5-C5-C6-O6
6	C	420	NAG	O5-C5-C6-O6
6	E	420	NAG	O5-C5-C6-O6
6	A	401	NAG	C4-C5-C6-O6
6	E	420	NAG	C4-C5-C6-O6
6	C	420	NAG	C4-C5-C6-O6
6	E	420	NAG	C8-C7-N2-C2
6	E	420	NAG	O7-C7-N2-C2
6	A	420	NAG	C4-C5-C6-O6
7	C	1328	EDO	O1-C1-C2-O2
7	F	1175	EDO	O1-C1-C2-O2
7	E	1328	EDO	O1-C1-C2-O2
7	D	1173	EDO	O1-C1-C2-O2
7	E	1327	EDO	O1-C1-C2-O2
7	F	1176	EDO	O1-C1-C2-O2
6	A	420	NAG	O5-C5-C6-O6
6	D	211	NAG	O5-C5-C6-O6
7	B	1174	EDO	O1-C1-C2-O2
7	A	1328	EDO	O1-C1-C2-O2
7	A	1326	EDO	O1-C1-C2-O2
7	B	1173	EDO	O1-C1-C2-O2
7	F	1173	EDO	O1-C1-C2-O2
7	A	1327	EDO	O1-C1-C2-O2
7	F	1174	EDO	O1-C1-C2-O2

There are no ring outliers.

9 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	1329	EDO	1	0
7	C	1328	EDO	1	0
6	D	211	NAG	1	0
7	F	1175	EDO	3	0
7	E	1328	EDO	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	1175	EDO	1	0
7	E	1326	EDO	1	0
7	A	1328	EDO	2	0
7	F	1176	EDO	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	318/324 (98%)	0.11	11 (3%) 44 51	31, 51, 77, 149	0
1	C	319/324 (98%)	-0.03	4 (1%) 77 81	24, 42, 76, 140	0
1	E	319/324 (98%)	0.33	25 (7%) 13 17	33, 56, 88, 141	0
2	B	172/172 (100%)	0.67	10 (5%) 23 29	30, 66, 87, 91	0
2	D	172/172 (100%)	0.86	26 (15%) 2 3	30, 65, 94, 99	0
2	F	172/172 (100%)	0.95	27 (15%) 2 2	34, 71, 101, 108	0
All	All	1472/1488 (98%)	0.38	103 (6%) 16 21	24, 56, 91, 149	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	16	GLY	5.8
2	D	27	GLN	4.7
2	F	168	LEU	4.6
2	D	33	GLY	4.5
1	E	127	TYR	4.5
1	E	158(B)	GLY	4.4
1	A	16	GLY	4.2
1	E	22	ASN	4.2
1	A	15	LEU	4.1
2	F	1	GLY	4.0
2	D	18	VAL	3.9
1	E	23	GLY	3.8
2	F	27	GLN	3.6
2	D	26	HIS	3.5
2	D	1	GLY	3.5
2	D	171	LEU	3.4
2	F	149	MET	3.3
1	E	161	PHE	3.3
2	D	30	GLN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	31	GLY	3.2
1	E	21	ALA	3.2
1	E	144	GLY	3.2
2	F	26	HIS	3.2
2	D	80	VAL	3.2
1	A	14	CYS	3.2
1	E	219	ALA	3.1
2	F	145	ASP	3.1
2	D	172	ASN	3.1
2	F	164	GLU	3.1
2	F	80	VAL	3.0
2	F	17	MET	3.0
2	D	32	THR	2.9
1	E	143	GLY	2.9
1	E	158(A)	LYS	2.9
1	A	48	LEU	2.9
1	E	189	GLN	2.9
1	A	173	THR	2.8
2	F	29	ALA	2.8
2	D	58	LYS	2.8
2	D	31	GLY	2.7
1	C	323	VAL	2.7
1	A	13	ILE	2.7
1	E	158	SER	2.7
2	F	144	CYS	2.6
2	F	73	ILE	2.6
2	B	80	VAL	2.6
2	D	73	ILE	2.6
2	F	56	ILE	2.6
2	F	171	LEU	2.6
1	A	11	ASP	2.6
1	C	22	ASN	2.6
2	D	143	ALA	2.6
2	D	34	GLN	2.6
1	E	127(A)	GLY	2.5
2	D	78	GLY	2.5
2	D	147	SER	2.5
1	E	164	THR	2.5
2	F	167	LEU	2.5
2	B	172	ASN	2.5
2	F	2	LEU	2.5
2	B	116	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	81	ILE	2.4
2	D	66	ILE	2.4
2	F	11	GLU	2.4
1	E	128	SER	2.4
2	D	38	TYR	2.3
2	B	121	ARG	2.3
1	A	291	ARG	2.3
1	A	143	GLY	2.3
2	F	172	ASN	2.3
2	D	29	ALA	2.3
2	F	30	GLN	2.3
2	F	152	ILE	2.3
2	B	2	LEU	2.2
1	E	195	TYR	2.2
2	D	35	ALA	2.2
2	D	68	SER	2.2
2	D	146	ASP	2.2
1	E	324	PRO	2.2
2	F	78	GLY	2.2
1	E	162	PRO	2.2
1	E	159	GLN	2.2
1	E	33	GLN	2.1
2	F	3	PHE	2.1
1	C	10	LEU	2.1
2	B	144	CYS	2.1
2	D	145	ASP	2.1
1	E	160	ASN	2.1
1	C	23	GLY	2.1
1	A	130	ILE	2.1
2	F	68	SER	2.1
2	B	158	ASP	2.0
2	B	81	ILE	2.0
2	F	58	LYS	2.0
2	B	66	ILE	2.0
1	E	35	GLU	2.0
1	A	208	THR	2.0
2	F	84	THR	2.0
2	D	19	ASP	2.0
1	E	12	LYS	2.0
2	B	3	PHE	2.0
1	E	24	THR	2.0
1	E	167	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	K	5	11/12	0.46	0.39	107,119,126,129	0
3	BMA	K	3	11/12	0.68	0.37	98,107,117,118	0
5	NAG	J	2	14/15	0.72	0.40	89,93,98,99	0
4	BMA	H	3	11/12	0.73	0.41	97,100,106,107	0
3	MAN	I	5	11/12	0.73	0.21	75,79,85,88	0
3	MAN	G	4	11/12	0.76	0.32	81,85,94,95	0
3	BMA	I	3	11/12	0.77	0.21	76,85,90,93	0
3	MAN	K	4	11/12	0.78	0.43	116,122,132,134	0
3	MAN	I	4	11/12	0.78	0.17	92,96,106,108	0
3	MAN	G	5	11/12	0.81	0.32	71,74,80,83	0
4	NAG	H	2	14/15	0.83	0.45	83,89,92,95	0
3	BMA	G	3	11/12	0.84	0.27	68,75,80,82	0
3	NAG	K	2	14/15	0.85	0.19	69,73,83,89	0
5	NAG	J	1	14/15	0.86	0.26	73,77,85,87	0
4	NAG	H	1	14/15	0.87	0.27	63,67,74,78	0
3	NAG	I	2	14/15	0.89	0.12	53,56,64,70	0
3	NAG	G	2	14/15	0.89	0.17	51,54,61,64	0
3	NAG	G	1	14/15	0.92	0.19	37,40,45,47	0
3	NAG	K	1	14/15	0.92	0.24	47,51,57,62	0
3	NAG	I	1	14/15	0.95	0.19	39,42,46,49	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	D	211	14/15	0.64	0.35	94,100,105,106	0
6	NAG	C	420	14/15	0.73	0.28	61,67,72,73	0
6	NAG	B	211	14/15	0.74	0.29	93,100,103,105	0
7	EDO	E	1327	4/4	0.79	0.61	53,55,55,56	0
6	NAG	A	420	14/15	0.80	0.33	72,78,84,84	0
7	EDO	F	1175	4/4	0.80	0.46	67,68,71,71	0
7	EDO	E	1328	4/4	0.82	0.54	58,58,60,62	0
7	EDO	D	1173	4/4	0.82	0.18	50,52,56,58	0
7	EDO	F	1176	4/4	0.83	0.59	63,64,64,68	0
6	NAG	A	401	14/15	0.86	0.30	81,85,93,93	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	EDO	C	1329	4/4	0.86	0.28	48,49,50,56	0
6	NAG	E	420	14/15	0.88	0.30	68,74,79,79	0
7	EDO	A	1327	4/4	0.90	0.26	49,52,54,57	0
7	EDO	C	1328	4/4	0.91	0.24	39,48,50,51	0
7	EDO	F	1174	4/4	0.91	0.20	39,40,40,50	0
7	EDO	C	1327	4/4	0.92	0.32	47,47,50,50	0
7	EDO	B	1175	4/4	0.92	0.44	40,44,45,45	0
7	EDO	E	1326	4/4	0.93	0.32	46,46,49,52	0
7	EDO	F	1173	4/4	0.94	0.15	41,42,43,48	0
7	EDO	A	1328	4/4	0.95	0.21	44,44,45,47	0
7	EDO	B	1174	4/4	0.95	0.18	43,45,45,46	0
7	EDO	B	1173	4/4	0.96	0.26	34,34,38,39	0
7	EDO	A	1326	4/4	0.96	0.13	30,32,35,35	0
7	EDO	C	1326	4/4	0.97	0.15	30,30,33,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.