



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2024 – 05:43 AM EST

PDB ID : 2DFJ  
Title : Crystal Structure of the Diadenosine Tetraphosphate Hydrolase from *Shigella flexneri* 2a  
Authors : Wang, Q.H.; Hu, W.X.; Bi, R.C.  
Deposited on : 2006-03-02  
Resolution : 2.72 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3686 (2.74-2.70)
Ramachandran outliers	138981	3622 (2.74-2.70)
Sidechain outliers	138945	3623 (2.74-2.70)
RSRZ outliers	127900	3276 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	 2% 63% 26% 6% • 5%
1	B	280	 59% 29% 7% • 5%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4313 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called diadenosinetetraphosphatase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	267	2057	1322	345	379	11	0	0	0
1	B	267	2090	1343	350	386	11	0	0	0

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mn	0	0
			2	2		
2	B	2	Total	Mn	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	75	Total	O	0	0
			75	75		
3	B	87	Total	O	0	0
			87	87		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: diadenosinetetraphosphatase



- Molecule 1: diadenosinetetraphosphatase



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	167.50Å 54.97Å 119.20Å 90.00° 129.14° 90.00°	Depositor
Resolution (Å)	38.95 – 2.72 46.23 – 2.72	Depositor EDS
% Data completeness (in resolution range)	98.3 (38.95-2.72) 94.2 (46.23-2.72)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.73Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.229 , 0.268 0.229 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.7	Xtrriage
Anisotropy	0.259	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 36.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4313	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.50	0/2116	0.70	1/2890 (0.0%)
1	B	0.52	1/2150 (0.0%)	0.75	4/2931 (0.1%)
All	All	0.51	1/4266 (0.0%)	0.73	5/5821 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	92	ALA	C-N	5.47	1.44	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	91	GLU	C-N-CA	-8.51	100.42	121.70
1	B	92	ALA	C-N-CD	-7.55	103.99	120.60
1	B	92	ALA	N-CA-C	7.16	130.32	111.00
1	B	92	ALA	C-N-CA	6.13	147.76	122.00
1	A	159	MET	N-CA-C	5.42	125.63	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	159	MET	Peptide
1	A	259	GLU	Peptide
1	B	159	MET	Peptide
1	B	92	ALA	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2057	0	1971	75	0
1	B	2090	0	2023	96	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	75	0	0	5	0
3	B	87	0	0	11	0
All	All	4313	0	3994	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:HIS:ND1	1:A:40:ALA:HB3	1.53	1.21
1:B:10:HIS:ND1	1:B:40:ALA:HB3	1.62	1.12
1:A:10:HIS:HD1	1:A:40:ALA:HB3	1.21	0.94
1:B:10:HIS:HD1	1:B:40:ALA:HB3	1.34	0.89
1:A:10:HIS:ND1	1:A:40:ALA:CB	2.36	0.89
1:A:10:HIS:HD1	1:A:40:ALA:CB	1.86	0.89
1:B:91:GLU:O	1:B:92:ALA:HB2	1.71	0.88
1:A:41:ARG:HG2	1:A:41:ARG:HH11	1.41	0.86
1:A:10:HIS:N	3:A:1007:HOH:O	2.08	0.86
1:B:124:THR:HG21	3:B:2012:HOH:O	1.80	0.82
1:B:231:LEU:O	1:B:234:LYS:HB2	1.80	0.81
1:B:120:HIS:NE2	1:B:227:HIS:HB2	1.96	0.80
1:B:8:ASP:OD1	1:B:226:GLY:O	2.01	0.78
1:B:164:SER:O	1:B:166:GLU:N	2.15	0.78

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:155:MET:HG3	1:B:177:THR:HG21	1.66	0.77
1:B:219:GLU:HB3	3:B:2011:HOH:O	1.84	0.77
1:B:10:HIS:CE1	1:B:40:ALA:HB3	2.18	0.77
1:B:124:THR:HG22	1:B:126:GLN:H	1.50	0.75
1:A:205:ALA:CB	1:A:206:PRO:HD2	2.17	0.74
1:A:205:ALA:O	1:A:207:LEU:N	2.20	0.74
1:A:205:ALA:CB	1:A:206:PRO:CD	2.66	0.74
1:B:137:ARG:HG2	3:B:2014:HOH:O	1.87	0.73
1:A:205:ALA:HB1	1:A:206:PRO:CD	2.19	0.73
1:A:158:ASP:O	1:A:159:MET:HB3	1.87	0.73
1:B:6:ILE:HG13	1:B:32:LEU:HD11	1.70	0.73
1:B:10:HIS:CE1	1:B:37:ASP:HB3	2.22	0.73
1:B:92:ALA:C	1:B:94:ASP:H	1.93	0.72
1:A:48:VAL:O	1:A:52:VAL:HG12	1.91	0.71
1:B:233:GLY:HA2	1:B:242:ALA:HB3	1.74	0.70
1:A:100:ASN:O	1:A:104:ARG:HD3	1.92	0.69
1:B:40:ALA:O	1:B:41:ARG:C	2.31	0.69
1:B:127:TRP:CZ3	1:B:176:ILE:HG22	2.29	0.68
1:B:167:LEU:HB2	3:B:2021:HOH:O	1.93	0.68
1:A:205:ALA:HB3	1:A:206:PRO:HD2	1.75	0.67
1:B:10:HIS:HD1	1:B:40:ALA:CB	2.08	0.67
1:A:10:HIS:CE1	1:A:40:ALA:HB3	2.27	0.67
1:B:39:VAL:O	1:B:86:LEU:HD21	1.96	0.65
1:A:100:ASN:ND2	1:A:103:ARG:HH11	1.94	0.64
1:A:100:ASN:HD22	1:A:103:ARG:HD3	1.64	0.63
1:B:142:VAL:HG11	1:B:151:PHE:HB2	1.80	0.63
1:A:8:ASP:OD1	1:A:35:THR:CG2	2.46	0.63
1:A:142:VAL:HG11	1:A:151:PHE:HB2	1.80	0.62
1:B:234:LYS:HE3	1:B:234:LYS:HA	1.80	0.62
1:A:46:LEU:HG	1:A:89:LEU:HA	1.82	0.62
1:B:46:LEU:HD22	1:B:50:ARG:HE	1.64	0.61
1:A:189:ASN:H	1:A:189:ASN:HD22	1.50	0.60
1:A:127:TRP:HZ2	1:A:176:ILE:HG22	1.67	0.59
1:B:124:THR:CG2	3:B:2012:HOH:O	2.44	0.59
1:A:10:HIS:CE1	1:A:40:ALA:CB	2.85	0.59
1:B:151:PHE:CE1	1:B:173:LEU:HD13	2.38	0.59
1:A:204:PRO:HG2	1:B:79:ARG:HD3	1.85	0.59
1:B:8:ASP:OD1	1:B:35:THR:HG21	2.03	0.59
1:B:187:PHE:O	1:B:189:ASN:O	2.21	0.58
1:A:124:THR:HA	1:A:183:MET:CE	2.34	0.58
1:A:198:GLU:O	1:A:228:TRP:HH2	1.85	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:TRP:HZ3	1:B:176:ILE:HG22	1.69	0.58
1:B:9:VAL:O	1:B:37:ASP:O	2.21	0.58
1:B:92:ALA:CB	1:B:93:PRO:CD	2.82	0.58
1:A:189:ASN:O	1:A:191:GLN:N	2.37	0.57
1:B:227:HIS:HA	3:B:2025:HOH:O	2.04	0.57
1:B:120:HIS:NE2	1:B:227:HIS:CB	2.67	0.57
1:B:142:VAL:CG1	1:B:151:PHE:HB2	2.35	0.57
1:A:41:ARG:HH11	1:A:41:ARG:CG	2.17	0.56
1:B:61:LEU:HD22	1:B:62:VAL:H	1.70	0.56
1:B:7:GLY:HA2	1:B:35:THR:HB	1.88	0.56
1:B:46:LEU:HG	1:B:89:LEU:HA	1.85	0.56
1:B:126:GLN:HG3	1:B:190:GLY:HA3	1.87	0.56
1:A:10:HIS:CE1	1:A:37:ASP:HB3	2.41	0.56
1:B:60:ARG:NH1	1:B:109:GLN:OE1	2.39	0.56
1:B:8:ASP:OD1	1:B:35:THR:CG2	2.54	0.55
1:A:228:TRP:HZ3	1:A:230:SER:HG	1.52	0.55
1:B:210:TRP:HH2	1:B:225:PHE:CD2	2.24	0.55
1:B:257:ARG:HD2	1:B:260:ASP:OD2	2.07	0.55
1:B:91:GLU:HA	1:B:91:GLU:OE1	2.07	0.55
1:B:6:ILE:CG1	1:B:32:LEU:HD11	2.35	0.55
1:B:91:GLU:O	1:B:92:ALA:CB	2.32	0.55
1:A:41:ARG:HG2	1:A:41:ARG:NH1	2.19	0.54
1:B:205:ALA:HB3	1:B:206:PRO:HD3	1.89	0.54
1:B:168:ARG:HA	1:B:172:ARG:HB2	1.90	0.54
1:B:100:ASN:HB3	1:B:104:ARG:HH21	1.72	0.54
1:A:217:VAL:HG22	3:A:1010:HOH:O	2.07	0.54
1:B:10:HIS:ND1	1:B:40:ALA:CB	2.54	0.53
1:B:87:THR:HG22	1:B:91:GLU:HG2	1.91	0.53
1:B:6:ILE:O	1:B:254:THR:O	2.25	0.53
1:A:69:HIS:C	1:A:69:HIS:HD1	2.12	0.53
1:A:80:ASN:OD1	1:A:80:ASN:C	2.47	0.53
1:A:159:MET:O	1:A:159:MET:HG3	2.08	0.53
1:B:127:TRP:CH2	1:B:176:ILE:HG22	2.45	0.52
1:A:61:LEU:HD23	1:A:105:GLN:HG3	1.92	0.52
1:A:8:ASP:OD1	1:A:226:GLY:O	2.27	0.52
1:A:245:THR:HG22	1:A:245:THR:O	2.10	0.52
1:B:36:GLY:O	1:B:67:ASP:OD2	2.27	0.52
1:A:189:ASN:H	1:A:189:ASN:ND2	2.08	0.51
1:B:46:LEU:O	1:B:50:ARG:HG3	2.11	0.51
1:A:237:PRO:HD2	1:A:240:ILE:HG13	1.93	0.50
1:B:34:LEU:HA	3:B:2032:HOH:O	2.10	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:185:PHE:CE2	1:B:203:ALA:HB2	2.46	0.50
1:A:205:ALA:HB1	1:A:206:PRO:HD3	1.93	0.50
1:B:210:TRP:HH2	1:B:225:PHE:CE2	2.30	0.50
1:B:6:ILE:HB	1:B:34:LEU:HD23	1.93	0.49
1:B:158:ASP:OD1	1:B:182:ARG:NH2	2.44	0.49
1:B:127:TRP:HB2	1:B:131:THR:HB	1.95	0.49
1:A:52:VAL:HG23	1:A:59:VAL:HG21	1.95	0.49
1:A:124:THR:HA	1:A:183:MET:HE1	1.95	0.49
1:A:228:TRP:HZ3	1:A:230:SER:OG	1.96	0.48
1:A:236:THR:HG22	1:A:237:PRO:HD2	1.96	0.47
1:B:161:ASN:HB3	1:B:191:GLN:HG3	1.95	0.47
1:B:10:HIS:HB2	1:B:248:CYS:HB3	1.96	0.47
1:B:152:LEU:HD23	1:B:155:MET:HE3	1.97	0.47
1:A:123:ILE:HG21	1:A:217:VAL:HG21	1.97	0.47
1:A:186:CYS:HA	1:A:191:GLN:O	2.14	0.46
1:B:189:ASN:HA	3:B:2027:HOH:O	2.15	0.46
1:A:100:ASN:HA	1:A:103:ARG:HD3	1.98	0.46
1:B:163:TRP:NE1	1:B:165:PRO:HD3	2.31	0.46
1:B:210:TRP:C	1:B:210:TRP:CD1	2.87	0.46
1:B:7:GLY:N	3:B:2032:HOH:O	2.16	0.46
1:B:2:ALA:HA	1:B:30:ASP:OD1	2.15	0.46
1:A:9:VAL:C	3:A:1007:HOH:O	2.45	0.46
1:A:166:GLU:HA	1:A:166:GLU:OE1	2.15	0.46
1:A:116:LEU:HD22	1:A:117:VAL:H	1.81	0.45
1:B:68:LEU:HD13	1:B:155:MET:HE2	1.97	0.45
1:B:68:LEU:HA	1:B:71:LEU:HD12	1.97	0.45
1:A:9:VAL:HG11	1:A:16:LEU:HD22	1.98	0.45
1:B:19:LEU:HD12	1:B:253:LEU:HD23	1.97	0.45
1:A:245:THR:HB	1:A:252:SER:O	2.16	0.45
1:A:33:TRP:CZ2	1:A:60:ARG:NH1	2.84	0.45
1:A:183:MET:CE	1:A:210:TRP:HB2	2.47	0.45
1:A:186:CYS:O	1:A:207:LEU:HA	2.17	0.44
1:A:160:PRO:HG2	1:A:171:GLY:O	2.18	0.44
1:B:162:ASN:HD21	1:B:191:GLN:CD	2.20	0.44
1:B:210:TRP:CH2	1:B:225:PHE:CE2	3.05	0.44
1:A:8:ASP:OD1	1:A:35:THR:HG21	2.18	0.44
1:B:46:LEU:CD1	1:B:50:ARG:HH21	2.30	0.44
1:B:173:LEU:HA	1:B:176:ILE:HG12	2.00	0.44
1:B:234:LYS:HB3	1:B:235:GLY:H	1.61	0.44
1:B:187:PHE:HD1	1:B:191:GLN:HB3	1.83	0.44
1:B:46:LEU:HD22	1:B:50:ARG:NE	2.33	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:187:PHE:HB3	1:B:188:PRO:HD2	2.00	0.43
1:B:155:MET:O	1:B:155:MET:HG2	2.18	0.43
1:A:124:THR:HA	1:A:183:MET:HE3	2.00	0.43
1:B:152:LEU:HD23	1:B:155:MET:CE	2.49	0.43
1:A:110:ILE:HG12	1:A:117:VAL:HG22	2.01	0.43
1:B:188:PRO:HG2	3:B:2050:HOH:O	2.18	0.43
1:A:256:LEU:HD13	1:A:263:TYR:CZ	2.54	0.43
1:A:142:VAL:CG1	1:A:151:PHE:HB2	2.47	0.42
1:A:148:TYR:N	1:A:149:PRO:HD2	2.34	0.42
1:A:12:CYS:HB2	3:A:1007:HOH:O	2.19	0.42
1:A:226:GLY:HA2	3:A:1005:HOH:O	2.19	0.42
1:A:256:LEU:HD11	1:A:261:LYS:HA	2.02	0.42
1:A:6:ILE:HD12	1:A:32:LEU:HD21	2.02	0.42
1:B:151:PHE:HE1	1:B:173:LEU:HD13	1.85	0.42
1:B:87:THR:HB	1:B:88:PRO:HD3	2.01	0.41
1:B:148:TYR:N	1:B:149:PRO:CD	2.82	0.41
1:A:7:GLY:HA2	1:A:35:THR:HB	2.02	0.41
1:A:126:GLN:NE2	1:A:163:TRP:H	2.18	0.41
1:A:183:MET:HG3	1:A:192:LEU:HD22	2.02	0.41
1:A:148:TYR:CD2	1:A:149:PRO:HD3	2.55	0.41
1:A:10:HIS:CG	1:A:40:ALA:HB3	2.46	0.41
1:B:173:LEU:HD12	1:B:173:LEU:C	2.41	0.41
1:B:216:PRO:HD2	3:B:2006:HOH:O	2.21	0.41
1:A:8:ASP:OD1	1:A:35:THR:HG22	2.19	0.41
1:B:8:ASP:OD2	1:B:227:HIS:HA	2.21	0.41
1:B:39:VAL:HG21	1:B:70:LEU:HD22	2.03	0.41
1:B:46:LEU:HD11	1:B:50:ARG:HH21	1.85	0.41
1:B:61:LEU:HD22	1:B:62:VAL:N	2.35	0.41
1:B:10:HIS:CE1	1:B:40:ALA:CB	2.96	0.40
1:A:19:LEU:HD13	1:A:266:GLN:HB2	2.03	0.40
1:A:236:THR:HG22	1:A:240:ILE:HB	2.03	0.40
1:B:39:VAL:O	1:B:86:LEU:CD2	2.65	0.40
1:B:36:GLY:HA3	1:B:62:VAL:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/280 (95%)	240 (91%)	18 (7%)	7 (3%)	5	12
1	B	265/280 (95%)	234 (88%)	21 (8%)	10 (4%)	3	6
All	All	530/560 (95%)	474 (89%)	39 (7%)	17 (3%)	4	8

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	ALA
1	A	190	GLY
1	A	205	ALA
1	A	206	PRO
1	A	228	TRP
1	B	92	ALA
1	B	93	PRO
1	B	165	PRO
1	A	156	TYR
1	B	8	ASP
1	B	41	ARG
1	B	43	PRO
1	B	91	GLU
1	B	200	PRO
1	B	205	ALA
1	A	226	GLY
1	B	159	MET

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	213/233 (91%)	182 (85%)	31 (15%)	3	7
1	B	220/233 (94%)	192 (87%)	28 (13%)	4	9
All	All	433/466 (93%)	374 (86%)	59 (14%)	3	8

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	ILE
1	A	32	LEU
1	A	35	THR
1	A	41	ARG
1	A	46	LEU
1	A	59	VAL
1	A	63	LEU
1	A	69	HIS
1	A	71	LEU
1	A	89	LEU
1	A	99	LEU
1	A	102	LEU
1	A	115	LYS
1	A	116	LEU
1	A	124	THR
1	A	129	LEU
1	A	130	GLN
1	A	147	SER
1	A	155	MET
1	A	161	ASN
1	A	168	ARG
1	A	170	LEU
1	A	189	ASN
1	A	196	SER
1	A	209	PRO
1	A	219	GLU
1	A	220	GLU
1	A	228	TRP
1	A	236	THR
1	A	240	ILE
1	A	253	LEU
1	B	5	LEU
1	B	35	THR
1	B	37	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	46	LEU
1	B	61	LEU
1	B	73	VAL
1	B	81	LYS
1	B	83	LYS
1	B	102	LEU
1	B	103	ARG
1	B	108	LEU
1	B	116	LEU
1	B	127	TRP
1	B	133	LYS
1	B	155	MET
1	B	159	MET
1	B	173	LEU
1	B	176	ILE
1	B	182	ARG
1	B	189	ASN
1	B	191	GLN
1	B	201	GLU
1	B	210	TRP
1	B	227	HIS
1	B	230	SER
1	B	231	LEU
1	B	234	LYS
1	B	252	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	HIS
1	A	100	ASN
1	A	105	GLN
1	A	109	GLN
1	A	126	GLN
1	A	161	ASN
1	A	178	ASN
1	A	189	ASN
1	B	162	ASN
1	B	189	ASN
1	B	262	GLN
1	B	266	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/280 (95%)	-0.27	5 (1%) 66 69	21, 35, 52, 67	0
1	B	267/280 (95%)	-0.26	1 (0%) 92 93	21, 38, 49, 56	0
All	All	534/560 (95%)	-0.27	6 (1%) 80 82	21, 37, 50, 67	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	205	ALA	2.8
1	A	204	PRO	2.7
1	A	202	GLU	2.5
1	A	249	TRP	2.5
1	A	201	GLU	2.4
1	A	216	PRO	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MN	B	2001	1/1	0.92	0.05	51,51,51,51	0
2	MN	A	1002	1/1	0.94	0.06	64,64,64,64	0
2	MN	B	2002	1/1	0.95	0.08	59,59,59,59	0
2	MN	A	1001	1/1	0.97	0.07	64,64,64,64	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.