



# wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 22, 2021 – 04:15 PM JST

PDB ID : 7DL7  
Title : The wild-type structure of 3,5-DAHDHcca  
Authors : Liu, N.; Wu, L.; Zhu, D.M.; Zhou, J.H.  
Deposited on : 2020-11-26  
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	358	86% 12% .
1	B	358	3% 83% 14% .
1	C	358	6% 88% 10% .
1	D	358	2% 87% 10% .
1	E	358	7% 84% 14% ..
1	F	358	4% 85% 12% .

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	358	
1	H	358	

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 21840 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3,5-diaminohexanoate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	350	2672	1676	464	514	18	0	1	0
1	B	350	2655	1667	459	511	18	0	0	0
1	C	351	2645	1660	460	507	18	0	0	0
1	D	350	2655	1667	461	509	18	0	1	0
1	E	350	2611	1640	453	499	19	0	1	0
1	F	351	2662	1671	461	511	19	0	1	0
1	G	351	2654	1663	463	510	18	0	2	0
1	H	350	2662	1671	460	512	19	0	1	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	353	HIS	-	expression tag	UNP B0VJ11
A	354	HIS	-	expression tag	UNP B0VJ11
A	355	HIS	-	expression tag	UNP B0VJ11
A	356	HIS	-	expression tag	UNP B0VJ11
A	357	HIS	-	expression tag	UNP B0VJ11
A	358	HIS	-	expression tag	UNP B0VJ11
B	353	HIS	-	expression tag	UNP B0VJ11
B	354	HIS	-	expression tag	UNP B0VJ11
B	355	HIS	-	expression tag	UNP B0VJ11
B	356	HIS	-	expression tag	UNP B0VJ11
B	357	HIS	-	expression tag	UNP B0VJ11
B	358	HIS	-	expression tag	UNP B0VJ11
C	353	HIS	-	expression tag	UNP B0VJ11

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	354	HIS	-	expression tag	UNP B0VJ11
C	355	HIS	-	expression tag	UNP B0VJ11
C	356	HIS	-	expression tag	UNP B0VJ11
C	357	HIS	-	expression tag	UNP B0VJ11
C	358	HIS	-	expression tag	UNP B0VJ11
D	353	HIS	-	expression tag	UNP B0VJ11
D	354	HIS	-	expression tag	UNP B0VJ11
D	355	HIS	-	expression tag	UNP B0VJ11
D	356	HIS	-	expression tag	UNP B0VJ11
D	357	HIS	-	expression tag	UNP B0VJ11
D	358	HIS	-	expression tag	UNP B0VJ11
E	353	HIS	-	expression tag	UNP B0VJ11
E	354	HIS	-	expression tag	UNP B0VJ11
E	355	HIS	-	expression tag	UNP B0VJ11
E	356	HIS	-	expression tag	UNP B0VJ11
E	357	HIS	-	expression tag	UNP B0VJ11
E	358	HIS	-	expression tag	UNP B0VJ11
F	353	HIS	-	expression tag	UNP B0VJ11
F	354	HIS	-	expression tag	UNP B0VJ11
F	355	HIS	-	expression tag	UNP B0VJ11
F	356	HIS	-	expression tag	UNP B0VJ11
F	357	HIS	-	expression tag	UNP B0VJ11
F	358	HIS	-	expression tag	UNP B0VJ11
G	353	HIS	-	expression tag	UNP B0VJ11
G	354	HIS	-	expression tag	UNP B0VJ11
G	355	HIS	-	expression tag	UNP B0VJ11
G	356	HIS	-	expression tag	UNP B0VJ11
G	357	HIS	-	expression tag	UNP B0VJ11
G	358	HIS	-	expression tag	UNP B0VJ11
H	353	HIS	-	expression tag	UNP B0VJ11
H	354	HIS	-	expression tag	UNP B0VJ11
H	355	HIS	-	expression tag	UNP B0VJ11
H	356	HIS	-	expression tag	UNP B0VJ11
H	357	HIS	-	expression tag	UNP B0VJ11
H	358	HIS	-	expression tag	UNP B0VJ11

- Molecule 2 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 7 4 3	0	0
2	B	1	Total C O 7 4 3	0	0
2	C	1	Total C O 7 4 3	0	0
2	H	1	Total C O 7 4 3	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	E	1	Total Cl 1 1	0	0
4	F	1	Total Cl 1 1	0	0
4	G	1	Total Cl 1 1	0	0
4	H	2	Total Cl 2 2	0	0


- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total O S 5 4 1	0	0
5	F	1	Total O S 5 4 1	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	D	1	Total C O 6 3 3	0	0

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	D	1	Total Ca 1 1	0	0
7	G	1	Total Ca 1 1	0	0

- Molecule 8 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C<sub>4</sub>H<sub>12</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	F	1	Total C N O 8 4 1 3	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	80	Total O 80 80	0	0
9	B	65	Total O 65 65	0	0
9	C	53	Total O 53 53	0	0
9	D	42	Total O 42 42	0	0
9	E	45	Total O 45 45	0	0

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
9	F	65	Total O 65 65	0	0
9	G	43	Total O 43 43	0	0
9	H	61	Total O 61 61	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3,5-diaminohexanoate dehydrogenase




- Molecule 1: 3,5-diaminohexanoate dehydrogenase




- Molecule 1: 3,5-diaminohexanoate dehydrogenase





- Molecule 1: 3,5-diaminohexanoate dehydrogenase









- Molecule 1: 3,5-diaminohexanoate dehydrogenase




- Molecule 1: 3,5-diaminohexanoate dehydrogenase




- Molecule 1: 3,5-diaminohexanoate dehydrogenase



- Molecule 1: 3,5-diaminohexanoate dehydrogenase





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.60Å 89.89Å 123.69Å 87.33° 70.97° 80.56°	Depositor
Resolution (Å)	48.98 – 2.30 48.98 – 2.30	Depositor EDS
% Data completeness (in resolution range)	97.3 (48.98-2.30) 97.4 (48.98-2.30)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.65 (at 2.29Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, $R_{free}$	0.226 , 0.257 0.225 , 0.258	Depositor DCC
$R_{free}$ test set	7607 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.4	Xtrriage
Anisotropy	0.412	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 41.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.007 for -h,-k,-h+1	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	21840	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, TRS, CA, SO4, GOL, CL, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/2705	0.42	0/3644
1	B	0.24	0/2688	0.42	0/3623
1	C	0.24	0/2678	0.42	0/3612
1	D	0.24	0/2689	0.42	0/3623
1	E	0.25	0/2643	0.45	0/3564
1	F	0.24	0/2695	0.43	0/3632
1	G	0.24	0/2686	0.43	0/3622
1	H	0.24	0/2695	0.42	0/3632
All	All	0.24	0/21479	0.43	0/28952

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2672	0	2733	22	0
1	B	2655	0	2710	34	0
1	C	2645	0	2686	22	0
1	D	2655	0	2702	23	0
1	E	2611	0	2634	29	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2662	0	2712	29	0
1	G	2654	0	2682	28	0
1	H	2662	0	2716	27	0
2	A	7	0	10	0	0
2	B	7	0	10	0	0
2	C	7	0	10	0	0
2	H	7	0	10	0	0
3	A	12	0	18	0	0
3	B	20	0	30	0	0
3	C	16	0	24	0	0
3	D	8	0	12	0	0
3	E	4	0	6	0	0
3	F	12	0	18	0	0
3	G	20	0	30	1	0
3	H	16	0	24	0	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	1	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	2	0	0	0	0
5	B	5	0	0	0	0
5	F	5	0	0	0	0
6	D	6	0	8	0	0
7	D	1	0	0	0	0
7	G	1	0	0	0	0
8	F	8	0	12	0	0
9	A	80	0	0	0	0
9	B	65	0	0	0	0
9	C	53	0	0	0	0
9	D	42	0	0	1	0
9	E	45	0	0	2	0
9	F	65	0	0	0	0
9	G	43	0	0	0	0
9	H	61	0	0	0	0
All	All	21840	0	21797	206	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 206 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:232:ILE:HD11	1:A:245:LEU:HD11	1.59	0.83
1:B:294:TYR:CE2	1:B:296:PHE:CZ	2.71	0.78
1:B:294:TYR:HE2	1:B:296:PHE:CZ	2.03	0.76
1:D:232:ILE:HD11	1:D:245:LEU:HD21	1.67	0.76
1:B:294:TYR:CD2	1:B:296:PHE:CE2	2.73	0.76

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/358 (98%)	341 (98%)	8 (2%)	0	100	100
1	B	348/358 (97%)	344 (99%)	4 (1%)	0	100	100
1	C	349/358 (98%)	339 (97%)	10 (3%)	0	100	100
1	D	349/358 (98%)	342 (98%)	7 (2%)	0	100	100
1	E	347/358 (97%)	337 (97%)	10 (3%)	0	100	100
1	F	350/358 (98%)	342 (98%)	8 (2%)	0	100	100
1	G	351/358 (98%)	342 (97%)	8 (2%)	1 (0%)	41	50
1	H	349/358 (98%)	340 (97%)	9 (3%)	0	100	100
All	All	2792/2864 (98%)	2727 (98%)	64 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	67	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	290/296 (98%)	288 (99%)	2 (1%)	84	92
1	B	287/296 (97%)	283 (99%)	4 (1%)	67	81
1	C	282/296 (95%)	277 (98%)	5 (2%)	59	75
1	D	286/296 (97%)	282 (99%)	4 (1%)	67	81
1	E	276/296 (93%)	269 (98%)	7 (2%)	47	65
1	F	286/296 (97%)	285 (100%)	1 (0%)	92	97
1	G	282/296 (95%)	282 (100%)	0	100	100
1	H	288/296 (97%)	285 (99%)	3 (1%)	76	87
All	All	2277/2368 (96%)	2251 (99%)	26 (1%)	73	86

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	346	PHE
1	E	132	LYS
1	H	96[B]	MET
1	E	96[B]	MET
1	E	147	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	GLN
1	B	228	ASN
1	F	58	ASN
1	G	322	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 10 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	PEG	A	401	-	6,6,6	0.43	0	5,5,5	0.33	0
3	EDO	A	402	-	3,3,3	0.46	0	2,2,2	0.35	0
8	TRS	F	404	-	7,7,7	0.32	0	9,9,9	0.32	0
5	SO4	F	406	-	4,4,4	0.14	0	6,6,6	0.05	0
3	EDO	B	403	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	G	403	-	3,3,3	0.46	0	2,2,2	0.32	0
3	EDO	B	404	-	3,3,3	0.45	0	2,2,2	0.37	0
3	EDO	H	402	-	3,3,3	0.46	0	2,2,2	0.30	0
3	EDO	G	404	-	3,3,3	0.46	0	2,2,2	0.32	0
2	PEG	C	401	-	6,6,6	0.42	0	5,5,5	0.31	0
3	EDO	G	401	-	3,3,3	0.46	0	2,2,2	0.33	0
2	PEG	H	401	-	6,6,6	0.43	0	5,5,5	0.29	0
3	EDO	C	403	-	3,3,3	0.46	0	2,2,2	0.36	0
3	EDO	A	403	-	3,3,3	0.46	0	2,2,2	0.33	0
3	EDO	B	406	-	3,3,3	0.45	0	2,2,2	0.36	0
3	EDO	H	403	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	H	405	-	3,3,3	0.46	0	2,2,2	0.34	0
5	SO4	B	407	-	4,4,4	0.14	0	6,6,6	0.04	0
3	EDO	C	404	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	H	404	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	F	401	-	3,3,3	0.46	0	2,2,2	0.30	0
3	EDO	D	401	-	3,3,3	0.45	0	2,2,2	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	B	402	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	F	402	-	3,3,3	0.46	0	2,2,2	0.32	0
3	EDO	B	405	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	G	405	-	3,3,3	0.46	0	2,2,2	0.32	0
3	EDO	D	402	-	3,3,3	0.46	0	2,2,2	0.33	0
2	PEG	B	401	-	6,6,6	0.44	0	5,5,5	0.29	0
3	EDO	G	402	-	3,3,3	0.46	0	2,2,2	0.31	0
3	EDO	C	405	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	A	404	-	3,3,3	0.46	0	2,2,2	0.33	0
3	EDO	E	401	-	3,3,3	0.46	0	2,2,2	0.31	0
6	GOL	D	404	-	5,5,5	0.36	0	5,5,5	0.38	0
3	EDO	F	403	-	3,3,3	0.46	0	2,2,2	0.34	0
3	EDO	C	402	-	3,3,3	0.46	0	2,2,2	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	A	401	-	-	0/4/4/4	-
3	EDO	A	402	-	-	0/1/1/1	-
8	TRS	F	404	-	-	3/9/9/9	-
3	EDO	B	403	-	-	0/1/1/1	-
3	EDO	G	403	-	-	0/1/1/1	-
3	EDO	B	404	-	-	1/1/1/1	-
3	EDO	H	402	-	-	0/1/1/1	-
3	EDO	G	404	-	-	0/1/1/1	-
2	PEG	C	401	-	-	0/4/4/4	-
3	EDO	G	401	-	-	0/1/1/1	-
2	PEG	H	401	-	-	0/4/4/4	-
3	EDO	C	403	-	-	0/1/1/1	-
3	EDO	A	403	-	-	0/1/1/1	-
3	EDO	B	406	-	-	0/1/1/1	-
3	EDO	H	403	-	-	0/1/1/1	-
3	EDO	H	405	-	-	0/1/1/1	-
3	EDO	C	404	-	-	0/1/1/1	-
3	EDO	H	404	-	-	0/1/1/1	-
3	EDO	F	401	-	-	0/1/1/1	-
3	EDO	D	401	-	-	0/1/1/1	-
3	EDO	B	402	-	-	0/1/1/1	-
3	EDO	F	402	-	-	0/1/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	405	-	-	0/1/1/1	-
3	EDO	G	405	-	-	0/1/1/1	-
3	EDO	D	402	-	-	0/1/1/1	-
2	PEG	B	401	-	-	0/4/4/4	-
3	EDO	G	402	-	-	0/1/1/1	-
3	EDO	C	405	-	-	0/1/1/1	-
3	EDO	A	404	-	-	0/1/1/1	-
3	EDO	E	401	-	-	0/1/1/1	-
6	GOL	D	404	-	-	0/4/4/4	-
3	EDO	F	403	-	-	0/1/1/1	-
3	EDO	C	402	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
8	F	404	TRS	C3-C-C2-O2
8	F	404	TRS	N-C-C2-O2
8	F	404	TRS	C1-C-C2-O2
3	B	404	EDO	O1-C1-C2-O2


There are no ring outliers.

1 monomer is involved in 1 short contact:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	405	EDO	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	350/358 (97%)	0.32	1 (0%) 94 96	30, 41, 54, 73	0
1	B	350/358 (97%)	0.35	12 (3%) 45 52	30, 44, 58, 73	0
1	C	351/358 (98%)	0.62	22 (6%) 20 25	30, 47, 66, 85	0
1	D	350/358 (97%)	0.45	7 (2%) 65 71	33, 49, 64, 77	0
1	E	350/358 (97%)	0.70	24 (6%) 16 22	28, 52, 72, 81	0
1	F	351/358 (98%)	0.42	15 (4%) 35 42	28, 43, 63, 77	0
1	G	351/358 (98%)	0.59	24 (6%) 17 22	32, 47, 75, 84	0
1	H	350/358 (97%)	0.35	9 (2%) 56 63	28, 41, 58, 73	0
All	All	2803/2864 (97%)	0.47	114 (4%) 37 44	28, 45, 67, 85	0

The worst 5 of 114 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	13	VAL	5.9
1	G	245	LEU	5.5
1	C	68	LEU	5.3
1	G	61	ILE	4.9
1	E	105	GLY	4.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	C	405	4/4	0.53	0.28	63,68,69,75	0
8	TRS	F	404	8/8	0.68	0.22	59,66,69,76	0
3	EDO	G	403	4/4	0.74	0.20	50,51,54,57	0
2	PEG	H	401	7/7	0.74	0.29	48,56,72,73	0
5	SO4	B	407	5/5	0.76	0.27	79,83,87,105	0
3	EDO	G	402	4/4	0.77	0.25	53,56,61,63	0
3	EDO	G	404	4/4	0.77	0.30	50,55,57,58	0
2	PEG	A	401	7/7	0.78	0.23	47,50,61,63	0
3	EDO	H	404	4/4	0.78	0.23	51,51,53,59	0
4	CL	H	407	1/1	0.79	0.17	73,73,73,73	0
3	EDO	A	403	4/4	0.80	0.21	48,48,51,52	0
3	EDO	F	401	4/4	0.80	0.44	52,52,55,58	0
3	EDO	B	405	4/4	0.80	0.24	45,48,52,53	0
3	EDO	C	404	4/4	0.81	0.29	47,48,52,53	0
3	EDO	F	402	4/4	0.81	0.17	52,52,53,56	0
5	SO4	F	406	5/5	0.81	0.23	87,101,105,114	0
3	EDO	D	402	4/4	0.81	0.13	43,46,49,54	0
2	PEG	B	401	7/7	0.83	0.20	53,58,65,66	0
3	EDO	H	402	4/4	0.83	0.19	43,45,49,49	0
2	PEG	C	401	7/7	0.83	0.16	39,51,61,66	0
4	CL	F	405	1/1	0.83	0.21	72,72,72,72	0
3	EDO	G	405	4/4	0.84	0.21	49,51,51,56	0
3	EDO	B	402	4/4	0.84	0.19	44,50,50,51	0
3	EDO	E	401	4/4	0.85	0.14	54,63,64,66	0
3	EDO	A	402	4/4	0.85	0.17	55,58,61,64	0
3	EDO	G	401	4/4	0.86	0.23	53,58,59,61	0
3	EDO	B	404	4/4	0.86	0.22	63,64,69,72	0
3	EDO	B	403	4/4	0.86	0.17	56,57,58,61	0
3	EDO	H	403	4/4	0.87	0.14	43,44,50,53	0
3	EDO	C	403	4/4	0.88	0.20	55,57,57,62	0
3	EDO	F	403	4/4	0.89	0.25	42,46,48,55	0
3	EDO	D	401	4/4	0.89	0.21	57,58,58,60	0
6	GOL	D	404	6/6	0.90	0.25	46,47,52,56	0
3	EDO	B	406	4/4	0.91	0.17	52,54,58,58	0
3	EDO	H	405	4/4	0.91	0.25	48,49,49,49	0
3	EDO	C	402	4/4	0.91	0.16	47,47,48,52	0
3	EDO	A	404	4/4	0.91	0.23	44,50,52,53	0


*Continued on next page...*


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CL	E	402	1/1	0.92	0.25	71,71,71,71	0
4	CL	H	406	1/1	0.93	0.09	69,69,69,69	0
4	CL	G	406	1/1	0.93	0.16	71,71,71,71	0
4	CL	C	406	1/1	0.94	0.13	76,76,76,76	0
4	CL	A	405	1/1	0.94	0.17	62,62,62,62	0
7	CA	D	405	1/1	0.96	0.08	59,59,59,59	0
4	CL	D	403	1/1	0.96	0.11	61,61,61,61	0
7	CA	G	407	1/1	0.97	0.13	64,64,64,64	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.