

Full wwPDB X-ray Structure Validation Report (i)

Apr 20, 2024 – 01:12 pm BST

PDB ID	:	5DMY
Title	:	Beta-galactosidase - construct 33-930
Authors	:	Watson, K.A.; Lazidou, A.
Deposited on	:	2015-09-09
Resolution	:	1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	904	% 90%	5%	% 5%
1	В	904	86%	8%	5%
1	С	904	86%	8%	5%



5DMY

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 21901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	А	855	Total 6492	C 4064	N 1112	O 1303	S 13	13	6	0
1	В	858	Total 6466	C 4046	N 1104	O 1303	S 13	0	0	0
1	С	855	Total 6457	C 4042	N 1104	0 1298	S 13	5	3	0

• Molecule 1 is a protein called Beta-galactosidase.

Chain	Residue	Modelled	Actual	Comment	Reference
А	-5	HIS	-	expression tag	UNP D4QAP3
А	-4	HIS	-	expression tag	UNP D4QAP3
А	-3	HIS	-	expression tag	UNP D4QAP3
А	-2	HIS	-	expression tag	UNP D4QAP3
А	-1	HIS	-	expression tag	UNP D4QAP3
А	0	HIS	-	expression tag	UNP D4QAP3
В	-5	HIS	-	expression tag	UNP D4QAP3
В	-4	HIS	-	expression tag	UNP D4QAP3
В	-3	HIS	-	expression tag	UNP D4QAP3
В	-2	HIS	-	expression tag	UNP D4QAP3
В	-1	HIS	-	expression tag	UNP D4QAP3
В	0	HIS	-	expression tag	UNP D4QAP3
С	-5	HIS	-	expression tag	UNP D4QAP3
С	-4	HIS	-	expression tag	UNP D4QAP3
С	-3	HIS	-	expression tag	UNP D4QAP3
С	-2	HIS	-	expression tag	UNP D4QAP3
С	-1	HIS	-	expression tag	UNP D4QAP3
С	0	HIS	-	expression tag	UNP D4QAP3

There are 18 discrepancies between the modelled and reference sequences:

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Mg 2 2	0	0
2	В	2	Total Mg 2 2	0	0
2	С	1	Total Mg 1 1	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Na 1 1	0	0
3	С	2	Total Na 2 2	0	0

• Molecule 4 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Ni 1 1	0	0

• Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	А	1	Total 4	С 2	O 2	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	А	1	Total 4	$\begin{array}{c} \mathrm{C} \\ \mathrm{2} \end{array}$	O 2	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	985	Total O 985 985	0	0
6	В	716	Total O 716 716	0	0
6	С	768	Total O 768 768	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Beta-galactosidase



L946 CLN HIS 1686 SER (133) HIS 1868 SER (133) HIS 1866 SER (134) HIS 1866 SER (156) HIS 1866 SER (156) HIS 1866 SER (156) HIS 1867 SER (156) HIS 1874 G667 (233) SER 4875 G667 (233) SER 4876 G667 (233) SER 487 G667 (234) SER 488 (133) (131) SER 486 (133) (131) SER 187 G67 (234) SER 187 G686 (131) SER 187 G687 (132) SER 187 G687 (131) SER 187 G686 (131) SER 187 G687</t



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	153.04Å 52.65Å 153.33Å	Deneriten
a, b, c, α , β , γ	90.00° 91.64° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	54.93 - 1.95	Depositor
Resolution (A)	54.93 - 1.95	EDS
% Data completeness	95.0 (54.93-1.95)	Depositor
(in resolution range)	95.0(54.93-1.95)	EDS
R _{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.46 (at 1.95 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
B B true	0.198 , 0.264	Depositor
n, n_{free}	0.199 , 0.264	DCC
R_{free} test set	8539 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	11.5	Xtriage
Anisotropy	0.199	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 52.1	EDS
L-test for $twinning^2$	$< L > = 0.47, < L^2 > = 0.30$	Xtriage
	0.000 for l,k,-h	
Estimated twinning fraction	0.000 for h,-k,-l	Xtriage
	0.026 for l,-k,h	
F_o, F_c correlation	0.93	EDS
Total number of atoms	21901	wwPDB-VP
Average B, all atoms $(Å^2)$	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 45.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3660e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, EDO, NI, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.43	0/6655	0.57	1/9071~(0.0%)
1	В	0.37	0/6612	0.52	0/9016
1	С	0.39	0/6611	0.55	1/9014~(0.0%)
All	All	0.40	0/19878	0.55	$2/27101 \ (0.0\%)$

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	234	GLY	N-CA-C	6.36	128.99	113.10
1	С	234	GLY	N-CA-C	5.06	125.76	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6492	0	6176	23	0
1	В	6466	0	6137	46	0
1	С	6457	0	6133	48	0
2	А	2	0	0	0	0
2	В	2	0	0	0	0
2	С	1	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	А	1	0	0	0	0
3	С	2	0	0	0	0
4	А	1	0	0	0	0
5	А	8	0	12	0	0
6	А	985	0	0	5	2
6	В	716	0	0	8	1
6	С	768	0	0	14	2
All	All	21901	0	18458	117	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:368:LEU:O	6:B:1001:HOH:O	1.83	0.95	
1:B:515:ALA:O	6:B:1002:HOH:O	1.86	0.92	
1:C:394:ASN:OD1	6:C:1001:HOH:O	1.91	0.87	
1:B:40:LYS:HD3	1:B:56:ASP:HB3	1.59	0.85	
1:C:618:LYS:NZ	1:C:619[B]:ASN:OD1	2.14	0.81	
1:A:105:LYS:NZ	6:A:1002:HOH:O	2.19	0.75	
1:A:65:PRO:HB2	1:A:336:VAL:HG13	1.71	0.72	
1:C:545:ASN:OD1	1:C:546:ARG:NH1	2.22	0.72	
1:C:79:GLU:OE1	6:C:1001:HOH:O	2.07	0.71	
1:B:65:PRO:HG2	1:B:336:VAL:HG13	1.74	0.70	
1:C:736:GLU:HG3	1:C:764:THR:HG21	1.73	0.69	
1:A:275:ASN:ND2	6:A:1006:HOH:O	2.26	0.68	
1:C:458:ASP:OD1	6:C:1002:HOH:O	2.13	0.67	
1:B:371:VAL:N	6:B:1001:HOH:O	2.29	0.65	
1:C:545:ASN:ND2	6:C:1010:HOH:O	2.31	0.64	
1:B:387:TRP:CE2	1:B:448:MET:HG2	2.33	0.64	
1:A:100:ARG:NH1	6:A:1010:HOH:O	2.31	0.64	
1:B:99:ASP:OD1	1:B:100:ARG:N	2.31	0.63	
1:B:56:ASP:OD1	1:B:93:ARG:NE	2.32	0.62	
1:A:321:LEU:HB2	1:A:587:GLY:HA3	1.83	0.60	
1:B:229:THR:HG23	1:B:243:THR:HG22	1.83	0.60	
1:A:387:TRP:CE2	1:A:448:MET:HG2	2.37	0.59	
1:A:683:PHE:HB2	1:A:694:ILE:HD11	1.84	0.59	
1:C:387:TRP:CE2	1:C:448:MET:HG2	2.39	0.58	
1:B:683:PHE:HB2	1:B:694:ILE:HD11	1.86	0.57	
1:C:382:GLU:HA	1:C:443:SER:HB3	1.86	0.57	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:C:836:ASP:OD2	6:C:1003:HOH:O	2.17	0.57	
1:C:389:ARG:NH1	6:C:1018:HOH:O	2.36	0.57	
1:A:22:SER:N	1:A:94:LYS:HZ1	2.02	0.57	
1:C:858:ILE:N	1:C:874:ILE:O	2.37	0.56	
1:C:99:ASP:OD1	1:C:100:ARG:N	2.38	0.56	
1:B:674:THR:N	6:B:1009:HOH:O	2.30	0.55	
1:B:321:LEU:HB2	1:B:587:GLY:HA3	1.89	0.55	
1:C:93:ARG:HG2	1:C:154:VAL:HG22	1.89	0.55	
1:C:667:LYS:NZ	1:C:733:PRO:HD3	2.22	0.54	
1:A:115:TYR:CD2	1:A:133:GLY:HA3	2.42	0.54	
1:C:65:PRO:HB2	1:C:336:VAL:HG13	1.90	0.54	
1:A:382:GLU:HA	1:A:443:SER:HB3	1.90	0.54	
1:B:617:PRO:HB2	6:B:1010:HOH:O	2.07	0.54	
1:C:81:GLU:HG3	1:C:606:THR:HA	1.91	0.52	
1:B:697:LYS:NZ	1:B:729:THR:O	2.43	0.52	
1:B:652:LEU:HD11	1:B:671:VAL:HB	1.92	0.51	
1:C:214:VAL:HG11	1:C:224:ILE:HD13	1.91	0.51	
1:C:234:GLY:N	1:C:235:GLY:HA3	2.25	0.51	
1:B:93:ARG:HG2	1:B:154:VAL:HG22	1.93	0.51	
1:C:77:SER:O	1:C:608[A]:SER:OG	2.26	0.51	
1:C:667:LYS:HZ2	1:C:733:PRO:HD3	1.76	0.51	
1:C:230:VAL:HG22	1:C:281:VAL:HG22	1.94	0.50	
1:C:813:VAL:HG22	1:C:860:VAL:HG22	1.93	0.50	
1:C:321:LEU:HB2	1:C:587:GLY:HA3	1.93	0.50	
1:B:302:ARG:HG3	1:B:314:LEU:HD11	1.94	0.49	
1:C:452:ILE:N	6:C:1014:HOH:O	2.34	0.49	
1:C:545:ASN:N	6:C:1036:HOH:O	2.43	0.49	
1:C:563:ASN:ND2	6:C:1038:HOH:O	2.44	0.49	
1:B:805:ALA:HB3	1:B:843:GLY:HA2	1.96	0.48	
1:C:40:LYS:HD2	1:C:56:ASP:HB3	1.95	0.48	
1:B:372:CYS:N	6:B:1001:HOH:O	1.94	0.47	
1:B:808:ARG:HA	1:B:839:LYS:HA	1.95	0.47	
1:B:123:ASN:OD1	1:B:151:ASN:HA	2.15	0.47	
1:A:547:THR:HG22	1:A:561:TYR:CE1	2.50	0.47	
1:C:302[B]:ARG:NH2	6:C:1040:HOH:O	2.46	0.46	
1:B:817:GLY:HA3	1:B:858:ILE:HD13	1.97	0.46	
1:C:458:ASP:HB2	6:C:1231:HOH:O	2.15	0.46	
1:A:60:GLN:HG3	6:A:1453:HOH:O	2.16	0.46	
1:A:818:LYS:HB3	1:A:818:LYS:HE2	1.68	0.46	
1:C:115:TYR:CD2	1:C:133:GLY:HA3	2.50	0.46	
1:B:98:ILE:HG23	1:B:102:LEU:HD22	1.98	0.46	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:360:THR:HA	1:C:361:HIS:HA	1.64	0.46
1:C:858:ILE:HB	1:C:874:ILE:HB	1.99	0.45
1:C:864:ALA:HB3	1:C:867:LEU:HD12	1.98	0.45
1:B:813:VAL:HG21	1:B:819:LEU:HB2	1.99	0.45
1:A:692:ARG:NH2	6:A:1049:HOH:O	2.46	0.45
1:B:839:LYS:HE3	1:B:839:LYS:HB2	1.75	0.45
1:C:78:ASN:HB3	6:C:1251:HOH:O	2.17	0.45
1:C:332:SER:HB3	1:C:823:ASP:HB2	1.99	0.45
1:C:603:TRP:CD2	1:C:617:PRO:HG2	2.52	0.45
1:C:114:VAL:O	1:C:133:GLY:HA2	2.16	0.45
1:B:271:TRP:CE3	1:B:302:ARG:HD3	2.53	0.44
1:C:630:PHE:CZ	1:C:846:LEU:HB2	2.53	0.44
1:A:360:THR:HA	1:A:361:HIS:HA	1.69	0.44
1:B:27:SER:HA	1:B:28:LYS:HA	1.72	0.44
1:B:790:ILE:HD13	1:B:860:VAL:HG11	2.00	0.44
1:B:566:VAL:HG21	1:B:568:TRP:CE2	2.51	0.44
1:C:686:LYS:HE2	6:C:1656:HOH:O	2.17	0.44
1:A:573:SER:OG	1:A:723:HIS:ND1	2.46	0.43
1:A:234:GLY:N	1:A:235:GLY:HA3	2.33	0.43
1:A:27:SER:HA	1:A:28:LYS:HA	1.54	0.43
1:B:302:ARG:CZ	6:B:1049:HOH:O	2.66	0.43
1:B:371:VAL:O	1:B:375:LYS:N	2.51	0.43
1:C:657:GLU:HB2	1:C:734:TRP:CH2	2.52	0.43
1:B:360:THR:HA	1:B:361:HIS:HA	1.67	0.43
1:B:232:PRO:O	1:B:235:GLY:HA2	2.18	0.43
1:B:146:LYS:NZ	6:B:1058:HOH:O	2.51	0.43
1:C:547:THR:O	1:C:563:ASN:HB2	2.18	0.43
1:B:465:LYS:HE3	1:B:469:TRP:NE1	2.34	0.42
1:C:770:LYS:HG3	1:C:868:GLN:HB2	2.01	0.42
1:B:81:GLU:HG3	1:B:606:THR:HA	2.02	0.42
1:B:604:ASN:OD1	1:B:605:GLY:N	2.53	0.42
1:B:115:TYR:CD2	1:B:133:GLY:HA3	2.55	0.42
1:B:81:GLU:HG3	1:B:605:GLY:O	2.20	0.42
1:C:627:THR:OG1	1:C:825:GLY:HA2	2.19	0.42
1:B:652:LEU:CD1	1:B:671:VAL:HB	2.50	0.41
1:B:115:TYR:HA	1:B:116:MET:HA	1.90	0.41
1:B:846:LEU:HG	1:B:847:ALA:N	2.35	0.41
1:B:323:GLY:HA2	1:B:356:SER:O	2.20	0.41
1:A:863:LYS:HB2	1:A:863:LYS:HE2	1.83	0.41
1:B:763:THR:HG21	1:B:800:HIS:CE1	2.55	0.41
1:A:618:LYS:HG3	1:A:827:SER:O	2.20	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:651:ILE:HG12	1:A:672:VAL:HG22	2.02	0.41
1:C:626:ASP:HB2	6:C:1357:HOH:O	2.20	0.41
1:C:166:TRP:CD2	1:C:327:HIS:CE1	3.09	0.41
1:C:547:THR:HG22	1:C:561:TYR:CE1	2.55	0.41
1:A:214:VAL:HG11	1:A:224:ILE:HD13	2.03	0.40
1:C:596:TYR:O	1:C:619[B]:ASN:HB2	2.21	0.40
1:B:618:LYS:HG3	1:B:827:SER:O	2.22	0.40
1:B:165:ARG:HB2	1:B:166:TRP:CE3	2.56	0.40
1:A:465:LYS:HB3	1:A:465:LYS:HE2	1.98	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:1504:HOH:O	6:C:1492:HOH:O[1_565]	2.10	0.10
6:A:1482:HOH:O	6:C:1508:HOH:O[2_556]	2.15	0.05
6:A:1277:HOH:O	6:A:1743:HOH:O[1_545]	2.19	0.01

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	857/904~(95%)	831 (97%)	24 (3%)	2(0%)	47	38
1	В	856/904 (95%)	825 (96%)	28 (3%)	3 (0%)	34	22
1	С	854/904 (94%)	821 (96%)	30 (4%)	3 (0%)	34	22
All	All	2567/2712~(95%)	2477 (96%)	82 (3%)	8 (0%)	41	30

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	103	ALA
	~		



Continued from previous page...

Mol	Chain	Res	Type
1	В	103	ALA
1	С	57	SER
1	А	402	PHE
1	А	535	ALA
1	В	102	LEU
1	В	535	ALA
1	С	535	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	679/737~(92%)	674~(99%)	5(1%)	84 82		
1	В	675/737~(92%)	670~(99%)	5 (1%)	84 82		
1	С	675/737~(92%)	669~(99%)	6 (1%)	78 77		
All	All	2029/2211 (92%)	2013 (99%)	16 (1%)	86 80		

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	302[A]	ARG
1	А	302[B]	ARG
1	А	481	TYR
1	А	608	SER
1	А	686	LYS
1	В	132	TYR
1	В	251	ILE
1	В	481	TYR
1	В	619	ASN
1	В	846	LEU
1	С	302[A]	ARG
1	С	302[B]	ARG
1	С	618	LYS
1	С	619[A]	ASN
1	С	619[B]	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	С	652	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 9 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Tuno	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Dec	Tink	B	ond leng	\mathbf{gths}	E	Bond ang	gles
	Type		nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2																		
5	EDO	А	906	-	3,3,3	0.46	0	2,2,2	0.55	0																		
5	EDO	А	905	-	3,3,3	0.52	0	2,2,2	0.42	0																		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	А	906	-	-	0/1/1/1	-
5	EDO	A	905	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	А	855/904~(94%)	-0.05	13 (1%) 73	81	2, 8, 20, 50	0
1	В	858/904 (94%)	0.31	34 (3%) 38	48	7, 17, 33, 59	0
1	С	855/904~(94%)	0.32	25 (2%) 51	60	7, 14, 31, 59	0
All	All	2568/2712~(94%)	0.20	72 (2%) 53	62	2, 13, 30, 59	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	22	SER	9.9
1	В	550	GLY	6.6
1	В	551	ALA	5.6
1	А	27	SER	5.3
1	В	24	ALA	5.3
1	С	24	ALA	5.2
1	В	102	LEU	4.4
1	В	27	SER	4.4
1	В	23	SER	4.3
1	С	858	ILE	4.3
1	А	22	SER	4.2
1	В	290	THR	4.2
1	В	26	ASP	3.9
1	С	124	GLY	3.9
1	В	553	SER	3.8
1	В	148	GLY	3.7
1	A	23	SER	3.7
1	С	290	THR	3.6
1	А	24	ALA	3.5
1	С	103	ALA	3.5
1	С	23	SER	3.3
1	В	29	GLN	3.2
1	С	287	ASN	3.0



Mol	Chain	Res	Type	RSRZ
1	В	147	PHE	2.9
1	В	686	LYS	2.9
1	В	687	GLY	2.9
1	В	104	GLY	2.9
1	А	879	VAL	2.8
1	С	880	PRO	2.8
1	В	28	LYS	2.7
1	В	101	ASP	2.7
1	В	149	GLY	2.7
1	В	103	ALA	2.7
1	В	549	GLY	2.7
1	В	247	ALA	2.6
1	В	554	SER	2.6
1	В	880	PRO	2.6
1	В	879	VAL	2.6
1	А	288	GLY	2.6
1	С	25	VAL	2.6
1	А	880	PRO	2.6
1	С	102	LEU	2.5
1	А	289	ASP	2.5
1	С	798	ASN	2.5
1	С	866	GLY	2.5
1	В	97	THR	2.5
1	А	29	GLN	2.4
1	С	874	ILE	2.4
1	В	552	GLN	2.4
1	А	290	THR	2.4
1	А	458[A]	ASP	2.4
1	В	689	THR	2.4
1	А	25	VAL	2.4
1	В	98	ILE	2.4
1	С	716	THR	2.3
1	С	879	VAL	2.3
1	С	694	ILE	2.3
1	С	771	LEU	2.2
1	С	26	ASP	2.2
1	В	52	PRO	2.1
1	С	58	ALA	2.1
1	В	100	ARG	2.1
1	В	99	ASP	2.1
1	В	732	VAL	2.1
1	С	872	VAL	2.1



Mol	Chain	Res	Type	RSRZ
1	В	150	GLU	2.1
1	С	39	TRP	2.1
1	В	734	TRP	2.1
1	А	716	THR	2.0
1	С	860	VAL	2.0
1	С	687	GLY	2.0
1	С	875	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
3	NA	С	903	1/1	0.95	0.10	$15,\!15,\!15,\!15$	0
3	NA	С	902	1/1	0.97	0.08	18,18,18,18	0
5	EDO	А	906	4/4	0.97	0.12	$9,\!13,\!16,\!27$	0
2	MG	В	902	1/1	0.98	0.06	12,12,12,12	0
2	MG	С	901	1/1	0.99	0.11	$9,\!9,\!9,\!9$	0
3	NA	А	903	1/1	0.99	0.07	10,10,10,10	0
2	MG	А	902	1/1	0.99	0.07	10,10,10,10	0
2	MG	В	901	1/1	0.99	0.14	9,9,9,9	0
4	NI	А	904	1/1	0.99	0.05	24,24,24,24	0
5	EDO	А	905	4/4	0.99	0.08	6, 6, 7, 7	0
2	MG	А	901	1/1	0.99	0.09	8,8,8,8	0

6.5 Other polymers (i)

There are no such residues in this entry.

