



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 21, 2024 – 03:58 am BST

PDB ID : 1DYT
Title : X-ray crystal structure of ECP (RNase 3) at 1.75 Å
Authors : Mallorqui-Fernandez, G.; Pous, J.; Peracaula, R.; Maeda, T.; Tada, H.; Yamada, H.; Seno, M.; De Llorens, R.; Gomis-Rueth, F.X.; Coll, M.
Deposited on : 2000-02-08
Resolution : 1.75 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	133	
1	B	133	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CIT	A	301	-	X	-	-
3	CIT	A	302	-	X	X	-
3	CIT	B	301	-	X	-	-
3	CIT	B	302	-	X	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2591 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EOSINOPHIL CATIONIC PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	133	1111	687	228	187	9	27	2	0
1	B	133	1094	677	224	184	9	38	0	0

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

- Molecule 3 is CITRIC ACID (three-letter code: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 13 6 7	0	0
3	A	1	Total C O 13 6 7	0	0
3	B	1	Total C O 13 6 7	0	0
3	B	1	Total C O 13 6 7	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	185	Total O 185 185	0	0
4	B	147	Total O 147 147	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: EOSINOPHIL CATIONIC PROTEIN

Chain A:  77% 20%



- Molecule 1: EOSINOPHIL CATIONIC PROTEIN

Chain B:  86% 12%



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 2 2	Depositor
Cell constants a, b, c, α , β , γ	62.16Å 62.16Å 174.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.75	Depositor
% Data completeness (in resolution range)	91.7 (20.00-1.75)	Depositor
R_{merge}	0.03	Depositor
R_{sym}	0.03	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.224 , 0.271	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2591	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/1141	0.88	2/1552 (0.1%)
1	B	0.58	0/1124	0.83	2/1530 (0.1%)
All	All	0.64	0/2265	0.85	4/3082 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	34	ARG	NE-CZ-NH2	-6.47	117.06	120.30
1	A	96	CYS	CA-CB-SG	5.72	124.31	114.00
1	B	34	ARG	NE-CZ-NH1	5.59	123.10	120.30
1	A	34	ARG	NE-CZ-NH2	-5.43	117.58	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1111	0	1088	40	0
1	B	1094	0	1070	29	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	26	0	13	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	26	0	14	23	0
4	A	185	0	0	7	0
4	B	147	0	0	2	0
All	All	2591	0	2185	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:302:CIT:C3	3:A:302:CIT:C4	1.76	1.56
3:B:302:CIT:C2	3:B:302:CIT:C3	1.94	1.45
3:A:302:CIT:C3	3:A:302:CIT:O7	1.64	1.45
3:B:302:CIT:C2	3:B:302:CIT:C1	2.01	1.39
3:B:302:CIT:C4	3:B:302:CIT:C5	2.07	1.30
3:A:302:CIT:C4	3:A:302:CIT:C5	2.09	1.28
3:A:302:CIT:C3	3:A:302:CIT:C2	2.21	1.18
1:B:78:VAL:HG11	3:B:301:CIT:O3	1.64	0.98
1:B:39:ASN:N	3:B:302:CIT:O2	1.97	0.96
1:B:38:LYS:HA	3:B:302:CIT:C1	1.96	0.95
3:B:302:CIT:O5	4:B:2145:HOH:O	1.90	0.87
1:B:34:ARG:HH12	3:B:302:CIT:H22	1.42	0.84
3:A:302:CIT:O7	3:A:302:CIT:C6	2.25	0.83
1:B:92:ASN:HD22	1:B:94:SER:H	1.23	0.82
1:A:38[B]:LYS:HG3	3:A:302:CIT:O2	1.82	0.80
1:B:50:ASN:HB3	3:B:301:CIT:H41	1.63	0.80
1:A:78:VAL:HG11	3:A:301:CIT:O3	1.81	0.79
3:A:302:CIT:C4	3:A:302:CIT:C6	2.62	0.77
1:A:95:ASN:OD1	4:A:2148:HOH:O	2.02	0.77
1:A:34:ARG:HH22	3:A:302:CIT:H21	1.49	0.76
1:A:34:ARG:NH2	3:A:302:CIT:H21	1.99	0.76
1:A:6:THR:H	1:A:9:GLN:HE21	1.33	0.74
1:A:38[A]:LYS:HG2	3:A:302:CIT:C1	2.17	0.74
1:B:38:LYS:HG2	3:B:302:CIT:O2	1.92	0.69
1:B:78:VAL:CG1	3:B:301:CIT:O3	2.40	0.69
1:B:34:ARG:NH1	3:B:302:CIT:H22	2.06	0.69
1:B:38:LYS:CG	3:B:302:CIT:O2	2.44	0.65
1:B:92:ASN:ND2	1:B:94:SER:H	1.95	0.64
1:A:39[B]:ASN:N	3:A:302:CIT:O2	2.31	0.63
1:A:39[A]:ASN:HD22	1:A:85:LEU:HD23	1.62	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39[A]:ASN:HD21	1:A:88:PRO:HB3	1.64	0.63
1:A:39[A]:ASN:OD1	4:A:2093:HOH:O	2.16	0.61
1:B:39:ASN:H	3:B:302:CIT:C1	2.13	0.60
1:B:38:LYS:CA	3:B:302:CIT:O2	2.50	0.60
1:A:6:THR:H	1:A:9:GLN:NE2	2.00	0.59
1:B:38:LYS:HA	3:B:302:CIT:O2	2.03	0.58
1:A:39[B]:ASN:OD1	4:A:2094:HOH:O	2.16	0.58
1:A:38[B]:LYS:NZ	3:A:302:CIT:O1	2.37	0.58
1:A:78:VAL:CG1	3:A:301:CIT:O3	2.51	0.57
1:A:52:VAL:HG11	1:A:122:TYR:CD1	2.39	0.57
1:A:38[B]:LYS:CE	3:A:302:CIT:O1	2.53	0.57
1:A:38[A]:LYS:HE2	1:A:40:GLN:O	2.05	0.56
1:A:39[A]:ASN:ND2	1:A:85:LEU:HD23	2.22	0.55
1:A:38[B]:LYS:HG3	3:A:302:CIT:C1	2.36	0.55
1:A:110:ALA:HB3	1:A:128:HIS:CD2	2.41	0.55
1:B:92:ASN:ND2	1:B:94:SER:OG	2.40	0.54
1:B:40:GLN:HE21	1:B:82:HIS:HE1	1.56	0.53
1:A:121:ARG:NH2	4:A:2168:HOH:O	2.38	0.52
1:A:73:ARG:HG2	1:A:74:SER:N	2.25	0.51
1:B:38:LYS:C	3:B:302:CIT:O2	2.49	0.51
1:A:38[A]:LYS:HG2	3:A:302:CIT:O1	2.10	0.50
1:A:14:GLN:OE1	1:A:38[B]:LYS:HE2	2.12	0.50
1:B:53:ASN:HB2	4:B:2142:HOH:O	2.12	0.50
1:B:80:LEU:C	1:B:80:LEU:HD12	2.32	0.50
1:A:39[A]:ASN:HB3	4:A:2093:HOH:O	2.11	0.49
1:B:92:ASN:HD22	1:B:92:ASN:C	2.16	0.48
1:B:34:ARG:HH22	3:B:302:CIT:H22	1.79	0.47
1:A:38[B]:LYS:CD	3:A:302:CIT:O1	2.63	0.46
1:A:50:ASN:HB3	3:A:301:CIT:H41	1.98	0.46
1:B:46:THR:HG1	3:B:301:CIT:C5	2.29	0.45
1:A:93:ILE:HA	1:A:96:CYS:SG	2.56	0.45
3:B:302:CIT:C2	3:B:302:CIT:O7	2.57	0.45
1:A:110:ALA:CB	1:A:128:HIS:CD2	3.00	0.45
1:A:52:VAL:O	1:A:55:CYS:HB2	2.17	0.45
1:B:34:ARG:HH22	3:B:302:CIT:C2	2.29	0.45
1:A:128:HIS:HE1	1:A:130:ASP:OD1	1.99	0.45
1:A:39[A]:ASN:N	3:A:302:CIT:O2	2.50	0.44
1:A:39[B]:ASN:ND2	3:A:302:CIT:O3	2.51	0.44
1:A:40:GLN:NE2	4:A:2096:HOH:O	2.30	0.43
1:A:4:GLN:HA	1:B:32:ASN:O	2.16	0.43
1:B:34:ARG:CZ	3:B:302:CIT:H22	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:ARG:NH2	3:B:302:CIT:H22	2.33	0.43
1:B:73:ARG:NH2	1:B:106:PHE:CE1	2.87	0.42
1:A:37:CYS:O	4:A:2094:HOH:O	2.22	0.41
1:A:80:LEU:HD12	1:A:80:LEU:C	2.41	0.41
1:A:117:ARG:HH11	1:B:32:ASN:HD21	1.67	0.41
1:A:117:ARG:HH11	1:B:32:ASN:ND2	2.19	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	133/133 (100%)	129 (97%)	4 (3%)	0	100	100
1	B	131/133 (98%)	126 (96%)	5 (4%)	0	100	100
All	All	264/266 (99%)	255 (97%)	9 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/122 (102%)	119 (96%)	5 (4%)	31	10
1	B	122/122 (100%)	116 (95%)	6 (5%)	25	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	246/244 (101%)	235 (96%)	11 (4%)	30 8

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	ARG
1	A	39[A]	ASN
1	A	39[B]	ASN
1	A	64	HIS
1	A	91	GLN
1	B	1	ARG
1	B	22	ARG
1	B	40	GLN
1	B	75	ARG
1	B	92	ASN
1	B	104	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	95	ASN
1	A	128	HIS
1	B	32	ASN
1	B	40	GLN
1	B	92	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	CIT	B	302	2	12,12,12	12.82	10 (83%)	17,17,17	5.55	13 (76%)
3	CIT	A	301	-	12,12,12	2.92	7 (58%)	17,17,17	3.63	10 (58%)
3	CIT	A	302	2	12,12,12	18.32	11 (91%)	17,17,17	4.69	12 (70%)
3	CIT	B	301	-	12,12,12	2.44	5 (41%)	17,17,17	3.08	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CIT	B	302	2	-	7/16/16/16	-
3	CIT	A	301	-	-	5/16/16/16	-
3	CIT	A	302	2	-	9/16/16/16	-
3	CIT	B	301	-	-	5/16/16/16	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302	CIT	C2-C3	54.15	2.21	1.53
3	B	302	CIT	C2-C3	32.80	1.94	1.53
3	A	302	CIT	C4-C5	19.23	2.09	1.50
3	B	302	CIT	C4-C5	18.38	2.07	1.50
3	A	302	CIT	C4-C3	17.89	1.76	1.53
3	B	302	CIT	C2-C1	16.42	2.01	1.50
3	A	302	CIT	O7-C3	11.08	1.64	1.43
3	A	302	CIT	C3-C6	-9.28	1.43	1.53
3	B	302	CIT	C4-C3	9.19	1.65	1.53
3	B	302	CIT	C3-C6	8.75	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	CIT	O1-C1	6.83	1.44	1.22
3	A	302	CIT	O2-C1	6.82	1.53	1.30
3	A	302	CIT	O3-C5	6.64	1.44	1.22
3	A	301	CIT	C4-C3	5.95	1.61	1.53
3	A	302	CIT	O6-C6	-5.53	1.09	1.30
3	A	302	CIT	O5-C6	5.52	1.39	1.22
3	A	302	CIT	O4-C5	5.43	1.49	1.30
3	B	302	CIT	O6-C6	5.03	1.49	1.30
3	B	301	CIT	C4-C3	4.95	1.60	1.53
3	B	302	CIT	O2-C1	4.88	1.47	1.30
3	B	302	CIT	O7-C3	-4.28	1.35	1.43
3	A	301	CIT	C3-C6	-4.22	1.49	1.53
3	A	302	CIT	O1-C1	-3.98	1.09	1.22
3	A	301	CIT	O2-C1	3.93	1.44	1.30
3	B	301	CIT	O2-C1	3.84	1.43	1.30
3	B	301	CIT	O6-C6	3.56	1.43	1.30
3	A	301	CIT	C2-C1	2.81	1.59	1.50
3	A	301	CIT	O6-C6	2.44	1.39	1.30
3	B	301	CIT	C2-C3	2.36	1.56	1.53
3	B	302	CIT	O3-C5	2.31	1.29	1.22
3	A	301	CIT	O4-C5	2.31	1.38	1.30
3	A	301	CIT	O5-C6	2.17	1.29	1.22
3	B	301	CIT	C2-C1	2.08	1.57	1.50

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	CIT	O7-C3-C6	-13.52	89.88	108.86
3	A	302	CIT	O7-C3-C6	-10.72	93.82	108.86
3	B	302	CIT	O2-C1-O1	-9.29	100.14	123.30
3	A	301	CIT	C4-C3-C6	-8.58	91.66	110.11
3	A	302	CIT	O4-C5-O3	-8.08	103.16	123.30
3	B	302	CIT	O4-C5-O3	-7.68	104.15	123.30
3	B	301	CIT	O6-C6-C3	7.62	126.29	113.05
3	B	302	CIT	C3-C4-C5	6.95	130.64	113.81
3	A	302	CIT	O7-C3-C2	6.52	124.65	109.40
3	A	301	CIT	O6-C6-C3	6.16	123.75	113.05
3	B	302	CIT	O6-C6-C3	6.05	123.56	113.05
3	B	302	CIT	O5-C6-C3	-5.72	114.16	122.25
3	A	302	CIT	O5-C6-C3	-5.37	114.64	122.25
3	A	302	CIT	C3-C2-C1	5.17	126.33	113.81
3	A	302	CIT	O2-C1-C2	5.12	130.78	114.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	CIT	O2-C1-O1	-4.81	111.32	123.30
3	A	301	CIT	C3-C4-C5	4.73	125.27	113.81
3	A	302	CIT	O6-C6-C3	4.57	120.99	113.05
3	B	301	CIT	O2-C1-O1	-4.33	112.51	123.30
3	B	301	CIT	O3-C5-C4	4.30	135.52	122.94
3	B	302	CIT	C4-C3-C2	3.91	119.37	109.16
3	B	302	CIT	C2-C3-C6	3.87	118.42	110.11
3	B	301	CIT	C4-C3-C6	-3.84	101.86	110.11
3	B	301	CIT	O5-C6-C3	-3.73	116.98	122.25
3	B	301	CIT	O4-C5-O3	-3.66	114.17	123.30
3	A	301	CIT	O5-C6-C3	-3.59	117.17	122.25
3	A	301	CIT	O3-C5-C4	3.55	133.32	122.94
3	B	302	CIT	O4-C5-C4	3.52	125.67	114.35
3	B	302	CIT	O7-C3-C2	-3.40	101.45	109.40
3	A	301	CIT	O7-C3-C6	3.39	113.62	108.86
3	A	302	CIT	O1-C1-C2	-3.34	113.19	122.94
3	A	302	CIT	O3-C5-C4	3.22	132.34	122.94
3	A	302	CIT	O2-C1-O1	-2.94	115.97	123.30
3	A	301	CIT	C4-C3-C2	2.93	116.81	109.16
3	B	302	CIT	O1-C1-C2	2.72	130.90	122.94
3	A	301	CIT	O4-C5-O3	-2.70	116.57	123.30
3	B	302	CIT	O2-C1-C2	2.67	122.92	114.35
3	A	302	CIT	C4-C3-C2	-2.65	102.24	109.16
3	B	301	CIT	C3-C4-C5	2.61	120.12	113.81
3	A	302	CIT	C3-C4-C5	2.35	119.52	113.81
3	B	301	CIT	O6-C6-O5	-2.26	116.64	123.82
3	B	301	CIT	O1-C1-C2	2.22	129.43	122.94
3	A	301	CIT	O1-C1-C2	2.13	129.16	122.94
3	B	302	CIT	C3-C2-C1	2.04	118.75	113.81

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	301	CIT	C1-C2-C3-O7
3	A	301	CIT	C1-C2-C3-C6
3	A	302	CIT	O7-C3-C6-O5
3	A	302	CIT	O7-C3-C6-O6
3	A	302	CIT	C4-C3-C6-O5
3	A	302	CIT	C4-C3-C6-O6
3	B	302	CIT	C1-C2-C3-C4
3	B	302	CIT	C1-C2-C3-O7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	302	CIT	C2-C3-C4-C5
3	A	301	CIT	C1-C2-C3-C4
3	A	302	CIT	C1-C2-C3-O7
3	B	302	CIT	O7-C3-C6-O5
3	A	301	CIT	C2-C3-C6-O6
3	A	301	CIT	C4-C3-C6-O6
3	A	302	CIT	C2-C3-C6-O6
3	B	301	CIT	C2-C3-C6-O6
3	B	301	CIT	C4-C3-C6-O6
3	B	302	CIT	C4-C3-C6-O6
3	B	301	CIT	C1-C2-C3-C6
3	A	302	CIT	C2-C3-C6-O5
3	B	301	CIT	C1-C2-C3-O7
3	A	302	CIT	C3-C4-C5-O3
3	B	301	CIT	C4-C3-C6-O5
3	B	302	CIT	C4-C3-C6-O5
3	B	302	CIT	O7-C3-C4-C5
3	A	302	CIT	C3-C4-C5-O4

There are no ring outliers.

4 monomers are involved in 44 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	302	CIT	19	0
3	A	301	CIT	3	0
3	A	302	CIT	18	0
3	B	301	CIT	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.