



# wwPDB EM Validation Summary Report ⓘ

Nov 27, 2022 – 12:40 AM JST

PDB ID : 7E7B  
EMDB ID : EMD-30998  
Title : Cryo-EM structure of the SARS-CoV-2 furin site mutant S-Trimer from a subunit vaccine candidate  
Authors : Zheng, S.; Ma, J.  
Deposited on : 2021-02-25  
Resolution : 2.60 Å (reported)  
Based on initial model : 6VXX

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1520	
1	B	1520	
1	C	1520	
2	D	2	
2	E	2	
2	F	2	
2	G	2	
2	H	2	










*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	2	 50% 50%
2	J	2	 50% 50%
2	K	2	 50% 50%
2	L	2	 50% 50%
2	M	2	 100%
2	N	2	 100%
2	O	2	 100%
2	P	2	 100%
2	Q	2	 50% 50%
2	R	2	 50% 50%
2	S	2	 100%
2	T	2	 100%
2	U	2	 50% 50%
2	V	2	 50% 50%
2	W	2	 50% 50%
2	X	2	 50% 50%
2	Y	2	 50% 50%
2	Z	2	 100%
2	a	2	 50% 50%
2	b	2	 100%
2	c	2	 100%
2	d	2	 50% 50%
2	e	2	 100%
2	f	2	 100%
2	g	2	 100%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	h	2	 50% 50%
2	i	2	 100%
2	j	2	 100%
2	k	2	 100%
2	l	2	 50% 50%
2	m	2	 50% 100%
2	n	2	 50% 50%
2	o	2	 100%
2	p	2	 100%

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 27363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Collagen alpha-1(I) chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1102	8613	5492	1440	1641	40	0	0
1	B	1102	8613	5492	1440	1641	40	0	0
1	C	1102	8613	5492	1440	1641	40	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	685	ALA	ARG	engineered mutation	UNP P0DTC2
A	1212	ARG	-	linker	UNP P0DTC2
A	1213	SER	-	linker	UNP P0DTC2
A	1277	ASN	ASP	variant	UNP P02452
A	1449	LYS	GLN	variant	UNP P02452
A	1492	SER	THR	variant	UNP P02452
B	685	ALA	ARG	engineered mutation	UNP P0DTC2
B	1212	ARG	-	linker	UNP P0DTC2
B	1213	SER	-	linker	UNP P0DTC2
B	1277	ASN	ASP	variant	UNP P02452
B	1449	LYS	GLN	variant	UNP P02452
B	1492	SER	THR	variant	UNP P02452
C	685	ALA	ARG	engineered mutation	UNP P0DTC2
C	1212	ARG	-	linker	UNP P0DTC2
C	1213	SER	-	linker	UNP P0DTC2
C	1277	ASN	ASP	variant	UNP P02452
C	1449	LYS	GLN	variant	UNP P02452
C	1492	SER	THR	variant	UNP P02452

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	2	Total	C	N	O	0	0
			28	16	2	10		
2	E	2	Total	C	N	O	0	0
			28	16	2	10		
2	F	2	Total	C	N	O	0	0
			28	16	2	10		
2	G	2	Total	C	N	O	0	0
			28	16	2	10		
2	H	2	Total	C	N	O	0	0
			28	16	2	10		
2	I	2	Total	C	N	O	0	0
			28	16	2	10		
2	J	2	Total	C	N	O	0	0
			28	16	2	10		
2	K	2	Total	C	N	O	0	0
			28	16	2	10		
2	L	2	Total	C	N	O	0	0
			28	16	2	10		
2	M	2	Total	C	N	O	0	0
			28	16	2	10		
2	N	2	Total	C	N	O	0	0
			28	16	2	10		
2	O	2	Total	C	N	O	0	0
			28	16	2	10		
2	P	2	Total	C	N	O	0	0
			28	16	2	10		
2	Q	2	Total	C	N	O	0	0
			28	16	2	10		
2	R	2	Total	C	N	O	0	0
			28	16	2	10		
2	S	2	Total	C	N	O	0	0
			28	16	2	10		
2	T	2	Total	C	N	O	0	0
			28	16	2	10		
2	U	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	W	2	28	16	2	10	0	0
2	X	2	28	16	2	10	0	0
2	Y	2	28	16	2	10	0	0
2	Z	2	28	16	2	10	0	0
2	a	2	28	16	2	10	0	0
2	b	2	28	16	2	10	0	0
2	c	2	28	16	2	10	0	0
2	d	2	28	16	2	10	0	0
2	e	2	28	16	2	10	0	0
2	f	2	28	16	2	10	0	0
2	g	2	28	16	2	10	0	0
2	h	2	28	16	2	10	0	0
2	i	2	28	16	2	10	0	0
2	j	2	28	16	2	10	0	0
2	k	2	28	16	2	10	0	0
2	l	2	28	16	2	10	0	0
2	m	2	28	16	2	10	0	0
2	n	2	28	16	2	10	0	0
2	o	2	28	16	2	10	0	0
2	p	2	28	16	2	10	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	70	40	5	25	0
3	A	1	70	40	5	25	0
3	A	1	70	40	5	25	0
3	A	1	70	40	5	25	0
3	A	1	70	40	5	25	0
3	B	1	70	40	5	25	0
3	B	1	70	40	5	25	0
3	B	1	70	40	5	25	0
3	B	1	70	40	5	25	0
3	B	1	70	40	5	25	0
3	C	1	70	40	5	25	0
3	C	1	70	40	5	25	0
3	C	1	70	40	5	25	0
3	C	1	70	40	5	25	0


*Continued on next page...*



Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	C	1	70	40	5	25	0

- Molecule 4 is 9-OCTADECENOIC ACID (three-letter code: ELA) (formula: C<sub>18</sub>H<sub>34</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
4	A	1	40	36	4	0
4	A	1	40	36	4	0
4	B	1	20	18	2	0

- Molecule 5 is 2-hydroxyethyl 2-deoxy-3,5-bis-O-(2-hydroxyethyl)-6-O-(2-{(9E)-octadec-9-enoyl}oxy)ethyl)-alpha-L-xylo-hexofuranoside (three-letter code: VCG) (formula: C<sub>32</sub>H<sub>60</sub>O<sub>10</sub>).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
5	A	1	84	64	20	0
5	A	1	84	64	20	0
5	B	1	42	32	10	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
6	A	10	10	10	0
6	B	14	14	14	0
6	C	12	12	12	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein, Collagen alpha-1(I) chain



ARG	ALA	GLY	GLY	ASN	ASN	SER	ARG	PHE	THR	THR	SER	SER	VAL	VAL	THR	THR	VAL	ARG	ASP	GLY
GLY	PRO	VAL	CYS																	


• Molecule 1: Spike glycoprotein,Collagen alpha-1(I) chain



MET	PHE	VAL	PHE	VAL	LEU	LEU	LEU	LEU	PRO	PRO	VAL	SER	VAL	SER	THR	THR	VAL	THR	THR	VAL	
E156	S161	M164	N165	C166	L176	M177	D178	L179	E180	R190	K206	A27	Y28	T29	N30	D40	S45	F59	W64	A67	
S359	S375	L387	V395	D398	R403	W633	K417	G431	S443	K444	R457	D467	S494	F497	Q498	G504	F515	E516	C525	W258	
ALA	ILE	HIS	ASP	GLN	LEU	THR	THR	PRO	PRO	THR	R634	E661	I666	S443	A672	T676	GLN	THR	ASN	ASN	
P812	S813	D820	F823	V826	T827	L828	A829	D830	D843	A846	R847	K854	T859	T866	G880	S884	L894	M901	Q901	Q913	
S1030	F1042	L1049	P1057	V1061	V1065	P1079	D1084	G1085	K1086	A1087	H1088	E1092	S1097	T1100	H1101	W1102	T1116	T1117	D1118	V1122	
ASP	ILE	SER	GLY	ILE	ASP	ALA	ASN	GLN	GLY	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE	ILE
ARG	THR	GLY	ASP	ALA	ILE	GLY	PRO	GLY	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO	PRO
GLU	VAL	THR	THR	LEU	LEU	LYS	SER	LEU	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL
PHE	CYS	ASN	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
ILE	GLN	LEU	PHE	LEU	LEU	ARG	GLY	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR
VAL	THR	VAL	GLY	CYS	THR	SER	THR	HIS	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR

• Molecule 1: Spike glycoprotein,Collagen alpha-1(I) chain





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 

  
MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50%  
100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50%  
50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50% 100%




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  50% 50%



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50%  
100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  50%  
50% 50%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%

MAG1  
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  100%

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	384013	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.123	Depositor
Minimum map value	-0.065	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.013	Depositor
Map size (Å)	304.36002, 304.36002, 304.36002	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ELA, VCG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/8812	0.53	1/11990 (0.0%)
1	B	0.48	0/8812	0.52	0/11990
1	C	0.49	0/8812	0.52	0/11990
All	All	0.49	0/26436	0.52	1/35970 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	393	THR	N-CA-C	6.83	129.43	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8613	0	8382	81	0
1	B	8613	0	8382	92	0
1	C	8613	0	8382	91	0
2	D	28	0	25	0	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	28	0	25	1	0
2	I	28	0	25	0	0
2	J	28	0	25	0	0
2	K	28	0	25	0	0
2	L	28	0	25	0	0
2	M	28	0	25	0	0
2	N	28	0	25	0	0
2	O	28	0	25	0	0
2	P	28	0	25	0	0
2	Q	28	0	25	0	0
2	R	28	0	25	0	0
2	S	28	0	25	0	0
2	T	28	0	25	0	0
2	U	28	0	25	1	0
2	V	28	0	25	0	0
2	W	28	0	25	0	0
2	X	28	0	25	0	0
2	Y	28	0	25	0	0
2	Z	28	0	25	0	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
2	e	28	0	25	0	0
2	f	28	0	25	0	0
2	g	28	0	25	0	0
2	h	28	0	25	0	0
2	i	28	0	25	0	0
2	j	28	0	25	0	0
2	k	28	0	25	0	0
2	l	28	0	25	0	0
2	m	28	0	25	0	0
2	n	28	0	25	0	0
2	o	28	0	25	0	0
2	p	28	0	25	0	0
3	A	70	0	65	0	0
3	B	70	0	65	1	0
3	C	70	0	65	1	0
4	A	40	0	68	1	0
4	B	20	0	34	1	0
5	A	84	0	0	0	0
5	B	42	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	10	0	0	0	0
6	B	14	0	0	0	0
6	C	12	0	0	1	0
All	All	27363	0	26418	245	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 245 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:LYS:HE2	1:B:248:TYR:CE1	1.59	1.36
1:C:147:LYS:HE2	1:C:248:TYR:CE1	1.59	1.35
1:C:147:LYS:CE	1:C:248:TYR:CE1	2.29	1.14
1:C:147:LYS:CE	1:C:248:TYR:CZ	2.32	1.13
1:B:147:LYS:CE	1:B:248:TYR:CE1	2.35	1.08

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1094/1520 (72%)	1056 (96%)	38 (4%)	0	100	100
1	B	1094/1520 (72%)	1053 (96%)	41 (4%)	0	100	100
1	C	1094/1520 (72%)	1056 (96%)	38 (4%)	0	100	100
All	All	3282/4560 (72%)	3165 (96%)	117 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	959/1315 (73%)	904 (94%)	55 (6%)	20	41
1	B	959/1315 (73%)	911 (95%)	48 (5%)	24	47
1	C	959/1315 (73%)	913 (95%)	46 (5%)	25	49
All	All	2877/3945 (73%)	2728 (95%)	149 (5%)	27	46

5 of 149 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	254	SER
1	C	929	SER
1	C	359	SER
1	C	604	THR
1	A	881	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	317	ASN
1	C	954	GLN
1	C	474	GLN
1	C	779	GLN
1	B	30	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates i

78 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	D	1	2,1	14,14,15	0.38	0	17,19,21	0.98	1 (5%)
2	NAG	D	2	2	14,14,15	0.32	0	17,19,21	0.62	0
2	NAG	E	1	2,1	14,14,15	0.36	0	17,19,21	0.95	2 (11%)
2	NAG	E	2	2	14,14,15	0.31	0	17,19,21	0.66	0
2	NAG	F	1	2,1	14,14,15	0.32	0	17,19,21	0.69	0
2	NAG	F	2	2	14,14,15	0.28	0	17,19,21	0.84	1 (5%)
2	NAG	G	1	2,1	14,14,15	0.34	0	17,19,21	0.72	0
2	NAG	G	2	2	14,14,15	0.27	0	17,19,21	0.68	0
2	NAG	H	1	2,1	14,14,15	0.28	0	17,19,21	1.22	2 (11%)
2	NAG	H	2	2	14,14,15	0.29	0	17,19,21	0.80	0
2	NAG	I	1	2,1	14,14,15	0.38	0	17,19,21	0.90	1 (5%)
2	NAG	I	2	2	14,14,15	0.30	0	17,19,21	0.85	0
2	NAG	J	1	2,1	14,14,15	0.29	0	17,19,21	0.73	1 (5%)
2	NAG	J	2	2	14,14,15	0.30	0	17,19,21	0.67	0
2	NAG	K	1	2,1	14,14,15	0.41	0	17,19,21	0.83	1 (5%)
2	NAG	K	2	2	14,14,15	0.34	0	17,19,21	0.50	0
2	NAG	L	1	2,1	14,14,15	0.34	0	17,19,21	0.77	1 (5%)
2	NAG	L	2	2	14,14,15	0.28	0	17,19,21	0.63	0
2	NAG	M	1	2,1	14,14,15	0.32	0	17,19,21	0.64	0
2	NAG	M	2	2	14,14,15	0.30	0	17,19,21	0.72	0
2	NAG	N	1	2,1	14,14,15	0.31	0	17,19,21	1.22	2 (11%)
2	NAG	N	2	2	14,14,15	0.24	0	17,19,21	0.96	1 (5%)
2	NAG	O	1	2,1	14,14,15	0.37	0	17,19,21	1.05	2 (11%)
2	NAG	O	2	2	14,14,15	0.23	0	17,19,21	1.16	2 (11%)
2	NAG	P	1	2,1	14,14,15	0.30	0	17,19,21	0.62	0
2	NAG	P	2	2	14,14,15	0.29	0	17,19,21	0.66	0
2	NAG	Q	1	2,1	14,14,15	0.35	0	17,19,21	0.89	1 (5%)
2	NAG	Q	2	2	14,14,15	0.32	0	17,19,21	0.61	0
2	NAG	R	1	2,1	14,14,15	0.36	0	17,19,21	0.93	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	R	2	2	14,14,15	0.31	0	17,19,21	0.67	0
2	NAG	S	1	2,1	14,14,15	0.32	0	17,19,21	0.60	0
2	NAG	S	2	2	14,14,15	0.29	0	17,19,21	0.73	0
2	NAG	T	1	2,1	14,14,15	0.34	0	17,19,21	0.67	0
2	NAG	T	2	2	14,14,15	0.27	0	17,19,21	0.66	0
2	NAG	U	1	2,1	14,14,15	0.30	0	17,19,21	1.21	2 (11%)
2	NAG	U	2	2	14,14,15	0.27	0	17,19,21	0.87	1 (5%)
2	NAG	V	1	2,1	14,14,15	0.36	0	17,19,21	0.82	1 (5%)
2	NAG	V	2	2	14,14,15	0.31	0	17,19,21	0.75	0
2	NAG	W	1	2,1	14,14,15	0.29	0	17,19,21	0.72	1 (5%)
2	NAG	W	2	2	14,14,15	0.30	0	17,19,21	0.64	0
2	NAG	X	1	2,1	14,14,15	0.32	0	17,19,21	0.78	0
2	NAG	X	2	2	14,14,15	0.26	0	17,19,21	0.77	1 (5%)
2	NAG	Y	1	2,1	14,14,15	0.34	0	17,19,21	0.76	1 (5%)
2	NAG	Y	2	2	14,14,15	0.28	0	17,19,21	0.64	0
2	NAG	Z	1	2,1	14,14,15	0.33	0	17,19,21	0.65	0
2	NAG	Z	2	2	14,14,15	0.29	0	17,19,21	0.68	0
2	NAG	a	1	2,1	14,14,15	0.31	0	17,19,21	1.18	2 (11%)
2	NAG	a	2	2	14,14,15	0.26	0	17,19,21	0.98	0
2	NAG	b	1	2,1	14,14,15	0.37	0	17,19,21	1.03	1 (5%)
2	NAG	b	2	2	14,14,15	0.22	0	17,19,21	1.18	2 (11%)
2	NAG	c	1	2,1	14,14,15	0.31	0	17,19,21	0.64	0
2	NAG	c	2	2	14,14,15	0.30	0	17,19,21	0.66	0
2	NAG	d	1	2,1	14,14,15	0.37	0	17,19,21	0.93	1 (5%)
2	NAG	d	2	2	14,14,15	0.33	0	17,19,21	0.63	0
2	NAG	e	1	2,1	14,14,15	0.35	0	17,19,21	0.92	0
2	NAG	e	2	2	14,14,15	0.29	0	17,19,21	0.66	0
2	NAG	f	1	2,1	14,14,15	0.33	0	17,19,21	0.63	0
2	NAG	f	2	2	14,14,15	0.28	0	17,19,21	0.74	0
2	NAG	g	1	2,1	14,14,15	0.33	0	17,19,21	0.66	0
2	NAG	g	2	2	14,14,15	0.26	0	17,19,21	0.65	0
2	NAG	h	1	2,1	14,14,15	0.30	0	17,19,21	1.25	2 (11%)
2	NAG	h	2	2	14,14,15	0.28	0	17,19,21	0.84	0
2	NAG	i	1	2,1	14,14,15	0.36	0	17,19,21	0.86	1 (5%)
2	NAG	i	2	2	14,14,15	0.31	0	17,19,21	0.83	1 (5%)
2	NAG	j	1	2,1	14,14,15	0.27	0	17,19,21	0.69	0
2	NAG	j	2	2	14,14,15	0.29	0	17,19,21	0.64	0
2	NAG	k	1	2,1	14,14,15	0.33	0	17,19,21	0.80	0
2	NAG	k	2	2	14,14,15	0.27	0	17,19,21	0.83	0
2	NAG	l	1	2,1	14,14,15	0.34	0	17,19,21	0.79	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	l	2	2	14,14,15	0.27	0	17,19,21	0.67	0
2	NAG	m	1	2,1	14,14,15	0.31	0	17,19,21	0.68	0
2	NAG	m	2	2	14,14,15	0.28	0	17,19,21	0.69	0
2	NAG	n	1	2,1	14,14,15	0.30	0	17,19,21	1.16	2 (11%)
2	NAG	n	2	2	14,14,15	0.24	0	17,19,21	1.00	0
2	NAG	o	1	2,1	14,14,15	0.36	0	17,19,21	1.06	2 (11%)
2	NAG	o	2	2	14,14,15	0.23	0	17,19,21	1.22	2 (11%)
2	NAG	p	1	2,1	14,14,15	0.29	0	17,19,21	0.67	0
2	NAG	p	2	2	14,14,15	0.31	0	17,19,21	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	H	2	2	-	4/6/23/26	0/1/1/1
2	NAG	I	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	1/6/23/26	0/1/1/1
2	NAG	J	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	NAG	K	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	K	2	2	-	4/6/23/26	0/1/1/1
2	NAG	L	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	NAG	M	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	M	2	2	-	4/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	N	2	2	-	3/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	O	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	O	2	2	-	5/6/23/26	0/1/1/1
2	NAG	P	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	P	2	2	-	2/6/23/26	0/1/1/1
2	NAG	Q	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	2/6/23/26	0/1/1/1
2	NAG	R	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	R	2	2	-	1/6/23/26	0/1/1/1
2	NAG	S	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	S	2	2	-	4/6/23/26	0/1/1/1
2	NAG	T	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	T	2	2	-	4/6/23/26	0/1/1/1
2	NAG	U	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	U	2	2	-	2/6/23/26	0/1/1/1
2	NAG	V	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
2	NAG	W	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	2/6/23/26	0/1/1/1
2	NAG	X	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	X	2	2	-	4/6/23/26	0/1/1/1
2	NAG	Y	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	4/6/23/26	0/1/1/1
2	NAG	Z	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	4/6/23/26	0/1/1/1
2	NAG	a	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	a	2	2	-	3/6/23/26	0/1/1/1
2	NAG	b	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	b	2	2	-	5/6/23/26	0/1/1/1
2	NAG	c	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	c	2	2	-	2/6/23/26	0/1/1/1
2	NAG	d	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	d	2	2	-	2/6/23/26	0/1/1/1
2	NAG	e	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	e	2	2	-	1/6/23/26	0/1/1/1
2	NAG	f	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	f	2	2	-	2/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	g	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	g	2	2	-	4/6/23/26	0/1/1/1
2	NAG	h	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	h	2	2	-	2/6/23/26	0/1/1/1
2	NAG	i	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	i	2	2	-	1/6/23/26	0/1/1/1
2	NAG	j	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	j	2	2	-	2/6/23/26	0/1/1/1
2	NAG	k	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	k	2	2	-	3/6/23/26	0/1/1/1
2	NAG	l	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	l	2	2	-	2/6/23/26	0/1/1/1
2	NAG	m	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	m	2	2	-	2/6/23/26	0/1/1/1
2	NAG	n	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	n	2	2	-	3/6/23/26	0/1/1/1
2	NAG	o	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	o	2	2	-	1/6/23/26	0/1/1/1
2	NAG	p	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	p	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 44 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	o	1	NAG	C1-O5-C5	3.42	116.83	112.19
2	O	1	NAG	C1-O5-C5	3.36	116.74	112.19
2	o	2	NAG	C2-N2-C7	3.35	127.68	122.90
2	b	1	NAG	C1-O5-C5	3.32	116.69	112.19
2	b	2	NAG	C2-N2-C7	3.22	127.49	122.90

There are no chirality outliers.

5 of 187 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	J	2	NAG	C8-C7-N2-C2

Continued on next page...

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	J	2	NAG	O7-C7-N2-C2
2	O	2	NAG	C3-C2-N2-C7


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	U	1	NAG	1	0
2	H	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




























































































































## 5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	VCG	A	1608	-	42,42,42	3.00	8 (19%)	46,47,47	0.95	4 (8%)
3	NAG	B	1605	1	14,14,15	0.39	0	17,19,21	1.09	1 (5%)
3	NAG	A	1605	1	14,14,15	0.38	0	17,19,21	1.22	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	A	1602	1	14,14,15	0.27	0	17,19,21	0.84	1 (5%)
3	NAG	B	1603	1	14,14,15	0.29	0	17,19,21	0.68	0
3	NAG	B	1604	1	14,14,15	0.18	0	17,19,21	0.40	0
3	NAG	C	1602	1	14,14,15	0.29	0	17,19,21	0.84	1 (5%)
5	VCG	A	1609	-	42,42,42	3.00	8 (19%)	46,47,47	0.94	3 (6%)
3	NAG	A	1604	1	14,14,15	0.31	0	17,19,21	0.69	0
4	ELA	A	1606	-	19,19,19	0.79	1 (5%)	19,19,19	0.75	0
3	NAG	B	1602	1	14,14,15	0.28	0	17,19,21	0.86	1 (5%)
3	NAG	C	1605	1	14,14,15	0.38	0	17,19,21	1.14	1 (5%)
3	NAG	A	1601	1	14,14,15	0.27	0	17,19,21	0.78	0
4	ELA	A	1607	-	19,19,19	0.79	1 (5%)	19,19,19	0.79	0
4	ELA	B	1606	-	19,19,19	0.78	1 (5%)	19,19,19	0.72	0
3	NAG	B	1601	1	14,14,15	0.29	0	17,19,21	0.90	1 (5%)
5	VCG	B	1607	-	42,42,42	3.01	8 (19%)	46,47,47	0.95	5 (10%)
3	NAG	C	1601	1	14,14,15	0.27	0	17,19,21	0.86	1 (5%)
3	NAG	C	1604	1	14,14,15	0.30	0	17,19,21	0.76	0
3	NAG	A	1603	1	14,14,15	0.29	0	17,19,21	0.68	0
3	NAG	C	1603	1	14,14,15	0.30	0	17,19,21	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	VCG	A	1608	-	-	27/41/53/53	0/1/1/1
3	NAG	B	1605	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1605	1	-	2/6/23/26	0/1/1/1
3	NAG	A	1602	1	-	3/6/23/26	0/1/1/1
3	NAG	B	1603	1	-	2/6/23/26	0/1/1/1
3	NAG	B	1604	1	-	2/6/23/26	0/1/1/1
3	NAG	C	1602	1	-	3/6/23/26	0/1/1/1
5	VCG	A	1609	-	-	29/41/53/53	0/1/1/1
3	NAG	A	1604	1	-	2/6/23/26	0/1/1/1
4	ELA	A	1606	-	-	9/17/17/17	-
3	NAG	B	1602	1	-	3/6/23/26	0/1/1/1
3	NAG	C	1605	1	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1601	1	-	4/6/23/26	0/1/1/1
4	ELA	A	1607	-	-	8/17/17/17	-
4	ELA	B	1606	-	-	10/17/17/17	-
3	NAG	B	1601	1	-	2/6/23/26	0/1/1/1
5	VCG	B	1607	-	-	27/41/53/53	0/1/1/1
3	NAG	C	1601	1	-	2/6/23/26	0/1/1/1
3	NAG	C	1604	1	-	4/6/23/26	0/1/1/1
3	NAG	A	1603	1	-	2/6/23/26	0/1/1/1
3	NAG	C	1603	1	-	2/6/23/26	0/1/1/1

The worst 5 of 27 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1607	VCG	C28-C27	-13.89	1.22	1.52
5	A	1608	VCG	C28-C27	-13.86	1.22	1.52
5	A	1609	VCG	C28-C27	-13.83	1.22	1.52
5	A	1608	VCG	C28-C29	8.02	1.64	1.52
5	B	1607	VCG	C28-C29	8.01	1.64	1.52

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1605	NAG	C1-O5-C5	3.84	117.40	112.19
3	B	1605	NAG	C1-O5-C5	3.67	117.16	112.19
3	C	1605	NAG	C1-O5-C5	3.59	117.06	112.19
5	B	1607	VCG	O20-C18-C17	2.62	120.12	111.91
5	A	1608	VCG	O20-C18-C17	2.59	120.03	111.91

There are no chirality outliers.

5 of 151 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1601	NAG	C8-C7-N2-C2
3	A	1601	NAG	O7-C7-N2-C2
3	A	1602	NAG	C8-C7-N2-C2
3	A	1602	NAG	O7-C7-N2-C2
3	B	1601	NAG	C8-C7-N2-C2


There are no ring outliers.

4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1602	NAG	1	0
3	B	1602	NAG	1	0
4	A	1607	ELA	1	0
4	B	1606	ELA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30998. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 136



Y Index: 135




Z Index: 173


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.013. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 199  $\text{nm}^3$ ; this corresponds to an approximate mass of 180 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of  $0.385 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.64	3.00	2.71
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30998 and PDB model 7E7B. Per-residue inclusion information can be found in section [3](#) on page [11](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.013 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.013).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

















The table lists the average atom inclusion at the recommended contour level (0.013) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9377	 0.6140
A	 0.9466	 0.6200
B	 0.9465	 0.6190
C	 0.9497	 0.6200
D	 0.7143	 0.5420
E	 0.8929	 0.5300
F	 0.7143	 0.4740
G	 0.6071	 0.4410
H	 0.5000	 0.3480
I	 0.8929	 0.5720
J	 0.8929	 0.5780
K	 0.6429	 0.3330
L	 0.7500	 0.4680
M	 0.5357	 0.3970
N	 0.8929	 0.5160
O	 0.7857	 0.5380
P	 0.8214	 0.5110
Q	 0.7143	 0.5490
R	 0.8571	 0.5320
S	 0.7500	 0.4830
T	 0.6429	 0.4140
U	 0.4286	 0.3450
V	 0.8214	 0.5640
W	 0.8929	 0.5640
X	 0.6071	 0.3460
Y	 0.7500	 0.5000
Z	 0.5000	 0.3610
a	 0.8929	 0.5250
b	 0.7500	 0.5200
c	 0.7857	 0.5090
d	 0.7143	 0.5410
e	 0.8929	 0.5390
f	 0.7143	 0.4700
g	 0.5714	 0.4250
h	 0.4643	 0.3300



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
i	 0.8929	 0.5670
j	 0.8929	 0.5720
k	 0.6429	 0.3460
l	 0.7500	 0.4730
m	 0.4643	 0.3880
n	 0.8929	 0.5240
o	 0.7500	 0.5380
p	 0.8214	 0.5150