



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 31, 2020 – 09:43 AM BST

PDB ID : 1EDD  
Title : CRYSTALLOGRAPHIC AND FLUORESCENCE STUDIES OF THE INTERACTION OF HALOALKANE DEHALOGENASE WITH HALIDE IONS: STUDIES WITH HALIDE COMPOUNDS REVEAL A HALIDE BINDING SITE IN THE ACTIVE SITE  
Authors : Verschueren, K.H.G.; Dijkstra, B.W.  
Deposited on : 1993-05-13  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	310	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HALOALKANE DEHALOGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	310	2479	1596	406	462	15	0	0	0

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	172	Total	O	0	0
			172	172		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: HALOALKANE DEHALOGENASE

Chain A: 



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.40Å 72.50Å 41.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.19	Depositor
% Data completeness (in resolution range)	(Not available) (15.00-2.19)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT	Depositor
R, $R_{free}$	0.181 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2652	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	11.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.79	0/2552	1.91	67/3470 (1.9%)

There are no bond length outliers.

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	124	ASP	CB-CG-OD2	-12.64	106.93	118.30
1	A	48	ASP	CB-CG-OD2	-12.21	107.31	118.30
1	A	116	ARG	NE-CZ-NH1	12.13	126.36	120.30
1	A	116	ARG	NE-CZ-NH2	-12.13	114.24	120.30
1	A	143	ARG	NE-CZ-NH1	11.32	125.96	120.30
1	A	286	ASP	CB-CG-OD1	11.17	128.35	118.30
1	A	93	ASP	CB-CG-OD2	-10.87	108.52	118.30
1	A	212	ASP	CB-CG-OD2	-10.51	108.84	118.30
1	A	114	ASP	CB-CG-OD1	10.33	127.59	118.30
1	A	269	TYR	CB-CG-CD1	-9.95	115.03	121.00
1	A	212	ASP	CB-CG-OD1	9.86	127.17	118.30
1	A	170	ASP	CB-CG-OD1	9.55	126.89	118.30
1	A	230	ASP	CB-CG-OD1	9.07	126.46	118.30
1	A	220	ARG	NE-CZ-NH1	8.80	124.70	120.30
1	A	193	ARG	NE-CZ-NH2	-8.40	116.10	120.30
1	A	9	ASP	CB-CG-OD2	-8.15	110.96	118.30
1	A	48	ASP	CB-CG-OD1	8.05	125.55	118.30
1	A	45	ASP	CB-CG-OD2	-8.02	111.08	118.30
1	A	269	TYR	CB-CG-CD2	7.82	125.69	121.00
1	A	269	TYR	CA-CB-CG	-7.76	98.65	113.40
1	A	188	ASP	CB-CG-OD1	7.72	125.25	118.30
1	A	6	ARG	NE-CZ-NH2	7.70	124.15	120.30
1	A	13	SER	CB-CA-C	-7.65	95.56	110.10
1	A	93	ASP	CB-CG-OD1	7.61	125.15	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	ARG	NE-CZ-NH2	-7.47	116.56	120.30
1	A	114	ASP	CB-CG-OD2	-7.32	111.71	118.30
1	A	40	ASP	CB-CG-OD1	7.25	124.82	118.30
1	A	35	ARG	NE-CZ-NH2	7.21	123.90	120.30
1	A	286	ASP	CB-CG-OD2	-7.14	111.87	118.30
1	A	300	ARG	NE-CZ-NH1	6.94	123.77	120.30
1	A	63	TYR	CB-CG-CD1	-6.92	116.85	121.00
1	A	229	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	A	235	ASP	CB-CG-OD2	-6.76	112.22	118.30
1	A	124	ASP	CB-CG-OD1	6.74	124.37	118.30
1	A	40	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	A	204	SER	CB-CA-C	6.72	122.87	110.10
1	A	57	PRO	N-CA-C	-6.47	95.27	112.10
1	A	178	ASP	CB-CG-OD1	6.37	124.03	118.30
1	A	232	ALA	N-CA-CB	6.27	118.87	110.10
1	A	64	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	A	45	ASP	CB-CG-OD1	6.17	123.85	118.30
1	A	193	ARG	NE-CZ-NH1	6.05	123.32	120.30
1	A	9	ASP	CB-CG-OD1	5.99	123.69	118.30
1	A	59	TRP	N-CA-CB	5.90	121.22	110.60
1	A	140	ARG	NE-CZ-NH1	5.88	123.24	120.30
1	A	149	ALA	CB-CA-C	-5.87	101.29	110.10
1	A	107	LEU	CB-CG-CD2	-5.74	101.25	111.00
1	A	27	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	225	MET	CG-SD-CE	5.66	109.25	100.20
1	A	119	THR	N-CA-C	-5.65	95.75	111.00
1	A	38	TYR	CG-CD1-CE1	5.62	125.79	121.30
1	A	137	ASP	CB-CG-OD1	5.61	123.35	118.30
1	A	120	LEU	CB-CA-C	5.60	120.84	110.20
1	A	16	ASP	CB-CG-OD2	-5.60	113.26	118.30
1	A	35	ARG	NE-CZ-NH1	-5.57	117.52	120.30
1	A	184	ASP	CB-CG-OD2	-5.56	113.30	118.30
1	A	215	TYR	CB-CA-C	-5.53	99.35	110.40
1	A	140	ARG	CB-CA-C	-5.40	99.60	110.40
1	A	4	ALA	CB-CA-C	-5.31	102.13	110.10
1	A	38	TYR	CB-CG-CD1	5.24	124.14	121.00
1	A	26	ASP	CA-CB-CG	-5.20	101.95	113.40
1	A	300	ARG	CD-NE-CZ	5.20	130.87	123.60
1	A	69	VAL	CA-CB-CG2	-5.16	103.16	110.90
1	A	304	LYS	CB-CA-C	5.16	120.73	110.40
1	A	266	ASP	N-CA-CB	5.14	119.86	110.60
1	A	68	PRO	N-CA-CB	5.02	109.33	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	239	GLU	O-C-N	-5.01	114.68	122.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2479	0	2379	42	0
2	A	1	0	0	0	0
3	A	172	0	0	5	1
All	All	2652	0	2379	42	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:GLN:HE21	1:A:292:GLN:H	1.06	1.01
1:A:142:LYS:HG2	1:A:143:ARG:HG3	1.66	0.77
1:A:292:GLN:HE21	1:A:292:GLN:N	1.83	0.75
1:A:112:ARG:HH11	1:A:112:ARG:HG3	1.58	0.67
1:A:292:GLN:NE2	1:A:292:GLN:H	1.87	0.64
1:A:26:ASP:OD1	1:A:26:ASP:N	2.30	0.62
1:A:17:GLN:HG3	3:A:413:HOH:O	2.04	0.58
1:A:112:ARG:NH1	1:A:112:ARG:HG3	2.16	0.57
1:A:154:ASP:HB2	1:A:155:PRO:HD2	1.88	0.56
1:A:296:GLU:O	1:A:300:ARG:HG3	2.06	0.55
1:A:154:ASP:OD1	1:A:157:THR:HG23	2.08	0.53
1:A:262:LEU:HD23	3:A:539:HOH:O	2.10	0.52
1:A:309:THR:HG22	1:A:309:THR:O	2.09	0.52
1:A:104:ASN:ND2	3:A:415:HOH:O	2.40	0.51
1:A:142:LYS:HG2	1:A:143:ARG:CG	2.38	0.51
1:A:97:TYR:HB2	1:A:221:LYS:HG2	1.95	0.49

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:LEU:HD13	1:A:241:ILE:HG13	1.95	0.49
1:A:67:ILE:HG12	1:A:77:VAL:HG11	1.94	0.49
1:A:269:TYR:HB2	1:A:270:PRO:HD3	1.94	0.48
1:A:272:LYS:O	1:A:272:LYS:HG2	2.13	0.48
1:A:308:GLU:O	1:A:308:GLU:HG3	2.15	0.47
1:A:309:THR:O	1:A:310:GLU:HB2	2.16	0.46
1:A:153:THR:HG21	1:A:158:GLN:HB2	1.98	0.46
1:A:142:LYS:O	1:A:143:ARG:HG2	2.16	0.45
1:A:307:ALA:C	1:A:309:THR:H	2.21	0.45
1:A:243:PHE:CD2	1:A:243:PHE:C	2.91	0.45
1:A:275:ILE:HG21	1:A:275:ILE:HD13	1.78	0.44
1:A:38:TYR:CB	1:A:80:PRO:HA	2.47	0.44
1:A:266:ASP:HB2	3:A:426:HOH:O	2.18	0.43
1:A:5:ILE:HG21	1:A:5:ILE:HD13	1.49	0.43
1:A:310:GLU:O	1:A:310:GLU:HG2	2.18	0.43
1:A:56:GLU:HA	1:A:57:PRO:HA	1.95	0.42
1:A:220:ARG:HD3	3:A:449:HOH:O	2.19	0.42
1:A:269:TYR:CB	1:A:270:PRO:HD3	2.50	0.42
1:A:125:TRP:CH2	1:A:225:MET:CE	3.03	0.41
1:A:107:LEU:HA	1:A:107:LEU:HD23	1.84	0.41
1:A:161:PHE:N	1:A:161:PHE:CD1	2.88	0.41
1:A:301:GLU:OE1	1:A:304:LYS:HD2	2.21	0.41
1:A:154:ASP:OD1	1:A:157:THR:CG2	2.68	0.41
1:A:31:TYR:N	1:A:32:PRO:CD	2.84	0.41
1:A:30:GLY:O	1:A:32:PRO:HD2	2.21	0.40
1:A:305:HIS:O	1:A:308:GLU:HG2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:569:HOH:O	3:A:569:HOH:O[2_685]	2.10	0.10

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	308/310 (99%)	293 (95%)	12 (4%)	3 (1%)	15 14

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	ASN
1	A	309	THR
1	A	308	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	262/262 (100%)	243 (93%)	19 (7%)	14 15

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	10	GLN
1	A	14	ASN
1	A	15	LEU
1	A	47	GLU
1	A	73	SER
1	A	91	PRO
1	A	113	LEU
1	A	116	ARG
1	A	123	GLN
1	A	157	THR
1	A	162	SER
1	A	186	ARG
1	A	204	SER
1	A	213	THR
1	A	222	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	271	MET
1	A	292	GLN
1	A	304	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	104	ASN
1	A	123	GLN
1	A	251	GLN
1	A	292	GLN
1	A	297	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.