



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 03:42 PM BST

PDB ID : 1EHK
Title : CRYSTAL STRUCTURE OF THE ABERRANT BA3-CYTOCHROME-C OXIDASE FROM THERMUS THERMOPHILUS
Authors : Soulimane, T.; Buse, G.; Bourenkov, G.P.; Bartunik, H.D.; Huber, R.; Than, M.E.
Deposited on : 2000-02-21
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	562	
2	B	168	
3	C	33	

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BA3-TYPE CYTOCHROME-C OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	544	4294	2916	687	675	16	72	0	0


- Molecule 2 is a protein called BA3-TYPE CYTOCHROME-C OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	166	1298	844	216	234	4	57	0	0

- Molecule 3 is a protein called BA3-TYPE CYTOCHROME-C OXIDASE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	33	259	179	39	41	4	0	0

- Molecule 4 is nonyl beta-D-glucopyranoside (three-letter code: BNG) (formula: C₁₅H₃₀O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			21	15	6		
4	A	1	Total	C	O	2	0
			21	15	6		
4	A	1	Total	C	O	4	0
			21	15	6		

- Molecule 5 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cu	0	0
			1	1		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 7 is HEME-AS (three-letter code: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
7	A	1	65	54	1	4	6	0	0

- Molecule 8 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cu		
8	B	1	2	2	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	88	Total 88	O 88	0	0
9	B	30	Total 30	O 30	0	0
9	C	1	Total 1	O 1	0	0

4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	112.11Å 112.11Å 161.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.40	Depositor
% Data completeness (in resolution range)	96.3 (20.00-2.40)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.3	Depositor
R, R_{free}	0.222 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6144	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HAS, BNG, CU, CUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/4448	0.73	1/6106 (0.0%)
2	B	0.40	0/1335	0.69	0/1822
3	C	0.49	0/265	0.59	0/359
All	All	0.43	0/6048	0.71	1/8287 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	233	HIS	CA-CB-CG	-6.59	102.40	113.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	237	TYR	Sidechain
1	A	402	TYR	Sidechain
1	A	46	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4294	0	4405	140	0
2	B	1298	0	1280	48	0
3	C	259	0	279	17	0
4	A	63	0	90	7	0
5	A	1	0	0	0	0
6	A	43	0	30	3	0
7	A	65	0	62	5	0
8	B	2	0	0	0	0
9	A	88	0	0	1	0
9	B	30	0	0	4	0
9	C	1	0	0	0	0
All	All	6144	0	6146	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:410:GLY:HA2	1:A:502:ALA:HB2	1.31	1.11
1:A:325:ARG:HA	1:A:329:GLY:HA3	1.46	0.93
1:A:449:ARG:HD2	1:A:450:ARG:HG3	1.54	0.87
7:A:801:HAS:HBC1	7:A:801:HAS:HMC1	1.53	0.87
1:A:355:GLY:O	1:A:358:PRO:HD2	1.80	0.80
1:A:518:ARG:O	1:A:522:LEU:HD13	1.82	0.80
1:A:410:GLY:CA	1:A:502:ALA:HB2	2.12	0.76
1:A:448:PRO:HG3	2:B:148:ILE:HG21	1.68	0.75
1:A:465:VAL:CG1	1:A:466:PRO:HD3	2.19	0.72
4:A:902:BNG:H1	3:C:33:ARG:HH11	1.54	0.72
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.73	0.71
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.73	0.70
2:B:123:ILE:N	2:B:123:ILE:HD12	2.07	0.69
1:A:435:MET:HG2	1:A:439:LEU:HD23	1.74	0.68
2:B:121:THR:CB	2:B:123:ILE:HD13	2.22	0.68
2:B:123:ILE:HD11	2:B:137:TYR:CD2	2.28	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:LEU:HB2	1:A:123:PRO:HD3	1.76	0.68
2:B:121:THR:HB	2:B:123:ILE:HD13	1.77	0.67
1:A:178:VAL:HG11	1:A:521:VAL:CG1	2.24	0.67
1:A:220:ASP:HB3	1:A:223:VAL:HG22	1.75	0.67
1:A:465:VAL:HG13	1:A:466:PRO:HD3	1.76	0.66
1:A:280:GLY:HA3	1:A:542:TYR:OH	1.96	0.66
7:A:801:HAS:CBC	7:A:801:HAS:HMC1	2.24	0.66
1:A:438:GLY:HA3	1:A:470:ASN:ND2	2.10	0.66
1:A:463:ALA:O	1:A:466:PRO:HD2	1.95	0.66
2:B:44:VAL:HA	2:B:135:VAL:HG13	1.78	0.66
2:B:142:PRO:HA	2:B:166:VAL:HG13	1.78	0.65
1:A:123:PRO:HG2	1:A:144:ALA:HB3	1.78	0.65
1:A:178:VAL:HG11	1:A:521:VAL:HG11	1.78	0.65
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.32	0.65
1:A:305:VAL:O	1:A:308:PRO:HD2	1.96	0.64
1:A:236:VAL:HG12	1:A:239:TRP:CZ3	2.32	0.64
2:B:23:LEU:O	2:B:27:PHE:HD1	1.80	0.64
1:A:403:TRP:C	1:A:406:PRO:HD2	2.18	0.63
1:A:323:ALA:O	1:A:327:ARG:HG2	1.97	0.63
1:A:335:TRP:O	1:A:339:LEU:HD22	1.98	0.63
2:B:123:ILE:HD11	2:B:137:TYR:CG	2.34	0.62
1:A:449:ARG:HH12	7:A:801:HAS:CGA	2.12	0.62
2:B:5:HIS:HB3	9:B:830:HOH:O	2.00	0.62
1:A:54:LEU:HD23	1:A:58:LEU:HD13	1.82	0.61
1:A:54:LEU:O	1:A:58:LEU:HD13	2.01	0.61
1:A:406:PRO:HG3	1:A:413:ILE:CD1	2.31	0.61
1:A:262:ASP:HB2	1:A:511:VAL:HG11	1.82	0.61
1:A:327:ARG:NH2	1:A:340:PRO:HG3	2.16	0.60
1:A:381:VAL:HB	1:A:382:PRO:HD3	1.83	0.60
1:A:435:MET:HG2	1:A:439:LEU:CD2	2.31	0.60
1:A:325:ARG:HA	1:A:329:GLY:CA	2.27	0.59
3:C:4:LYS:HB3	3:C:6:LYS:HG3	1.83	0.59
1:A:441:TRP:CD2	1:A:466:PRO:HG3	2.38	0.58
1:A:465:VAL:HG12	9:A:970:HOH:O	2.03	0.58
1:A:346:PHE:CZ	1:A:350:VAL:HG21	2.38	0.58
1:A:516:GLU:O	1:A:520:LEU:HD13	2.03	0.58
1:A:281:PHE:H	1:A:298:HIS:CD2	2.21	0.58
1:A:357:ILE:HB	1:A:358:PRO:HD3	1.85	0.58
2:B:7:ALA:O	2:B:11:ILE:HG13	2.03	0.58
1:A:400:SER:HA	1:A:403:TRP:NE1	2.19	0.57
2:B:121:THR:HB	2:B:123:ILE:CD1	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:455:GLN:C	1:A:457:PRO:HD3	2.25	0.57
1:A:107:TRP:HB3	4:A:901:BNG:H1'2	1.86	0.57
2:B:14:TYR:HD2	3:C:9:LEU:HD21	1.67	0.57
1:A:167:TRP:CZ2	1:A:527:ILE:HD12	2.39	0.57
1:A:250:ILE:HG23	1:A:507:PRO:HB2	1.86	0.57
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.87	0.57
1:A:465:VAL:HG13	1:A:466:PRO:CD	2.35	0.57
1:A:120:ALA:O	1:A:123:PRO:HD2	2.05	0.56
1:A:111:TRP:CD1	4:A:901:BNG:H3'2	2.40	0.56
1:A:487:GLY:O	1:A:491:VAL:HG23	2.04	0.56
1:A:281:PHE:H	1:A:298:HIS:HD2	1.53	0.56
2:B:123:ILE:HD12	2:B:123:ILE:H	1.70	0.56
1:A:233:HIS:O	1:A:236:VAL:HG22	2.07	0.55
1:A:398:MET:O	1:A:401:LEU:HB2	2.07	0.55
4:A:902:BNG:H3	3:C:33:ARG:NE	2.21	0.54
1:A:463:ALA:O	1:A:467:MET:HG3	2.07	0.54
1:A:438:GLY:HA3	1:A:470:ASN:HD21	1.71	0.54
1:A:123:PRO:CG	1:A:144:ALA:HB3	2.37	0.54
1:A:50:ASP:OD1	1:A:53:PRO:HD3	2.07	0.54
7:A:801:HAS:CMC	7:A:801:HAS:HBC1	2.34	0.53
1:A:332:LEU:HG	1:A:333:PHE:CD1	2.44	0.52
2:B:121:THR:OG1	2:B:123:ILE:HD13	2.10	0.52
1:A:82:GLN:HG2	1:A:86:GLN:NE2	2.24	0.52
1:A:143:TRP:HB2	1:A:213:PHE:CE2	2.45	0.52
2:B:122:ASN:ND2	3:C:33:ARG:HB2	2.25	0.52
1:A:33:ILE:O	1:A:37:LEU:HG	2.10	0.51
3:C:4:LYS:C	3:C:6:LYS:H	2.13	0.51
1:A:54:LEU:C	1:A:54:LEU:HD23	2.31	0.51
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.44	0.51
1:A:379:ALA:O	1:A:382:PRO:HD2	2.11	0.51
2:B:151:GLN:O	2:B:152:TYR:C	2.50	0.50
1:A:359:GLY:HA3	1:A:388:GLN:NE2	2.27	0.50
1:A:100:ARG:HG2	1:A:101:PRO:O	2.10	0.50
1:A:346:PHE:O	1:A:350:VAL:HG23	2.12	0.50
1:A:465:VAL:HG12	1:A:466:PRO:HD3	1.93	0.50
1:A:478:LEU:O	1:A:482:LEU:HG	2.12	0.50
2:B:91:GLN:HG2	9:B:821:HOH:O	2.12	0.49
1:A:348:ALA:HB1	1:A:395:LEU:O	2.13	0.49
1:A:512:ILE:HD13	2:B:4:GLU:HB3	1.95	0.49
2:B:58:VAL:HG22	2:B:64:TRP:HB2	1.93	0.49
1:A:28:GLY:HA2	1:A:83:LEU:HD12	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:97:VAL:HG21	2:B:103:ILE:HD13	1.94	0.48
1:A:258:LYS:HE2	1:A:510:GLU:OE2	2.13	0.48
1:A:325:ARG:CA	1:A:329:GLY:HA3	2.32	0.48
4:A:902:BNG:O4	2:B:120:GLY:HA2	2.12	0.48
2:B:118:VAL:HB	2:B:121:THR:OG1	2.14	0.48
3:C:13:LEU:C	3:C:13:LEU:HD13	2.34	0.48
1:A:400:SER:HA	1:A:403:TRP:CD1	2.49	0.48
1:A:435:MET:O	1:A:439:LEU:HD23	2.13	0.48
6:A:800:HEM:CMC	6:A:800:HEM:HBC2	2.44	0.48
1:A:448:PRO:CG	2:B:148:ILE:HG21	2.41	0.48
1:A:348:ALA:HB3	1:A:349:PRO:CD	2.44	0.47
1:A:25:LEU:HD11	1:A:404:LEU:HD23	1.95	0.47
1:A:444:LEU:HB3	4:A:902:BNG:H3'1	1.96	0.47
2:B:166:VAL:O	2:B:166:VAL:HG13	2.14	0.47
1:A:230:TRP:C	1:A:230:TRP:CD1	2.87	0.47
1:A:235:ILE:O	1:A:238:PHE:HB3	2.14	0.47
1:A:463:ALA:C	1:A:466:PRO:HD2	2.34	0.47
2:B:67:PRO:HG3	2:B:91:GLN:OE1	2.14	0.47
1:A:477:LEU:HD12	6:A:800:HEM:HMB3	1.96	0.47
1:A:340:PRO:C	1:A:342:ASP:H	2.18	0.47
1:A:52:TYR:N	1:A:53:PRO:CD	2.78	0.47
2:B:123:ILE:CD1	2:B:123:ILE:H	2.27	0.47
2:B:123:ILE:CD1	2:B:123:ILE:N	2.75	0.47
1:A:264:MET:SD	2:B:15:GLU:HG2	2.55	0.46
1:A:562:TRP:HA	2:B:155:LEU:HG	1.97	0.46
2:B:45:ILE:HG22	9:B:832:HOH:O	2.15	0.46
1:A:485:ILE:O	1:A:489:PHE:HD1	1.97	0.46
1:A:152:PHE:O	1:A:155:SER:HB3	2.16	0.46
1:A:405:LEU:N	1:A:406:PRO:CD	2.79	0.46
1:A:379:ALA:C	1:A:382:PRO:HD2	2.37	0.45
1:A:174:ASN:HB3	1:A:177:LYS:HD2	1.97	0.45
2:B:26:LEU:O	2:B:30:ILE:HG13	2.17	0.45
1:A:402:TYR:CZ	1:A:421:GLY:HA3	2.52	0.45
2:B:130:GLY:HA3	9:B:812:HOH:O	2.16	0.45
1:A:325:ARG:NH1	3:C:3:GLU:HA	2.31	0.45
1:A:420:LEU:O	1:A:423:ALA:N	2.50	0.45
1:A:379:ALA:HB1	1:A:439:LEU:HD12	1.98	0.45
1:A:271:LEU:CB	1:A:308:PRO:HG3	2.47	0.45
1:A:330:ARG:HB2	1:A:334:GLY:HA3	1.99	0.45
1:A:467:MET:O	1:A:471:VAL:HG23	2.17	0.45
1:A:90:VAL:O	1:A:93:PRO:HG2	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLY:O	1:A:329:GLY:C	2.56	0.45
1:A:472:LEU:O	1:A:476:VAL:HG23	2.15	0.45
2:B:92:PRO:HG2	2:B:95:ILE:HG12	1.98	0.45
1:A:429:PHE:O	1:A:433:MET:HG2	2.17	0.45
6:A:800:HEM:HBC2	6:A:800:HEM:HMC1	1.98	0.45
2:B:147:ILE:HD11	2:B:164:ILE:HG13	1.99	0.44
2:B:90:TYR:O	2:B:93:ASN:HB2	2.17	0.44
4:A:902:BNG:H3	3:C:33:ARG:HE	1.81	0.44
1:A:131:VAL:O	1:A:132:LEU:HB2	2.17	0.44
1:A:310:LEU:HD23	7:A:801:HAS:H261	1.99	0.44
1:A:291:ASP:OD2	1:A:293:THR:HB	2.18	0.44
1:A:375:VAL:HB	1:A:380:TRP:CD1	2.52	0.44
1:A:82:GLN:HG2	1:A:86:GLN:HE21	1.83	0.44
2:B:44:VAL:HA	2:B:135:VAL:CG1	2.46	0.44
1:A:324:GLY:HA3	1:A:335:TRP:HB2	2.00	0.44
3:C:4:LYS:O	3:C:6:LYS:N	2.51	0.44
1:A:48:ASN:HD22	1:A:454:ALA:HA	1.83	0.43
1:A:48:ASN:HD21	1:A:457:PRO:HA	1.83	0.43
1:A:406:PRO:HG3	1:A:413:ILE:HD13	2.00	0.43
1:A:402:TYR:OH	1:A:421:GLY:HA3	2.18	0.43
1:A:348:ALA:HA	1:A:425:VAL:HG11	2.01	0.43
1:A:52:TYR:N	1:A:53:PRO:HD3	2.34	0.43
1:A:271:LEU:HB2	1:A:308:PRO:HG3	2.01	0.43
1:A:79:VAL:HA	1:A:152:PHE:CZ	2.54	0.43
1:A:92:LEU:N	1:A:93:PRO:HD2	2.33	0.43
2:B:19:LEU:O	2:B:23:LEU:HD13	2.18	0.43
2:B:97:VAL:O	2:B:166:VAL:HA	2.19	0.42
1:A:377:ASN:HB3	2:B:150:ASN:HB2	2.00	0.42
3:C:4:LYS:HG2	3:C:5:PRO:HD2	2.00	0.42
2:B:117:HIS:HD2	2:B:123:ILE:O	2.03	0.42
3:C:4:LYS:HE2	3:C:6:LYS:HG2	2.01	0.42
1:A:520:LEU:N	1:A:520:LEU:HD12	2.34	0.42
3:C:16:THR:O	3:C:20:LEU:HG	2.20	0.42
1:A:54:LEU:HD23	1:A:58:LEU:CD1	2.47	0.42
2:B:117:HIS:HB2	2:B:150:ASN:ND2	2.35	0.42
2:B:93:ASN:HA	2:B:94:PRO:HA	1.93	0.42
3:C:17:LEU:O	3:C:21:VAL:HG23	2.20	0.42
1:A:209:LEU:HD23	1:A:209:LEU:HA	1.87	0.42
1:A:456:VAL:N	1:A:457:PRO:HD3	2.34	0.42
2:B:87:ALA:HA	2:B:88:PHE:HA	1.79	0.41
1:A:239:TRP:O	1:A:242:PRO:HD2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:ASP:N	1:A:263:PRO:CD	2.83	0.41
1:A:332:LEU:HG	1:A:333:PHE:CE1	2.55	0.41
1:A:47:GLY:HA3	1:A:471:VAL:CG2	2.50	0.41
1:A:406:PRO:HG3	1:A:413:ILE:HD11	2.02	0.41
1:A:481:LEU:O	1:A:485:ILE:HG13	2.20	0.41
2:B:103:ILE:HD12	2:B:139:PHE:CD1	2.55	0.41
2:B:22:SER:O	2:B:26:LEU:HG	2.20	0.41
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.55	0.41
1:A:233:HIS:N	1:A:234:PRO:HD2	2.36	0.41
2:B:14:TYR:CD2	3:C:9:LEU:HD21	2.53	0.41
2:B:66:ASP:OD2	2:B:69:GLN:HG2	2.20	0.41
1:A:307:VAL:HB	1:A:308:PRO:HD3	2.02	0.41
1:A:325:ARG:HH12	3:C:3:GLU:C	2.25	0.41
1:A:401:LEU:HG	1:A:405:LEU:HD12	2.03	0.41
1:A:302:THR:O	1:A:305:VAL:HG12	2.21	0.40
1:A:406:PRO:CG	1:A:413:ILE:HD13	2.51	0.40
1:A:444:LEU:HA	1:A:444:LEU:HD23	1.82	0.40
1:A:154:LEU:HD23	1:A:154:LEU:HA	1.95	0.40
3:C:4:LYS:HE2	3:C:6:LYS:CG	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	540/562 (96%)	511 (95%)	26 (5%)	3 (1%)	25	36
2	B	164/168 (98%)	152 (93%)	12 (7%)	0	100	100
3	C	31/33 (94%)	26 (84%)	3 (10%)	2 (6%)	1	0
All	All	735/763 (96%)	689 (94%)	41 (6%)	5 (1%)	22	32

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	330	ARG
1	A	403	TRP
3	C	5	PRO
3	C	23	TRP
1	A	329	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/456 (96%)	427 (97%)	13 (3%)	41	61
2	B	136/138 (99%)	132 (97%)	4 (3%)	42	62
3	C	26/26 (100%)	25 (96%)	1 (4%)	33	51
All	All	602/620 (97%)	584 (97%)	18 (3%)	41	61

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	55	LEU
1	A	97	LEU
1	A	133	TYR
1	A	230	TRP
1	A	262	ASP
1	A	274	LEU
1	A	278	PRO
1	A	369	PHE
1	A	384	HIS
1	A	401	LEU
1	A	449	ARG
1	A	478	LEU
2	B	18	TRP
2	B	52	ARG
2	B	99	GLN
2	B	110	PRO
3	C	23	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	76	ASN
1	A	86	GLN
1	A	254	GLN
1	A	298	HIS
1	A	377	ASN
1	A	388	GLN
1	A	407	ASN
1	A	470	ASN
1	A	548	GLN
2	B	122	ASN
2	B	124	ASN
2	B	151	GLN
2	B	159	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BNG	A	901	-	21,21,21	0.57	0	26,26,26	0.93	2 (7%)
8	CUA	B	802	2	0,1,1	0.00	-	-		
7	HAS	A	801	1,9	56,72,72	4.26	22 (39%)	50,109,109	3.00	11 (22%)
6	HEM	A	800	1	27,50,50	1.75	4 (14%)	17,82,82	0.87	0
4	BNG	A	903	-	21,21,21	0.72	0	26,26,26	0.79	0
4	BNG	A	902	-	21,21,21	0.57	0	26,26,26	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BNG	A	903	-	-	1/12/32/32	0/1/1/1
4	BNG	A	901	-	-	2/12/32/32	0/1/1/1
6	HEM	A	800	1	-	0/6/54/54	-
7	HAS	A	801	1,9	-	3/35/122/122	-
4	BNG	A	902	-	-	3/12/32/32	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	801	HAS	CHD-C4A	-12.52	1.38	1.51
7	A	801	HAS	CHD-C4C	-12.28	1.38	1.51
7	A	801	HAS	CHA-C4D	-8.96	1.37	1.53
7	A	801	HAS	CHC-C4B	-8.88	1.38	1.53
7	A	801	HAS	C4D-ND	-8.64	1.37	1.49
7	A	801	HAS	C1D-ND	-8.39	1.38	1.49
7	A	801	HAS	C1B-NB	-8.33	1.38	1.49
7	A	801	HAS	C4B-NB	-8.22	1.38	1.49
7	A	801	HAS	CHA-C1A	-5.60	1.37	1.51
7	A	801	HAS	C4A-C3A	5.52	1.45	1.38
7	A	801	HAS	CHC-C1C	-5.36	1.38	1.51
7	A	801	HAS	C1A-C2A	4.71	1.44	1.38
7	A	801	HAS	C1C-C2C	4.60	1.44	1.38
6	A	800	HEM	C3B-CAB	-4.39	1.39	1.47
7	A	801	HAS	C3C-CAC	-4.36	1.39	1.47
6	A	800	HEM	C3C-CAC	-4.26	1.39	1.47
7	A	801	HAS	CHB-C1B	-4.01	1.37	1.53
7	A	801	HAS	C1D-C2D	-3.95	1.45	1.51
7	A	801	HAS	CHB-C1D	-3.90	1.38	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	800	HEM	C3B-C2B	-3.60	1.35	1.40
7	A	801	HAS	C3C-C2C	-3.45	1.35	1.40
6	A	800	HEM	C3C-C2C	-3.40	1.35	1.40
7	A	801	HAS	C14-C15	3.24	1.40	1.33
7	A	801	HAS	C22-C23	3.12	1.40	1.33
7	A	801	HAS	C18-C19	3.02	1.40	1.33
7	A	801	HAS	C29-C30	2.82	1.40	1.32

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	801	HAS	CHB-C1B-NB	10.82	124.39	110.94
7	A	801	HAS	CHB-C1D-ND	10.69	124.23	110.94
7	A	801	HAS	CHA-C4D-ND	7.36	124.64	110.75
7	A	801	HAS	CHC-C4B-NB	6.95	123.87	110.75
7	A	801	HAS	C4C-CHD-C4A	5.06	125.22	112.87
7	A	801	HAS	CHD-C4C-C3C	-4.05	124.30	129.61
7	A	801	HAS	CHC-C1C-C2C	-3.22	123.88	129.45
7	A	801	HAS	C1D-CHB-C1B	3.16	125.27	116.15
7	A	801	HAS	CHB-C1B-C2B	3.01	124.09	114.70
7	A	801	HAS	CHD-C4A-C3A	-2.97	124.57	129.53
4	A	901	BNG	C1'-O1-C1	-2.65	109.45	113.84
7	A	801	HAS	C21-C22-C23	-2.29	122.14	127.66
4	A	901	BNG	C4-C3-C2	-2.11	107.14	110.82

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	901	BNG	C2-C1-O1-C1'
4	A	901	BNG	O5-C1-O1-C1'
7	A	801	HAS	C3D-C2D-CMD-OMD
4	A	902	BNG	C2'-C1'-O1-C1
4	A	902	BNG	C2-C1-O1-C1'
4	A	902	BNG	O5-C1-O1-C1'
7	A	801	HAS	C1D-C2D-CMD-OMD
7	A	801	HAS	C24-C28-C29-C30
4	A	903	BNG	O5-C1-O1-C1'


There are no ring outliers.


4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	901	BNG	2	0
7	A	801	HAS	5	0
6	A	800	HEM	3	0
4	A	902	BNG	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.