



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 11, 2023 – 02:13 PM JST

PDB ID : 7EIY  
Title : Human histidine decarboxylase mutant Y334F soaking with histidine  
Authors : Komori, H.  
Deposited on : 2021-04-01  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.32.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.32.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	 83% 12% ..
1	B	481	 2% 82% 14% ..

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Histidine decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	467	3731	2390	639	679	23	0	3	0
1	B	466	3711	2374	636	678	23	0	0	0

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P19113
A	-2	PRO	-	expression tag	UNP P19113
A	-1	LEU	-	expression tag	UNP P19113
A	0	GLY	-	expression tag	UNP P19113
A	1	SER	-	expression tag	UNP P19113
A	180	SER	CYS	engineered mutation	UNP P19113
A	418	SER	CYS	engineered mutation	UNP P19113
B	-3	GLY	-	expression tag	UNP P19113
B	-2	PRO	-	expression tag	UNP P19113
B	-1	LEU	-	expression tag	UNP P19113
B	0	GLY	-	expression tag	UNP P19113
B	1	SER	-	expression tag	UNP P19113
B	180	SER	CYS	engineered mutation	UNP P19113
B	418	SER	CYS	engineered mutation	UNP P19113

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C<sub>8</sub>H<sub>10</sub>NO<sub>6</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	15	8	1	5	1	0	0
2	B	1	15	8	1	5	1	0	0

- Molecule 3 is HISTIDINE (three-letter code: HIS) (formula:  $C_6H_{10}N_3O_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	11	6	3	2	0	0
3	B	1	11	6	3	2	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O S	0	0
			5	4 1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	136	Total	O	0	0
			136	136		
5	B	96	Total	O	0	0
			96	96		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Histidine decarboxylase



- Molecule 1: Histidine decarboxylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.93Å 85.00Å 187.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.43 – 2.20 36.43 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (36.43-2.20) 100.0 (36.43-2.20)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.00 (at 2.20Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.167 , 0.224 0.173 , 0.223	Depositor DCC
$R_{free}$ test set	2425 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.5	Xtrriage
Anisotropy	0.138	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 34.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7731	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CSX, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.03	6/3827 (0.2%)	1.13	18/5189 (0.3%)
1	B	0.98	5/3797 (0.1%)	1.10	10/5146 (0.2%)
All	All	1.01	11/7624 (0.1%)	1.11	28/10335 (0.3%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	152	GLU	CD-OE1	7.49	1.33	1.25
1	A	399	GLU	CD-OE1	-7.41	1.17	1.25
1	A	152	GLU	CD-OE2	6.97	1.33	1.25
1	B	258	GLU	CD-OE2	-6.94	1.18	1.25
1	B	9	GLU	CD-OE1	5.97	1.32	1.25
1	B	148	SER	CA-CB	-5.81	1.44	1.52
1	B	62	GLU	CD-OE1	5.30	1.31	1.25
1	A	245	LEU	C-O	5.16	1.33	1.23
1	A	251	CYS	C-O	5.14	1.33	1.23
1	A	9	GLU	CD-OE2	-5.08	1.20	1.25
1	A	168	GLU	CD-OE2	5.06	1.31	1.25

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	358	ARG	NE-CZ-NH2	-9.52	115.54	120.30
1	A	358	ARG	NE-CZ-NH1	9.02	124.81	120.30
1	B	358	ARG	NE-CZ-NH1	8.14	124.37	120.30
1	A	447	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	A	447	ARG	NE-CZ-NH2	-6.51	117.05	120.30
1	A	468	ARG	NE-CZ-NH2	-6.49	117.06	120.30
1	A	393[A]	ARG	NE-CZ-NH2	-6.39	117.10	120.30
1	A	393[B]	ARG	NE-CZ-NH2	-6.39	117.10	120.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	328	PHE	CB-CA-C	-6.35	97.70	110.40
1	A	462	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	A	29	ARG	NE-CZ-NH2	-6.03	117.29	120.30
1	A	265	ARG	NE-CZ-NH1	6.03	123.31	120.30
1	A	341	GLY	C-N-CA	6.02	136.76	121.70
1	B	358	ARG	CG-CD-NE	5.79	123.97	111.80
1	B	358	ARG	CB-CG-CD	-5.76	96.64	111.60
1	A	265	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	A	367	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	358	ARG	CG-CD-NE	5.51	123.38	111.80
1	B	326	GLN	N-CA-CB	5.48	120.46	110.60
1	A	81	TYR	CB-CA-C	5.44	121.28	110.40
1	B	265	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	358	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	A	468	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	A	393[A]	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	393[B]	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	B	169	MET	CG-SD-CE	-5.21	91.86	100.20
1	B	29	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	B	462	ARG	NE-CZ-NH2	-5.14	117.73	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3731	0	3700	34	0
1	B	3711	0	3672	41	0
2	A	15	0	6	0	0
2	B	15	0	6	0	0
3	A	11	0	6	0	0
3	B	11	0	6	0	0
4	A	5	0	0	0	0
5	A	136	0	0	0	0
5	B	96	0	0	1	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7731	0	7396	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:HD2	1:A:54:TRP:CD1	2.14	0.82
1:A:468:ARG:O	1:A:468:ARG:HD3	1.91	0.71
1:B:256:LEU:HD11	1:B:272:ILE:HD11	1.75	0.68
1:B:256:LEU:HD11	1:B:272:ILE:CD1	2.28	0.63
1:B:87:TRP:HB2	1:B:88:PRO:HD3	1.82	0.61
1:A:434:PHE:CZ	1:A:436:ILE:HD11	2.35	0.60
1:A:87:TRP:HB2	1:A:88:PRO:HD3	1.85	0.59
1:A:351:ILE:O	1:B:199:LYS:HE2	2.02	0.59
1:A:199:LYS:HE3	1:B:328:PHE:HB3	1.85	0.58
1:B:228:ILE:HD11	1:B:268:LEU:HD11	1.83	0.58
1:A:436:ILE:HG23	1:A:437:PRO:HD2	1.88	0.56
1:B:5:GLU:OE2	1:B:8:ARG:HD3	2.05	0.56
1:B:177:ASP:OD1	1:B:179:SER:N	2.38	0.56
1:B:322:TYR:O	1:B:326:GLN:HG2	2.08	0.53
1:A:10:ARG:CD	1:A:54:TRP:CD1	2.91	0.52
1:A:353:LEU:HD22	1:B:194:HIS:CE1	2.45	0.52
1:B:397:SER:OG	1:B:468:ARG:NH2	2.43	0.52
1:A:344[A]:THR:HG21	1:A:349:TRP:HE1	1.77	0.50
1:A:250:VAL:CG1	1:A:440:ILE:HG21	2.42	0.50
1:B:87:TRP:N	1:B:88:PRO:CD	2.75	0.50
1:A:238:PRO:HB2	1:A:268:LEU:HD21	1.94	0.49
1:A:190:SER:HB2	1:A:219:LEU:HB2	1.94	0.49
1:B:280:ALA:HA	1:B:378:VAL:HG11	1.94	0.49
1:A:436:ILE:CG2	1:A:437:PRO:HD2	2.44	0.48
1:A:141:GLN:O	1:A:321:LYS:HD2	2.14	0.48
1:A:393[B]:ARG:HG3	1:A:393[B]:ARG:HH11	1.79	0.48
1:A:132:HIS:CE1	1:A:319:LYS:HE3	2.49	0.48
1:B:300:THR:HA	1:B:315:GLY:O	2.14	0.47
1:B:432:ARG:HD3	1:B:432:ARG:HA	1.62	0.47
1:A:468:ARG:HD3	1:A:468:ARG:C	2.28	0.47
1:B:302:ASN:HD22	1:B:305:LYS:NZ	2.13	0.47
1:A:356:ARG:HB3	1:B:311:PHE:CD2	2.50	0.46
1:A:10:ARG:HD2	1:A:54:TRP:NE1	2.31	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:392:VAL:HG22	1:B:464:TRP:CZ3	2.51	0.46
1:B:419:LEU:O	1:B:423:VAL:HG23	2.16	0.46
1:B:30:VAL:HG21	1:B:76:HIS:HB2	1.98	0.46
1:B:263:CYS:HB3	1:B:268:LEU:O	2.17	0.45
1:A:302:ASN:HD22	1:A:305:LYS:NZ	2.14	0.45
1:B:30:VAL:CG2	1:B:76:HIS:HB2	2.46	0.45
1:B:256:LEU:HD12	1:B:256:LEU:HA	1.80	0.45
1:B:274:ALA:O	1:B:301:PHE:HB2	2.16	0.45
1:B:156:ILE:HD11	5:B:1159:HOH:O	2.17	0.45
1:B:427:ILE:HD11	1:B:467:ILE:HA	1.99	0.44
1:A:250:VAL:HG11	1:A:440:ILE:HG21	1.99	0.44
1:A:35:GLN:O	1:A:38:TYR:HB3	2.18	0.44
1:A:65:ILE:HD11	1:B:363:TRP:CZ3	2.53	0.43
1:B:224:LEU:HD22	1:B:259:LEU:HD22	1.98	0.43
1:A:300:THR:HA	1:A:315:GLY:O	2.18	0.43
1:B:126:MET:HB3	1:B:282:LEU:HD22	2.01	0.43
1:A:149:THR:HG21	1:B:352:PRO:HB2	2.01	0.42
1:A:304:SER:HA	1:A:309:VAL:O	2.19	0.42
1:B:228:ILE:CD1	1:B:268:LEU:HD11	2.49	0.42
1:B:127:LEU:HD11	1:B:301:PHE:CE1	2.55	0.42
1:A:356:ARG:HB3	1:B:311:PHE:HD2	1.84	0.42
1:B:413:LEU:HD23	1:B:413:LEU:HA	1.89	0.42
1:A:343:ALA:HB3	1:B:36:PRO:HB3	2.01	0.42
1:A:344[A]:THR:HG21	1:A:349:TRP:NE1	2.35	0.42
1:A:177:ASP:HB3	1:A:180:SER:OG	2.21	0.41
1:B:273:ASP:C	1:B:273:ASP:OD1	2.59	0.41
1:B:290:LEU:HD12	1:B:290:LEU:HA	1.87	0.41
1:B:166:ILE:HD11	1:B:182:ASN:HB2	2.01	0.41
1:B:390:SER:O	1:B:394:ASN:ND2	2.47	0.41
1:A:344[A]:THR:CG2	1:A:349:TRP:HE1	2.32	0.41
1:B:28:ARG:HD2	1:B:71:HIS:CE1	2.55	0.41
1:B:50:ASP:HB3	1:B:51:PRO:HD2	2.03	0.40
1:A:242:CYS:HA	1:A:271:HIS:O	2.21	0.40
1:A:86:SER:O	1:A:90:LEU:HG	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	465/481 (97%)	447 (96%)	18 (4%)	0	100	100
1	B	461/481 (96%)	443 (96%)	18 (4%)	0	100	100
All	All	926/962 (96%)	890 (96%)	36 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	405/413 (98%)	389 (96%)	16 (4%)	31	40
1	B	402/413 (97%)	392 (98%)	10 (2%)	47	60
All	All	807/826 (98%)	781 (97%)	26 (3%)	40	50

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	93	ASP
1	A	141	GLN
1	A	162	ARG
1	A	165	LYS
1	A	175	ASP
1	A	179	SER
1	A	233	GLN
1	A	268	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	282	LEU
1	A	321	LYS
1	A	342	VAL
1	A	344[A]	THR
1	A	344[B]	THR
1	A	357	PHE
1	A	468	ARG
1	A	474	ILE
1	B	1	SER
1	B	31	THR
1	B	93	ASP
1	B	162	ARG
1	B	177	ASP
1	B	222	GLU
1	B	326	GLN
1	B	397	SER
1	B	440	ILE
1	B	468	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	441	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSX	A	255	1	3,6,7	0.56	0	1,6,8	1.79	0
1	CSX	B	255	1	3,6,7	1.22	1 (33%)	1,6,8	1.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	A	255	1	-	0/1/5/7	-
1	CSX	B	255	1	-	0/1/5/7	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	255	CSX	O-C	2.10	1.28	1.19

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	SO4	A	503	-	4,4,4	0.19	0	6,6,6	0.18	0
2	PLP	B	1000	3	15,15,16	1.28	1 (6%)	20,22,23	1.24	2 (10%)
3	HIS	B	1001	2	6,11,11	1.27	1 (16%)	7,14,14	0.91	0
2	PLP	A	501	3	15,15,16	1.11	2 (13%)	20,22,23	0.88	0
3	HIS	A	502	2	6,11,11	1.35	1 (16%)	7,14,14	1.59	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	501	3	-	2/6/6/8	0/1/1/1
3	HIS	B	1001	2	-	1/8/8/8	0/1/1/1
2	PLP	B	1000	3	-	2/6/6/8	0/1/1/1
3	HIS	A	502	2	-	1/8/8/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1000	PLP	C3-C2	4.17	1.45	1.40
3	B	1001	HIS	OXT-C	-2.80	1.21	1.30
2	A	501	PLP	C3-C2	2.48	1.43	1.40
2	A	501	PLP	C4A-C4	-2.41	1.46	1.51
3	A	502	HIS	OXT-C	-2.39	1.22	1.30

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1000	PLP	C4A-C4-C5	3.32	124.35	120.94
3	A	502	HIS	OXT-C-CA	3.07	123.84	113.38
2	B	1000	PLP	O4P-C5A-C5	2.08	113.31	109.35

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1000	PLP	C5A-O4P-P-O1P
2	B	1000	PLP	C5A-O4P-P-O2P
2	A	501	PLP	C4-C5-C5A-O4P

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	502	HIS	CA-CB-CG-ND1
2	A	501	PLP	C6-C5-C5A-O4P
3	B	1001	HIS	OXT-C-CA-N

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	466/481 (96%)	-0.54	1 (0%) 95 94	17, 29, 52, 72	0
1	B	465/481 (96%)	-0.31	8 (1%) 70 68	21, 40, 64, 88	0
All	All	931/962 (96%)	-0.43	9 (0%) 82 81	17, 34, 61, 88	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	331	ASN	3.5
1	B	442	ASP	3.3
1	B	477	GLN	2.9
1	B	139	SER	2.9
1	A	330	VAL	2.7
1	B	343	ALA	2.2
1	B	289	PHE	2.1
1	B	471	ALA	2.1
1	B	475	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSX	B	255	7/8	0.93	0.08	54,57,64,66	0
1	CSX	A	255	7/8	0.96	0.07	28,32,42,48	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	HIS	B	1001	11/11	0.94	0.12	35,37,42,44	0
3	HIS	A	502	11/11	0.97	0.07	25,26,30,31	0
4	SO4	A	503	5/5	0.97	0.12	41,45,52,62	0
2	PLP	B	1000	15/16	0.98	0.12	31,38,43,44	0
2	PLP	A	501	15/16	0.98	0.10	24,26,28,28	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.