



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 5, 2023 – 07:49 AM EST

PDB ID : 4ER4  
Title : HIGH-RESOLUTION X-RAY ANALYSES OF RENIN INHIBITOR-  
ASPARTIC PROTEINASE COMPLEXES  
Authors : Foundling, S.I.; Watson, F.E.; Szelke, M.; Blundell, T.L.  
Deposited on : 1991-01-05  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	330	
2	I	9	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2792 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENDOTHIAPEPSIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	E	330	2389	1514	366	507	2	0	0	0

- Molecule 2 is a protein called H-142.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	I	9	78	54	16	8	0	0	1

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	E	320	320	320	0	0
3	I	5	5	5	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: ENDOTHIAPEPSIN



- Molecule 2: H-142



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.70Å 74.00Å 45.50Å 90.00° 109.30° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.10)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.194 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2792	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	0.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: LAV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	E	0.94	3/2445 (0.1%)	1.71	47/3345 (1.4%)
2	I	1.18	0/68	1.23	1/91 (1.1%)
All	All	0.95	3/2513 (0.1%)	1.70	48/3436 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	9
2	I	0	2
All	All	0	11

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	232	TRP	NE1-CE2	-5.75	1.30	1.37
1	E	39	TRP	NE1-CE2	-5.51	1.30	1.37
1	E	55	ILE	C-N	-5.09	1.22	1.34

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	261	VAL	CA-CB-CG1	10.03	125.94	110.90
1	E	96	VAL	CA-CB-CG2	9.32	124.89	110.90
1	E	60	LYS	O-C-N	-8.79	108.63	122.70
1	E	197	TYR	CB-CG-CD2	-8.77	115.74	121.00
1	E	138	PHE	CB-CA-C	-8.46	93.48	110.40
1	E	297	ILE	CB-CA-C	-7.95	95.71	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	169	PHE	CG-CD2-CE2	7.41	128.95	120.80
1	E	113	GLU	OE1-CD-OE2	-7.28	114.56	123.30
1	E	83	ASP	CB-CG-OD2	7.14	124.73	118.30
1	E	199	VAL	CA-CB-CG2	7.10	121.55	110.90
1	E	287	ILE	O-C-N	-6.51	112.28	122.70
1	E	85	TYR	CB-CG-CD1	-6.50	117.10	121.00
1	E	91	VAL	CA-CB-CG2	6.41	120.52	110.90
1	E	312	VAL	CA-CB-CG2	6.38	120.47	110.90
1	E	89	VAL	CA-CB-CG2	6.29	120.33	110.90
1	E	265	ARG	NE-CZ-NH2	6.22	123.41	120.30
1	E	243	VAL	CA-CB-CG2	6.21	120.21	110.90
1	E	101	VAL	CA-CB-CG2	6.20	120.20	110.90
1	E	235	VAL	CA-CB-CG2	6.13	120.09	110.90
1	E	114	ASP	CB-CG-OD2	6.11	123.80	118.30
1	E	108	SER	N-CA-CB	-6.10	101.35	110.50
1	E	242	SER	N-CA-CB	6.09	119.64	110.50
1	E	5	THR	N-CA-CB	-5.88	99.12	110.30
1	E	2	ALA	CB-CA-C	5.83	118.84	110.10
1	E	84	VAL	CA-CB-CG2	5.80	119.60	110.90
1	E	191	GLU	OE1-CD-OE2	-5.77	116.37	123.30
1	E	11	ASP	CB-CA-C	-5.69	99.02	110.40
1	E	175	TYR	C-N-CA	5.68	135.91	121.70
1	E	248	PHE	O-C-N	-5.66	110.34	121.10
1	E	216	THR	C-N-CA	5.66	134.18	122.30
1	E	39	TRP	NE1-CE2-CZ2	-5.62	124.22	130.40
1	E	111	PHE	O-C-N	-5.55	113.81	122.70
2	I	4	PHE	O-C-N	-5.53	113.86	122.70
1	E	113	GLU	C-N-CA	5.50	135.46	121.70
1	E	159	ALA	O-C-N	-5.48	110.68	121.10
1	E	197	TYR	CG-CD1-CE1	-5.47	116.92	121.30
1	E	168	GLY	O-C-N	-5.46	113.97	122.70
1	E	21	GLY	O-C-N	5.38	131.31	122.70
1	E	150	VAL	N-CA-CB	-5.37	99.69	111.50
1	E	170	ILE	CA-C-O	5.24	131.10	120.10
1	E	83	ASP	O-C-N	-5.22	114.34	122.70
1	E	169	PHE	CZ-CE2-CD2	-5.17	113.89	120.10
1	E	78	GLY	C-N-CA	5.17	134.62	121.70
1	E	284	PHE	CB-CG-CD1	-5.14	117.20	120.80
1	E	171	ASP	CB-CG-OD1	5.13	122.91	118.30
1	E	107	VAL	CA-CB-CG2	5.12	118.58	110.90
1	E	63	THR	O-C-N	5.10	130.87	122.70
1	E	39	TRP	CD2-CE2-CZ2	5.07	128.38	122.30

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	151	PHE	Mainchain
1	E	175	TYR	Sidechain
1	E	181	TYR	Sidechain
1	E	197	TYR	Sidechain
1	E	257	PHE	Sidechain
1	E	259	PHE	Sidechain
1	E	284	PHE	Sidechain
1	E	311	PHE	Sidechain
1	E	60	LYS	Mainchain
2	I	6	LAV	Mainchain,Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2389	0	2280	104	3
2	I	78	0	73	11	0
3	E	320	0	0	9	8
3	I	5	0	0	1	0
All	All	2792	0	2353	108	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:145:SER:HB3	3:E:566:HOH:O	1.71	0.88
1:E:77:ASP:OD1	1:E:79:SER:HB2	1.75	0.85
1:E:120:LEU:HD21	2:I:6:LAV:HD1A	1.62	0.81
1:E:51:ASP:CG	1:E:52:GLY:N	2.30	0.81
1:E:132:SER:OG	1:E:133:PRO:HA	1.79	0.80
1:E:143:LYS:HE3	1:E:316:GLY:O	1.83	0.78
1:E:18:VAL:HG22	1:E:91:VAL:HG22	1.63	0.77

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:7:ILE:HG22	1:E:15:ILE:HG12	1.68	0.76
1:E:38:LEU:O	1:E:102:GLU:HG3	1.86	0.74
1:E:220:LEU:HD22	1:E:286:GLY:HA2	1.71	0.72
1:E:129:ASN:ND2	1:E:131:VAL:H	1.87	0.72
2:I:7:ILE:HG12	2:I:8:HIS:N	2.06	0.71
1:E:150:VAL:CG2	1:E:315:ASN:HA	2.21	0.70
1:E:86:THR:HG22	3:E:449:HOH:O	1.93	0.69
1:E:150:VAL:HG23	1:E:315:ASN:HA	1.75	0.68
1:E:7:ILE:HD13	1:E:13:ALA:HB3	1.76	0.68
1:E:70:THR:HG22	1:E:70:THR:O	1.94	0.68
1:E:10:LEU:HD13	1:E:10:LEU:H	1.61	0.65
1:E:266:ILE:HD11	1:E:323:PHE:HB3	1.80	0.64
1:E:94:LEU:HD21	1:E:142:ALA:HB1	1.80	0.63
1:E:215:ASP:OD1	2:I:6:LAV:H2	1.99	0.63
1:E:152:THR:OG1	1:E:166:ASN:HB2	1.99	0.63
1:E:66:LEU:O	1:E:69:ALA:HB3	1.98	0.62
1:E:181:TYR:HE1	1:E:313:VAL:HG11	1.64	0.62
1:E:10:LEU:HD13	1:E:10:LEU:N	2.15	0.61
1:E:5:THR:HB	3:E:338:HOH:O	2.02	0.60
1:E:7:ILE:CD1	1:E:13:ALA:HB3	2.31	0.59
1:E:12:ASP:HA	1:E:219:THR:HG23	1.83	0.59
1:E:130:THR:O	1:E:130:THR:HG23	2.02	0.59
1:E:131:VAL:HG12	1:E:134:THR:O	2.03	0.59
1:E:46:THR:O	1:E:49:GLU:HB2	2.05	0.57
1:E:72:SER:H	1:E:130:THR:CG2	2.18	0.57
1:E:77:ASP:HB3	2:I:5:HIS:ND1	2.19	0.57
1:E:266:ILE:CD1	1:E:323:PHE:HB3	2.35	0.56
1:E:168:GLY:O	1:E:169:PHE:HB3	2.06	0.55
1:E:56:TYR:O	1:E:58:PRO:HD3	2.07	0.55
1:E:219:THR:OG1	2:I:4:PHE:N	2.39	0.55
1:E:51:ASP:CG	1:E:52:GLY:H	2.07	0.55
1:E:254:LEU:CD2	1:E:274:ASP:HB2	2.37	0.55
1:E:150:VAL:HG22	1:E:315:ASN:HA	1.91	0.53
1:E:325:SER:HB2	3:E:437:HOH:O	2.09	0.53
1:E:80:SER:O	1:E:108:SER:HB2	2.09	0.53
1:E:152:THR:HA	1:E:312:VAL:O	2.10	0.52
2:I:9:LYS:N	3:I:344:HOH:O	2.42	0.51
1:E:89:VAL:HG21	1:E:99:GLN:HG2	1.92	0.51
1:E:198:ALA:HB3	1:E:258:THR:HB	1.92	0.51
1:E:22:THR:O	1:E:61:SER:HA	2.11	0.51
1:E:14:TYR:OH	1:E:308:LYS:HD2	2.11	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:129:ASN:HD21	1:E:131:VAL:HB	1.76	0.51
1:E:70:THR:O	1:E:70:THR:CG2	2.56	0.50
1:E:80(A):SER:O	1:E:81:SER:HB3	2.12	0.49
1:E:101:VAL:HG12	1:E:101:VAL:O	2.12	0.48
1:E:30:ASP:HB3	1:E:120:LEU:HG	1.96	0.48
1:E:51:ASP:OD1	1:E:52:GLY:N	2.41	0.48
1:E:139:PHE:O	1:E:143:LYS:HB2	2.13	0.48
1:E:135:GLN:NE2	3:E:536:HOH:O	2.45	0.48
1:E:94:LEU:HD23	1:E:138:PHE:CE2	2.48	0.48
1:E:113:GLU:HG3	3:E:611:HOH:O	2.14	0.48
1:E:75:TYR:HB2	1:E:79:SER:HB3	1.96	0.47
1:E:278:ILE:HG13	1:E:279:SER:N	2.30	0.47
1:E:143:LYS:HA	1:E:146:LEU:HD12	1.95	0.47
1:E:41:PHE:HB3	1:E:55:ILE:HD12	1.96	0.47
1:E:11:ASP:OD2	1:E:308:LYS:HE3	2.14	0.47
1:E:72:SER:H	1:E:130:THR:HG23	1.80	0.47
1:E:13:ALA:HB2	2:I:4:PHE:CD2	2.50	0.46
1:E:71:TRP:CZ3	1:E:80(A):SER:HB3	2.51	0.46
1:E:273:ILE:HG22	1:E:273:ILE:O	2.14	0.46
1:E:106:LYS:HE2	3:E:369:HOH:O	2.16	0.46
1:E:10:LEU:N	1:E:10:LEU:CD1	2.79	0.45
1:E:94:LEU:HD21	1:E:142:ALA:CB	2.43	0.45
1:E:126:SER:OG	1:E:136:LYS:HA	2.15	0.45
1:E:192:TRP:CZ3	1:E:261:VAL:HG22	2.51	0.45
1:E:278:ILE:HG13	1:E:279:SER:H	1.82	0.45
1:E:22:THR:HA	1:E:23:PRO:HA	1.34	0.45
2:I:7:ILE:CG1	2:I:8:HIS:N	2.77	0.45
1:E:61:SER:HB3	1:E:63(A):ALA:HB2	1.99	0.44
1:E:128:LEU:HD13	2:I:7:ILE:HG21	1.99	0.44
1:E:215:ASP:C	1:E:217:GLY:H	2.20	0.44
1:E:307:LEU:HD22	1:E:312:VAL:HG21	1.98	0.44
1:E:313:VAL:O	1:E:313:VAL:HG12	2.16	0.44
1:E:302:PHE:CD2	1:E:302:PHE:N	2.85	0.43
1:E:266:ILE:HD11	1:E:323:PHE:CB	2.45	0.43
1:E:219:THR:O	1:E:305:VAL:HG23	2.17	0.43
1:E:77:ASP:OD1	1:E:79:SER:N	2.51	0.43
1:E:254:LEU:HD12	1:E:254:LEU:HA	1.70	0.43
1:E:41:PHE:CE2	1:E:107:VAL:HG21	2.54	0.42
1:E:201:SER:HB2	3:E:397:HOH:O	2.17	0.42
1:E:94:LEU:HD11	3:E:566:HOH:O	2.19	0.42
1:E:64:LYS:HD2	1:E:64:LYS:HA	1.39	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:132:SER:HA	1:E:133:PRO:C	2.40	0.42
1:E:261:VAL:HG11	1:E:323:PHE:CD1	2.54	0.42
1:E:125:PHE:O	1:E:128:LEU:HB2	2.20	0.41
1:E:220:LEU:HD11	1:E:284:PHE:HE2	1.85	0.41
1:E:86:THR:HG23	1:E:98:GLY:HA2	2.01	0.41
2:I:7:ILE:HG12	2:I:8:HIS:H	1.85	0.41
1:E:297:ILE:HD13	1:E:297:ILE:HG21	1.70	0.41
1:E:42:SER:C	1:E:55:ILE:HG13	2.41	0.41
1:E:83:ASP:HB2	1:E:84:VAL:H	1.71	0.41
1:E:275:PHE:O	2:I:1:PRO:HG3	2.21	0.41
1:E:181:TYR:CE1	1:E:313:VAL:HG11	2.51	0.41
1:E:197:TYR:HB2	1:E:257:PHE:CZ	2.56	0.41
1:E:268:ILE:HG12	1:E:306:ALA:HA	2.02	0.41
1:E:277:PRO:HA	1:E:283:CYS:HA	2.02	0.41
1:E:248:PHE:CD1	1:E:248:PHE:N	2.89	0.40
1:E:38:LEU:CD1	1:E:121:LEU:HD12	2.50	0.40
1:E:57:THR:HA	1:E:58:PRO:HD3	1.94	0.40
1:E:257:PHE:O	1:E:268:ILE:N	2.40	0.40
1:E:315:ASN:HB3	1:E:320:THR:H	1.85	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:362:HOH:O	3:E:380:HOH:O[1_655]	1.60	0.60
3:E:508:HOH:O	3:E:546:HOH:O[2_655]	1.84	0.36
3:E:356:HOH:O	3:E:412:HOH:O[2_655]	1.89	0.31
1:E:53:GLN:O	3:E:628:HOH:O[2_655]	2.02	0.18
1:E:253:THR:OG1	3:E:576:HOH:O[1_454]	2.10	0.10
3:E:474:HOH:O	3:E:523:HOH:O[1_556]	2.11	0.09
3:E:415:HOH:O	3:E:508:HOH:O[2_645]	2.15	0.05
1:E:251:SER:OG	3:E:361:HOH:O[1_454]	2.16	0.04

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	328/330 (99%)	311 (95%)	16 (5%)	1 (0%)	41	41
2	I	6/9 (67%)	4 (67%)	2 (33%)	0	100	100
All	All	334/339 (98%)	315 (94%)	18 (5%)	1 (0%)	41	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	98	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	263/263 (100%)	214 (81%)	49 (19%)	1	1
2	I	7/8 (88%)	7 (100%)	0	100	100
All	All	270/271 (100%)	221 (82%)	49 (18%)	1	1

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	5	THR
1	E	8	ASP
1	E	10	LEU
1	E	37	ASP
1	E	43	SER
1	E	48	SER
1	E	51	ASP
1	E	54	THR
1	E	55	ILE
1	E	63	THR
1	E	64	LYS
1	E	65	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	70	THR
1	E	74	SER
1	E	79	SER
1	E	80	SER
1	E	99	GLN
1	E	102	GLU
1	E	103	SER
1	E	105	LYS
1	E	108	SER
1	E	109	SER
1	E	121	LEU
1	E	126	SER
1	E	129	ASN
1	E	130	THR
1	E	136	LYS
1	E	141	ASN
1	E	145	SER
1	E	150	VAL
1	E	172	THR
1	E	176	THR
1	E	184(A)	SER
1	E	203	THR
1	E	213	ILE
1	E	238(A)	LYS
1	E	239	SER
1	E	240	SER
1	E	251	SER
1	E	253	THR
1	E	254	LEU
1	E	263	SER
1	E	266	ILE
1	E	271	ASP
1	E	283	CYS
1	E	299	ILE
1	E	308	LYS
1	E	321	LEU
1	E	326	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	99	GLN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	E	129	ASN
1	E	135	GLN
1	E	141	ASN
1	E	300	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	LAV	I	6	2	11,13,14	0.86	0	11,16,18	1.91	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LAV	I	6	2	-	1/14/15/17	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	6	LAV	C2-C3-C	-5.00	106.77	113.04
2	I	6	LAV	CB-CA-C1	-2.08	102.98	109.66

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	6	LAV	CA-C1-N1-C3

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	6	LAV	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.