



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 6, 2023 – 05:08 AM EDT

PDB ID : 4EZL  
Title : Potent and Selective Inhibitors of PI3K-delta: Obtaining Isoform Selectivity from the Affinity Pocket and Tryptophan Shelf  
Authors : Murray, J.M.  
Deposited on : 2012-05-02  
Resolution : 2.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2969 (2.98-2.90)
Clashscore	141614	3218 (2.98-2.90)
Ramachandran outliers	138981	3122 (2.98-2.90)
Sidechain outliers	138945	3124 (2.98-2.90)
RSRZ outliers	127900	2902 (2.98-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	966	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6770 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	834	6735	4324	1149	1228	34	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	143	MET	-	expression tag	UNP P48736
A	802	THR	LYS	engineered mutation	UNP P48736
A	1103	HIS	-	expression tag	UNP P48736
A	1104	HIS	-	expression tag	UNP P48736
A	1105	HIS	-	expression tag	UNP P48736
A	1106	HIS	-	expression tag	UNP P48736
A	1107	HIS	-	expression tag	UNP P48736
A	1108	HIS	-	expression tag	UNP P48736

- Molecule 2 is 2-(1-{[2-(2-aminopyrimidin-5-yl)-4-(morpholin-4-yl)pyrido[3,2-d]pyrimidin-6-yl]methyl}piperidin-4-yl)propan-2-ol (three-letter code: OSE) (formula: C<sub>24</sub>H<sub>32</sub>N<sub>8</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	34	24	8	2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	1	1	1	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	141.33Å 67.19Å 106.56Å 90.00° 96.10° 90.00°	Depositor
Resolution (Å)	31.14 – 2.94 31.14 – 2.93	Depositor EDS
% Data completeness (in resolution range)	94.9 (31.14-2.94) 94.9 (31.14-2.93)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.47 (at 2.95Å)	Xtrriage
Refinement program	PHENIX 1.7.2_869	Depositor
R, $R_{free}$	0.244 , 0.271 0.240 , 0.267	Depositor DCC
$R_{free}$ test set	1045 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	79.0	Xtrriage
Anisotropy	0.066	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 56.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6770	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 0SE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/6878	0.77	9/9308 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	832	PHE	CB-CG-CD2	-9.74	113.98	120.80
1	A	832	PHE	CB-CG-CD1	8.59	126.81	120.80
1	A	1042	LEU	CB-CG-CD2	-8.46	96.63	111.00
1	A	1092	LEU	CB-CA-C	-8.44	94.16	110.20
1	A	1092	LEU	N-CA-C	8.30	133.40	111.00
1	A	700	ARG	NE-CZ-NH1	-7.26	116.67	120.30
1	A	779	LEU	CA-CB-CG	6.62	130.52	115.30
1	A	700	ARG	NE-CZ-NH2	6.56	123.58	120.30
1	A	477	ARG	CA-CB-CG	5.32	125.10	113.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	899	THR	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6735	0	6755	127	0
2	A	34	0	32	3	0
3	A	1	0	0	0	0
All	All	6770	0	6787	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1035:LEU:HD12	1:A:1048:ILE:HD13	1.49	0.94
1:A:1045:LYS:O	1:A:1049:GLU:HG3	1.69	0.91
1:A:1035:LEU:HB3	1:A:1042:LEU:CD2	2.06	0.85
1:A:564:LEU:HD11	1:A:1048:ILE:HG22	1.58	0.84
1:A:806:SER:O	1:A:807:LYS:CB	2.25	0.82
1:A:642:ALA:O	1:A:646:GLN:HG3	1.80	0.81
1:A:808:LYS:HG3	1:A:833:LYS:HE2	1.64	0.79
1:A:1035:LEU:HB3	1:A:1042:LEU:HD23	1.67	0.77
1:A:751:SER:O	1:A:752:LEU:HD22	1.89	0.73
1:A:149:ALA:O	1:A:153:GLN:HG3	1.90	0.72
1:A:1035:LEU:HB3	1:A:1042:LEU:HD21	1.73	0.71
1:A:382:PHE:CE2	1:A:398:ARG:HD3	2.28	0.69
1:A:1000:LYS:O	1:A:1000:LYS:HG2	1.91	0.69
1:A:745:VAL:HG12	1:A:811:LEU:HD11	1.76	0.68
1:A:564:LEU:HD21	1:A:1048:ILE:HG21	1.76	0.67
1:A:804:MET:HB2	1:A:810:PRO:HG2	1.77	0.66
1:A:272:LEU:HB3	1:A:305:VAL:HG11	1.76	0.66
1:A:662:GLN:OE1	1:A:1030:LEU:HD22	1.95	0.66
1:A:382:PHE:HE2	1:A:398:ARG:HD3	1.61	0.66
1:A:651:LEU:HD22	1:A:655:ASP:HB3	1.77	0.65
1:A:597:LYS:HB2	1:A:603:ILE:HD12	1.77	0.65
1:A:278:ASP:HB2	1:A:784:ARG:HH12	1.62	0.64
1:A:881:ILE:HG23	2:A:1201:OSE:H30	1.79	0.64
1:A:625:GLY:O	1:A:629:GLN:HG3	1.98	0.63

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:600:GLN:HG2	1:A:603:ILE:HG13	1.79	0.63
1:A:579:ARG:HD2	1:A:610:LEU:HD11	1.80	0.62
1:A:466:LEU:HD11	1:A:476:ARG:HD3	1.82	0.62
1:A:386:ASN:HB2	1:A:430:ASN:HB3	1.81	0.62
1:A:429:LEU:HB2	1:A:468:LEU:HD21	1.83	0.61
1:A:410:TRP:HB3	1:A:412:VAL:HG12	1.85	0.58
1:A:364:LYS:NZ	1:A:411:ASN:OD1	2.37	0.57
1:A:890:LYS:HG3	1:A:893:GLN:HE21	1.70	0.57
1:A:983:VAL:HG13	1:A:1082:VAL:HG21	1.88	0.56
1:A:1040:PRO:O	1:A:1042:LEU:HD13	2.04	0.56
1:A:1032:SER:HA	1:A:1048:ILE:HD12	1.87	0.56
1:A:374:PRO:C	1:A:376:ASN:HA	2.26	0.56
1:A:1084:PHE:O	1:A:1088:LEU:HD13	2.06	0.56
1:A:397:ARG:NH2	1:A:417:SER:OG	2.37	0.55
1:A:835:GLY:HA2	1:A:875:LYS:O	2.05	0.55
1:A:304:HIS:HB2	1:A:823:LEU:HD21	1.88	0.55
1:A:424:PRO:HD2	1:A:427:ALA:HB2	1.89	0.54
1:A:483:HIS:CD2	1:A:510:LYS:HG2	2.42	0.54
1:A:726:THR:HA	1:A:729:LEU:HD12	1.88	0.54
1:A:767:LEU:HD22	1:A:803:VAL:HG23	1.88	0.54
1:A:384:GLU:OE2	1:A:398:ARG:NE	2.41	0.54
1:A:929:VAL:HG22	1:A:995:MET:HG2	1.90	0.54
1:A:424:PRO:HG3	1:A:598:TRP:O	2.09	0.53
1:A:605:ALA:O	1:A:609:GLN:HG3	2.09	0.53
1:A:374:PRO:O	1:A:376:ASN:HA	2.10	0.52
1:A:939:THR:HB	1:A:945:GLY:HA2	1.92	0.52
1:A:509:ASP:OD2	1:A:512:ASN:HB2	2.10	0.51
1:A:911:LEU:O	1:A:915:SER:OG	2.23	0.51
1:A:890:LYS:HA	1:A:893:GLN:CD	2.31	0.51
1:A:905:GLU:HG2	1:A:993:PHE:CZ	2.46	0.51
1:A:983:VAL:HG22	1:A:1082:VAL:HG11	1.92	0.51
1:A:855:TRP:HZ3	1:A:864:LEU:HD11	1.76	0.50
1:A:475:LEU:HD21	1:A:522:ASN:HB2	1.93	0.50
1:A:357:CYS:SG	1:A:359:ARG:HG3	2.52	0.50
1:A:735:GLN:O	1:A:739:ILE:HG12	2.11	0.50
1:A:217:ASN:OD1	1:A:217:ASN:O	2.30	0.49
1:A:806:SER:O	1:A:806:SER:OG	2.30	0.49
1:A:777:SER:HB3	1:A:778:GLN:HB2	1.94	0.49
1:A:1043:THR:HG23	1:A:1047:ASP:H	1.78	0.49
1:A:890:LYS:HA	1:A:893:GLN:NE2	2.28	0.49
1:A:1011:ASP:OD1	1:A:1015:LYS:HE3	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:VAL:O	1:A:185:MET:HG3	2.12	0.48
1:A:576:TRP:CZ2	1:A:603:ILE:HG23	2.48	0.48
1:A:862:LEU:HB3	1:A:934:GLY:HA3	1.94	0.48
1:A:893:GLN:O	1:A:896:VAL:O	2.32	0.48
1:A:498:ASN:OD1	1:A:499:ALA:N	2.47	0.47
1:A:552:ARG:HH22	1:A:581:GLU:CD	2.17	0.47
1:A:890:LYS:HA	1:A:893:GLN:HG2	1.96	0.47
1:A:552:ARG:HH12	1:A:581:GLU:CG	2.27	0.47
1:A:880:GLU:O	2:A:1201:OSE:H28	2.14	0.47
1:A:477:ARG:HA	1:A:520:LEU:HB3	1.98	0.46
1:A:547:MET:HB2	1:A:552:ARG:HH21	1.81	0.46
1:A:995:MET:O	1:A:1005:HIS:HB2	2.15	0.46
1:A:645:VAL:HA	1:A:648:LEU:HD12	1.98	0.46
1:A:177:ARG:NH2	1:A:718:GLU:OE2	2.49	0.46
1:A:706:SER:O	1:A:710:GLN:HB3	2.16	0.46
1:A:221:PHE:O	1:A:222:ILE:HD13	2.17	0.45
1:A:378:ASP:N	1:A:378:ASP:OD1	2.50	0.45
1:A:526:PRO:HB2	1:A:527:ILE:H	1.50	0.45
1:A:278:ASP:OD2	1:A:784:ARG:NH2	2.50	0.45
1:A:565:ASN:HA	1:A:566:PRO:HD3	1.77	0.45
1:A:731:ASP:O	1:A:735:GLN:HG3	2.16	0.45
1:A:775:GLN:OE1	1:A:798:ILE:HD11	2.15	0.45
1:A:899:THR:HB	1:A:901:ALA:H	1.82	0.44
1:A:282:VAL:HG22	1:A:283:GLY:N	2.31	0.44
1:A:792:LYS:HB3	1:A:792:LYS:HE3	1.66	0.44
1:A:651:LEU:HD22	1:A:655:ASP:CB	2.47	0.44
1:A:561:THR:O	1:A:591:LYS:NZ	2.45	0.44
1:A:735:GLN:NE2	1:A:784:ARG:HB2	2.33	0.44
1:A:853:SER:O	1:A:856:GLU:HB3	2.18	0.44
1:A:614:ARG:HG2	1:A:617:TRP:HB3	2.00	0.44
1:A:166:SER:O	1:A:510:LYS:NZ	2.47	0.43
1:A:774:LEU:HB3	1:A:779:LEU:HD23	1.99	0.43
1:A:990:ASP:O	1:A:994:VAL:HG23	2.17	0.43
1:A:500:ASP:HB3	1:A:708:HIS:CD2	2.53	0.43
1:A:625:GLY:HA2	1:A:1026:LEU:HD23	2.00	0.43
1:A:774:LEU:HD23	1:A:774:LEU:HA	1.85	0.43
1:A:1032:SER:HA	1:A:1048:ILE:CD1	2.49	0.43
1:A:865:LEU:HD21	1:A:882:VAL:HG11	1.99	0.43
1:A:368:ILE:HG23	1:A:410:TRP:HZ3	1.84	0.43
1:A:787:TYR:CE1	1:A:880:GLU:HB2	2.54	0.43
1:A:600:GLN:HE21	1:A:600:GLN:HB2	1.74	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:ASN:HB3	1:A:377:THR:C	2.39	0.42
1:A:278:ASP:CB	1:A:784:ARG:HH12	2.31	0.42
1:A:1035:LEU:HD12	1:A:1048:ILE:CD1	2.35	0.42
1:A:963:ILE:HD12	2:A:1201:OSE:C19	2.50	0.42
1:A:198:MET:SD	1:A:282:VAL:HG11	2.60	0.42
1:A:697:TRP:HZ2	1:A:735:GLN:HB3	1.84	0.41
1:A:182:THR:HB	1:A:183:PRO:HD3	2.02	0.41
1:A:498:ASN:OD1	1:A:1036:MET:O	2.37	0.41
1:A:768:LYS:O	1:A:772:GLU:HG3	2.20	0.41
1:A:389:HIS:O	1:A:392:GLN:HB3	2.21	0.41
1:A:147:SER:HA	1:A:319:ARG:NH2	2.36	0.41
1:A:476:ARG:HG2	1:A:520:LEU:HD22	2.02	0.41
1:A:557:ALA:O	1:A:561:THR:HG23	2.20	0.41
1:A:607:THR:O	1:A:610:LEU:HB2	2.20	0.41
1:A:739:ILE:O	1:A:743:GLN:HG3	2.21	0.41
1:A:857:THR:OG1	1:A:858:GLU:OE1	2.36	0.41
1:A:1058:GLY:O	1:A:1059:LYS:HD2	2.21	0.41
1:A:702:GLU:O	1:A:706:SER:HB3	2.21	0.40
1:A:308:ASP:N	1:A:308:ASP:OD1	2.54	0.40
1:A:997:THR:OG1	1:A:1001:LYS:O	2.28	0.40
1:A:1084:PHE:CZ	1:A:1088:LEU:HD11	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	816/966 (84%)	764 (94%)	45 (6%)	7 (1%)	<b>17</b>   46

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	807	LYS
1	A	1040	PRO
1	A	526	PRO
1	A	1045	LYS
1	A	862	LEU
1	A	897	GLY
1	A	371	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	744/864 (86%)	724 (97%)	20 (3%)	44 74

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	ARG
1	A	229	THR
1	A	477	ARG
1	A	600	GLN
1	A	638	GLU
1	A	744	LYS
1	A	777	SER
1	A	791	LEU
1	A	806	SER
1	A	823	LEU
1	A	832	PHE
1	A	907	LEU
1	A	959	ASN
1	A	983	VAL
1	A	1026	LEU
1	A	1032	SER
1	A	1039	MET
1	A	1076	ARG
1	A	1088	LEU
1	A	1089	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	483	HIS
1	A	600	GLN
1	A	825	ASN
1	A	959	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	0SE	A	1201	-	37,38,38	0.91	2 (5%)	52,55,55	2.08	19 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OSE	A	1201	-	-	5/18/36/36	0/5/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	OSE	C24-N27	2.43	1.38	1.33
2	A	1201	OSE	C14-N20	-2.17	1.34	1.37

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	OSE	C19-N20-C14	6.83	121.13	116.50
2	A	1201	OSE	C5-C6-N7	-4.29	104.45	111.11
2	A	1201	OSE	C15-C17-N18	-4.09	117.41	120.81
2	A	1201	OSE	N20-C19-N18	-3.83	123.10	126.11
2	A	1201	OSE	C21-C26-N25	-3.29	118.89	124.32
2	A	1201	OSE	C21-C22-N23	-3.18	119.08	124.32
2	A	1201	OSE	C6-C5-C4	-3.03	103.98	111.12
2	A	1201	OSE	C5-C4-C2	-2.70	108.78	113.78
2	A	1201	OSE	C11-N16-C15	2.61	122.25	118.04
2	A	1201	OSE	N25-C24-N23	-2.48	121.90	124.53
2	A	1201	OSE	C26-C21-C22	2.40	118.40	114.66
2	A	1201	OSE	C26-N25-C24	2.39	120.87	116.44
2	A	1201	OSE	C22-N23-C24	2.39	120.86	116.44
2	A	1201	OSE	C13-C14-N20	2.31	122.22	118.69
2	A	1201	OSE	C17-N18-C19	2.28	121.52	116.17
2	A	1201	OSE	C29-N28-C17	-2.20	112.45	118.73
2	A	1201	OSE	C12-C13-C14	-2.19	118.08	120.84
2	A	1201	OSE	C12-C11-N16	-2.07	120.27	123.12
2	A	1201	OSE	C17-C15-N16	2.06	122.16	120.44

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1201	OSE	N20-C19-C21-C26
2	A	1201	OSE	C11-C10-N7-C6
2	A	1201	OSE	N18-C19-C21-C22
2	A	1201	OSE	N20-C19-C21-C22
2	A	1201	OSE	N18-C19-C21-C26

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	OSE	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	834/966 (86%)	0.27	52 (6%) <b>20</b> <b>18</b>	42, 96, 169, 235	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1041	GLN	9.2
1	A	375	ARG	8.8
1	A	376	ASN	7.0
1	A	1090	LEU	6.1
1	A	898	ASN	5.9
1	A	1091	VAL	5.1
1	A	374	PRO	5.0
1	A	1000	LYS	4.3
1	A	1084	PHE	4.1
1	A	226	ARG	3.7
1	A	1042	LEU	3.7
1	A	932	CYS	3.6
1	A	1046	GLU	3.6
1	A	527	ILE	3.5
1	A	823	LEU	3.5
1	A	1044	SER	3.4
1	A	211	LEU	3.3
1	A	526	PRO	3.2
1	A	986	VAL	3.2
1	A	230	SER	3.2
1	A	215	ILE	3.0
1	A	373	LEU	3.0
1	A	1092	LEU	2.9
1	A	143	MET	2.9
1	A	220	ILE	2.8
1	A	1087	PHE	2.8
1	A	489	GLY	2.8

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	901	ALA	2.7
1	A	895	THR	2.7
1	A	1045	LYS	2.7
1	A	267	GLU	2.6
1	A	221	PHE	2.6
1	A	636	SER	2.6
1	A	378	ASP	2.6
1	A	522	ASN	2.6
1	A	553	LYS	2.6
1	A	916	PRO	2.6
1	A	897	GLY	2.5
1	A	217	ASN	2.4
1	A	216	ALA	2.4
1	A	377	THR	2.3
1	A	776	ASN	2.3
1	A	909	HIS	2.2
1	A	936	CYS	2.2
1	A	320	LYS	2.2
1	A	1088	LEU	2.1
1	A	919	GLU	2.1
1	A	730	HIS	2.1
1	A	824	SER	2.1
1	A	270	PHE	2.1
1	A	231	GLN	2.0
1	A	148	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	OSE	A	1201	34/34	0.88	0.25	80,91,120,124	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.