



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 08:00 pm BST

PDB ID : 6F0M
Title : GLIC mutant E35Q
Authors : Hu, H.D.; Delarue, M.
Deposited on : 2017-11-20
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">4% 88% 10% •</p>
1	B	317	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">8% 87% 11% •</p>
1	C	317	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">5% 88% 10% •</p>
1	D	317	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 88%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">6% 88% 10% •</p>
1	E	317	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 89%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 40px;">6% 89% 9% •</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLC	A	401	-	-	-	X
2	PLC	B	403	-	-	-	X
2	PLC	C	401	-	-	-	X
2	PLC	E	403	-	-	-	X
2	PLC	E	404	-	-	-	X
4	NA	D	401	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 13232 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	2536	1672	406	454	4	0	2	0
1	B	311	2536	1672	406	454	4	0	2	0
1	C	311	2536	1672	406	454	4	0	2	0
1	D	311	2536	1672	406	454	4	0	2	0
1	E	311	2536	1672	406	454	4	0	2	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	35	GLN	GLU	engineered mutation	UNP Q7NDN8
B	35	GLN	GLU	engineered mutation	UNP Q7NDN8
C	35	GLN	GLU	engineered mutation	UNP Q7NDN8
D	35	GLN	GLU	engineered mutation	UNP Q7NDN8
E	35	GLN	GLU	engineered mutation	UNP Q7NDN8

- Molecule 2 is DIUNDECYL PHOSPHATIDYL CHOLINE (three-letter code: PLC) (formula: $C_{32}H_{65}NO_8P$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O P 34 24 1 8 1	0	0
2	A	1	Total C 24 24	0	0
2	B	1	Total C N O P 34 24 1 8 1	0	0
2	B	1	Total C 24 24	0	0
2	C	1	Total C N O P 34 24 1 8 1	0	0
2	C	1	Total C 24 24	0	0
2	D	1	Total C N O P 34 24 1 8 1	0	0
2	D	1	Total C 24 24	0	0
2	E	1	Total C N O P 34 24 1 8 1	0	0
2	E	1	Total C 24 24	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Cl 1 1	0	0
3	A	3	Total Cl 3 3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0
3	E	1	Total Cl 1 1	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Na 1 1	0	0
4	A	1	Total Na 1 1	0	0
4	D	2	Total Na 2 2	0	0
4	C	1	Total Na 1 1	0	0
4	E	1	Total Na 1 1	0	0

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0

- Molecule 6 is DODECYL-BETA-D-MALTOSE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C 12 12	0	0
6	A	1	Total C 12 12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C 12 12	0	0
6	C	1	Total C 12 12	0	0
6	D	1	Total C 12 12	0	0
6	E	1	Total C 12 12	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	29	Total O 29 29	0	0
7	B	27	Total O 27 27	0	0
7	C	28	Total O 28 28	0	0
7	D	28	Total O 28 28	0	0
7	E	25	Total O 25 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel





- Molecule 1: Proton-gated ion channel





• Molecule 1: Proton-gated ion channel



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.25Å 133.45Å 160.57Å 90.00° 102.51° 90.00°	Depositor
Resolution (Å)	21.71 – 2.65 21.71 – 2.65	Depositor EDS
% Data completeness (in resolution range)	94.6 (21.71-2.65) 94.6 (21.71-2.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.63Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.213 , 0.222 0.228 , 0.237	Depositor DCC
R_{free} test set	5100 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	60.8	Xtrriage
Anisotropy	0.348	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13232	wwPDB-VP
Average B, all atoms (Å ²)	81.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, ACT, LMT, PLC, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2610	0.63	0/3567
1	B	0.50	0/2610	0.66	0/3567
1	C	0.45	0/2610	0.63	0/3567
1	D	0.46	0/2610	0.63	0/3567
1	E	0.46	0/2610	0.63	0/3567
All	All	0.47	0/13050	0.64	0/17835

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2536	0	2564	26	0
1	B	2536	0	2564	31	1
1	C	2536	0	2564	26	0
1	D	2536	0	2564	27	0
1	E	2536	0	2564	25	0
2	A	58	0	88	1	0
2	B	58	0	88	3	0
2	C	58	0	88	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	58	0	88	2	0
2	E	58	0	88	2	0
3	A	3	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
5	A	4	0	3	0	0
5	B	12	0	9	0	0
5	C	4	0	3	0	0
5	D	8	0	6	0	0
5	E	12	0	9	1	0
6	A	24	0	46	2	0
6	B	12	0	23	1	0
6	C	12	0	23	0	0
6	D	12	0	23	0	0
6	E	12	0	23	0	0
7	A	29	0	0	0	0
7	B	27	0	0	0	0
7	C	28	0	0	0	0
7	D	28	0	0	1	0
7	E	25	0	0	0	0
All	All	13232	0	13428	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:PHE:CE2	1:B:96:PRO:HG3	1.72	1.24
1:B:54:PHE:CZ	1:B:96:PRO:HG3	1.78	1.17
1:C:156:PHE:HE2	1:D:35:GLN:NE2	1.63	0.96
1:B:156:PHE:HE2	1:C:35:GLN:NE2	1.67	0.93
1:A:35:GLN:NE2	1:E:156:PHE:HE2	1.69	0.90
1:A:156:PHE:HE2	1:B:35:GLN:NE2	1.75	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:54:PHE:CE2	1:B:96:PRO:CG	2.60	0.84
1:B:54:PHE:O	1:B:96:PRO:HB3	1.77	0.84
1:C:156:PHE:CE2	1:D:35:GLN:NE2	2.46	0.83
1:B:156:PHE:CE2	1:C:35:GLN:NE2	2.48	0.81
1:C:156:PHE:HE2	1:D:35:GLN:HE22	1.28	0.81
1:A:35:GLN:NE2	1:E:156:PHE:CE2	2.52	0.77
1:D:156:PHE:HE2	1:E:35:GLN:NE2	1.84	0.75
1:B:156:PHE:HE2	1:C:35:GLN:HE21	1.39	0.71
1:B:7:PRO:HG3	1:B:135:VAL:HG21	1.76	0.67
1:A:156:PHE:CE2	1:B:35:GLN:NE2	2.61	0.67
1:D:139:ASN:HB3	7:D:524:HOH:O	1.93	0.67
1:A:156:PHE:HE2	1:B:35:GLN:HE22	1.41	0.67
1:C:7:PRO:HG3	1:C:135:VAL:HG21	1.76	0.65
1:D:7:PRO:HG3	1:D:135:VAL:HG21	1.77	0.65
1:A:7:PRO:HG3	1:A:135:VAL:HG21	1.79	0.64
1:D:156:PHE:CE2	1:E:35:GLN:NE2	2.67	0.63
1:E:7:PRO:HG3	1:E:135:VAL:HG21	1.80	0.63
1:A:35:GLN:HE21	1:E:156:PHE:HE2	1.48	0.61
1:D:156:PHE:HE2	1:E:35:GLN:HE22	1.50	0.60
1:B:55:ASP:HB3	1:B:58:ARG:HB2	1.85	0.57
1:A:119:TYR:CD2	1:A:246:LEU:HD21	2.41	0.56
1:D:119:TYR:CD2	1:D:246:LEU:HD21	2.41	0.55
1:B:214:THR:HG22	2:B:403:PLC:H3'1	1.87	0.55
1:A:119:TYR:CE2	1:A:246:LEU:HD21	2.42	0.54
1:C:119:TYR:CD2	1:C:246:LEU:HD21	2.43	0.54
1:B:119:TYR:CD2	1:B:246:LEU:HD21	2.42	0.54
1:B:54:PHE:CZ	1:B:96:PRO:CG	2.73	0.54
1:A:35:GLN:HE22	1:E:156:PHE:HE2	1.45	0.54
1:E:119:TYR:CD2	1:E:246:LEU:HD21	2.43	0.54
1:B:237:ALA:HA	6:B:407:LMT:H92	1.88	0.53
1:B:56:PRO:HG2	1:B:57:VAL:H	1.73	0.53
1:D:119:TYR:CE2	1:D:246:LEU:HD21	2.43	0.53
1:C:119:TYR:CE2	1:C:246:LEU:HD21	2.44	0.53
1:E:119:TYR:CE2	1:E:246:LEU:HD21	2.44	0.53
1:E:118:ARG:HH12	2:E:403:PLC:H72	1.74	0.53
1:C:118:ARG:HH12	2:C:401:PLC:H72	1.73	0.52
1:B:119:TYR:CE2	1:B:246:LEU:HD21	2.45	0.51
1:D:126:LEU:HD12	1:D:188:LEU:HD23	1.92	0.51
1:A:118:ARG:HH12	2:A:401:PLC:H72	1.76	0.51
1:C:10:PRO:HB2	1:C:12:ALA:O	2.11	0.50
1:C:126:LEU:HD12	1:C:188:LEU:HD23	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:214:THR:HG22	2:D:404:PLC:H3'1	1.93	0.50
1:E:126:LEU:HD12	1:E:188:LEU:HD23	1.92	0.50
1:E:214:THR:HG22	2:E:404:PLC:H3'1	1.94	0.50
1:C:240:ILE:O	1:C:244:THR:HG23	2.12	0.50
1:A:241:LEU:HD22	1:B:240:ILE:HG12	1.93	0.50
1:E:10:PRO:HB2	1:E:12:ALA:O	2.12	0.50
1:E:240:ILE:O	1:E:244:THR:HG23	2.12	0.49
2:B:403:PLC:H8'1	1:C:275:VAL:HG22	1.93	0.49
1:A:126:LEU:HD12	1:A:188:LEU:HD23	1.93	0.49
1:A:10:PRO:HB2	1:A:12:ALA:O	2.12	0.49
1:D:10:PRO:HB2	1:D:12:ALA:O	2.12	0.49
1:B:10:PRO:HB2	1:B:12:ALA:O	2.12	0.49
1:B:176:LEU:HB3	1:B:181:GLU:HG3	1.96	0.48
1:A:240:ILE:O	1:A:244:THR:HG23	2.12	0.48
1:C:214:THR:HG22	2:C:402:PLC:H3'1	1.95	0.48
1:A:176:LEU:HB3	1:A:181:GLU:HG3	1.95	0.48
1:B:126:LEU:HD12	1:B:188:LEU:HD23	1.94	0.48
1:B:240:ILE:O	1:B:244:THR:HG23	2.14	0.48
1:D:240:ILE:O	1:D:244:THR:HG23	2.13	0.48
1:E:176:LEU:HB3	1:E:181:GLU:HG3	1.96	0.47
1:C:176:LEU:HB3	1:C:181:GLU:HG3	1.96	0.47
1:C:241:LEU:HD22	1:D:240:ILE:HG12	1.97	0.47
1:D:176:LEU:HB3	1:D:181:GLU:HG3	1.96	0.46
1:D:118:ARG:HH12	2:D:403:PLC:H72	1.80	0.46
1:C:156:PHE:HE2	1:D:35:GLN:HE21	1.55	0.46
1:E:75:GLU:HA	5:E:407:ACT:H2	1.97	0.46
1:B:209:LEU:HD13	1:B:262:ILE:HG23	1.98	0.46
1:A:240:ILE:HG12	1:E:241:LEU:HD22	1.98	0.45
1:C:120:PRO:HD3	1:C:255:THR:OG1	2.17	0.45
1:C:209:LEU:HD13	1:C:262:ILE:HG23	1.98	0.45
1:B:120:PRO:HD3	1:B:255:THR:OG1	2.17	0.44
1:D:209:LEU:HD13	1:D:262:ILE:HG23	1.98	0.44
1:E:152:ASN:HB3	1:E:155:VAL:HG23	2.00	0.44
1:B:56:PRO:HG2	1:B:57:VAL:N	2.31	0.44
1:A:209:LEU:HD13	1:A:262:ILE:HG23	1.98	0.44
1:E:209:LEU:HD13	1:E:262:ILE:HG23	1.98	0.44
6:A:408:LMT:H62	6:A:409:LMT:H92	2.00	0.44
1:A:120:PRO:HD3	1:A:255:THR:OG1	2.17	0.44
1:E:30:LEU:HD12	1:E:157:LEU:HD21	2.00	0.43
1:D:241:LEU:HD22	1:E:240:ILE:HG12	1.99	0.43
1:D:30:LEU:HD12	1:D:157:LEU:HD21	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:120:PRO:HD3	1:D:255:THR:OG1	2.18	0.43
1:E:120:PRO:HD3	1:E:255:THR:OG1	2.18	0.43
1:B:26:GLU:HB2	1:B:40:ASN:HB3	2.00	0.43
1:D:26:GLU:HB2	1:D:40:ASN:HB3	2.01	0.43
1:B:241:LEU:HD22	1:C:240:ILE:HG12	2.01	0.43
1:B:30:LEU:HD12	1:B:157:LEU:HD21	2.00	0.42
1:C:152:ASN:HB3	1:C:155:VAL:HG23	2.00	0.42
1:A:30:LEU:HD12	1:A:157:LEU:HD21	2.01	0.42
1:D:254:TYR:CZ	1:D:258:ILE:HD11	2.55	0.42
1:C:30:LEU:HD12	1:C:157:LEU:HD21	2.01	0.42
1:A:26:GLU:HB2	1:A:40:ASN:HB3	2.02	0.42
1:B:152:ASN:HB3	1:B:155:VAL:HG23	2.02	0.41
1:E:8:PRO:HA	1:E:9:PRO:HD3	1.94	0.41
1:B:8:PRO:HA	1:B:9:PRO:HD3	1.94	0.41
1:D:203:LEU:HD23	1:D:203:LEU:HA	1.80	0.41
1:E:26:GLU:HB2	1:E:40:ASN:HB3	2.02	0.41
1:A:152:ASN:HB3	1:A:155:VAL:HG23	2.03	0.41
2:B:403:PLC:H4'1	1:C:271:ILE:HD12	2.03	0.41
1:A:8:PRO:HA	1:A:9:PRO:HD3	1.95	0.41
1:D:152:ASN:HB3	1:D:155:VAL:HG23	2.02	0.41
1:C:26:GLU:HB2	1:C:40:ASN:HB3	2.02	0.41
1:A:254:TYR:CZ	1:A:258:ILE:HD11	2.56	0.41
1:A:237:ALA:HA	6:A:409:LMT:H102	2.02	0.40
1:D:8:PRO:HA	1:D:9:PRO:HD3	1.94	0.40
1:A:203:LEU:HA	1:A:203:LEU:HD23	1.80	0.40
1:C:254:TYR:CZ	1:C:258:ILE:HD11	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:ASP:OD1	1:B:96:PRO:CD 2_555	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/317 (98%)	302 (97%)	9 (3%)	0	100	100
1	B	311/317 (98%)	302 (97%)	9 (3%)	0	100	100
1	C	311/317 (98%)	301 (97%)	10 (3%)	0	100	100
1	D	311/317 (98%)	302 (97%)	9 (3%)	0	100	100
1	E	311/317 (98%)	302 (97%)	9 (3%)	0	100	100
All	All	1555/1585 (98%)	1509 (97%)	46 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/284 (99%)	282 (100%)	0	100	100
1	B	282/284 (99%)	282 (100%)	0	100	100
1	C	282/284 (99%)	282 (100%)	0	100	100
1	D	282/284 (99%)	282 (100%)	0	100	100
1	E	282/284 (99%)	282 (100%)	0	100	100
All	All	1410/1420 (99%)	1410 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	B	35	GLN
1	B	245	ASN
1	C	35	GLN
1	C	83	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	35	GLN
1	D	139	ASN
1	D	245	ASN
1	E	35	GLN
1	E	245	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 13 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ACT	B	408	-	1,3,3	5.98	1 (100%)	0,3,3	0.00	-
2	PLC	D	404	-	22,22,41	0.17	0	20,20,49	0.19	0
2	PLC	A	401	-	33,33,41	0.43	0	39,41,49	0.81	2 (5%)
5	ACT	B	401	-	1,3,3	5.42	1 (100%)	0,3,3	0.00	-
5	ACT	D	402	-	1,3,3	3.67	1 (100%)	0,3,3	0.00	-
6	LMT	C	406	-	11,11,36	0.21	0	10,10,47	0.15	0
2	PLC	C	401	-	33,33,41	0.43	0	39,41,49	0.79	2 (5%)
6	LMT	B	407	-	11,11,36	0.22	0	10,10,47	0.15	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	C	405	-	1,3,3	3.20	1 (100%)	0,3,3	0.00	-
6	LMT	A	409	-	11,11,36	0.28	0	10,10,47	0.16	0
2	PLC	C	402	-	22,22,41	0.18	0	20,20,49	0.18	0
2	PLC	E	403	-	33,33,41	0.43	0	39,41,49	0.77	1 (2%)
5	ACT	A	407	-	1,3,3	3.27	1 (100%)	0,3,3	0.00	-
6	LMT	A	408	-	11,11,36	0.20	0	10,10,47	0.14	0
2	PLC	D	403	-	33,33,41	0.44	0	39,41,49	0.83	2 (5%)
6	LMT	E	408	-	11,11,36	0.29	0	10,10,47	0.16	0
2	PLC	B	402	-	33,33,41	0.42	0	39,41,49	0.75	1 (2%)
2	PLC	B	403	-	22,22,41	0.18	0	20,20,49	0.21	0
5	ACT	B	406	-	1,3,3	3.60	1 (100%)	0,3,3	0.00	-
5	ACT	E	407	-	1,3,3	2.79	1 (100%)	0,3,3	0.00	-
2	PLC	E	404	-	22,22,41	0.16	0	20,20,49	0.23	0
5	ACT	E	402	-	1,3,3	4.54	1 (100%)	0,3,3	0.00	-
2	PLC	A	402	-	22,22,41	0.17	0	20,20,49	0.19	0
5	ACT	E	401	-	1,3,3	4.42	1 (100%)	0,3,3	0.00	-
6	LMT	D	408	-	11,11,36	0.31	0	10,10,47	0.14	0
5	ACT	D	407	-	1,3,3	4.14	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLC	D	404	-	-	3/18/18/45	-
6	LMT	C	406	-	-	0/9/9/61	-
2	PLC	C	401	-	-	14/37/37/45	-
2	PLC	A	401	-	-	11/37/37/45	-
6	LMT	A	408	-	-	0/9/9/61	-
2	PLC	D	403	-	-	12/37/37/45	-
6	LMT	E	408	-	-	0/9/9/61	-
2	PLC	A	402	-	-	3/18/18/45	-
2	PLC	B	402	-	-	9/37/37/45	-
2	PLC	B	403	-	-	2/18/18/45	-
6	LMT	B	407	-	-	0/9/9/61	-
6	LMT	A	409	-	-	0/9/9/61	-
2	PLC	C	402	-	-	3/18/18/45	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLC	E	403	-	-	11/37/37/45	-
2	PLC	E	404	-	-	3/18/18/45	-
6	LMT	D	408	-	-	0/9/9/61	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	408	ACT	CH3-C	5.98	1.56	1.48
5	B	401	ACT	CH3-C	5.42	1.55	1.48
5	E	402	ACT	CH3-C	4.54	1.54	1.48
5	E	401	ACT	CH3-C	4.42	1.54	1.48
5	D	407	ACT	CH3-C	4.14	1.54	1.48
5	D	402	ACT	CH3-C	3.67	1.53	1.48
5	B	406	ACT	CH3-C	3.60	1.53	1.48
5	A	407	ACT	CH3-C	3.27	1.52	1.48
5	C	405	ACT	CH3-C	3.20	1.52	1.48
5	E	407	ACT	CH3-C	2.79	1.52	1.48

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	403	PLC	P-O3P-C1	-2.87	104.84	121.68
2	A	401	PLC	P-O3P-C1	-2.80	105.27	121.68
2	B	402	PLC	P-O3P-C1	-2.74	105.62	121.68
2	E	403	PLC	P-O3P-C1	-2.70	105.83	121.68
2	C	401	PLC	P-O3P-C1	-2.64	106.21	121.68
2	D	403	PLC	O2-C2-C1	2.28	116.65	108.40
2	C	401	PLC	O2-C2-C1	2.16	116.24	108.40
2	A	401	PLC	O2-C2-C1	2.14	116.15	108.40

There are no chirality outliers.

All (71) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	PLC	O4P-C4-C5-N
2	C	401	PLC	O4P-C4-C5-N
2	E	403	PLC	O4P-C4-C5-N
2	E	403	PLC	C1-O3P-P-O1P
2	D	403	PLC	O4P-C4-C5-N
2	B	402	PLC	O4P-C4-C5-N
2	B	402	PLC	C1-O3P-P-O1P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	401	PLC	C1B-C2B-C3B-C4B
2	E	403	PLC	C1B-C2B-C3B-C4B
2	D	403	PLC	C1B-C2B-C3B-C4B
2	A	401	PLC	C1'-C2'-C3'-C4'
2	E	403	PLC	C1'-C2'-C3'-C4'
2	C	401	PLC	C1'-C2'-C3'-C4'
2	A	401	PLC	C1B-C2B-C3B-C4B
2	B	403	PLC	C2'-C3'-C4'-C5'
2	B	402	PLC	C1'-C2'-C3'-C4'
2	B	402	PLC	C1B-C2B-C3B-C4B
2	D	403	PLC	C1'-C2'-C3'-C4'
2	A	402	PLC	C2'-C3'-C4'-C5'
2	B	402	PLC	CB-C1B-C2B-C3B
2	D	404	PLC	C2'-C3'-C4'-C5'
2	E	403	PLC	CB-C1B-C2B-C3B
2	D	403	PLC	CB-C1B-C2B-C3B
2	E	404	PLC	C2'-C3'-C4'-C5'
2	C	402	PLC	C2'-C3'-C4'-C5'
2	A	401	PLC	C1'-C'-O2-C2
2	C	401	PLC	C1'-C'-O2-C2
2	E	403	PLC	C1'-C'-O2-C2
2	D	403	PLC	C1'-C'-O2-C2
2	A	401	PLC	C1-C2-C3-O3
2	E	403	PLC	C1-C2-C3-O3
2	A	401	PLC	CB-C1B-C2B-C3B
2	B	402	PLC	C1'-C'-O2-C2
2	C	401	PLC	O3P-C1-C2-O2
2	C	401	PLC	CB-C1B-C2B-C3B
2	E	403	PLC	O'-C'-O2-C2
2	B	403	PLC	C8'-C9'-CA'-CB'
2	C	401	PLC	C1-C2-C3-O3
2	D	403	PLC	C1-C2-C3-O3
2	A	401	PLC	O3P-C1-C2-O2
2	D	403	PLC	O3P-C1-C2-O2
2	D	404	PLC	C8'-C9'-CA'-CB'
2	A	401	PLC	O'-C'-O2-C2
2	C	401	PLC	O'-C'-O2-C2
2	D	403	PLC	O'-C'-O2-C2
2	B	402	PLC	O'-C'-O2-C2
2	E	404	PLC	C8'-C9'-CA'-CB'
2	C	401	PLC	O3P-C1-C2-C3
2	C	402	PLC	C6'-C7'-C8'-C9'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	402	PLC	C1-C2-C3-O3
2	E	403	PLC	O3P-C1-C2-O2
2	D	403	PLC	C1-O3P-P-O1P
2	A	401	PLC	O3P-C1-C2-C3
2	D	403	PLC	O3P-C1-C2-C3
2	A	402	PLC	C6'-C7'-C8'-C9'
2	A	401	PLC	C4-O4P-P-O3P
2	C	401	PLC	C4-O4P-P-O3P
2	E	403	PLC	C4-O4P-P-O3P
2	D	403	PLC	C4-O4P-P-O3P
2	B	402	PLC	C4-O4P-P-O3P
2	E	403	PLC	O3P-C1-C2-C3
2	A	402	PLC	C8'-C9'-CA'-CB'
2	D	403	PLC	O2-C2-C3-O3
2	C	401	PLC	C1B-CB-O3-C3
2	C	401	PLC	O2-C2-C3-O3
2	E	404	PLC	C1'-C2'-C3'-C4'
2	C	401	PLC	OB-CB-O3-C3
2	C	402	PLC	C8'-C9'-CA'-CB'
2	A	401	PLC	C1-O3P-P-O1P
2	C	401	PLC	C1-O3P-P-O1P
2	D	404	PLC	C1'-C2'-C3'-C4'


There are no ring outliers.


12 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	404	PLC	1	0
2	A	401	PLC	1	0
2	C	401	PLC	1	0
6	B	407	LMT	1	0
6	A	409	LMT	2	0
2	C	402	PLC	1	0
2	E	403	PLC	1	0
6	A	408	LMT	1	0
2	D	403	PLC	1	0
2	B	403	PLC	3	0
5	E	407	ACT	1	0
2	E	404	PLC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	311/317 (98%)	-0.04	12 (3%) 39 35	60, 75, 113, 183	0
1	B	311/317 (98%)	0.17	24 (7%) 13 10	55, 73, 117, 199	0
1	C	311/317 (98%)	0.03	17 (5%) 25 21	60, 76, 114, 188	0
1	D	311/317 (98%)	0.05	18 (5%) 23 19	56, 77, 122, 200	0
1	E	311/317 (98%)	0.07	18 (5%) 23 19	60, 77, 119, 184	0
All	All	1555/1585 (98%)	0.06	89 (5%) 23 20	55, 75, 118, 200	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	58	ARG	9.0
1	B	60	GLY	7.4
1	E	58	ARG	6.9
1	C	59	SER	6.5
1	C	57	VAL	6.3
1	D	58	ARG	5.9
1	B	57	VAL	5.7
1	B	58	ARG	5.7
1	B	56	PRO	5.6
1	E	59	SER	5.3
1	A	12	ALA	5.1
1	A	57	VAL	5.1
1	D	59	SER	4.9
1	C	312	PHE	4.8
1	D	57	VAL	4.8
1	E	13	ASP	4.7
1	E	61	VAL	4.7
1	B	61	VAL	4.6
1	C	12	ALA	4.6
1	C	61	VAL	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	61	VAL	4.5
1	D	12	ALA	4.4
1	D	55	ASP	4.4
1	A	312	PHE	4.4
1	A	11	ILE	4.1
1	C	60	GLY	4.0
1	C	13	ASP	4.0
1	B	13	ASP	3.8
1	C	11	ILE	3.8
1	D	312	PHE	3.8
1	E	57	VAL	3.7
1	B	11	ILE	3.7
1	B	178	ASP	3.5
1	A	61	VAL	3.5
1	D	13	ASP	3.3
1	D	62	ARG	3.3
1	D	56	PRO	3.3
1	C	178	ASP	3.3
1	E	60	GLY	3.3
1	B	293	ARG	3.2
1	C	64	LYS	3.2
1	C	55	ASP	3.2
1	D	54	PHE	3.0
1	B	54	PHE	3.0
1	B	55	ASP	3.0
1	E	56	PRO	3.0
1	B	312	PHE	2.9
1	D	154	ASP	2.9
1	E	12	ALA	2.9
1	D	60	GLY	2.9
1	A	58	ARG	2.8
1	B	53	ALA	2.8
1	E	69	GLU	2.8
1	A	154	ASP	2.7
1	B	88[A]	ASP	2.7
1	E	55	ASP	2.7
1	D	178	ASP	2.6
1	E	10	PRO	2.6
1	C	170	LYS	2.6
1	E	178	ASP	2.6
1	E	312	PHE	2.6
1	A	68	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	12	ALA	2.5
1	B	62	ARG	2.5
1	B	154	ASP	2.5
1	B	153	ASP	2.5
1	E	137	THR	2.5
1	E	136	ASP	2.5
1	A	14	GLU	2.5
1	E	290	SER	2.5
1	A	55	ASP	2.5
1	C	69	GLU	2.4
1	C	56	PRO	2.4
1	B	10	PRO	2.4
1	E	170	LYS	2.3
1	D	11	ILE	2.3
1	A	59	SER	2.3
1	B	98	GLY	2.2
1	D	293	ARG	2.2
1	B	136	ASP	2.2
1	B	86	ASP	2.2
1	C	10	PRO	2.2
1	E	84	ALA	2.1
1	B	59	SER	2.1
1	D	128	ILE	2.1
1	D	68	PRO	2.1
1	C	283	SER	2.1
1	B	287	ARG	2.1
1	A	88[A]	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NA	D	401	1/1	-0.19	0.57	107,107,107,107	0
4	NA	A	406	1/1	0.37	0.24	94,94,94,94	0
2	PLC	A	401	34/42	0.56	0.42	91,127,156,158	0
2	PLC	B	403	24/42	0.58	0.48	87,104,119,122	0
2	PLC	C	401	34/42	0.61	0.43	86,119,153,155	0
2	PLC	E	403	34/42	0.61	0.42	94,129,161,162	0
2	PLC	B	402	34/42	0.62	0.38	89,125,162,165	0
4	NA	B	405	1/1	0.66	0.17	90,90,90,90	0
4	NA	E	406	1/1	0.66	0.20	97,97,97,97	0
2	PLC	D	404	24/42	0.67	0.37	79,95,114,117	0
4	NA	D	406	1/1	0.68	0.14	116,116,116,116	0
2	PLC	D	403	34/42	0.68	0.39	87,119,156,158	0
2	PLC	E	404	24/42	0.71	0.41	88,98,112,114	0
6	LMT	B	407	12/35	0.73	0.25	53,57,71,72	0
6	LMT	E	408	12/35	0.74	0.24	55,60,72,74	0
2	PLC	A	402	24/42	0.76	0.36	78,107,112,116	0
6	LMT	C	406	12/35	0.76	0.25	63,64,75,76	0
2	PLC	C	402	24/42	0.77	0.40	85,101,107,110	0
6	LMT	A	409	12/35	0.78	0.27	50,57,75,75	0
6	LMT	D	408	12/35	0.79	0.24	59,63,75,75	0
4	NA	C	404	1/1	0.89	0.17	88,88,88,88	0
6	LMT	A	408	12/35	0.90	0.22	54,59,76,77	0
5	ACT	B	401	4/4	0.91	0.19	84,84,87,88	0
3	CL	A	405	1/1	0.91	0.21	93,93,93,93	0
3	CL	E	405	1/1	0.93	0.16	80,80,80,80	0
5	ACT	B	408	4/4	0.95	0.17	80,80,81,81	0
5	ACT	E	401	4/4	0.95	0.20	75,78,78,79	0
3	CL	A	403	1/1	0.95	0.15	65,65,65,65	0
3	CL	B	404	1/1	0.95	0.13	72,72,72,72	0
5	ACT	E	407	4/4	0.95	0.27	94,96,96,98	0
5	ACT	D	402	4/4	0.96	0.14	75,76,77,77	0
5	ACT	B	406	4/4	0.96	0.17	74,74,75,76	0
3	CL	A	404	1/1	0.96	0.20	92,92,92,92	0
5	ACT	E	402	4/4	0.97	0.12	76,82,82,85	0
5	ACT	A	407	4/4	0.97	0.15	75,75,76,76	0
5	ACT	D	407	4/4	0.97	0.16	59,59,61,64	0
5	ACT	C	405	4/4	0.98	0.16	87,87,87,87	0
3	CL	C	403	1/1	0.98	0.13	73,73,73,73	0
3	CL	D	405	1/1	1.00	0.10	67,67,67,67	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





Electron density around PLC B 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC E 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC B 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PLC D 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PLC D 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PLC E 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLC A 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.