



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2021 – 12:28 PM EDT

PDB ID : 1F9K  
Title : WINGED BEAN ACIDIC LECTIN COMPLEXED WITH METHYL-ALPHA-D-GALACTOSE  
Authors : Manoj, N.; Srinivas, V.R.; Surolia, A.; Vijayan, M.; Suguna, K.  
Deposited on : 2000-07-11  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	63% 32% . .
1	B	238	67% 28% . .
2	C	3	67% 33%
2	D	3	33% 67%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	C	3	X	-	-	-
2	NAG	D	1	X	-	-	-

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 3566 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ACIDIC LECTIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	234	Total 1726	C 1108	N 284	O 333	S 1	0	0	0
1	B	234	Total 1704	C 1086	N 284	O 333	S 1	0	0	0

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	28	ASN	SER	engineered mutation	GB 6018681
A	101	GLN	GLY	engineered mutation	GB 6018681
A	?	-	SER	deletion	GB 6018681
A	?	-	ASN	deletion	GB 6018681
A	120	PHE	LEU	engineered mutation	GB 6018681
B	28	ASN	SER	engineered mutation	GB 6018681
B	101	GLN	GLY	engineered mutation	GB 6018681
B	?	-	SER	deletion	GB 6018681
B	?	-	ASN	deletion	GB 6018681
B	120	PHE	LEU	engineered mutation	GB 6018681

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	3	Total 39	C 22	N 2	O 15	0	0	0
2	D	3	Total 39	C 22	N 2	O 15	0	0	0

- Molecule 3 is methyl alpha-D-galactopyranoside (three-letter code: AMG) (formula:  $C_7H_{14}O_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 13 7 6	0	0

- Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mn 1 1	0	0
4	B	1	Total Mn 1 1	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Ca 1 1	0	0
5	B	1	Total Ca 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	26	Total O 26 26	0	0

*Continued on next page...*

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	B	15	Total	O	0	0
			15	15		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ACIDIC LECTIN

Chain A:  63% 32%



- Molecule 1: ACIDIC LECTIN

Chain B:  67% 28%



- Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:  67% 33%



- Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  33% 67%





## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	182.11Å 182.11Å 44.99Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 3.00 28.20 – 2.99	Depositor EDS
% Data completeness (in resolution range)	95.9 (20.00-3.00) 95.5 (28.20-2.99)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.75 (at 3.00Å)	Xtrriage
Refinement program	CNS 0.4	Depositor
R, $R_{free}$	0.195 , 0.251 0.191 , 0.236	Depositor DCC
$R_{free}$ test set	903 reflections (8.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.8	Xtrriage
Anisotropy	0.208	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 56.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.021 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	3566	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, AMG, NAG, CA, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/1773	0.81	4/2429 (0.2%)
1	B	0.43	0/1747	0.81	3/2393 (0.1%)
All	All	0.44	0/3520	0.81	7/4822 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	72	ARG	NE-CZ-NH2	-14.81	112.89	120.30
1	A	72	ARG	NE-CZ-NH1	13.51	127.06	120.30
1	B	72	ARG	NE-CZ-NH1	13.17	126.89	120.30
1	A	72	ARG	NE-CZ-NH2	-13.06	113.77	120.30
1	B	72	ARG	CD-NE-CZ	7.25	133.75	123.60
1	A	72	ARG	CD-NE-CZ	7.08	133.51	123.60
1	A	114	PRO	N-CA-CB	6.32	110.88	103.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1726	0	1551	64	0
1	B	1704	0	1513	47	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	39	0	34	1	0
2	D	39	0	34	0	0
3	A	13	0	14	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	26	0	0	2	0
6	B	15	0	0	0	0
All	All	3566	0	3146	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:THR:HB	1:A:220:VAL:HG12	1.30	1.11
1:A:181:HIS:HD2	1:B:181:HIS:HD2	1.05	0.96
1:A:79:GLN:H	1:A:157:ASN:HD21	1.20	0.88
1:A:181:HIS:HD2	1:B:181:HIS:CD2	1.92	0.87
1:A:181:HIS:CD2	1:B:181:HIS:HD2	1.93	0.87
1:B:79:GLN:H	1:B:157:ASN:HD21	1.29	0.80
1:A:3:GLN:HE22	1:A:57:LYS:H	1.34	0.74
1:A:191:ASN:ND2	1:A:192:ILE:H	1.85	0.74
1:B:191:ASN:ND2	1:B:192:ILE:H	1.87	0.73
1:A:212:THR:HB	6:A:505:HOH:O	1.91	0.70
1:B:135:VAL:HB	1:B:136:PRO:HA	1.74	0.69
1:B:83:TYR:HA	1:B:84:PRO:C	2.13	0.69
1:A:83:TYR:HA	1:A:84:PRO:O	1.92	0.68
1:B:3:GLN:HE22	1:B:57:LYS:H	1.41	0.68
1:B:97:PRO:HA	1:B:206:ASN:ND2	2.10	0.67
1:A:135:VAL:HB	1:A:136:PRO:HA	1.76	0.66
1:A:169:SER:N	1:A:170:PRO:HD2	2.10	0.66
1:A:97:PRO:HA	1:A:206:ASN:ND2	2.12	0.65
1:B:169:SER:N	1:B:170:PRO:HD2	2.10	0.64
1:B:49:ARG:HD2	1:B:101:GLN:HE21	1.66	0.61
1:B:96:PRO:O	1:B:99:SER:HB2	2.02	0.60
1:A:114:PRO:O	1:A:116:GLY:N	2.34	0.59
1:A:51:LEU:N	1:A:51:LEU:HD12	2.17	0.59
1:B:165:ILE:HG12	1:B:176:VAL:HG22	1.85	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:ARG:HG2	1:A:164:VAL:HG22	1.84	0.58
1:A:224:GLU:OE2	2:C:1:NAG:O6	2.20	0.57
1:A:161:ALA:HB2	1:A:180:PHE:CE1	2.40	0.57
1:B:161:ALA:HB2	1:B:180:PHE:CE1	2.40	0.56
1:A:141:ASP:HB3	1:A:144:SER:O	2.06	0.55
1:A:14:SER:C	1:A:16:GLU:H	2.09	0.55
1:B:8:ASP:N	1:B:8:ASP:OD1	2.38	0.55
1:B:51:LEU:HD12	1:B:51:LEU:N	2.21	0.55
1:A:165:ILE:HG12	1:A:176:VAL:HG22	1.88	0.54
1:A:69:PHE:HE1	1:A:195:LEU:HD11	1.72	0.54
1:A:14:SER:O	1:A:16:GLU:N	2.39	0.53
1:A:103:GLU:O	1:A:109:GLY:HA2	2.09	0.53
1:B:22:GLN:HG3	1:B:46:SER:OG	2.08	0.53
1:B:79:GLN:H	1:B:157:ASN:ND2	2.01	0.53
1:B:36:LEU:O	1:B:37:THR:HG23	2.09	0.53
1:B:97:PRO:HA	1:B:206:ASN:HD22	1.73	0.53
1:A:13:ASN:O	1:A:14:SER:C	2.47	0.53
1:A:122:VAL:HG21	1:A:165:ILE:HD13	1.91	0.53
1:A:83:TYR:HA	1:A:84:PRO:C	2.30	0.53
1:A:133:PRO:HD2	1:A:137:HIS:CE1	2.43	0.52
1:A:12:GLU:O	1:A:14:SER:N	2.38	0.52
1:A:79:GLN:N	1:A:157:ASN:HD21	2.00	0.52
1:A:136:PRO:HG2	1:A:153:PHE:O	2.09	0.52
1:B:69:PHE:HE1	1:B:195:LEU:HD11	1.73	0.52
1:A:84:PRO:O	1:A:85:GLU:HB2	2.10	0.52
1:B:141:ASP:HB3	1:B:144:SER:O	2.09	0.52
1:B:133:PRO:HD2	1:B:137:HIS:CE1	2.45	0.51
1:A:42:PRO:HG2	6:A:509:HOH:O	2.09	0.51
1:A:38:LYS:HB3	1:A:43:VAL:HG11	1.93	0.51
1:A:123:GLU:OE1	1:A:141:ASP:OD2	2.29	0.50
1:B:5:PHE:CZ	1:B:230:PHE:HB3	2.45	0.50
1:B:122:VAL:HG21	1:B:165:ILE:HD13	1.94	0.50
1:A:5:PHE:CZ	1:A:230:PHE:HB3	2.46	0.50
1:A:103:GLU:HG3	1:A:113:PRO:CD	2.40	0.50
1:A:52:TYR:CE2	1:A:54:GLU:HB2	2.47	0.50
1:B:123:GLU:OE1	1:B:141:ASP:OD2	2.30	0.50
1:A:33:LEU:O	1:A:48:GLY:HA3	2.12	0.49
1:A:13:ASN:O	1:A:15:LYS:N	2.45	0.49
1:A:103:GLU:HG3	1:A:113:PRO:HD3	1.92	0.49
1:B:136:PRO:HG2	1:B:153:PHE:O	2.14	0.48
1:A:97:PRO:HA	1:A:206:ASN:HD22	1.78	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:ILE:HD13	1:A:174:LEU:HD23	1.95	0.48
1:B:52:TYR:CE2	1:B:54:GLU:HB2	2.50	0.47
1:A:22:GLN:HG3	1:A:46:SER:OG	2.14	0.47
1:B:114:PRO:O	1:B:115:GLU:C	2.52	0.47
1:A:79:GLN:H	1:A:157:ASN:ND2	2.00	0.47
1:B:2:THR:HG22	1:B:3:GLN:N	2.31	0.46
1:A:191:ASN:ND2	1:A:192:ILE:N	2.59	0.46
1:B:33:LEU:O	1:B:48:GLY:HA3	2.15	0.46
1:B:191:ASN:ND2	1:B:192:ILE:N	2.61	0.46
1:A:2:THR:HG22	1:A:3:GLN:N	2.31	0.46
1:A:37:THR:HA	1:A:43:VAL:HG22	1.98	0.45
1:B:82:ALA:O	1:B:85:GLU:HA	2.15	0.45
1:A:78:THR:HA	1:A:157:ASN:ND2	2.31	0.45
1:A:135:VAL:HG12	1:A:137:HIS:CE1	2.53	0.44
1:A:178:LEU:HB3	1:A:187:TYR:HB2	1.99	0.44
1:A:114:PRO:O	1:A:115:GLU:C	2.55	0.44
1:A:96:PRO:HA	1:A:97:PRO:HD3	1.91	0.44
1:B:135:VAL:HG12	1:B:137:HIS:CE1	2.53	0.43
1:A:37:THR:CA	1:A:43:VAL:HG22	2.48	0.43
1:B:140:ILE:HD13	1:B:174:LEU:HD23	1.99	0.43
1:A:74:SER:HA	1:A:161:ALA:O	2.19	0.43
1:A:133:PRO:O	1:A:134:GLN:C	2.57	0.43
1:B:19:LEU:HD13	1:B:24:SER:HA	2.01	0.42
1:A:45:LYS:HE2	1:A:215:TYR:CE2	2.54	0.42
1:A:97:PRO:HD3	1:A:204:TRP:O	2.19	0.42
1:A:142:VAL:O	1:A:143:ASN:HB2	2.19	0.42
1:B:97:PRO:HD3	1:B:204:TRP:O	2.19	0.42
1:B:180:PHE:HB2	1:B:185:THR:OG1	2.19	0.42
1:B:132:ASP:HA	1:B:133:PRO:HD3	1.80	0.42
1:B:72:ARG:HG2	1:B:164:VAL:HG22	2.02	0.41
1:B:107:ASN:O	1:B:109:GLY:N	2.53	0.41
1:B:14:SER:C	1:B:16:GLU:H	2.24	0.41
1:A:132:ASP:HA	1:A:133:PRO:HD3	1.82	0.41
1:A:58:ILE:CG1	1:A:205:VAL:HG22	2.51	0.41
1:B:178:LEU:HB3	1:B:187:TYR:HB2	2.03	0.41
1:A:19:LEU:HD13	1:A:24:SER:HA	2.02	0.41
1:B:74:SER:HA	1:B:161:ALA:O	2.20	0.41
1:A:71:THR:HB	1:A:230:PHE:HD2	1.84	0.41
1:A:5:PHE:CD1	1:A:5:PHE:C	2.94	0.40
1:A:54:GLU:HA	1:A:55:PRO:HD3	1.91	0.40
1:B:96:PRO:HA	1:B:97:PRO:HD3	1.90	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:TYR:HA	1:B:84:PRO:O	2.21	0.40
1:B:142:VAL:O	1:B:143:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	232/238 (98%)	207 (89%)	19 (8%)	6 (3%)	5	27
1	B	232/238 (98%)	212 (91%)	13 (6%)	7 (3%)	4	24
All	All	464/476 (98%)	419 (90%)	32 (7%)	13 (3%)	5	25

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	14	SER
1	A	15	LYS
1	A	84	PRO
1	A	115	GLU
1	B	115	GLU
1	B	104	ASP
1	B	108	LEU
1	B	114	PRO
1	B	15	LYS
1	B	85	GLU
1	A	85	GLU
1	A	108	LEU
1	B	84	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/210 (81%)	163 (96%)	7 (4%)	30	67
1	B	167/210 (80%)	159 (95%)	8 (5%)	25	62
All	All	337/420 (80%)	322 (96%)	15 (4%)	27	64

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	TYR
1	A	113	PRO
1	A	157	ASN
1	A	186	VAL
1	A	190	SER
1	A	191	ASN
1	A	231	THR
1	B	36	LEU
1	B	62	THR
1	B	65	ASN
1	B	81	TYR
1	B	157	ASN
1	B	186	VAL
1	B	191	ASN
1	B	231	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	157	ASN
1	A	175	ASN
1	A	181	HIS
1	A	191	ASN
1	A	206	ASN
1	B	3	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	101	GLN
1	B	152	HIS
1	B	157	ASN
1	B	175	ASN
1	B	181	HIS
1	B	191	ASN
1	B	197	GLN
1	B	206	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	C	1	1,2	14,14,15	0.53	0	17,19,21	0.97	2 (11%)
2	NAG	C	2	2	14,14,15	0.53	0	17,19,21	0.63	0
2	MAN	C	3	2	11,11,12	0.55	0	15,15,17	0.29	0
2	NAG	D	1	1,2	14,14,15	0.59	0	17,19,21	1.01	2 (11%)
2	NAG	D	2	2	14,14,15	0.51	0	17,19,21	0.88	1 (5%)
2	MAN	D	3	2	11,11,12	0.67	0	15,15,17	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	MAN	C	3	2	1/1/4/5	0/2/19/22	0/1/1/1
2	NAG	D	1	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	MAN	D	3	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	NAG	C4-C3-C2	-2.37	107.55	111.02
2	C	1	NAG	C2-N2-C7	-2.34	119.58	122.90
2	D	2	NAG	C2-N2-C7	-2.33	119.58	122.90
2	D	1	NAG	C2-N2-C7	-2.33	119.58	122.90
2	D	1	NAG	C4-C3-C2	-2.26	107.71	111.02

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	3	MAN	C1
2	D	1	NAG	C1

All (4) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	D	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	AMG	A	400	-	13,13,13	0.56	0	18,18,18	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMG	A	400	-	-	1/4/24/24	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	400	AMG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	234/238 (98%)	-0.61	1 (0%) 92 79	8, 38, 91, 100	0
1	B	234/238 (98%)	-0.42	0 100 100	17, 50, 84, 100	0
All	All	468/476 (98%)	-0.51	1 (0%) 95 87	8, 44, 86, 100	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	GLU	2.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MAN	D	3	11/12	0.71	0.23	99,99,99,99	0
2	MAN	C	3	11/12	0.86	0.12	75,79,81,85	0
2	NAG	D	2	14/15	0.87	0.18	93,93,93,93	0
2	NAG	C	1	14/15	0.88	0.17	53,53,53,53	0
2	NAG	D	1	14/15	0.88	0.16	73,73,73,73	0
2	NAG	C	2	14/15	0.89	0.17	75,77,79,84	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	AMG	A	400	13/13	0.96	0.14	20,20,20,20	0
5	CA	B	303	1/1	0.96	0.06	40,40,40,40	0
4	MN	B	301	1/1	0.97	0.03	40,40,40,40	0
4	MN	A	300	1/1	0.97	0.10	40,40,40,40	0
5	CA	A	302	1/1	0.99	0.14	40,40,40,40	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.