



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 4, 2021 – 05:07 pm BST

PDB ID : 5FAX
Title : Structure of subtilase SubHal from Bacillus halmapalus
Authors : Dohnalek, J.; Brzozowski, A.M.; Svendsen, A.; Wilson, K.S.
Deposited on : 2015-12-12
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	 79% 20% .
1	B	433	 80% 18% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Subtilase SubHal from *Bacillus halmapalus*.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	433	Total 3199	C 1988	N 570	O 634	S 7	0	1	0
1	B	433	Total 3197	C 1987	N 570	O 633	S 7	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total 3	Ca 3	0	0
2	B	3	Total 3	Ca 3	0	0


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	322	Total 322	O 322	0	0
3	B	340	Total 340	O 340	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Subtilase SubHal from *Bacillus halmapalus*

Chain A:  79% 20%



- Molecule 1: Subtilase SubHal from *Bacillus halmapalus*

Chain B:  80% 18%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	45.22Å 99.94Å 96.75Å 90.00° 103.52° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 29.57 – 2.00	Depositor EDS
% Data completeness (in resolution range)	74.2 (30.00-2.00) 73.9 (29.57-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.215 , 0.303 0.222 , 0.252	Depositor DCC
R_{free} test set	2144 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	12.4	Xtrriage
Anisotropy	0.512	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 26.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.448 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7064	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, 5VV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	0/3261	0.97	14/4447 (0.3%)
1	B	0.79	0/3255	0.98	12/4439 (0.3%)
All	All	0.76	0/6516	0.97	26/8886 (0.3%)

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	ASP	CB-CG-OD2	11.08	128.28	118.30
1	B	39	ASP	CB-CG-OD2	10.39	127.65	118.30
1	B	294	ASP	CB-CG-OD2	8.85	126.26	118.30
1	A	294	ASP	CB-CG-OD2	8.58	126.02	118.30
1	B	11	ASP	CB-CG-OD2	8.03	125.53	118.30
1	B	312	ASP	CB-CG-OD2	7.89	125.40	118.30
1	B	383	ASP	CB-CG-OD2	7.89	125.40	118.30
1	A	383	ASP	CB-CG-OD2	7.38	124.94	118.30
1	B	140	ASP	CB-CG-OD2	7.30	124.87	118.30
1	A	236	ASP	CB-CG-OD2	7.25	124.82	118.30
1	B	98	ASP	CB-CG-OD2	7.15	124.74	118.30
1	B	196	ASP	CB-CG-OD2	7.06	124.65	118.30
1	A	393	ASP	CB-CG-OD2	7.02	124.62	118.30
1	A	196	ASP	CB-CG-OD2	6.88	124.49	118.30
1	B	236	ASP	CB-CG-OD2	6.59	124.23	118.30
1	A	389	ASP	CB-CG-OD2	6.52	124.17	118.30
1	B	214	ARG	NE-CZ-NH2	-6.26	117.17	120.30
1	B	146	ASP	CB-CG-OD2	6.01	123.71	118.30
1	A	218	ASP	CB-CG-OD2	5.92	123.63	118.30
1	A	140	ASP	CB-CG-OD2	5.66	123.39	118.30
1	A	146	ASP	CB-CG-OD2	5.62	123.36	118.30
1	A	152	ASP	CB-CG-OD2	5.47	123.22	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	145	ASP	CB-CG-OD2	5.17	122.96	118.30
1	A	368	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	244	ASP	CB-CG-OD2	5.15	122.93	118.30
1	A	352	ASP	CB-CG-OD2	5.06	122.86	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3199	0	3085	52	0
1	B	3197	0	3084	56	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	322	0	0	7	1
3	B	340	0	0	15	0
All	All	7064	0	6169	107	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:TRP:HA	3:B:808:HOH:O	1.59	1.01
1:A:71:HIS:CD2	1:A:228:SER:HB3	2.09	0.87
1:A:132:PRO:HB3	1:A:162:GLU:OE1	1.75	0.85
1:B:260:VAL:O	1:B:264:VAL:HG23	1.83	0.77
1:B:433:HIS:O	3:B:701:HOH:O	2.05	0.72
1:A:372:THR:OG1	1:A:378:LYS:NZ	2.27	0.68
1:A:132:PRO:CB	1:A:162:GLU:OE1	2.44	0.65
1:A:68:HIS:HE1	1:A:254:SER:HB3	1.63	0.63
1:B:212:ASP:O	1:B:395:ARG:HD3	1.99	0.63
1:A:197:ASN:HB3	1:A:200:HIS:CD2	2.35	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:THR:HG22	3:B:887:HOH:O	2.00	0.61
3:A:965:HOH:O	1:B:59:THR:HG23	2.00	0.61
1:A:60:ASN:ND2	3:A:706:HOH:O	2.34	0.60
1:B:24:GLN:NE2	3:B:704:HOH:O	2.24	0.60
1:B:380:VAL:HG23	1:B:383:ASP:HB2	1.84	0.60
1:A:16:ASN:HD22	1:A:16:ASN:N	2.00	0.59
1:B:40:SER:HA	3:B:736:HOH:O	2.03	0.58
1:B:322:GLU:HA	3:B:726:HOH:O	2.04	0.58
1:A:71:HIS:CE1	1:A:250:MET:HB2	2.40	0.57
1:A:243:HIS:HE1	3:A:926:HOH:O	1.86	0.57
1:A:260:VAL:O	1:A:264:VAL:HG23	2.04	0.56
1:B:21:GLY:N	1:B:269:GLU:OE1	2.36	0.56
1:A:313:LYS:CD	1:A:432:VAL:HG11	2.37	0.55
1:A:328:THR:HG1	1:A:420:VAL:H	1.51	0.55
1:B:140:ASP:HB3	1:B:172:PRO:HG3	1.88	0.54
1:A:328:THR:OG1	1:A:420:VAL:N	2.36	0.54
1:B:71:HIS:CD2	1:B:228:SER:HB3	2.43	0.54
1:B:135:GLY:HA3	3:B:772:HOH:O	2.07	0.54
1:A:421:PRO:HG3	3:A:928:HOH:O	2.08	0.53
1:B:333:THR:HG22	3:B:865:HOH:O	2.09	0.53
1:B:380:VAL:HG23	1:B:383:ASP:CB	2.39	0.53
1:B:68:HIS:CE1	1:B:254:SER:HB3	2.45	0.52
1:B:152:ASP:O	1:B:152:ASP:OD1	2.27	0.52
1:B:131:ALA:HB2	3:B:985:HOH:O	2.09	0.51
1:A:96:ILE:HG13	1:A:103:LEU:HD22	1.93	0.51
1:A:333:THR:OG1	1:A:414:GLU:OE2	2.29	0.51
1:A:68:HIS:CE1	1:A:254:SER:HB3	2.43	0.51
1:B:179:ILE:HG12	1:B:285:LYS:HD2	1.93	0.51
1:A:197:ASN:HB3	1:A:200:HIS:CG	2.46	0.51
1:B:26:VAL:HG11	1:B:76:VAL:HG11	1.92	0.51
1:B:68:HIS:HE1	1:B:254:SER:HB3	1.76	0.50
1:A:77:LEU:HD11	1:A:91:LEU:HB2	1.93	0.50
1:B:197:ASN:ND2	1:B:200:HIS:CD2	2.80	0.50
1:A:371:ILE:CD1	1:A:413:VAL:HG13	2.42	0.49
1:A:9:LYS:HA	1:A:11:ASP:OD2	2.13	0.49
1:B:39:ASP:C	3:B:736:HOH:O	2.52	0.49
1:B:40:SER:CA	3:B:736:HOH:O	2.58	0.48
1:A:345:LYS:O	1:A:431:ILE:HA	2.13	0.48
1:A:157:PHE:O	1:A:180:THR:HA	2.13	0.48
1:B:96:ILE:HG21	1:B:106:LEU:HD23	1.94	0.48
1:B:66:ASN:OD1	1:B:68:HIS:HB2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:380:VAL:HG22	1:B:389:ASP:HA	1.95	0.48
1:A:271:PHE:HB3	1:A:279:PRO:HD3	1.94	0.47
1:B:294:ASP:HB2	1:B:299:PHE:CE2	2.49	0.47
1:A:16:ASN:N	1:A:16:ASN:ND2	2.63	0.47
1:A:152:ASP:CG	1:A:152:ASP:O	2.53	0.47
1:B:392:TRP:HH2	3:B:951:HOH:O	1.98	0.47
1:B:88:GLN:HB3	3:B:854:HOH:O	2.16	0.46
1:A:211:ARG:NE	3:A:726:HOH:O	2.48	0.46
1:B:40:SER:N	3:B:736:HOH:O	2.49	0.46
1:B:383:ASP:CG	1:B:391:ASN:HB2	2.35	0.46
1:B:371:ILE:HD13	1:B:413:VAL:HA	1.98	0.46
1:B:152:ASP:O	1:B:152:ASP:CG	2.55	0.45
1:B:263:ASN:HA	1:B:266:GLN:OE1	2.16	0.45
1:A:160:GLY:O	1:A:253:THR:HG21	2.16	0.45
1:A:352:ASP:O	1:A:353:ALA:C	2.55	0.45
1:B:339:GLN:HB2	1:B:342:LYS:HZ1	1.81	0.45
1:A:127:ASN:HB3	1:A:129:TRP:NE1	2.31	0.45
1:A:230:ARG:HG3	1:A:239:PHE:CZ	2.52	0.45
1:A:313:LYS:HD2	1:A:432:VAL:HG11	1.98	0.45
1:A:349:VAL:HG22	1:A:398:VAL:HG22	1.99	0.45
1:B:306:TRP:O	3:B:703:HOH:O	2.21	0.45
1:A:393:ASP:HB3	1:A:399:GLU:OE1	2.17	0.44
1:A:116:GLN:HA	1:B:59:THR:CG2	2.48	0.44
1:B:134:ASN:HD22	1:B:168:THR:HA	1.82	0.44
1:B:197:ASN:HD22	1:B:200:HIS:CD2	2.35	0.44
1:A:291:GLY:O	1:A:310:THR:HB	2.19	0.43
1:A:350:TRP:CZ2	1:A:397:ASN:HA	2.52	0.43
1:A:97:MET:HA	1:A:102:GLY:O	2.18	0.43
1:A:49:LYS:NZ	1:A:87:PRO:O	2.51	0.42
1:B:317:VAL:HG12	1:B:432:VAL:HG22	2.01	0.42
1:B:400:ASN:HB3	1:B:402:PHE:CE2	2.54	0.42
1:A:356:SER:OG	1:A:359:ALA:HB2	2.19	0.42
1:B:63:ASN:OD1	1:B:63:ASN:C	2.57	0.42
1:A:301:ASN:N	3:A:701:HOH:O	2.53	0.42
1:B:422:VAL:HG12	1:B:422:VAL:O	2.19	0.42
1:A:197:ASN:CB	1:A:200:HIS:CD2	3.02	0.42
1:B:227:LEU:HB2	1:B:249:TYR:CE2	2.55	0.42
1:A:230:ARG:HD2	1:A:248:ALA:HB2	2.00	0.41
1:A:322:GLU:HA	1:A:427:PHE:O	2.20	0.41
1:B:72:VAL:HG13	1:B:258:PRO:HG3	2.02	0.41
1:B:1:5VV:ND2	1:B:228:SER:OG	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:PHE:CE1	1:A:172:PRO:HD2	2.55	0.41
1:B:156:LEU:HD12	1:B:156:LEU:N	2.36	0.41
1:B:161:ASN:HD21	1:B:253:THR:H	1.69	0.41
1:A:176:LYS:O	1:A:285:LYS:NZ	2.54	0.41
1:B:226:ILE:HG13	1:B:255:MET:HB3	2.02	0.41
1:A:250:MET:HB3	1:A:250:MET:HE2	1.89	0.40
1:B:257:THR:N	1:B:258:PRO:HD2	2.37	0.40
1:A:368:ASP:HB3	3:A:737:HOH:O	2.20	0.40
1:B:267:LEU:HB2	1:B:311:LEU:HD11	2.02	0.40
1:B:292:ALA:O	1:B:345:LYS:NZ	2.54	0.40
1:B:400:ASN:HB3	1:B:402:PHE:CZ	2.55	0.40
1:B:114:PHE:HD1	1:B:125:HIS:CD2	2.40	0.40
1:A:13:ALA:O	1:A:17:PHE:HB2	2.21	0.40
1:A:280:LYS:HD2	1:A:322:GLU:OE2	2.21	0.40
1:B:161:ASN:ND2	1:B:253:THR:OG1	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:894:HOH:O	3:A:967:HOH:O 1_455]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	432/433 (100%)	400 (93%)	32 (7%)	0	100	100
1	B	431/433 (100%)	408 (95%)	23 (5%)	0	100	100
All	All	863/866 (100%)	808 (94%)	55 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/333 (100%)	320 (96%)	14 (4%)	30	27
1	B	333/333 (100%)	324 (97%)	9 (3%)	44	46
All	All	667/666 (100%)	644 (97%)	23 (3%)	38	36

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	30	ASP
1	A	59	THR
1	A	152	ASP
1	A	162	GLU
1	A	193	SER
1	A	255	MET
1	A	324	SER
1	A	329[A]	SER
1	A	329[B]	SER
1	A	335	SER
1	A	339	GLN
1	A	360	SER
1	A	378	LYS
1	B	49	LYS
1	B	60	ASN
1	B	152	ASP
1	B	193	SER
1	B	203	GLN
1	B	255	MET
1	B	335	SER
1	B	356	SER
1	B	380	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	111	GLN
1	A	143	ASN
1	A	197	ASN
1	A	200	HIS
1	A	274	ASN
1	B	68	HIS
1	B	143	ASN
1	B	151	ASN
1	B	161	ASN
1	B	274	ASN
1	B	391	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5VV	B	1	1	6,10,10	2.63	2 (33%)	7,12,12	1.37	1 (14%)
1	5VV	A	1	1	6,10,10	3.16	3 (50%)	7,12,12	2.34	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5VV	B	1	1	-	0/7/10/10	-
1	5VV	A	1	1	-	1/7/10/10	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	5VV	OD1-CG	5.77	1.41	1.24
1	B	1	5VV	OD1-CG	5.25	1.39	1.24
1	A	1	5VV	CG-ND2	3.61	1.44	1.32
1	B	1	5VV	CG-ND2	3.40	1.43	1.32
1	A	1	5VV	CA-N	3.37	1.51	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1	5VV	CA-CB-CG	4.33	120.86	112.24
1	B	1	5VV	O-C-CA	-3.55	115.48	124.78
1	A	1	5VV	O-C-CA	-3.14	116.55	124.78
1	A	1	5VV	CB-CA-C	-2.67	106.59	111.65

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	5VV	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	1	5VV	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	432/433 (99%)	-0.56	0 100 100	8, 14, 21, 26	0
1	B	432/433 (99%)	-0.57	0 100 100	7, 14, 19, 25	0
All	All	864/866 (99%)	-0.57	0 100 100	7, 14, 20, 26	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	5VV	A	1	11/11	0.96	0.09	11,12,13,16	0
1	5VV	B	1	11/11	0.96	0.09	7,9,11,13	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CA	A	501	1/1	0.96	0.05	24,24,24,24	0
2	CA	A	503	1/1	0.98	0.04	29,29,29,29	0
2	CA	B	503	1/1	0.98	0.03	23,23,23,23	0
2	CA	B	501	1/1	0.99	0.04	25,25,25,25	0
2	CA	A	502	1/1	0.99	0.06	18,18,18,18	0
2	CA	B	502	1/1	1.00	0.06	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.