



# Full wwPDB NMR Structure Validation Report ⓘ

Jun 7, 2020 – 04:54 am BST

PDB ID : 6FE6  
Title : Solution structure of a last generation P2-P4 macrocyclic inhibitor  
Authors : Gallo, M.; Eliseo, T.; Cicero, D.O.  
Deposited on : 2017-12-29

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 75%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	165	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
2	A	4P2	201	18	-

## 2 Ensemble composition and analysis

This entry contains 18 models. Model 7 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:32-A:60, A:72-A:181 (139)	0.47	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 1 single-model cluster was found.

Cluster number	Models
1	10, 11, 13, 14, 15, 16
2	3, 5, 12, 17, 18
3	1, 6, 7
4	4, 8, 9
Single-model clusters	2

### 3 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 2458 atoms, of which 1226 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called Non-structural 3 protease.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	160	2350	729	1174	215	223	9	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	181	ALA	SER	conflict	UNP A6N4I5
A	182	SER	-	expression tag	UNP A6N4I5
A	183	LYS	-	expression tag	UNP A6N4I5
A	184	LYS	-	expression tag	UNP A6N4I5
A	185	LYS	-	expression tag	UNP A6N4I5
A	186	LYS	-	expression tag	UNP A6N4I5

- Molecule 2 is (3aR,7S,10S,12R,24aR)-7-cyclopentyl-N-{(1R,2S)-1-[(cyclopropylsulfonyl)carbonyl]-2-ethenylcyclopropyl}-5,8-dioxo-1,2,3,3a,5,6,7,8,11,12,20,21,22,23,24,24a-hexadecahydro-10H-9,12-methanocyclopenta[18,19][1,10,3,6]dioxadiazacyclonadecino[12,11-b]quinoline-10-carboxamide (three-letter code: 4P2) (formula: C<sub>41</sub>H<sub>53</sub>N<sub>5</sub>O<sub>8</sub>S).



Mol	Chain	Residues	Atoms					
			Total	C	H	N	O	S
2	A	1	107	41	52	5	8	1

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
			Total	Zn
3	A	1	1	1

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Non-structural 3 protease




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1


- Molecule 1: Non-structural 3 protease



#### 4.2.2 Score per residue for model 2


- Molecule 1: Non-structural 3 protease






### 4.2.3 Score per residue for model 3

- Molecule 1: Non-structural 3 protease




### 4.2.4 Score per residue for model 4

- Molecule 1: Non-structural 3 protease




### 4.2.5 Score per residue for model 5

- Molecule 1: Non-structural 3 protease




### 4.2.6 Score per residue for model 6

- Molecule 1: Non-structural 3 protease




#### 4.2.7 Score per residue for model 7 (medoid)

- Molecule 1: Non-structural 3 protease




#### 4.2.8 Score per residue for model 8

- Molecule 1: Non-structural 3 protease



#### 4.2.9 Score per residue for model 9


- Molecule 1: Non-structural 3 protease






#### 4.2.10 Score per residue for model 10

- Molecule 1: Non-structural 3 protease




#### 4.2.11 Score per residue for model 11

- Molecule 1: Non-structural 3 protease




#### 4.2.12 Score per residue for model 12

- Molecule 1: Non-structural 3 protease




#### 4.2.13 Score per residue for model 13

- Molecule 1: Non-structural 3 protease




## 4.2.14 Score per residue for model 14

- Molecule 1: Non-structural 3 protease




## 4.2.15 Score per residue for model 15

- Molecule 1: Non-structural 3 protease




## 4.2.16 Score per residue for model 16

- Molecule 1: Non-structural 3 protease




## 4.2.17 Score per residue for model 17

- Molecule 1: Non-structural 3 protease



### 4.2.18 Score per residue for model 18

- Molecule 1: Non-structural 3 protease



## 5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *molecular dynamics*.

Of the 18 calculated structures, 18 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
Xplor-NIH	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 6 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1574
Number of shifts mapped to atoms	1574
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	75%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

### 5.1 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1026	1017	1018	21±9
2	A	55	52	0	1±0
3	A	1	0	0	0±1
All	All	19476	19242	18321	380

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:145:CYS:SG	3:A:202:ZN:ZN	0.93	1.57	5	6
1:A:82:LEU:HD21	1:A:178:THR:HG21	0.86	1.45	8	1
1:A:54:THR:HG21	1:A:85:TRP:CH2	0.84	2.07	6	7
1:A:55:VAL:HG11	1:A:57:HIS:CE1	0.81	2.10	8	18
1:A:56:TYR:CE2	1:A:78:VAL:HG22	0.81	2.11	4	18
1:A:143:LEU:O	1:A:151:VAL:HG12	0.80	1.77	8	1
1:A:54:THR:HG23	1:A:83:VAL:HG23	0.79	1.55	16	5
1:A:33:VAL:HG13	1:A:45:ALA:O	0.75	1.82	3	1
1:A:53:TRP:CE3	1:A:82:LEU:HD21	0.73	2.19	4	1
1:A:94:LEU:HD23	1:A:150:ALA:HB2	0.73	1.59	3	1
1:A:33:VAL:HG22	1:A:46:THR:HG22	0.72	1.60	3	1
1:A:81:ASP:O	1:A:82:LEU:HD12	0.72	1.84	18	3
1:A:76:THR:HA	1:A:83:VAL:HG12	0.72	1.61	8	4
1:A:55:VAL:HG21	1:A:139:SER:HB3	0.72	1.62	9	6
1:A:54:THR:CG2	1:A:83:VAL:HG23	0.71	2.14	14	4
1:A:94:LEU:CD2	1:A:150:ALA:HB2	0.71	2.16	3	2
1:A:53:TRP:CZ3	1:A:82:LEU:HD21	0.71	2.20	4	1
1:A:108:THR:HG23	1:A:113:VAL:HG13	0.70	1.63	8	1
1:A:54:THR:HG21	1:A:85:TRP:CZ2	0.70	2.21	5	1
1:A:54:THR:HG22	1:A:83:VAL:O	0.70	1.86	9	3
1:A:112:ASP:O	1:A:113:VAL:HG13	0.69	1.87	8	2
1:A:106:LEU:HD12	1:A:143:LEU:HD11	0.68	1.66	10	1
1:A:33:VAL:CG2	1:A:46:THR:HG22	0.68	2.17	3	1
1:A:116:VAL:HG13	1:A:125:SER:O	0.68	1.88	9	7
1:A:33:VAL:HG12	1:A:46:THR:HG22	0.68	1.64	18	1
1:A:151:VAL:O	1:A:172:VAL:HG23	0.67	1.89	5	4
1:A:132:VAL:HG12	1:A:136:LYS:CE	0.67	2.20	8	1
1:A:80:GLN:HG2	1:A:82:LEU:HD11	0.66	1.68	6	1
1:A:78:VAL:HG13	2:A:201:4P2:C24	0.66	2.21	7	15
1:A:33:VAL:HG11	1:A:142:PRO:HD3	0.66	1.66	18	1
1:A:33:VAL:CG1	1:A:46:THR:HG22	0.66	2.21	18	1
1:A:32:GLU:OE2	1:A:144:LEU:HD21	0.65	1.91	10	2
1:A:32:GLU:HG3	1:A:33:VAL:HG23	0.65	1.68	14	2
1:A:82:LEU:O	1:A:82:LEU:HD23	0.65	1.90	8	1
1:A:104:LEU:HD22	1:A:151:VAL:HG21	0.65	1.69	4	4
1:A:87:ALA:HB3	1:A:92:ARG:HG3	0.65	1.65	2	1
1:A:75:TYR:O	1:A:83:VAL:HG23	0.65	1.92	1	1
1:A:33:VAL:HG23	1:A:45:ALA:O	0.64	1.92	5	4
1:A:50:GLY:O	1:A:87:ALA:HB3	0.64	1.90	5	7
1:A:156:ALA:HB1	2:A:201:4P2:O32	0.63	1.92	10	7
1:A:80:GLN:CG	1:A:82:LEU:HD11	0.63	2.23	6	1
1:A:36:VAL:HG22	1:A:43:PHE:O	0.63	1.94	9	2

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:54:THR:HG21	1:A:85:TRP:CZ3	0.62	2.29	10	2
1:A:52:CYS:SG	1:A:87:ALA:HB2	0.62	2.33	2	1
1:A:106:LEU:CD1	1:A:143:LEU:HD11	0.62	2.24	10	1
1:A:108:THR:OG1	1:A:113:VAL:HG13	0.62	1.95	9	1
1:A:33:VAL:HG22	1:A:44:LEU:HD23	0.61	1.70	8	1
1:A:53:TRP:CE3	1:A:82:LEU:HD23	0.61	2.30	7	3
1:A:94:LEU:HD23	1:A:150:ALA:CB	0.61	2.25	3	1
1:A:75:TYR:O	1:A:83:VAL:HG13	0.60	1.95	2	7
1:A:132:VAL:HG12	1:A:136:LYS:HE2	0.60	1.73	8	1
1:A:97:CYS:CB	1:A:151:VAL:HG12	0.60	2.26	12	2
1:A:82:LEU:HD11	1:A:170:VAL:HG21	0.60	1.72	11	1
1:A:123:ARG:CZ	1:A:166:ALA:HB1	0.59	2.27	3	1
1:A:123:ARG:NH2	1:A:158:VAL:HG21	0.59	2.12	18	2
1:A:87:ALA:HB1	1:A:88:PRO:HD2	0.59	1.74	2	2
1:A:106:LEU:O	1:A:113:VAL:HG11	0.58	1.98	8	2
1:A:94:LEU:HD21	1:A:150:ALA:HB2	0.58	1.75	2	1
1:A:80:GLN:O	1:A:82:LEU:HD13	0.58	1.98	6	1
1:A:145:CYS:HG	3:A:202:ZN:ZN	0.58	1.08	2	3
1:A:174:SER:O	1:A:177:THR:HG22	0.58	1.98	17	2
1:A:155:ARG:CZ	1:A:170:VAL:HG21	0.57	2.29	8	1
1:A:32:GLU:OE2	1:A:94:LEU:HD21	0.57	2.00	11	1
1:A:143:LEU:C	1:A:144:LEU:HD12	0.57	2.18	3	2
1:A:82:LEU:HD13	1:A:175:MET:CE	0.57	2.29	5	1
1:A:130:ARG:O	1:A:164:ALA:HB3	0.57	1.99	5	4
1:A:104:LEU:HD22	1:A:151:VAL:HG11	0.56	1.78	9	2
1:A:126:LEU:HD13	1:A:167:VAL:HG11	0.56	1.76	18	1
1:A:112:ASP:HB3	1:A:114:ILE:HD13	0.56	1.76	18	1
1:A:54:THR:HG23	1:A:83:VAL:CG2	0.56	2.29	16	2
1:A:80:GLN:HB3	1:A:82:LEU:HD22	0.56	1.78	8	1
1:A:114:ILE:HD12	1:A:114:ILE:N	0.56	2.15	18	1
1:A:95:THR:O	1:A:150:ALA:HB3	0.56	2.01	14	1
1:A:144:LEU:N	1:A:144:LEU:HD12	0.55	2.15	15	2
1:A:80:GLN:HG2	1:A:82:LEU:HD12	0.54	1.80	13	1
1:A:143:LEU:HD12	1:A:143:LEU:N	0.54	2.18	6	2
1:A:54:THR:O	1:A:82:LEU:HD23	0.54	2.03	12	1
1:A:54:THR:HG23	1:A:83:VAL:HG13	0.54	1.80	1	1
1:A:56:TYR:CZ	1:A:78:VAL:HG22	0.53	2.37	16	3
1:A:106:LEU:HD12	1:A:143:LEU:HD21	0.53	1.78	15	1
1:A:114:ILE:HG21	1:A:126:LEU:HD11	0.53	1.80	2	1
1:A:32:GLU:HG2	1:A:94:LEU:HD21	0.53	1.79	9	1
1:A:33:VAL:HG12	1:A:46:THR:CG2	0.52	2.35	18	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:126:LEU:HD21	1:A:129:PRO:HA	0.52	1.80	9	1
1:A:45:ALA:CB	1:A:54:THR:HG22	0.52	2.35	2	1
1:A:106:LEU:C	1:A:113:VAL:HG11	0.52	2.24	8	2
1:A:114:ILE:CG2	1:A:126:LEU:HD11	0.52	2.34	2	2
1:A:82:LEU:HD21	1:A:178:THR:CG2	0.51	2.28	8	1
1:A:75:TYR:O	1:A:83:VAL:HG12	0.51	2.06	14	4
1:A:98:THR:HG23	1:A:98:THR:O	0.51	2.06	10	1
1:A:95:THR:HG23	1:A:149:HIS:ND1	0.50	2.21	3	1
1:A:144:LEU:HD13	1:A:149:HIS:C	0.50	2.27	9	1
1:A:87:ALA:HB3	1:A:92:ARG:CG	0.50	2.37	2	1
1:A:35:VAL:O	1:A:35:VAL:HG23	0.50	2.07	10	2
1:A:54:THR:OG1	1:A:83:VAL:HG23	0.49	2.07	11	1
1:A:114:ILE:HG23	1:A:114:ILE:O	0.49	2.07	6	1
1:A:126:LEU:HD13	1:A:167:VAL:CG1	0.49	2.36	18	1
1:A:140:GLY:HA2	1:A:153:ILE:HD11	0.49	1.84	9	1
1:A:82:LEU:HD21	1:A:175:MET:CE	0.49	2.38	9	1
1:A:51:VAL:HG11	1:A:53:TRP:CZ2	0.49	2.42	4	1
1:A:144:LEU:HD12	1:A:150:ALA:HA	0.49	1.83	6	1
1:A:33:VAL:HG21	1:A:142:PRO:HG3	0.49	1.84	3	1
1:A:55:VAL:CG1	1:A:57:HIS:CE1	0.49	2.96	9	16
1:A:124:GLY:O	1:A:166:ALA:HB1	0.48	2.07	10	1
1:A:108:THR:HG23	1:A:113:VAL:CG1	0.48	2.37	8	1
1:A:127:LEU:N	1:A:127:LEU:HD12	0.48	2.23	7	2
1:A:45:ALA:HB1	1:A:52:CYS:SG	0.48	2.48	6	2
1:A:113:VAL:HG13	1:A:114:ILE:H	0.48	1.69	18	1
1:A:106:LEU:HD23	1:A:106:LEU:C	0.48	2.29	2	1
1:A:82:LEU:HD13	1:A:175:MET:HE3	0.47	1.86	5	1
1:A:53:TRP:CE3	1:A:82:LEU:CD2	0.47	2.98	7	1
1:A:47:CYS:O	1:A:94:LEU:HD12	0.47	2.09	9	1
1:A:35:VAL:O	1:A:35:VAL:HG13	0.47	2.10	14	1
1:A:143:LEU:N	1:A:143:LEU:HD12	0.47	2.24	18	2
1:A:83:VAL:HG12	1:A:85:TRP:CZ2	0.47	2.44	4	1
1:A:75:TYR:CD2	1:A:75:TYR:N	0.47	2.83	8	1
1:A:135:LEU:HD21	1:A:154:PHE:CZ	0.47	2.45	10	2
1:A:130:ARG:CB	1:A:134:TYR:CD1	0.47	2.98	13	1
1:A:106:LEU:HD11	1:A:154:PHE:HB2	0.46	1.87	5	1
1:A:112:ASP:C	1:A:113:VAL:HG22	0.46	2.31	8	2
1:A:55:VAL:HG11	1:A:57:HIS:NE2	0.46	2.26	4	3
1:A:80:GLN:O	1:A:82:LEU:HD12	0.46	2.10	5	1
1:A:55:VAL:O	1:A:59:ALA:HB3	0.46	2.10	4	1
1:A:33:VAL:CG2	1:A:44:LEU:HD23	0.46	2.40	8	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:155:ARG:NH2	1:A:170:VAL:HG22	0.46	2.26	5	1
1:A:46:THR:HG21	1:A:142:PRO:HB3	0.46	1.88	11	2
1:A:33:VAL:HG21	1:A:142:PRO:CG	0.46	2.40	3	1
1:A:35:VAL:HG23	1:A:35:VAL:O	0.46	2.10	16	1
1:A:53:TRP:CZ3	1:A:175:MET:CE	0.46	2.99	6	1
1:A:95:THR:CG2	1:A:149:HIS:CD2	0.45	2.99	17	1
1:A:74:MET:CE	1:A:75:TYR:CE2	0.45	2.99	18	1
1:A:43:PHE:CD1	1:A:43:PHE:N	0.45	2.84	7	2
1:A:83:VAL:CG1	1:A:85:TRP:CZ2	0.45	3.00	4	1
1:A:53:TRP:CG	1:A:175:MET:CE	0.45	2.99	1	1
1:A:97:CYS:HB2	1:A:151:VAL:HG22	0.45	1.88	13	1
1:A:55:VAL:HG21	1:A:139:SER:CB	0.45	2.41	12	1
1:A:75:TYR:CZ	1:A:84:GLY:HA3	0.45	2.46	9	1
1:A:40:THR:HG23	1:A:41:GLN:HG3	0.45	1.88	17	2
1:A:153:ILE:HD12	1:A:175:MET:CE	0.45	2.41	8	1
1:A:144:LEU:HD13	1:A:149:HIS:O	0.45	2.10	5	2
1:A:82:LEU:HD22	1:A:175:MET:CE	0.45	2.41	17	1
1:A:75:TYR:CE1	1:A:84:GLY:N	0.45	2.84	8	1
1:A:172:VAL:HG13	1:A:175:MET:CE	0.45	2.42	18	1
1:A:48:VAL:O	1:A:51:VAL:HG12	0.45	2.11	3	1
1:A:94:LEU:HB3	1:A:150:ALA:HB2	0.45	1.89	5	1
1:A:32:GLU:OE1	1:A:94:LEU:HD13	0.45	2.12	12	1
1:A:51:VAL:HG12	1:A:53:TRP:NE1	0.45	2.27	8	1
1:A:53:TRP:CZ3	1:A:82:LEU:CD2	0.44	3.00	15	1
1:A:155:ARG:NH1	1:A:170:VAL:HG21	0.44	2.28	8	1
1:A:106:LEU:HD13	1:A:143:LEU:HD11	0.44	1.88	5	2
1:A:132:VAL:HG12	1:A:136:LYS:HE3	0.44	1.89	8	1
1:A:108:THR:HG23	1:A:112:ASP:OD1	0.44	2.12	17	1
1:A:143:LEU:O	1:A:151:VAL:HG22	0.44	2.13	17	1
1:A:35:VAL:HA	1:A:44:LEU:HD22	0.44	1.89	4	2
1:A:34:GLN:O	1:A:44:LEU:HD23	0.44	2.13	9	1
1:A:56:TYR:HA	1:A:83:VAL:HG11	0.44	1.89	15	2
1:A:54:THR:CG2	1:A:85:TRP:CH2	0.44	2.99	5	1
1:A:98:THR:O	1:A:98:THR:HG23	0.44	2.12	18	2
1:A:82:LEU:HD11	1:A:170:VAL:HG11	0.43	1.90	14	1
1:A:75:TYR:CE1	1:A:84:GLY:CA	0.43	3.01	8	1
1:A:57:HIS:CD2	1:A:58:GLY:N	0.43	2.86	8	1
1:A:116:VAL:HG11	1:A:167:VAL:CG2	0.43	2.44	11	1
1:A:106:LEU:O	1:A:113:VAL:HG21	0.43	2.12	9	2
1:A:43:PHE:N	1:A:43:PHE:CD1	0.43	2.86	5	2
1:A:78:VAL:HG13	2:A:201:4P2:C25	0.43	2.43	2	3

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:110:HIS:CG	1:A:110:HIS:O	0.43	2.72	8	2
1:A:53:TRP:CH2	1:A:175:MET:CE	0.43	3.01	6	1
1:A:114:ILE:N	1:A:114:ILE:CD1	0.42	2.82	18	1
1:A:53:TRP:CE3	1:A:82:LEU:HD22	0.42	2.49	2	1
1:A:32:GLU:CG	1:A:94:LEU:HD13	0.42	2.44	3	1
1:A:104:LEU:CD2	1:A:151:VAL:HG21	0.42	2.44	2	1
1:A:53:TRP:CZ3	1:A:82:LEU:HD23	0.42	2.49	7	1
1:A:144:LEU:HD22	1:A:144:LEU:N	0.42	2.30	8	1
1:A:108:THR:HG1	1:A:113:VAL:HG13	0.42	1.74	9	1
1:A:117:ARG:CG	1:A:127:LEU:HD11	0.42	2.45	4	1
1:A:87:ALA:CB	1:A:92:ARG:CD	0.42	2.98	2	1
1:A:132:VAL:HG21	1:A:159:CYS:SG	0.42	2.55	9	1
1:A:116:VAL:HG11	1:A:167:VAL:HG21	0.42	1.90	11	1
1:A:35:VAL:HG12	1:A:44:LEU:HD22	0.42	1.92	17	1
1:A:123:ARG:HH11	1:A:166:ALA:HB1	0.42	1.74	6	1
1:A:156:ALA:HB3	1:A:168:ASP:OD1	0.41	2.15	9	1
1:A:106:LEU:O	1:A:113:VAL:CG1	0.41	2.68	8	1
1:A:144:LEU:HD23	1:A:149:HIS:C	0.41	2.35	12	1
1:A:38:THR:OG1	1:A:43:PHE:CE1	0.41	2.73	4	1
1:A:82:LEU:C	1:A:82:LEU:CD2	0.41	2.89	6	1
1:A:35:VAL:CG1	1:A:109:ARG:NH1	0.41	2.84	7	1
1:A:32:GLU:CD	1:A:94:LEU:HD13	0.41	2.35	3	1
1:A:144:LEU:CD2	1:A:144:LEU:N	0.41	2.84	8	1
1:A:57:HIS:CD2	1:A:57:HIS:C	0.41	2.94	8	1
1:A:130:ARG:HB3	1:A:134:TYR:CD1	0.41	2.51	13	1
1:A:126:LEU:HD11	1:A:130:ARG:NH2	0.41	2.29	18	1
1:A:95:THR:OG1	1:A:149:HIS:CE1	0.41	2.74	18	1
1:A:33:VAL:HG11	1:A:142:PRO:CD	0.41	2.46	9	1
1:A:132:VAL:HG23	1:A:162:GLY:O	0.41	2.15	13	1
1:A:84:GLY:O	1:A:85:TRP:CD1	0.41	2.74	18	1
1:A:139:SER:OG	2:A:201:4P2:C55	0.40	2.69	7	1
1:A:56:TYR:CE2	1:A:78:VAL:CG2	0.40	2.96	9	1
1:A:51:VAL:O	1:A:53:TRP:CD1	0.40	2.75	4	1
1:A:148:GLY:O	1:A:149:HIS:CD2	0.40	2.75	14	1
1:A:53:TRP:CH2	1:A:175:MET:O	0.40	2.75	8	1
1:A:155:ARG:CZ	1:A:170:VAL:CG2	0.40	2.99	8	1
1:A:56:TYR:CZ	1:A:78:VAL:CG2	0.40	3.05	16	1
1:A:53:TRP:CE3	1:A:83:VAL:O	0.40	2.74	18	1

## 5.2 Torsion angles [i](#)

### 5.2.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	138/165 (84%)	130±2 (94±1%)	7±2 (5±1%)	1±1 (0±1%)	38	78
All	All	2484/2970 (84%)	2345 (94%)	130 (5%)	9 (0%)	38	78

All 5 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	113	VAL	3
1	A	100	GLY	2
1	A	32	GLU	2
1	A	60	GLY	1
1	A	114	ILE	1

### 5.2.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/134 (84%)	107±3 (94±2%)	6±3 (6±2%)	24	73
All	All	2034/2412 (84%)	1919 (94%)	115 (6%)	24	73

All 44 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	38	THR	13
1	A	145	CYS	8
1	A	123	ARG	8
1	A	119	ARG	8
1	A	82	LEU	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	161	ARG	5
1	A	112	ASP	3
1	A	155	ARG	3
1	A	127	LEU	3
1	A	92	ARG	3
1	A	109	ARG	3
1	A	139	SER	3
1	A	168	ASP	3
1	A	94	LEU	3
1	A	73	GLN	3
1	A	130	ARG	3
1	A	44	LEU	2
1	A	83	VAL	2
1	A	136	LYS	2
1	A	126	LEU	2
1	A	114	ILE	2
1	A	80	GLN	2
1	A	86	GLN	2
1	A	113	VAL	2
1	A	95	THR	1
1	A	110	HIS	1
1	A	77	ASN	1
1	A	147	SER	1
1	A	52	CYS	1
1	A	149	HIS	1
1	A	101	SER	1
1	A	176	GLU	1
1	A	103	ASP	1
1	A	144	LEU	1
1	A	180	ARG	1
1	A	55	VAL	1
1	A	79	ASP	1
1	A	134	TYR	1
1	A	175	MET	1
1	A	143	LEU	1
1	A	117	ARG	1
1	A	179	MET	1
1	A	133	SER	1
1	A	85	TRP	1

### 5.2.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.3 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.4 Carbohydrates [i](#)

There are no carbohydrates in this entry.

LIGAND-GEOMETRY INFOmissingINFO

### 5.5 Other polymers [i](#)

There are no such molecules in this entry.

### 5.6 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 75% for the well-defined parts and 72% for the entire structure.

### 6.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list\_0*

#### 6.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1574
Number of shifts mapped to atoms	1574
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

#### 6.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	148	$-0.59 \pm 0.11$	Should be applied
$^{13}\text{C}_\beta$	108	$-0.19 \pm 0.15$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	127	$-0.09 \pm 0.17$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	129	$0.57 \pm 0.34$	None needed (imprecise)

#### 6.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 75%, i.e. 1186 atoms were assigned a chemical shift out of a possible 1585. 25 out of 28 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	582/677 (86%)	242/269 (90%)	232/278 (83%)	108/130 (83%)
Sidechain	536/801 (67%)	344/469 (73%)	192/293 (66%)	0/39 (0%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	68/107 (64%)	41/55 (75%)	19/44 (43%)	8/8 (100%)
Overall	1186/1585 (75%)	627/793 (79%)	443/615 (72%)	116/177 (66%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 72%, i.e. 1323 atoms were assigned a chemical shift out of a possible 1826. 26 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	666/778 (86%)	277/309 (90%)	265/320 (83%)	124/149 (83%)
Sidechain	589/941 (63%)	381/552 (69%)	208/342 (61%)	0/47 (0%)
Aromatic	68/107 (64%)	41/55 (75%)	19/44 (43%)	8/8 (100%)
Overall	1323/1826 (72%)	699/916 (76%)	492/706 (70%)	132/204 (65%)

#### 6.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	68	LYS	CD	42.40	34.86 – 23.06	11.4
1	A	68	LYS	HD3	3.08	2.75 – 0.45	6.4
1	A	68	LYS	HD2	3.08	2.76 – 0.46	6.4
1	A	58	GLY	HA3	1.78	5.80 – 2.00	-5.6
1	A	85	TRP	CZ2	122.60	121.76 – 106.66	5.6
1	A	85	TRP	CH2	113.90	133.06 – 114.56	-5.4

#### 6.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

