



wwPDB EM Validation Summary Report ⓘ

Nov 23, 2022 – 12:06 PM JST

PDB ID : 7FJ3
EMDB ID : EMD-31612
Title : Cryo-EM structure of PRV A-capid
Authors : Zheng, Q.; Li, S.; Zha, Z.; Sun, H.
Deposited on : 2021-08-02
Resolution : 4.53 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	1330	
1	A	1330	
1	S	1330	
1	U	1330	
1	a	1330	
1	e	1330	
1	f	1330	
1	g	1330	
1	l	1330	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	m	1330	50% 99%
1	n	1330	50% 98%
1	p	1330	53% 98%
1	q	1330	52% 99%
1	u	1330	52% 98%
1	w	1330	52% 98%
1	y	1330	52% 98%
2	1	296	54% 94% 6%
2	2	296	54% 93% 6%
2	3	296	53% 94% 6%
2	j	296	79% 90% 10%
2	k	296	80% 94% 6%
2	o	296	56% 100%
2	s	296	50% 94% 6%
2	v	296	55% 97% ..
2	x	296	60% 100%
2	z	296	62% 100%
3	B	368	94%
3	C	368	94%
3	D	368	94%
3	T	368	51% 75% 14% 11%
3	W	368	94%
3	d	368	96%
3	h	368	48% 75% 14% 11%
3	i	368	76% 75% 14% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	r	368	46% 75% 13% 11%
3	t	368	49% 75% 14% 11%
4	E	103	56% 74% 15% 12%
4	F	103	49% 74% 15% 12%
4	G	103	48% 74% 15% 12%
4	H	103	40% 74% 15% 12%
4	I	103	50% 74% 15% 12%
4	J	103	59% 74% 15% 12%
4	K	103	53% 74% 15% 12%
4	L	103	49% 74% 15% 12%
4	M	103	45% 74% 15% 12%
4	N	103	51% 74% 15% 12%
4	O	103	37% 74% 15% 12%
4	P	103	47% 74% 15% 12%
4	Q	103	50% 74% 15% 12%
4	R	103	53% 74% 15% 12%
4	V	103	59% 74% 15% 12%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 205888 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	1311	10129	6403	1824	1841	61	0	0
1	A	1308	10112	6393	1820	1837	62	0	0
1	S	1289	9975	6307	1797	1812	59	0	0
1	U	1311	10129	6403	1824	1841	61	0	0
1	a	1289	9974	6311	1797	1805	61	0	0
1	e	1126	8722	5528	1561	1579	54	0	0
1	f	1311	10129	6403	1824	1841	61	0	0
1	g	1310	10125	6401	1823	1840	61	0	0
1	l	1311	10129	6403	1824	1841	61	0	0
1	m	1311	10129	6403	1824	1841	61	0	0
1	n	1311	10129	6403	1824	1841	61	0	0
1	p	1311	10129	6403	1824	1841	61	0	0
1	q	1311	10129	6403	1824	1841	61	0	0
1	u	1311	10129	6403	1824	1841	61	0	0
1	w	1311	10129	6403	1824	1841	61	0	0
1	y	1311	10129	6403	1824	1841	61	0	0

- Molecule 2 is a protein called Triplex capsid protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	277	Total	C	N	O	S	0	0
			2088	1318	382	377	11		
2	2	277	Total	C	N	O	S	0	0
			2088	1318	382	377	11		
2	3	277	Total	C	N	O	S	0	0
			2088	1318	382	377	11		
2	j	267	Total	C	N	O	S	0	0
			2009	1269	365	364	11		
2	k	277	Total	C	N	O	S	0	0
			2088	1318	382	377	11		
2	o	296	Total	C	N	O	S	0	0
			2229	1403	414	401	11		
2	s	277	Total	C	N	O	S	0	0
			2088	1318	382	377	11		
2	v	289	Total	C	N	O	S	0	0
			2189	1380	404	394	11		
2	x	296	Total	C	N	O	S	0	0
			2229	1403	414	401	11		
2	z	296	Total	C	N	O	S	0	0
			2229	1403	414	401	11		

- Molecule 3 is a protein called Triplex capsid protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	23	Total	C	N	O	S	0	0
			152	96	25	29	2		
3	C	23	Total	C	N	O	S	0	0
			152	96	25	29	2		
3	D	23	Total	C	N	O	S	0	0
			152	96	25	29	2		
3	T	327	Total	C	N	O	S	0	0
			2538	1582	494	450	12		
3	W	23	Total	C	N	O	S	0	0
			152	96	25	29	2		
3	d	16	Total	C	N	O	S	0	0
			108	69	18	19	2		
3	h	327	Total	C	N	O	S	0	0
			2538	1582	494	450	12		
3	i	327	Total	C	N	O	S	0	0
			2538	1582	494	450	12		
3	r	327	Total	C	N	O	S	0	0
			2538	1582	494	450	12		
3	t	327	Total	C	N	O	S	0	0
			2538	1582	494	450	12		


- Molecule 4 is a protein called Small capsomere-interacting protein.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	F	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	G	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	H	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	I	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	J	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	K	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	L	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	M	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	N	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	O	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	P	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	Q	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	R	91	Total	C	N	O	S	0	0
			722	453	139	128	2		
4	V	91	Total	C	N	O	S	0	0
			722	453	139	128	2		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein





• Molecule 1: Major capsid protein








• Molecule 1: Major capsid protein










• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein






● Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein

Chain m:











• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein


Chain u:







PHE
GLN
HIS
ALA
SER
ALA


• Molecule 1: Major capsid protein









• Molecule 1: Major capsid protein






• Molecule 2: Triplex capsid protein 2




• Molecule 2: Triplex capsid protein 2







• Molecule 2: Triplex capsid protein 2




Chain 3:




• Molecule 2: Triplex capsid protein 2





Chain j:







• Molecule 2: Triplex capsid protein 2





• Molecule 2: Triplex capsid protein 2







• Molecule 2: Triplex capsid protein 2





• Molecule 2: Triplex capsid protein 2






• Molecule 2: Triplex capsid protein 2







• Molecule 3: Triplex capsid protein 1








• Molecule 3: Triplex capsid protein 1




• Molecule 4: Small capsomere-interacting protein






• Molecule 4: Small capsomere-interacting protein










• Molecule 4: Small capsomere-interacting protein






• Molecule 4: Small capsomere-interacting protein








• Molecule 4: Small capsomere-interacting protein




• Molecule 4: Small capsomere-interacting protein






• Molecule 4: Small capsomere-interacting protein











• Molecule 4: Small capsomere-interacting protein






• Molecule 4: Small capsomere-interacting protein



• Molecule 4: Small capsomere-interacting protein



• Molecule 4: Small capsomere-interacting protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	8899	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	9.650	Depositor
Minimum map value	-5.599	Depositor
Average map value	-0.004	Depositor
Map value standard deviation	0.860	Depositor
Recommended contour level	2.0	Depositor
Map size (Å)	1429.76, 1429.76, 1429.76	wwPDB
Map dimensions	1280, 1280, 1280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.117, 1.117, 1.117	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.34	0/10384	0.47	0/14158
1	A	0.37	1/10366 (0.0%)	0.57	13/14132 (0.1%)
1	S	0.32	0/10229	0.47	0/13950
1	U	0.37	0/10384	0.48	2/14158 (0.0%)
1	a	0.33	0/10225	0.48	1/13938 (0.0%)
1	e	0.28	0/8938	0.50	0/12175
1	f	0.37	0/10384	0.48	1/14158 (0.0%)
1	g	0.36	0/10379	0.49	2/14150 (0.0%)
1	l	0.35	0/10384	0.48	0/14158
1	m	0.36	0/10384	0.48	0/14158
1	n	0.35	0/10384	0.48	1/14158 (0.0%)
1	p	0.34	0/10384	0.48	1/14158 (0.0%)
1	q	0.34	0/10384	0.47	0/14158
1	u	0.36	0/10384	0.48	1/14158 (0.0%)
1	w	0.36	0/10384	0.48	0/14158
1	y	0.35	0/10384	0.49	4/14158 (0.0%)
2	1	0.30	0/2127	0.50	0/2903
2	2	0.29	0/2127	0.51	0/2903
2	3	0.30	0/2127	0.50	0/2903
2	j	0.31	0/2043	0.54	1/2783 (0.0%)
2	k	0.28	0/2127	0.49	0/2903
2	o	0.32	0/2272	0.50	0/3099
2	s	0.33	0/2127	0.49	0/2903
2	v	0.31	0/2230	0.48	0/3041
2	x	0.30	0/2272	0.53	0/3099
2	z	0.29	0/2272	0.50	0/3099
3	B	1.95	6/152 (3.9%)	2.52	15/206 (7.3%)
3	C	1.95	6/152 (3.9%)	2.53	15/206 (7.3%)
3	D	1.95	6/152 (3.9%)	2.53	15/206 (7.3%)
3	T	0.33	0/2591	0.62	2/3521 (0.1%)
3	W	1.95	7/152 (4.6%)	2.52	15/206 (7.3%)
3	d	0.27	0/108	0.51	0/145
3	h	0.33	0/2591	0.62	2/3521 (0.1%)
3	i	0.33	0/2591	0.61	2/3521 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	r	0.33	0/2591	0.62	2/3521 (0.1%)
3	t	0.33	0/2591	0.61	2/3521 (0.1%)
4	E	0.28	0/736	0.50	0/999
4	F	0.28	0/736	0.50	0/999
4	G	0.28	0/736	0.50	0/999
4	H	0.28	0/736	0.50	0/999
4	I	0.28	0/736	0.50	0/999
4	J	0.28	0/736	0.50	0/999
4	K	0.28	0/736	0.50	0/999
4	L	0.28	0/736	0.50	0/999
4	M	0.28	0/736	0.50	0/999
4	N	0.28	0/736	0.50	0/999
4	O	0.28	0/736	0.50	0/999
4	P	0.28	0/736	0.50	0/999
4	Q	0.28	0/736	0.50	0/999
4	R	0.28	0/736	0.50	0/999
4	V	0.28	0/736	0.50	0/999
All	All	0.36	26/210796 (0.0%)	0.51	97/287278 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	2
1	A	0	1
1	U	0	1
1	n	0	3
1	u	0	1
1	y	0	1
2	v	0	1
3	B	0	6
3	C	0	6
3	D	0	6
3	W	0	6
All	All	0	34

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	8	GLY	N-CA	8.82	1.59	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	8	GLY	N-CA	8.80	1.59	1.46
3	W	8	GLY	N-CA	8.78	1.59	1.46
3	B	8	GLY	N-CA	8.73	1.59	1.46
3	B	16	GLY	N-CA	7.64	1.57	1.46

The worst 5 of 97 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	162	LEU	CB-CG-CD2	-21.90	73.78	111.00
3	W	17	THR	CA-CB-CG2	12.04	129.25	112.40
3	D	17	THR	CA-CB-CG2	12.03	129.24	112.40
3	B	17	THR	CA-CB-CG2	12.00	129.21	112.40
3	C	17	THR	CA-CB-CG2	12.00	129.20	112.40

There are no chirality outliers.

5 of 34 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	762	ARG	Peptide
1	0	984	ALA	Peptide
1	A	163	ASP	Peptide
3	B	5	ILE	Peptide
3	B	6	GLY	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	1307/1330 (98%)	1171 (90%)	135 (10%)	1 (0%)	51	85
1	A	1302/1330 (98%)	1159 (89%)	138 (11%)	5 (0%)	34	72
1	S	1285/1330 (97%)	1146 (89%)	136 (11%)	3 (0%)	47	81
1	U	1307/1330 (98%)	1168 (89%)	137 (10%)	2 (0%)	47	81
1	a	1281/1330 (96%)	1137 (89%)	144 (11%)	0	100	100
1	e	1102/1330 (83%)	987 (90%)	114 (10%)	1 (0%)	51	85
1	f	1307/1330 (98%)	1162 (89%)	142 (11%)	3 (0%)	47	81
1	g	1304/1330 (98%)	1158 (89%)	146 (11%)	0	100	100
1	l	1307/1330 (98%)	1168 (89%)	138 (11%)	1 (0%)	51	85
1	m	1307/1330 (98%)	1163 (89%)	144 (11%)	0	100	100
1	n	1307/1330 (98%)	1163 (89%)	140 (11%)	4 (0%)	41	76
1	p	1307/1330 (98%)	1167 (89%)	139 (11%)	1 (0%)	51	85
1	q	1307/1330 (98%)	1183 (90%)	124 (10%)	0	100	100
1	u	1307/1330 (98%)	1156 (88%)	150 (12%)	1 (0%)	51	85
1	w	1307/1330 (98%)	1174 (90%)	132 (10%)	1 (0%)	51	85
1	y	1307/1330 (98%)	1168 (89%)	138 (11%)	1 (0%)	51	85
2	1	273/296 (92%)	252 (92%)	21 (8%)	0	100	100
2	2	273/296 (92%)	252 (92%)	21 (8%)	0	100	100
2	3	273/296 (92%)	250 (92%)	23 (8%)	0	100	100
2	j	261/296 (88%)	236 (90%)	25 (10%)	0	100	100
2	k	273/296 (92%)	252 (92%)	21 (8%)	0	100	100
2	o	294/296 (99%)	263 (90%)	31 (10%)	0	100	100
2	s	273/296 (92%)	248 (91%)	25 (9%)	0	100	100
2	v	285/296 (96%)	257 (90%)	28 (10%)	0	100	100
2	x	294/296 (99%)	258 (88%)	36 (12%)	0	100	100
2	z	294/296 (99%)	262 (89%)	32 (11%)	0	100	100
3	B	21/368 (6%)	11 (52%)	6 (29%)	4 (19%)	0	2
3	C	21/368 (6%)	11 (52%)	6 (29%)	4 (19%)	0	2
3	D	21/368 (6%)	11 (52%)	6 (29%)	4 (19%)	0	2
3	T	321/368 (87%)	293 (91%)	28 (9%)	0	100	100
3	W	21/368 (6%)	11 (52%)	6 (29%)	4 (19%)	0	2
3	d	14/368 (4%)	12 (86%)	2 (14%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	h	321/368 (87%)	292 (91%)	29 (9%)	0	100	100
3	i	321/368 (87%)	292 (91%)	29 (9%)	0	100	100
3	r	321/368 (87%)	293 (91%)	28 (9%)	0	100	100
3	t	321/368 (87%)	293 (91%)	28 (9%)	0	100	100
4	E	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	F	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	G	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	H	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	I	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	J	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	K	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	L	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	M	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	N	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	O	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	P	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	Q	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	R	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
4	V	87/103 (84%)	81 (93%)	6 (7%)	0	100	100
All	All	26452/29465 (90%)	23694 (90%)	2718 (10%)	40 (0%)	50	81

5 of 40 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	SER
3	B	13	VAL
3	B	16	GLY
3	B	20	VAL
3	C	13	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	1057/1072 (99%)	1056 (100%)	1 (0%)	93	96
1	A	1056/1072 (98%)	1050 (99%)	6 (1%)	86	92
1	S	1042/1072 (97%)	1042 (100%)	0	100	100
1	U	1057/1072 (99%)	1057 (100%)	0	100	100
1	a	1040/1072 (97%)	1040 (100%)	0	100	100
1	e	909/1072 (85%)	908 (100%)	1 (0%)	93	96
1	f	1057/1072 (99%)	1056 (100%)	1 (0%)	93	96
1	g	1057/1072 (99%)	1056 (100%)	1 (0%)	93	96
1	l	1057/1072 (99%)	1056 (100%)	1 (0%)	93	96
1	m	1057/1072 (99%)	1057 (100%)	0	100	100
1	n	1057/1072 (99%)	1057 (100%)	0	100	100
1	p	1057/1072 (99%)	1054 (100%)	3 (0%)	92	95
1	q	1057/1072 (99%)	1057 (100%)	0	100	100
1	u	1057/1072 (99%)	1057 (100%)	0	100	100
1	w	1057/1072 (99%)	1057 (100%)	0	100	100
1	y	1057/1072 (99%)	1056 (100%)	1 (0%)	93	96
2	1	223/235 (95%)	223 (100%)	0	100	100
2	2	223/235 (95%)	222 (100%)	1 (0%)	91	94
2	3	223/235 (95%)	223 (100%)	0	100	100
2	j	213/235 (91%)	212 (100%)	1 (0%)	88	93
2	k	223/235 (95%)	223 (100%)	0	100	100
2	o	235/235 (100%)	235 (100%)	0	100	100
2	s	223/235 (95%)	223 (100%)	0	100	100
2	v	233/235 (99%)	232 (100%)	1 (0%)	91	94
2	x	235/235 (100%)	234 (100%)	1 (0%)	91	94
2	z	235/235 (100%)	235 (100%)	0	100	100
3	B	17/279 (6%)	8 (47%)	9 (53%)	0	0
3	C	17/279 (6%)	7 (41%)	10 (59%)	0	0
3	D	17/279 (6%)	7 (41%)	10 (59%)	0	0
3	T	251/279 (90%)	199 (79%)	52 (21%)	1	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	W	17/279 (6%)	7 (41%)	10 (59%)	0	0
3	d	12/279 (4%)	12 (100%)	0	100	100
3	h	251/279 (90%)	199 (79%)	52 (21%)	1	7
3	i	251/279 (90%)	199 (79%)	52 (21%)	1	7
3	r	251/279 (90%)	200 (80%)	51 (20%)	1	8
3	t	251/279 (90%)	199 (79%)	52 (21%)	1	7
4	E	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	F	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	G	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	H	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	I	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	J	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	K	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	L	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	M	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	N	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	O	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	P	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	Q	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	R	78/87 (90%)	63 (81%)	15 (19%)	1	9
4	V	78/87 (90%)	63 (81%)	15 (19%)	1	9
All	All	21502/23597 (91%)	20960 (98%)	542 (2%)	50	68

5 of 542 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	r	177	ASP
3	r	265	THR
3	r	172	CYS
3	t	206	GLU
4	O	46	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 432 such sidechains are listed below:

Mol	Chain	Res	Type
1	l	938	HIS
2	o	163	ASN
1	y	172	GLN
1	l	1121	ASN
1	m	966	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31612. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 640



Y Index: 640




Z Index: 640


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 746



Y Index: 534




Z Index: 533


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 2.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 109801 nm³; this corresponds to an approximate mass of 99186 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.221\AA^{-1}

8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-31612 and PDB model 7FJ3. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.0).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 46% of all backbone atoms, 40% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (2.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4033	 0.0230
0	 0.4090	 0.0140
1	 0.3838	 0.0330
2	 0.3887	 0.0420
3	 0.3971	 0.0420
A	 0.4311	 0.0220
B	 0.2961	 0.0130
C	 0.3158	 -0.0010
D	 0.3750	 0.0430
E	 0.3424	 0.0280
F	 0.4083	 0.0500
G	 0.4069	 0.0350
H	 0.4470	 0.0910
I	 0.3639	 0.0840
J	 0.3266	 0.0600
K	 0.3768	 0.0520
L	 0.4126	 0.0710
M	 0.4556	 0.0680
N	 0.3926	 0.0720
O	 0.4456	 0.0890
P	 0.4384	 0.0900
Q	 0.4413	 0.0580
R	 0.3696	 0.0540
S	 0.4085	 0.0250
T	 0.3853	 0.0280
U	 0.4244	 0.0160
V	 0.3295	 0.0490
W	 0.3618	 0.0350
a	 0.4183	 0.0160
d	 0.3241	 -0.0070
e	 0.3037	 0.0320
f	 0.4239	 0.0070
g	 0.4178	 0.0140
h	 0.4188	 0.0120
i	 0.1374	 0.0220



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.1262	 0.0550
k	 0.1263	 0.0370
l	 0.4355	 0.0180
m	 0.4402	 0.0200
n	 0.4270	 0.0180
o	 0.3913	 0.0380
p	 0.4216	 0.0190
q	 0.4198	 0.0180
r	 0.4225	 0.0480
s	 0.3941	 0.0200
t	 0.4008	 0.0480
u	 0.4317	 0.0120
v	 0.3899	 0.0260
w	 0.4226	 0.0170
x	 0.3733	 0.0540
y	 0.4205	 0.0150
z	 0.3623	 0.0320