

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 3, 2025 – 07:10 pm BST

PDB ID	:	$9\mathrm{FJ2}~/~\mathrm{pdb}\_00009\mathrm{fj2}$
Title	:	Rubrerythrin from Clostridium difficile P28
Authors	:	Salgueiro, B.A.; Matias, P.M.; Romao, C.V.
Deposited on	:	2024-05-30
Resolution	:	2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
$\mathrm{EDS}$	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			17%		
1	А	178	81%	17%	•
			13%		
1	В	178	87%	12%	•
			12%		
1	С	178	85%	14%	•
			13%		
1	D	178	86%	12%	•
			13%		
1	Ε	178	87%	13%	



Mol	Chain	Length	Quality of chain		
_	Б	1 -	16%		
	F,	178	79%	19%	•
			13%		
1	G	178	84%	15%	•
			13%		
1	Н	178	87%	12%	·

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	0	D	204	-	-	-	Х



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 11797 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	175	Total	С	Ν	0	S	0	0	0
	A	175	1407	880	240	278	9	0	0	0
1	р	175	Total	С	Ν	0	S	0	0	0
1	D	175	1407	880	240	278	9	0	0	0
1	С	176	Total	С	Ν	0	S	0	0	0
1		170	1415	886	241	279	9	0	0	U
1	Л	175	Total	С	Ν	0	S	0	0	0
1	D	175	1407	880	240	278	9	0	0	0
1	F	178	Total	С	Ν	0	S	0	0	0
1	Ľ	110	1431	895	244	282	10	0	0	
1	Б	175	Total	С	Ν	Ο	S	0	0	0
	Г	175	1407	880	240	278	9	0	0	0
1	C	175	Total	С	Ν	0	S	0	0	0
	G	611	1407	880	240	278	9	0	0	0
1	ц	176	Total	С	Ν	0	S	0	0	0
	п	170	1415	886	241	279	9		U	U

• Molecule 1 is a protein called Rubrerythrin.

• Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	3	Total Fe 3 3	0	0
2	В	3	Total Fe 3 3	0	0
2	С	3	Total Fe 3 3	0	0
2	D	3	Total Fe 3 3	0	0
2	Е	3	Total Fe 3 3	0	0
2	F	3	Total Fe 3 3	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	3	Total Fe 3 3	0	0
2	Н	3	Total Fe 3 3	0	0

• Molecule 3 is OXYGEN ATOM (CCD ID: O) (formula: O) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total O 1 1	0	0
3	В	1	Total O 1 1	0	0
3	D	1	Total O 1 1	0	0
3	F	1	Total O 1 1	0	0
3	G	1	Total O 1 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	75	Total O 75 75	0	0
4	В	60	Total         O           60         60	0	0
4	С	63	Total O 63 63	0	0
4	D	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0
4	Е	53	$\begin{array}{cc} \text{Total} & \text{O} \\ 53 & 53 \end{array}$	0	0
4	F	66	Total O 66 66	0	0
4	G	42	Total O 42 42	0	0
4	Н	61	Total         O           61         61	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Rubrerythrin





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	62.77Å 67.67Å 95.33Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$93.29^{\circ}$ $98.34^{\circ}$ $106.88^{\circ}$	Depositor
Bosolution (Å)	36.15 - 2.19	Depositor
Resolution (A)	36.15 - 2.19	EDS
% Data completeness	93.9 (36.15-2.19)	Depositor
(in resolution range)	93.9 (36.15-2.19)	EDS
$R_{merge}$	0.29	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.13 (at 2.20 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
P. P.	0.264 , $0.321$	Depositor
$n, n_{free}$	0.264 , $0.320$	DCC
$R_{free}$ test set	3709 reflections $(4.88%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	28.6	Xtriage
Anisotropy	0.373	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.38 , $49.4$	EDS
L-test for $twinning^2$	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	11797	wwPDB-VP
Average B, all atoms $(Å^2)$	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 20.41 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.7360e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FE, O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	Bond lengths		angles
			# Z  > 5	RMSZ	# Z  > 5
1	А	0.11	0/1437	0.28	0/1938
1	В	0.12	0/1437	0.28	0/1938
1	С	0.11	0/1445	0.32	0/1949
1	D	0.14	0/1437	0.32	0/1938
1	Е	0.13	0/1461	0.28	0/1970
1	F	0.10	0/1437	0.26	0/1938
1	G	0.15	0/1437	0.35	0/1938
1	Н	0.12	0/1445	0.28	0/1949
All	All	0.12	0/11536	0.30	0/15558

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1407	0	1330	22	0
1	В	1407	0	1330	19	0
1	С	1415	0	1341	19	0
1	D	1407	0	1330	19	0
1	Е	1431	0	1359	17	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1407	0	1330	28	0
1	G	1407	0	1330	20	0
1	Н	1415	0	1341	14	0
2	А	3	0	0	0	0
2	В	3	0	0	0	0
2	С	3	0	0	0	0
2	D	3	0	0	0	0
2	Е	3	0	0	0	0
2	F	3	0	0	0	0
2	G	3	0	0	0	0
2	Н	3	0	0	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	D	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
4	А	75	0	0	3	0
4	В	60	0	0	4	0
4	С	63	0	0	2	0
4	D	52	0	0	3	0
4	Е	53	0	0	0	0
4	F	66	0	0	7	0
4	G	42	0	0	2	0
4	Н	61	0	0	2	0
All	All	11797	0	10691	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:C:136:GLU:HG3	1:C:156:THR:HG22	1.56	0.87
1:G:92:MET:HE1	1:H:15:ALA:HB2	1.64	0.79
1:F:107:THR:O	4:F:301:HOH:O	2.06	0.74
1:C:12:LEU:O	4:C:301:HOH:O	2.07	0.71
1:D:165:ASN:ND2	4:D:302:HOH:O	2.24	0.70
1:F:111:VAL:N	4:F:301:HOH:O	2.20	0.70
1:F:118:HIS:O	4:F:302:HOH:O	2.10	0.69
1:G:92:MET:HE3	1:H:11:ASN:HB3	1.77	0.66
1:E:88:MET:SD	4:F:322:HOH:O	2.54	0.65



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:136:GLU:HG3	1:G:156:THR:HG22	1.79	0.65
1:A:52:GLU:OE2	4:A:301:HOH:O	2.15	0.64
1:F:136:GLU:HG3	1:F:156:THR:HG22	1.78	0.64
1:G:97:ARG:NH2	1:G:106:ASP:OD1	2.31	0.64
1:E:55:HIS:CE1	1:F:115:GLU:OE2	2.52	0.61
1:C:16:PHE:N	4:C:301:HOH:O	2.33	0.61
1:D:136:GLU:HG3	1:D:156:THR:HG22	1.83	0.61
1:C:15:ALA:HB2	1:D:92:MET:HE1	1.83	0.60
1:D:32:LYS:NZ	4:D:308:HOH:O	2.34	0.60
1:H:104:ILE:HG22	1:H:108:MET:HE2	1.83	0.59
1:A:44:ILE:HG23	1:B:121:ARG:HH21	1.66	0.59
1:G:139:GLU:OE1	1:G:139:GLU:N	2.31	0.57
1:A:121:ARG:HH11	1:D:174:ARG:HH22	1.51	0.57
1:B:168:ARG:HH11	1:E:4:LYS:HD2	1.69	0.56
1:F:67:MET:HE3	1:F:68:PRO:HD2	1.88	0.56
1:E:118:HIS:ND1	4:F:304:HOH:O	2.26	0.55
1:F:52:GLU:OE2	4:F:304:HOH:O	2.17	0.55
1:A:57:LYS:O	1:A:61:LYS:HG3	2.07	0.55
1:B:133:THR:N	4:B:306:HOH:O	2.34	0.54
1:G:4:LYS:N	4:G:309:HOH:O	2.41	0.53
1:G:9:GLU:O	1:G:13:ASN:N	2.41	0.52
1:A:120:GLN:HA	1:A:123:VAL:HG22	1.90	0.52
1:C:38:TYR:HB3	1:C:41:ILE:HD12	1.91	0.52
1:C:11:ASN:ND2	1:D:95:GLU:OE1	2.42	0.52
1:E:92:MET:HG2	1:F:11:ASN:HB3	1.91	0.52
1:E:3:LEU:HB3	1:E:9:GLU:HB2	1.92	0.52
1:G:42:SER:N	4:G:301:HOH:O	2.23	0.52
1:C:11:ASN:HD22	1:D:92:MET:HA	1.75	0.52
1:B:139:GLU:HG2	1:B:140:GLU:N	2.26	0.51
1:F:7:LYS:O	1:F:11:ASN:ND2	2.44	0.51
1:B:136:GLU:HG2	1:B:156:THR:HG22	1.93	0.50
1:C:18:GLY:O	1:C:22:ALA:N	2.37	0.50
1:A:81:GLU:OE1	1:B:26:TYR:OH	2.16	0.50
4:A:301:HOH:O	1:B:118:HIS:ND1	2.23	0.50
1:B:26:TYR:HB2	1:B:49:ALA:HB2	1.94	0.50
1:E:169:SER:HB2	1:F:39:VAL:HG23	1.93	0.50
1:E:17:ALA:HB2	1:F:21:MET:HE2	1.93	0.49
1:E:23:ARG:O	1:E:27:THR:HG23	2.12	0.49
1:E:140:GLU:OE1	1:E:153:THR:OG1	2.28	0.49
1:F:87:ASP:O	1:F:91:ARG:HG2	2.13	0.49
1:D:57:LYS:NZ	4:D:318:HOH:O	2.45	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:157:ALA:O	1:B:168:ARG:NH2	2.46	0.49
1:G:41:ILE:HG23	1:H:125:LEU:HD13	1.95	0.49
1:B:151:LEU:HD21	1:B:174:ARG:HH11	1.76	0.49
1:A:157:ALA:HB3	1:A:168:ARG:HD2	1.95	0.48
1:F:111:VAL:O	1:F:115:GLU:HG2	2.13	0.48
1:G:103:ASP:N	1:G:103:ASP:OD1	2.46	0.48
1:C:97:ARG:NH2	1:C:106:ASP:OD1	2.45	0.48
1:G:7:LYS:HD2	1:G:10:LYS:HE3	1.95	0.48
1:A:168:ARG:HA	1:A:171:PHE:HD2	1.78	0.48
1:A:175:LYS:HB3	1:D:175:LYS:HD2	1.96	0.48
1:C:23:ARG:HH12	1:D:27:THR:HG21	1.79	0.48
1:A:23:ARG:HD2	1:A:53:LYS:HB2	1.96	0.48
1:G:11:ASN:ND2	1:H:95:GLU:OE2	2.37	0.47
1:H:5:GLY:N	4:H:301:HOH:O	2.26	0.47
1:D:18:GLY:HA2	1:D:21:MET:HB2	1.96	0.47
1:E:92:MET:HB3	1:E:108:MET:SD	2.55	0.47
1:A:4:LYS:N	4:A:308:HOH:O	2.48	0.47
1:A:7:LYS:HE3	1:A:10:LYS:HD3	1.97	0.47
1:B:48:THR:O	1:B:52:GLU:HG2	2.15	0.47
1:B:121:ARG:HD2	1:C:174:ARG:HH22	1.80	0.46
1:F:91:ARG:NH1	4:F:311:HOH:O	2.43	0.46
1:A:85:TRP:NE1	1:A:119:GLU:OE1	2.29	0.46
1:D:140:GLU:HA	1:D:155:LYS:HA	1.98	0.46
1:A:174:ARG:HG2	1:A:176:GLU:OE2	2.15	0.46
1:D:138:ALA:O	1:D:155:LYS:NZ	2.49	0.46
1:B:7:LYS:NZ	4:B:315:HOH:O	2.49	0.46
1:E:81:GLU:CD	1:E:84:GLU:OE1	2.59	0.46
1:B:34:LYS:HE3	1:B:39:VAL:HG22	1.98	0.45
1:D:69:ASP:N	1:D:69:ASP:OD1	2.47	0.45
1:E:144:GLU:HB2	1:E:174:ARG:HB2	1.99	0.45
1:F:175:LYS:HB2	1:G:175:LYS:HG2	1.99	0.45
1:D:111:VAL:O	1:D:115:GLU:HG2	2.16	0.45
1:H:111:VAL:O	1:H:115:GLU:HG2	2.16	0.45
1:F:115:GLU:HA	1:F:118:HIS:HB2	1.97	0.45
1:B:121:ARG:NH1	4:B:303:HOH:O	2.33	0.44
1:F:152:HIS:CG	1:F:158:PRO:HG3	2.52	0.44
1:A:173:VAL:O	1:D:177:ASN:ND2	2.46	0.44
1:H:16:PHE:CE1	1:H:60:PHE:HB2	2.52	0.44
1:B:121:ARG:HG2	1:C:178:TYR:OH	2.18	0.44
1:C:95:GLU:OE1	1:D:11:ASN:ND2	2.36	0.44
1:F:87:ASP:HA	1:F:91:ARG:NH1	2.33	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:H:118:HIS:ND1	4:H:303:HOH:O	2.29	0.43
1:F:144:GLU:OE2	1:F:174:ARG:NH1	2.42	0.43
1:A:97:ARG:NH2	1:A:106:ASP:OD1	2.52	0.43
1:C:48:THR:O	1:C:52:GLU:HG2	2.19	0.43
1:C:53:LYS:HB3	1:C:53:LYS:HE3	1.80	0.43
1:G:125:LEU:O	1:G:129:ILE:HG13	2.18	0.43
1:C:174:ARG:NH2	1:C:176:GLU:OE1	2.39	0.42
1:F:177:ASN:HB3	1:G:175:LYS:HB2	2.01	0.42
1:G:26:TYR:HB2	1:G:49:ALA:HB2	2.01	0.42
1:D:144:GLU:HB2	1:D:174:ARG:HB2	2.01	0.42
1:E:111:VAL:O	1:E:115:GLU:HG2	2.19	0.42
1:E:119:GLU:O	1:E:123:VAL:HG22	2.19	0.42
1:F:88:MET:O	1:F:92:MET:HG3	2.19	0.42
1:A:111:VAL:HA	1:A:114:ILE:HD12	2.02	0.42
1:F:84:GLU:HA	1:F:88:MET:HB3	2.01	0.42
1:F:7:LYS:HA	1:F:10:LYS:HE2	2.01	0.42
1:G:81:GLU:HA	1:G:84:GLU:OE1	2.20	0.42
1:A:151:LEU:HD21	1:A:174:ARG:HD2	2.01	0.42
1:F:142:LEU:HD12	1:F:142:LEU:HA	1.89	0.41
1:C:169:SER:HB2	1:D:39:VAL:HG23	2.02	0.41
1:F:38:TYR:HB3	1:F:41:ILE:HB	2.02	0.41
1:A:29:TYR:OH	1:B:76:ASP:OD2	2.32	0.41
1:A:125:LEU:HD11	1:B:44:ILE:HG21	2.03	0.41
1:B:94:LYS:NZ	4:B:307:HOH:O	2.36	0.41
1:H:105:ALA:HA	1:H:108:MET:HE3	2.03	0.41
1:H:120:GLN:HA	1:H:123:VAL:HG22	2.02	0.41
1:G:18:GLY:HA2	1:G:21:MET:HE3	2.03	0.41
1:C:26:TYR:HB2	1:C:49:ALA:HB2	2.02	0.41
1:F:23:ARG:O	1:F:27:THR:HG23	2.20	0.41
1:G:18:GLY:O	1:G:22:ALA:N	2.40	0.41
1:C:111:VAL:O	1:C:115:GLU:HG2	2.21	0.41
1:H:53:LYS:NZ	1:H:54:GLU:OE2	2.54	0.41
1:E:164:CYS:HA	1:G:58:LEU:HD21	2.03	0.40
1:F:6:THR:HG22	1:F:8:THR:H	1.84	0.40
1:H:139:GLU:HG2	1:H:140:GLU:N	2.36	0.40
1:F:133:THR:O	1:F:137:LYS:NZ	2.45	0.40
1:H:80:GLY:O	1:H:84:GLU:HG3	2.22	0.40
1:A:37:GLY:HA3	1:E:2:ASN:HB3	2.03	0.40
1:A:116:LYS:O	1:A:120:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentile	s
1	А	173/178~(97%)	169~(98%)	4 (2%)	0	100 100	]
1	В	173/178~(97%)	167~(96%)	6 (4%)	0	100 100	
1	С	174/178~(98%)	169 (97%)	5(3%)	0	100 100	
1	D	173/178~(97%)	166~(96%)	7 (4%)	0	100 100	
1	Е	176/178~(99%)	168 (96%)	8 (4%)	0	100 100	
1	F	173/178~(97%)	168~(97%)	5(3%)	0	100 100	
1	G	173/178~(97%)	169~(98%)	4 (2%)	0	100 100	
1	Н	174/178~(98%)	169~(97%)	4 (2%)	1 (1%)	22 23	
All	All	1389/1424~(98%)	1345 (97%)	43 (3%)	1 (0%)	48 57	

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Н	69	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percen	ntiles
1	А	147/150~(98%)	147 (100%)	0	100	100
1	В	147/150~(98%)	147 (100%)	0	100	100
1	С	148/150~(99%)	148 (100%)	0	100	100
1	D	147/150~(98%)	147 (100%)	0	100	100



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	Ε	150/150~(100%)	150 (100%)	0	100	100
1	F	147/150~(98%)	147 (100%)	0	100	100
1	G	147/150~(98%)	147 (100%)	0	100	100
1	Н	148/150~(99%)	148 (100%)	0	100	100
All	All	1181/1200~(98%)	1181 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	82	ASN
1	А	147	ASN
1	А	165	ASN
1	А	166	HIS
1	В	64	HIS
1	С	11	ASN
1	С	82	ASN
1	D	118	HIS
1	D	147	ASN
1	F	82	ASN
1	G	47	GLN
1	G	50	ASN
1	G	127	ASN
1	Н	13	ASN
1	Н	150	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



### 5.6 Ligand geometry (i)

Of 29 ligands modelled in this entry, 29 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSR	Z>2	2	$OWAB(Å^2)$	Q<0.9
1	А	175/178~(98%)	1.19	30 (17%)	5	4	22, 35, 51, 61	0
1	В	175/178~(98%)	1.13	23 (13%)	8	7	22, 33, 46, 55	0
1	С	176/178~(98%)	1.15	22~(12%)	9	7	24, 33, 46, 57	0
1	D	175/178~(98%)	1.15	24 (13%)	8	6	23, 34, 49, 54	0
1	Е	178/178~(100%)	1.08	24~(13%)	8	6	22, 32, 48, 59	0
1	F	175/178~(98%)	1.17	29 (16%)	5	4	22, 33, 48, 56	0
1	G	175/178~(98%)	1.04	23~(13%)	8	7	24, 33, 47, 64	0
1	Н	176/178~(98%)	1.13	24 (13%)	8	6	24, 34, 47, 58	0
All	All	1405/1424 (98%)	1.13	199 (14%)	7	6	22, 33, 48, 64	0

All (199) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	176	GLU	5.2
1	D	17	ALA	5.0
1	F	5	GLY	4.5
1	F	22	ALA	4.4
1	Н	3	LEU	4.3
1	D	175	LYS	4.1
1	С	94	LYS	4.0
1	С	178	TYR	3.8
1	А	93	ALA	3.7
1	А	104	ILE	3.7
1	Н	153	THR	3.7
1	С	18	GLY	3.6
1	Е	79	ALA	3.6
1	С	84	GLU	3.5
1	F	46	GLU	3.5
1	Е	88	MET	3.3



9F.	J2
-----	----

Mol	Chain	Res	Type	RSRZ
1	Е	70	THR	3.3
1	Н	83	PHE	3.3
1	D	14	GLU	3.3
1	Н	50	ASN	3.2
1	В	134	VAL	3.2
1	D	16	PHE	3.2
1	Н	16	PHE	3.2
1	Е	94	LYS	3.1
1	С	123	VAL	3.1
1	Е	18	GLY	3.0
1	D	138	ALA	3.0
1	Е	27	THR	3.0
1	F	134	VAL	3.0
1	E	101	PHE	3.0
1	В	35	LYS	3.0
1	D	102	ASP	3.0
1	F	10	LYS	3.0
1	В	13	ASN	3.0
1	D	101	PHE	3.0
1	А	26	TYR	3.0
1	G	9	GLU	3.0
1	G	139	GLU	3.0
1	F	65	ASP	3.0
1	А	86	THR	3.0
1	С	3	LEU	3.0
1	G	63	LEU	2.9
1	Н	165	ASN	2.9
1	В	81	GLU	2.9
1	G	4	LYS	2.9
1	G	11	ASN	2.9
1	D	141	THR	2.9
1	F	110	GLY	2.8
1	D	28	TYR	2.8
1	F	122	TYR	2.8
1	Е	87	ASP	2.8
1	A	99	GLU	2.8
1	А	88	MET	2.8
1	A	78	ALA	2.7
1	С	13	ASN	2.7
1	Е	4	LYS	2.7
1	F	175	LYS	2.7
1	С	37	GLY	2.7



9F.	J2
-----	----

Mol	Chain	Res	Type	RSRZ
1	Е	80	GLY	2.7
1	Н	141	THR	2.7
1	А	122	TYR	2.7
1	Е	81	GLU	2.7
1	А	175	LYS	2.7
1	Н	91	ARG	2.7
1	Н	163	VAL	2.7
1	D	153	THR	2.7
1	В	5	GLY	2.7
1	А	87	ASP	2.7
1	D	136	GLU	2.7
1	A	162	PRO	2.6
1	А	13	ASN	2.6
1	F	63	LEU	2.6
1	С	173	VAL	2.6
1	G	157	ALA	2.6
1	А	171	PHE	2.6
1	G	112	LEU	2.6
1	D	18	GLY	2.6
1	Е	89	TYR	2.6
1	D	176	GLU	2.6
1	Н	69	ASP	2.6
1	F	44	ILE	2.6
1	А	95	GLU	2.6
1	D	110	GLY	2.5
1	А	123	VAL	2.5
1	В	129	ILE	2.5
1	G	98	GLU	2.5
1	C	63	LEU	2.5
1	D	93	ALA	2.5
1	G	90	ALA	2.5
1	D	117	THR	2.5
1	B	83	PHE	2.5
1	E	78	ALA	2.5
1	F	111	VAL	2.5
1	F	151	LEU	2.5
1	F	88	MET	2.5
1	Н	17	ALA	2.5
1	D	46	GLU	2.4
1	Н	4	LYS	2.4
1	H	5	GLY	2.4
1	С	12	LEU	2.4



Mol	Chain	Res	Type	RSRZ
1	А	172	GLU	2.4
1	Е	171	PHE	2.4
1	Н	63	LEU	2.4
1	А	140	GLU	2.4
1	В	84	GLU	2.4
1	В	4	LYS	2.4
1	В	32	LYS	2.4
1	F	160	VAL	2.4
1	В	132	GLY	2.4
1	F	18	GLY	2.4
1	С	14	GLU	2.4
1	G	13	ASN	2.4
1	Е	86	THR	2.4
1	F	8	THR	2.4
1	F	27	THR	2.4
1	D	163	VAL	2.4
1	А	83	PHE	2.4
1	А	101	PHE	2.4
1	F	119	GLU	2.3
1	Е	82	ASN	2.3
1	F	147	ASN	2.3
1	D	116	LYS	2.3
1	F	107	THR	2.3
1	С	9	GLU	2.3
1	Е	26	TYR	2.3
1	В	79	ALA	2.3
1	G	33	ALA	2.3
1	Н	27	THR	2.3
1	F	71	VAL	2.3
1	F	25	LYS	2.3
1	Н	6	THR	2.3
1	G	142	LEU	2.3
1	A	157	ALA	2.3
1	D	15	ALA	2.3
1	В	46	GLU	2.2
1	Η	95	GLU	2.2
1	A	100	GLY	2.2
1	Н	154	GLY	2.2
1	D	155	LYS	2.2
1	A	166	HIS	2.2
1	Н	166	HIS	2.2
1	G	26	TYR	2.2



9F.	J2
-----	----

Mol	Chain	Res	Type	RSRZ
1	В	141	THR	2.2
1	Н	158	PRO	2.2
1	F	83	PHE	2.2
1	D	85	TRP	2.2
1	G	104	ILE	2.2
1	С	89	TYR	2.2
1	Н	176	GLU	2.2
1	А	8	THR	2.2
1	В	27	THR	2.2
1	С	6	THR	2.2
1	С	22	ALA	2.2
1	Н	93	ALA	2.2
1	А	158	PRO	2.2
1	Ε	60	PHE	2.2
1	А	85	TRP	2.2
1	Е	85	TRP	2.2
1	В	170	TYR	2.2
1	Е	90	ALA	2.2
1	Н	138	ALA	2.2
1	В	103	ASP	2.2
1	С	10	LYS	2.2
1	Е	5	GLY	2.2
1	В	101	PHE	2.1
1	D	146	LEU	2.1
1	А	76	ASP	2.1
1	С	50	ASN	2.1
1	А	98	GLU	2.1
1	Е	84	GLU	2.1
1	С	44	ILE	2.1
1	G	141	THR	2.1
1	Е	138	ALA	2.1
1	В	149	GLY	2.1
1	D	132	GLY	2.1
1	F	66	GLY	2.1
1	G	51	ASN	2.1
1	G	88	MET	2.1
1	С	4	LYS	2.1
1	В	60	PHE	2.1
1	G	146	LEU	2.1
1	А	30	ALA	2.1
1	G	108	MET	2.1
1	Ε	168	ARG	2.1



Mol	Chain	Res	Type	RSRZ
1	F	118	HIS	2.1
1	G	12	LEU	2.1
1	В	15	ALA	2.0
1	С	93	ALA	2.0
1	F	37	GLY	2.0
1	G	122	TYR	2.0
1	С	71	VAL	2.0
1	F	76	ASP	2.0
1	В	12	LEU	2.0
1	G	41	ILE	2.0
1	F	4	LYS	2.0
1	Н	34	LYS	2.0
1	В	143	TRP	2.0
1	G	143	TRP	2.0
1	А	71	VAL	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors( ${f A}^2$ )	Q < 0.9
3	0	D	204	1/1	0.60	0.49	43,43,43,43	0
3	0	F	204	1/1	0.80	0.13	42,42,42,42	0
2	FE	В	203	1/1	0.83	0.11	$55,\!55,\!55,\!55$	0
2	FE	F	201	1/1	0.87	0.09	44,44,44,44	0
2	FE	D	202	1/1	0.88	0.09	41,41,41,41	0
2	FE	G	201	1/1	0.89	0.09	40,40,40,40	0
2	FE	С	203	1/1	0.90	0.09	36,36,36,36	0
3	0	В	204	1/1	0.90	0.29	41,41,41,41	0



9F.	J2
-----	----

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FE	G	203	1/1	0.91	0.12	47,47,47,47	0
2	FE	Е	201	1/1	0.91	0.08	46,46,46,46	0
2	FE	А	203	1/1	0.91	0.08	41,41,41,41	0
2	FE	А	201	1/1	0.91	0.06	45,45,45,45	0
2	FE	С	201	1/1	0.92	0.06	$35,\!35,\!35,\!35$	0
2	FE	Н	202	1/1	0.92	0.10	35,35,35,35	0
3	0	А	204	1/1	0.92	0.07	39,39,39,39	0
2	FE	В	201	1/1	0.93	0.06	35,35,35,35	0
2	FE	Е	202	1/1	0.93	0.07	43,43,43,43	0
3	0	G	204	1/1	0.95	0.07	32,32,32,32	0
2	FE	Н	201	1/1	0.96	0.05	43,43,43,43	0
2	FE	А	202	1/1	0.97	0.03	29,29,29,29	0
2	FE	D	203	1/1	0.97	0.04	27,27,27,27	0
2	FE	F	203	1/1	0.97	0.04	26,26,26,26	0
2	FE	D	201	1/1	0.97	0.05	40,40,40,40	0
2	FE	В	202	1/1	0.98	0.05	27,27,27,27	0
2	FE	F	202	1/1	0.98	0.05	40,40,40,40	0
2	FE	С	202	1/1	0.98	0.07	$25,\!25,\!25,\!25$	0
2	FE	Н	203	1/1	0.99	0.02	26,26,26,26	0
2	FE	G	202	1/1	0.99	0.06	26,26,26,26	0
2	FE	Е	203	1/1	0.99	0.03	$27,\!27,\!27,\!27$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





















































































































## 6.5 Other polymers (i)

There are no such residues in this entry.

