

Full wwPDB X-ray Structure Validation Report (i)

Nov 4, 2023 – 03:52 PM EDT

PDB ID	:	7FQL
Title	:	Crystal Structure of human Legumain in complex with (2S)-N-[(1S)-3-amino-
		1-cyano-3-oxopropyl]-1-[1-[4-[(2,4-difluorophenyl)methoxy]phenyl]cyclopropa
		necarbonyl]pyrrolidine-2-carboxamide
Authors	:	Ehler, A.; Benz, J.; Bartels, B.; Rudolph, M.G.
Deposited on	:	2022-10-05
Resolution	:	2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R _{free}	130704	5743 (2.54-2.50)		
Clashscore	141614	6463 (2.54-2.50)		
Ramachandran outliers	138981	6335 (2.54-2.50)		
Sidechain outliers	138945	6337 (2.54-2.50)		
RSRZ outliers	127900	5630(2.54-2.50)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of cl	nain	
1	А	444	48%	11%	41%	
1	В	444	<mark>6%</mark> 50%	9%	40%	
1	С	444	5%	8%	41%	
1	D	444	5%	8%	41%	



Mol	Chain	Length		G	Quality of chain		
1	Е	444	5%	51%	8%	41%	-
1	F	444	8%	49%	10%	41%	_
1	G	444	11%	51%	8%	41%	-
1	Н	444	14%	53%	6%	41%	_
2	Ι	2			100%		-
2	J	2			100%		-

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	J	2	-	-	-	Х
4	NAG	C	501	-	-	-	Х



7FQL

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 17343 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	260	Total	С	Ν	0	S	0	0	0
1	A	200	2090	1321	354	400	15	0	0	0
1	В	265	Total	С	Ν	0	S	0	1	0
	D	205	2137	1352	364	406	15	0	1	0
1	С	261	Total	С	Ν	0	S	0	1	0
1		201	2108	1335	356	402	15	0	L	0
1	Л	260	Total	С	Ν	0	S	0	0	0
1	D	200	2090	1321	354	400	15	0	0	0
1	F	264	Total	С	Ν	0	S	0	0	0
1	Ľ	204	2124	1342	363	404	15	0	0	U
1	Б	260	Total	С	Ν	0	S	0	0	0
	Г	200	2090	1321	354	400	15	0	0	0
1	С	260	Total	С	Ν	0	S	0	0	0
	G	200	2090	1321	354	400	15	0	0	0
1	ц	260	Total	С	Ν	0	S	0	0	0
	п	200	2090	1321	354	400	15	0	0	

• Molecule 1 is a protein called Legumain.

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	0	MET	-	initiating methionine	UNP Q99538
А	1	LYS	-	expression tag	UNP Q99538
А	2	LEU	-	expression tag	UNP Q99538
А	3	CYS	-	expression tag	UNP Q99538
А	4	ILE	-	expression tag	UNP Q99538
А	5	LEU	-	expression tag	UNP Q99538
А	6	LEU	-	expression tag	UNP Q99538
А	7	ALA	-	expression tag	UNP Q99538
А	8	VAL	-	expression tag	UNP Q99538
А	9	VAL	-	expression tag	UNP Q99538
А	10	ALA	-	expression tag	UNP Q99538
А	11	PHE	-	expression tag	UNP Q99538
A	12	VAL	-	expression tag	UNP Q99538



Comment

Reference

Actual

Continued from previous page... Chain Residue Modelled

A14LEU-expression tagUNP Q99A15SER-expression tagUNP Q99A16LEU-expression tagUNP Q99A17CLYovpression tagUNP Q99	0538 0538 0538 0538
A15SER-expression tagUNP Q99A16LEU-expression tagUNP Q99A17CLYexpression tagUNP Q99)538)538)538
A 16 LEU - expression tag UNP Q99 A 17 CLV ovpression tag UNP Q99)538)538
A 17 CLV ovpression tog UND OO	538
11 311 - expression tag ONE Q95	
A 147 SNN ASP conflict UNP Q99)538
A 272 GLN ASN conflict UNP Q99)538
A 434 VAL - expression tag UNP Q99)538
A 435 ASP - expression tag UNP Q99)538
A 436 HIS - expression tag UNP Q99)538
A 437 HIS - expression tag UNP Q99)538
A 438 HIS - expression tag UNP Q99)538
A 439 HIS - expression tag UNP Q99)538
A 440 HIS - expression tag UNP Q99)538
A 441 HIS - expression tag UNP Q99)538
A 442 HIS - expression tag UNP Q99)538
A 443 HIS - expression tag UNP Q99)538
B 0 MET - initiating methionine UNP Q99)538
B 1 LYS - expression tag UNP Q99)538
B 2 LEU - expression tag UNP Q99)538
B 3 CYS - expression tag UNP Q99)538
B 4 ILE - expression tag UNP Q99)538
B 5 LEU - expression tag UNP Q99)538
B 6 LEU - expression tag UNP Q99)538
B 7 ALA - expression tag UNP Q99)538
B 8 VAL - expression tag UNP Q99)538
B 9 VAL - expression tag UNP Q99)538
B 10 ALA - expression tag UNP Q99)538
B 11 PHE - expression tag UNP Q99)538
B 12 VAL - expression tag UNP Q99)538
B 13 GLY - expression tag UNP Q99)538
B 14 LEU - expression tag UNP Q99)538
B 15 SER - expression tag UNP Q99)538
B 16 LEU - expression tag UNP Q99)538
B 17 GLY - expression tag UNP Q99)538
B 147 SNN ASP conflict UNP Q99)538
B 272 GLN ASN conflict UNP Q99	538
B 434 VAL - expression tag UNP Q99	538
B 435 ASP - expression tag UNP Q99	$5\overline{38}$
B 436 HIS - expression tag UNP Q99)538
B 437 HIS - expression tag UNP Q99	538
B 438 HIS - expression tag UNP Q99)538



Chain

В

В

В

В

В

С

C

 $\overline{\mathbf{C}}$

С

С

С

С

С

С

С

С

С

С

С

С

С

С

С

С

С

C

С

С

С

С

C

С

С

С

С

D

D

D

D

D

D

D

Comment

expression tag

expression tag

conflict

expression tag

initiating methionine

expression tag

expression tag

expression tag

expression tag

expression tag

expression tag

Reference

UNP Q99538

<u>UNP</u> Q99538

UNP Q99538

HIS	-	expression tag	UNP Q99538
HIS	-	expression tag	UNP Q99538
HIS	-	expression tag	UNP Q99538
MET	-	initiating methionine	UNP Q99538
LYS	-	expression tag	UNP Q99538
LEU	-	expression tag	UNP Q99538
CYS	-	expression tag	UNP Q99538
ILE	-	expression tag	UNP Q99538
LEU	-	expression tag	UNP Q99538
LEU	-	expression tag	UNP Q99538
ALA	-	expression tag	UNP Q99538
VAL	-	expression tag	UNP Q99538
VAL	-	expression tag	UNP Q99538
ALA	-	expression tag	UNP Q99538
PHE	-	expression tag	UNP Q99538
VAL	-	expression tag	UNP Q99538
GLY	-	expression tag	UNP Q99538
LEU	-	expression tag	UNP Q99538
SER	-	expression tag	UNP Q99538
LEU	-	expression tag	UNP Q99538
GLY	-	expression tag	UNP Q99538
SNN	ASP	conflict	UNP Q99538

Continued from previous page...

Modelled

HIS

HIS

HIS

Actual

_

-

Residue

439

440

441

442

443

0

1

 $\overline{2}$

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

147

272

434

435

436

437

438

439

440

441

442

443

0

1

 $\overline{2}$

3

4

5

6

GLN

VAL

ASP

HIS

HIS

HIS

HIS

HIS

HIS

HIS

HIS

MET

LYS

LEU

CYS

ILE

LEU

LEU

ASN

_

_

_

-

_

_

-

_

-

_

_

_

_

-

_

_

_



Continued from previous page...ChainResidueModelledActual

Chain	Residue	Modelled	Actual	Comment	Reference
D	7	ALA	-	expression tag	UNP Q99538
D	8	VAL	-	expression tag	UNP Q99538
D	9	VAL	-	expression tag	UNP Q99538
D	10	ALA	-	expression tag	UNP Q99538
D	11	PHE	-	expression tag	UNP Q99538
D	12	VAL	-	expression tag	UNP Q99538
D	13	GLY	-	expression tag	UNP Q99538
D	14	LEU	-	expression tag	UNP Q99538
D	15	SER	-	expression tag	UNP Q99538
D	16	LEU	-	expression tag	UNP Q99538
D	17	GLY	-	expression tag	UNP Q99538
D	147	SNN	ASP	conflict	UNP Q99538
D	272	GLN	ASN	conflict	UNP Q99538
D	434	VAL	-	expression tag	UNP Q99538
D	435	ASP	-	expression tag	UNP Q99538
D	436	HIS	-	expression tag	UNP Q99538
D	437	HIS	-	expression tag	UNP Q99538
D	438	HIS	-	expression tag	UNP Q99538
D	439	HIS	-	expression tag	UNP Q99538
D	440	HIS	-	expression tag	UNP Q99538
D	441	HIS	-	expression tag	UNP Q99538
D	442	HIS	-	expression tag	UNP Q99538
D	443	HIS	-	expression tag	UNP Q99538
E	0	MET	-	initiating methionine	UNP Q99538
E	1	LYS	-	expression tag	UNP Q99538
E	2	LEU	-	expression tag	UNP Q99538
Ε	3	CYS	-	expression tag	UNP Q99538
E	4	ILE	-	expression tag	UNP Q99538
E	5	LEU	-	expression tag	UNP Q99538
E	6	LEU	-	expression tag	UNP Q99538
E	7	ALA	-	expression tag	UNP Q99538
E	8	VAL	-	expression tag	UNP Q99538
E	9	VAL	-	expression tag	UNP Q99538
E	10	ALA	-	expression tag	UNP Q99538
E	11	PHE	-	expression tag	UNP Q99538
E	12	VAL	-	expression tag	UNP Q99538
E	13	GLY	-	expression tag	UNP Q99538
E	14	LEU	-	expression tag	UNP Q99538
E	15	SER	-	expression tag	UNP Q99538
E	16	LEU	-	expression tag	UNP Q99538
E	17	GLY	-	expression tag	UNP Q99538
E	147	SNN	ASP	conflict	UNP Q99538



Chain	Residue	Modelled	Actual	Comment	Reference
Е	272	GLN	ASN	conflict	UNP Q99538
Е	434	VAL	-	expression tag	UNP Q99538
Е	435	ASP	-	expression tag	UNP Q99538
Е	436	HIS	-	expression tag	UNP Q99538
Е	437	HIS	-	expression tag	UNP Q99538
Е	438	HIS	-	expression tag	UNP Q99538
Е	439	HIS	-	expression tag	UNP Q99538
Е	440	HIS	-	expression tag	UNP Q99538
Е	441	HIS	-	expression tag	UNP Q99538
Е	442	HIS	-	expression tag	UNP Q99538
Е	443	HIS	-	expression tag	UNP Q99538
F	0	MET	-	initiating methionine	UNP Q99538
F	1	LYS	-	expression tag	UNP Q99538
F	2	LEU	-	expression tag	UNP Q99538
F	3	CYS	-	expression tag	UNP Q99538
F	4	ILE	-	expression tag	UNP Q99538
F	5	LEU	-	expression tag	UNP Q99538
F	6	LEU	-	expression tag	UNP Q99538
F	7	ALA	-	expression tag	UNP Q99538
F	8	VAL	-	expression tag	UNP Q99538
F	9	VAL	-	expression tag	UNP Q99538
F	10	ALA	-	expression tag	UNP Q99538
F	11	PHE	-	expression tag	UNP Q99538
F	12	VAL	-	expression tag	UNP Q99538
F	13	GLY	-	expression tag	UNP Q99538
F	14	LEU	-	expression tag	UNP Q99538
F	15	SER	-	expression tag	UNP Q99538
F	16	LEU	-	expression tag	UNP Q99538
F	17	GLY	-	expression tag	UNP Q99538
F	147	SNN	ASP	conflict	UNP Q99538
F	272	GLN	ASN	conflict	UNP Q99538
F	434	VAL	-	expression tag	UNP Q99538
F	435	ASP	-	expression tag	UNP Q99538
F	436	HIS	-	expression tag	UNP Q99538
F	437	HIS	-	expression tag	UNP Q99538
F	438	HIS	-	expression tag	UNP Q99538
F	439	HIS	-	expression tag	UNP Q99538
F	440	HIS	-	expression tag	UNP Q99538
F	441	HIS	-	expression tag	UNP Q99538
F	442	HIS	-	expression tag	UNP Q99538
F	443	HIS	-	expression tag	UNP Q99538
G	0	MET	-	initiating methionine	UNP Q99538

Continued from previous page...



Continued from previous page...ChainResidueModelledActual

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	LYS	_	expression tag	UNP Q99538
G	2	LEU	_	expression tag	UNP Q99538
G	3	CYS	-	expression tag	UNP Q99538
G	4	ILE	_	expression tag	UNP Q99538
G	5	LEU	-	expression tag	UNP Q99538
G	6	LEU	_	expression tag	UNP Q99538
G	7	ALA	-	expression tag	UNP Q99538
G	8	VAL	-	expression tag	UNP Q99538
G	9	VAL	-	expression tag	UNP Q99538
G	10	ALA	-	expression tag	UNP Q99538
G	11	PHE	-	expression tag	UNP Q99538
G	12	VAL	-	expression tag	UNP Q99538
G	13	GLY	-	expression tag	UNP Q99538
G	14	LEU	-	expression tag	UNP Q99538
G	15	SER	-	expression tag	UNP Q99538
G	16	LEU	-	expression tag	UNP Q99538
G	17	GLY	-	expression tag	UNP Q99538
G	147	SNN	ASP	conflict	UNP Q99538
G	272	GLN	ASN	conflict	UNP Q99538
G	434	VAL	-	expression tag	UNP Q99538
G	435	ASP	-	expression tag	UNP Q99538
G	436	HIS	-	expression tag	UNP Q99538
G	437	HIS	-	expression tag	UNP Q99538
G	438	HIS	-	expression tag	UNP Q99538
G	439	HIS	-	expression tag	UNP Q99538
G	440	HIS	-	expression tag	UNP Q99538
G	441	HIS	-	expression tag	UNP Q99538
G	442	HIS	-	expression tag	UNP Q99538
G	443	HIS	-	expression tag	UNP Q99538
Н	0	MET	-	initiating methionine	UNP Q99538
Н	1	LYS	-	expression tag	UNP Q99538
Н	2	LEU	-	expression tag	UNP Q99538
H	3	CYS	-	expression tag	UNP Q99538
Н	4	ILE	-	expression tag	UNP Q99538
H	5	LEU	-	expression tag	UNP Q99538
Н	6	LEU	-	expression tag	UNP Q99538
Н	7	ALA	-	expression tag	UNP Q99538
Н	8	VAL	-	expression tag	UNP Q99538
Н	9	VAL	-	expression tag	UNP Q99538
Н	10	ALA	-	expression tag	UNP Q99538
Н	11	PHE	-	expression tag	UNP Q99538
Н	12	VAL	-	expression tag	UNP Q99538



Chain	Residue	Modelled	Actual	Comment	Reference
Н	13	GLY	-	expression tag	UNP Q99538
Н	14	LEU	-	expression tag	UNP Q99538
H	15	SER	-	expression tag	UNP Q99538
Н	16	LEU	-	expression tag	UNP Q99538
Н	17	GLY	-	expression tag	UNP Q99538
Н	147	SNN	ASP	conflict	UNP Q99538
Н	272	GLN	ASN	conflict	UNP Q99538
H	434	VAL	-	expression tag	UNP Q99538
H	435	ASP	-	expression tag	UNP Q99538
Н	436	HIS	-	expression tag	UNP Q99538
Н	437	HIS	-	expression tag	UNP Q99538
H	438	HIS	-	expression tag	UNP Q99538
H	439	HIS	-	expression tag	UNP Q99538
Н	440	HIS	-	expression tag	UNP Q99538
Н	441	HIS	-	expression tag	UNP Q99538
H	442	HIS	-	expression tag	UNP Q99538
H	443	HIS	_	expression tag	UNP Q99538

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
2	Ι	2	Total 28	C 16	N 2	O 10	0	0	0
2	J	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 3 is N-[(2R)-4-amino-1-imino-4-oxobutan-2-yl]-1-(1-{4-[(2,4-difluorophenyl)met hoxy]phenyl}cyclopropane-1-carbonyl)-L-prolinamide (three-letter code: WSN) (formula: $C_{26}H_{28}F_2N_4O_4$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		Ato	\mathbf{ms}			ZeroOcc	AltConf
2	Δ	1	Total	С	F	Ν	0	0	0
5	A	L	36	26	2	4	4	0	0
2	В	1	Total	С	F	Ν	0	0	0
5	D	T	36	26	2	4	4	0	0
2	C	1	Total	С	F	Ν	0	0	0
5		I	36	26	2	4	4	0	0
2	П	1	Total	С	F	Ν	0	0	0
5	D	I	36	26	2	4	4	0	
3	F	1	Total	С	F	Ν	Ο	0	0
5		T	36	26	2	4	4	0	0
3	F	1	Total	С	F	Ν	Ο	0	0
5	Ľ	T	36	26	2	4	4	0	0
3	G	1	Total	С	F	Ν	Ο	0	0
5	G	1	36	26	2	4	4	0	0
3	н	1	Total	С	F	Ν	0	0	0
5	11	T	36	26	2	4	4	U	U

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C N O 14 8 1 5	0	0
4	С	1	Total C N O 14 8 1 5	0	0
4	D	1	Total C N O 14 8 1 5	0	0
4	Е	1	Total C N O 14 8 1 5	0	0
4	F	1	Total C N O 14 8 1 5	0	0
4	F	1	Total C N O 14 8 1 5	0	0
4	G	1	Total C N O 14 8 1 5	0	0
4	G	1	Total C N O 14 8 1 5	0	0
4	Н	1	Total C N O 14 8 1 5	0	0
4	Н	1	Total C N O 14 8 1 5	0	0

• Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	Total O S	0	0
0	D	1	5 4 1	0	0
5	С	1	Total O S	0	0
0	0	I	5 4 1	0	0
5	E	1	Total O S	0	0
0	Ц	I	5 4 1	0	0
5	F	1	Total O S	0	0
0	1	I	5 4 1	0	0
5	F	1	Total O S	0	0
0	1	I	5 4 1	0	0
5	G	1	Total O S	0	0
	<u> </u>	1	5 4 1	0	0
5	G	1	Total O S	0	0
	<u> </u>	1	5 4 1	0	0
5	н	1	Total O S	0	0
0	11	1	5 4 1		



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Legumain



• Molecule 1: Legumain











HIS HIS HIS HIS HIS HIS HIS

• Molecule 1: Legumain



HIS TYR VAL ASP HIS HIS HIS HIS HIS HIS HIS HIS

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose

Chain I:

100%

NAG1 NAG2

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:

100%

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	89.30Å 131.94Å 117.68Å	Deperitor
a, b, c, α , β , γ	90.00° 90.25° 90.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	49.03 - 2.53	Depositor
Resolution (A)	53.06 - 2.53	EDS
% Data completeness	51.5 (49.03-2.53)	Depositor
(in resolution range)	49.9(53.06-2.53)	EDS
R _{merge}	0.21	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.58 (at 2.55 Å)	Xtriage
Refinement program	PHENIX dev_4230	Depositor
D D	0.192 , 0.252	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.203 , 0.264	DCC
R_{free} test set	2311 reflections $(4.96%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	19.4	Xtriage
Anisotropy	0.867	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31, 18.8	EDS
L-test for twinning ²	$< L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.024 for h,-k,-l	Xtriage
F_o, F_c correlation	0.74	EDS
Total number of atoms	17343	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 8.42% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, WSN, SNN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		lengths	Bond angles	
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/2139	0.47	0/2902
1	В	0.26	0/2190	0.47	0/2968
1	С	0.26	0/2161	0.47	0/2931
1	D	0.25	0/2139	0.46	0/2902
1	Е	0.25	0/2173	0.47	0/2945
1	F	0.26	0/2139	0.46	0/2902
1	G	0.25	0/2139	0.46	0/2902
1	Н	0.25	0/2139	0.48	0/2902
All	All	0.25	0/17219	0.47	0/23354

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	146	THR	Mainchain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2090	0	1968	24	0
1	В	2137	0	2024	23	0
1	С	2108	0	1990	18	0
1	D	2090	0	1968	19	0
1	Е	2124	0	2011	18	0
1	F	2090	0	1967	30	0
1	G	2090	0	1967	18	0
1	Н	2090	0	1967	12	0
2	Ι	28	0	25	3	0
2	J	28	0	25	0	0
3	А	36	0	0	1	0
3	В	36	0	0	0	0
3	С	36	0	0	0	0
3	D	36	0	0	2	0
3	Е	36	0	0	0	0
3	F	36	0	0	0	0
3	G	36	0	0	0	0
3	Н	36	0	0	1	0
4	А	14	0	13	0	0
4	С	14	0	13	0	0
4	D	14	0	13	0	0
4	Е	14	0	13	0	0
4	F	28	0	26	0	0
4	G	28	0	26	0	0
4	Н	28	0	26	0	0
5	В	5	0	0	0	0
5	С	5	0	0	0	0
5	Е	5	0	0	0	0
5	F	10	0	0	0	0
5	G	10	0	0	0	0
5	Н	5	0	0	0	0
All	All	17343	0	16042	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:B:197:HIS:HB3	2:I:1:NAG:H3	1.64	0.78	
1:F:214:GLU:OE2	1:F:266:HIS:ND1	2.24	0.68	
1:A:249:GLU:HG3	1:A:253:LYS:HD3	1.75	0.66	
1:F:210:ALA:HB1	1:F:214:GLU:HB3	1.76	0.66	
1:H:214:GLU:OE2	1:H:266:HIS:ND1	2.22	0.66	
1:F:31:VAL:HG11	1:F:56:ILE:HG13	1.79	0.64	
1:B:210:ALA:HB1	1:B:214:GLU:HB3	1.80	0.64	
1:A:88:ASN:ND2	1:A:229:LEU:O	2.31	0.63	
1:B:211:ASN:HD22	1:B:266:HIS:HB2	1.65	0.62	
1:A:251:LEU:HB2	1:A:276:SER:HA	1.83	0.61	
1:C:210:ALA:HB1	1:C:214:GLU:HG3	1.82	0.61	
1:G:137:PRO:HB3	1:G:177:LYS:HB3	1.82	0.61	
1:D:231:ASP:OD1	3:D:501:WSN:N10	2.35	0.59	
1:B:79:ASP:HA	1:F:257:LEU:HD21	1.84	0.58	
1:C:75:ALA:O	1:C:80:ASN:ND2	2.36	0.58	
1:C:79:ASP:HA	1:E:257:LEU:HD21	1.85	0.58	
1:G:124:VAL:HA	1:G:127:ILE:HD12	1.86	0.57	
1:E:252:HIS:HB2	1:E:276:SER:HB2	1.85	0.57	
1:A:210:ALA:HB1	1:A:214:GLU:HB3	1.85	0.57	
1:A:198:LEU:HD21	1:A:204:VAL:HG12	1.88	0.56	
1:G:211:ASN:ND2	1:G:214:GLU:OE2	2.39	0.56	
1:D:67:VAL:HG11	1:D:116:VAL:HG11	1.87	0.56	
1:F:183:VAL:HG22	1:F:205:TYR:HB3	1.87	0.55	
1:F:67:VAL:HG11	1:F:116:VAL:HG11	1.88	0.55	
1:F:181:LYS:HD3	1:F:203:ASN:HB3	1.89	0.54	
1:H:252:HIS:HB2	1:H:276:SER:HB2	1.90	0.54	
1:F:252:HIS:HB2	1:F:276:SER:HB2	1.91	0.53	
1:F:61:ILE:HG13	1:F:285:GLY:HA2	1.91	0.52	
1:D:122:GLU:OE1	1:D:125:LYS:HE2	2.10	0.52	
1:G:245:ASP:OD1	1:G:247:THR:OG1	2.27	0.52	
1:C:110:PRO:HB3	1:C:161:LEU:HB2	1.92	0.52	
1:F:31:VAL:HG21	1:F:56:ILE:HD12	1.92	0.51	
1:A:251:LEU:HD23	1:A:280:VAL:HG22	1.92	0.51	
1:G:249:GLU:HG3	1:G:253:LYS:HD3	1.92	0.51	
1:D:251:LEU:HD23	1:D:280:VAL:HG22	1.92	0.50	
1:E:137:PRO:HB3	1:E:177:LYS:HB3	1.93	0.50	
1:G:31:VAL:HG11	1:G:56:ILE:HG13	1.91	0.50	
1:F:122:GLU:HA	1:F:125:LYS:HG3	1.93	0.50	
1:H:31:VAL:HG21	1:H:56:ILE:HD12	1.94	0.50	
1:A:214:GLU:OE2	1:A:266:HIS:ND1	2.45	0.50	
1:F:249:GLU:HG3	1:F:253:LYS:HD3	1.93	0.49	
1:A:40:TRP:HZ2	1:A:225:ARG:HB3	1.76	0.49	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:70:MET:O	1:E:104:THR:HA	2.13	0.49	
1:B:34:VAL:HG22	1:B:69:MET:HB2	1.95	0.49	
1:F:122:GLU:HA	1:F:125:LYS:HE2	1.95	0.48	
1:B:183:VAL:HA	1:B:205:TYR:O	2.13	0.48	
1:B:203:ASN:HA	1:B:275:ILE:HD11	1.95	0.48	
1:D:70:MET:O	1:D:104:THR:HA	2.13	0.48	
1:C:30:TRP:CD1	1:C:135:SER:HB3	2.48	0.48	
1:E:69:MET:HG2	1:E:103:TYR:HB2	1.95	0.48	
1:H:183:VAL:HA	1:H:205:TYR:O	2.13	0.48	
1:B:31:VAL:HG11	1:B:56:ILE:HG13	1.96	0.48	
1:B:88:ASN:ND2	1:B:229:LEU:O	2.47	0.48	
1:A:70:MET:O	1:A:104:THR:HA	2.14	0.47	
3:A:501:WSN:F36	3:A:501:WSN:O25	2.20	0.47	
1:B:222:ASP:O	1:B:226:SER:N	2.46	0.47	
1:A:56:ILE:HG23	1:A:61:ILE:HD12	1.96	0.47	
1:B:251:LEU:HD23	1:B:280:VAL:HG22	1.95	0.47	
1:D:120:ASP:OD2	1:F:259:LYS:NZ	2.35	0.47	
1:F:190:GLU:N	1:F:214:GLU:O	2.45	0.47	
1:D:101:LYS:HB3	1:D:104:THR:CG2	2.45	0.47	
1:F:69:MET:HG2	1:F:103:TYR:HB2	1.97	0.47	
1:H:70:MET:O	1:H:104:THR:HA	2.14	0.46	
1:A:231:ASP:O	1:A:235:VAL:HG22	2.14	0.46	
1:D:181:LYS:HD3	1:D:203:ASN:HB3	1.98	0.46	
1:G:211:ASN:HD22	1:G:266:HIS:HB2	1.80	0.46	
1:F:183:VAL:HA	1:F:205:TYR:O	2.16	0.46	
1:E:183:VAL:HA	1:E:205:TYR:O	2.16	0.46	
1:F:90:PRO:HD3	1:F:220:TYR:CG	2.50	0.46	
1:G:183:VAL:HA	1:G:205:TYR:O	2.15	0.46	
1:G:221:TYR:HB2	1:G:228:TYR:CE1	2.51	0.46	
1:B:124:VAL:HA	1:B:127:ILE:HD12	1.98	0.46	
1:H:202:ILE:HG13	1:H:204:VAL:HG23	1.98	0.46	
2:I:1:NAG:O4	2:I:2:NAG:O7	2.33	0.46	
1:A:120:ASP:OD2	1:E:259:LYS:NZ	2.47	0.46	
1:D:259:LYS:HA	1:D:267:VAL:HB	1.98	0.46	
1:G:70:MET:O	1:G:104:THR:HA	2.16	0.46	
1:B:199:PRO:HA	2:I:2:NAG:H81	1.99	0.45	
1:E:53:TYR:CZ	1:E:100:PRO:HD3	2.51	0.45	
1:G:73:ASP:O	1:G:77:SER:HB2	2.17	0.45	
1:G:198:LEU:HD21	1:G:204:VAL:HG12	1.98	0.45	
1:B:31:VAL:HG21	1:B:56:ILE:HD12	1.97	0.45	
1:D:226:SER:O	3:D:501:WSN:F35	2.24	0.45	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:48:ASP:HB3	1:E:144:TYR:OH	2.16	0.45	
1:G:254:GLN:O	1:G:258:VAL:HG23	2.17	0.45	
1:H:124:VAL:HA	1:H:127:ILE:HD12	1.99	0.45	
1:F:116:VAL:HA	1:F:132:VAL:HG12	1.99	0.45	
1:A:53:TYR:CZ	1:A:100:PRO:HD3	2.51	0.45	
1:D:110:PRO:HB3	1:D:161:LEU:HB2	1.98	0.45	
1:E:90:PRO:HD3	1:E:220:TYR:CG	2.52	0.44	
1:F:30:TRP:CD1	1:F:135:SER:HB3	2.52	0.44	
1:H:145:PHE:CE2	1:H:154:LEU:HD22	2.52	0.44	
1:A:90:PRO:HD3	1:A:220:TYR:CG	2.52	0.44	
1:F:251:LEU:HD23	1:F:280:VAL:HG22	1.99	0.44	
1:C:70:MET:O	1:C:104:THR:HA	2.17	0.44	
1:F:70:MET:O	1:F:104:THR:HA	2.17	0.44	
1:B:83:PRO:HG3	1:F:253:LYS:NZ	2.33	0.44	
1:B:190:GLU:HG2	1:B:214:GLU:O	2.17	0.44	
1:C:241:SER:OG	1:C:254:GLN:NE2	2.46	0.44	
1:G:31:VAL:HG21	1:G:56:ILE:HD12	1.99	0.44	
1:B:221:TYR:HB2	1:B:228:TYR:CE1	2.53	0.43	
1:B:114:LEU:HD22	1:B:169:THR:HG21	2.00	0.43	
1:E:198:LEU:HD21	1:E:204:VAL:HG12	2.00	0.43	
1:C:249:GLU:HG3	1:C:253:LYS:HD3	1.99	0.43	
1:B:237:TRP:HB3	1:B:258:VAL:HG21	2.00	0.43	
1:E:80:ASN:ND2	1:E:82:THR:O	2.51	0.43	
1:A:199:PRO:HB2	1:A:202:ILE:HG23	2.01	0.43	
1:D:48:ASP:HB3	1:D:144:TYR:OH	2.18	0.43	
1:E:85:ILE:HG23	1:E:94:ASP:HB2	2.01	0.43	
1:B:149:GLY:O	1:B:189:CYS:HB2	2.19	0.43	
1:C:34:VAL:HG21	1:C:113:PHE:CD1	2.53	0.43	
1:F:231:ASP:O	1:F:235:VAL:HG22	2.19	0.43	
1:D:203:ASN:HA	1:D:275:ILE:HD11	2.01	0.43	
1:G:144:TYR:HA	1:G:185:TYR:O	2.19	0.43	
1:E:118:ARG:HG3	1:E:169:THR:HG23	2.01	0.43	
1:A:31:VAL:HG21	1:A:56:ILE:HD12	2.00	0.42	
1:G:252:HIS:HB2	1:G:276:SER:HB2	2.01	0.42	
1:H:31:VAL:HA	1:H:142:PHE:O	2.19	0.42	
1:A:34:VAL:HG21	1:A:113:PHE:CD1	2.54	0.42	
1:C:48:ASP:HA	1:C:238:MET:HE1	2.01	0.42	
1:D:31:VAL:HA	1:D:142:PHE:O	2.19	0.42	
1:E:124:VAL:HA	1:E:127:ILE:HD12	2.01	0.42	
1:A:80:ASN:ND2	1:A:82:THR:O	2.53	0.42	
1:C:202:ILE:HG13	1:C:204:VAL:HG23	2.01	0.42	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:211:ASN:OD1	1:B:214:GLU:HB2	2.20	0.42
1:F:113:PHE:CZ	1:F:117:LEU:HD11	2.55	0.42
1:G:149:GLY:O	1:G:189:CYS:HB2	2.19	0.42
1:D:86:VAL:HB	1:D:96:TYR:HB2	2.01	0.42
1:H:68:VAL:HG21	1:H:100:PRO:HD2	2.01	0.42
1:H:231:ASP:OD2	3:H:501:WSN:N10	2.53	0.42
1:A:183:VAL:HA	1:A:205:TYR:O	2.19	0.42
1:F:34:VAL:HG21	1:F:113:PHE:CD1	2.55	0.42
1:B:89:ARG:HG3	1:B:92:GLY:HA3	2.01	0.42
1:C:31:VAL:HA	1:C:142:PHE:O	2.19	0.42
1:C:113:PHE:CZ	1:C:117:LEU:HD11	2.55	0.41
1:D:198:LEU:HD21	1:D:204:VAL:HG12	2.02	0.41
1:A:237:TRP:HB3	1:A:258:VAL:HG21	2.02	0.41
1:E:61:ILE:HG13	1:E:285:GLY:HA2	2.01	0.41
1:F:29:HIS:ND1	1:F:286:MET:HB3	2.35	0.41
1:B:136:GLY:N	1:B:139:ASP:OD2	2.40	0.41
1:H:117:LEU:HD23	1:H:117:LEU:HA	1.86	0.41
1:A:182:MET:HB3	1:A:204:VAL:HG22	2.02	0.41
1:C:56:ILE:HG23	1:C:61:ILE:HD12	2.02	0.41
1:E:86:VAL:HB	1:E:96:TYR:HB2	2.02	0.41
1:A:31:VAL:HA	1:A:142:PHE:O	2.21	0.41
1:A:50:CYS:HB3	1:A:95:VAL:O	2.21	0.41
1:F:116:VAL:HG13	1:F:132:VAL:HA	2.02	0.41
1:G:90:PRO:HD3	1:G:220:TYR:CG	2.56	0.41
1:C:198:LEU:HD21	1:C:204:VAL:HG12	2.03	0.41
1:D:125:LYS:O	1:F:266:HIS:NE2	2.53	0.41
1:D:183:VAL:HA	1:D:205:TYR:O	2.20	0.41
1:C:196:ASN:HA	1:C:270:TYR:CD1	2.56	0.41
1:C:198:LEU:HD23	1:C:271:GLY:HA3	2.02	0.41
1:A:44:ARG:HG3	1:A:45:HIS:CD2	2.56	0.40
1:D:190:GLU:N	1:D:214:GLU:O	2.42	0.40
1:E:89:ARG:HH21	1:E:92:GLY:HA2	1.87	0.40
1:F:198:LEU:HD23	1:F:271:GLY:HA3	2.03	0.40
1:C:183:VAL:HA	1:C:205:TYR:O	2.22	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	257/444~(58%)	250~(97%)	7 (3%)	0	100	100
1	В	263/444~(59%)	256~(97%)	7 (3%)	0	100	100
1	С	259/444~(58%)	255~(98%)	4 (2%)	0	100	100
1	D	257/444~(58%)	251~(98%)	6(2%)	0	100	100
1	Е	261/444~(59%)	256~(98%)	5 (2%)	0	100	100
1	F	257/444~(58%)	251~(98%)	6(2%)	0	100	100
1	G	257/444~(58%)	253~(98%)	4 (2%)	0	100	100
1	Н	257/444~(58%)	$250 \ (97\%)$	7(3%)	0	100	100
All	All	2068/3552~(58%)	2022 (98%)	46 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	227/396~(57%)	221 (97%)	6 (3%)	46 70
1	В	231/396~(58%)	228~(99%)	3 (1%)	69 86
1	С	229/396~(58%)	228 (100%)	1 (0%)	91 97
1	D	227/396~(57%)	222~(98%)	5(2%)	52 75
1	Ε	230/396~(58%)	228~(99%)	2(1%)	78 91
1	F	227/396~(57%)	226 (100%)	1 (0%)	91 97



Mol	Chain	Analysed	Analysed Rotameric Outli		Percer	ntiles
1	G	227/396~(57%)	225~(99%)	2(1%)	78	91
1	Н	227/396~(57%)	224 (99%)	3(1%)	69	86
All	All	1825/3168~(58%)	1802 (99%)	23 (1%)	69	86

All (23) residues with a non-rotameric sidechain are listed below:

\mathbf{Mol}	Chain	Res	Type
1	А	146	THR
1	А	159	GLU
1	А	256	HIS
1	А	261	HIS
1	А	265	SER
1	А	273	LYS
1	В	111	GLN
1	В	256	HIS
1	В	282	GLN
1	С	256	HIS
1	D	159	GLU
1	D	256	HIS
1	D	264	THR
1	D	265	SER
1	D	277	THR
1	Е	159	GLU
1	Е	226	SER
1	F	261	HIS
1	G	214	GLU
1	G	265	SER
1	Н	138	GLN
1	Н	146	THR
1	Н	265	SER

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type
1	В	211	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	E	Bond ang	gles
WIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
1	SNN	В	147	1	5,6,8	2.33	1 (20%)	3,6,11	3.36	2 (66%)
1	SNN	D	147	1	5,6,8	2.35	1 (20%)	3,6,11	3.26	2 (66%)
1	SNN	А	147	1	5,6,8	2.33	1 (20%)	3,6,11	3.29	2 (66%)
1	SNN	С	147	1	5,6,8	2.39	1 (20%)	3,6,11	3.19	2 (66%)
1	SNN	Е	147	1	5,6,8	2.40	1 (20%)	3,6,11	3.19	2 (66%)
1	SNN	Н	147	1	5,6,8	2.38	1 (20%)	3,6,11	3.16	2 (66%)
1	SNN	G	147	1	5,6,8	2.41	1 (20%)	3,6,11	3.20	2 (66%)
1	SNN	F	147	1	5,6,8	2.34	1 (20%)	3,6,11	3.18	2 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SNN	В	147	1	-	2/3/5/12	-
1	SNN	D	147	1	-	2/3/5/12	-
1	SNN	А	147	1	-	3/3/5/12	-
1	SNN	С	147	1	-	3/3/5/12	-
1	SNN	Е	147	1	-	2/3/5/12	-
1	SNN	Н	147	1	-	3/3/5/12	-
1	SNN	G	147	1	-	3/3/5/12	-
1	SNN	F	147	1	-	2/3/5/12	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	G	147	SNN	C4-C5	5.33	1.63	1.49



Mol	Chain	Res	Type	Atoms	Ζ	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	С	147	SNN	C4-C5	5.28	1.63	1.49
1	Е	147	SNN	C4-C5	5.27	1.63	1.49
1	Н	147	SNN	C4-C5	5.24	1.63	1.49
1	D	147	SNN	C4-C5	5.21	1.63	1.49
1	А	147	SNN	C4-C5	5.16	1.63	1.49
1	F	147	SNN	C4-C5	5.15	1.63	1.49
1	В	147	SNN	C4-C5	5.11	1.63	1.49

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Е	147	SNN	CA-C4-C5	-4.25	98.32	114.44
1	В	147	SNN	CA-C4-C5	-4.22	98.47	114.44
1	D	147	SNN	CA-C4-C5	-4.13	98.81	114.44
1	F	147	SNN	CA-C4-C5	-4.08	98.99	114.44
1	С	147	SNN	CA-C4-C5	-4.00	99.30	114.44
1	А	147	SNN	CA-C4-C5	-3.96	99.42	114.44
1	G	147	SNN	CA-C4-C5	-3.96	99.44	114.44
1	Н	147	SNN	CA-C4-C5	-3.96	99.44	114.44
1	А	147	SNN	C4-CA-C	-3.78	104.39	111.44
1	В	147	SNN	C4-CA-C	-3.71	104.51	111.44
1	D	147	SNN	C4-CA-C	-3.55	104.81	111.44
1	G	147	SNN	C4-CA-C	-3.52	104.87	111.44
1	С	147	SNN	C4-CA-C	-3.50	104.91	111.44
1	F	147	SNN	C4-CA-C	-3.41	105.08	111.44
1	Н	147	SNN	C4-CA-C	-3.39	105.11	111.44
1	Е	147	SNN	C4-CA-C	-3.16	105.53	111.44

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	А	147	SNN	O-C-CA-C4
1	А	147	SNN	C5-C4-CA-N
1	В	147	SNN	O-C-CA-C4
1	В	147	SNN	C5-C4-CA-N
1	С	147	SNN	O-C-CA-C4
1	С	147	SNN	C5-C4-CA-N
1	D	147	SNN	O-C-CA-C4
1	D	147	SNN	C5-C4-CA-N
1	Е	147	SNN	O-C-CA-C4
1	Е	147	SNN	C5-C4-CA-N



Mol	Chain	Res	Type	Atoms
1	F	147	SNN	O-C-CA-C4
1	F	147	SNN	C5-C4-CA-N
1	G	147	SNN	O-C-CA-C4
1	G	147	SNN	C5-C4-CA-N
1	Н	147	SNN	O-C-CA-C4
1	Н	147	SNN	C5-C4-CA-N
1	С	147	SNN	CA-C4-C5-O5
1	G	147	SNN	CA-C4-C5-O5
1	Н	147	SNN	CA-C4-C5-O5
1	А	147	SNN	CA-C4-C5-O5

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Turne	Chain	Dec	Res Link	Bo	ond leng	$_{\rm ths}$	Bond angles		
	турс		nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	Ι	1	2,1	14,14,15	0.71	1 (7%)	17,19,21	0.56	0
2	NAG	Ι	2	2	14,14,15	0.88	1 (7%)	17,19,21	0.99	2 (11%)
2	NAG	J	1	2,1	14,14,15	0.84	1 (7%)	17,19,21	0.79	0
2	NAG	J	2	2	14,14,15	0.68	1 (7%)	17,19,21	0.46	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type Chain		Res	Link	Chirals	Torsions	Rings
2	NAG	Ι	1	2,1	-	2/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Ι	2	2	-	2/6/23/26	0/1/1/1
2	NAG	J	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	J	2	2	-	4/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	ol Chain Res Type		Type	Atoms Z		$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	J	1	NAG	O5-C1	-3.01	1.38	1.43
2	Ι	2	NAG	C1-C2	2.70	1.56	1.52
2	Ι	1	NAG	O5-C1	-2.29	1.40	1.43
2	J	2	NAG	O5-C1	-2.06	1.40	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Ι	2	NAG	C1-O5-C5	2.37	115.41	112.19
2	Ι	2	NAG	C2-N2-C7	2.11	125.90	122.90

C3-C2-N2-C7

C4-C5-C6-O6

There are no chirality outliers.

. ,				
Mol	Chain	Res	Type	Atoms
2	Ι	1	NAG	C8-C7-N2-C2
2	Ι	1	NAG	O7-C7-N2-C2
2	J	2	NAG	O5-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
2	J	2	NAG	C1-C2-N2-C7
2	Ι	2	NAG	C1-C2-N2-C7
2	Ι	2	NAG	C3-C2-N2-C7

NAG

NAG

All (9) torsion outliers are listed below:

There are no ring outliers.

J

J

2

2

2 monomers are involved in 3 short contacts:

2

1

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Ι	1	NAG	2	0
2	Ι	2	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,





bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry (i)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Turne	Chain	Res	Tink	Bo	$_{\rm ths}$	Bond angles			
	туре	Unain		LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	WSN	Е	501	1	36,39,39	0.17	0	49,56,56	0.29	0
5	SO4	В	502	-	4,4,4	0.14	0	6,6,6	0.10	0
4	NAG	F	501	1	14,14,15	0.57	0	17,19,21	0.51	0
3	WSN	G	502	1	36,39,39	0.20	0	49,56,56	0.34	0



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	B	ond ang	gles
	Type	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	WSN	D	501	1	36,39,39	0.21	0	49,56,56	0.54	0
4	NAG	F	503	1	14,14,15	0.22	0	17,19,21	0.33	0
3	WSN	F	502	1	36,39,39	0.21	0	49,56,56	0.37	0
4	NAG	С	501	1	14,14,15	0.30	0	17,19,21	0.36	0
5	SO4	Н	504	-	4,4,4	0.15	0	6,6,6	0.09	0
3	WSN	В	501	1	36,39,39	0.16	0	49,56,56	0.30	0
5	SO4	G	505	-	4,4,4	0.14	0	6,6,6	0.10	0
5	SO4	Е	503	-	4,4,4	0.14	0	6,6,6	0.07	0
3	WSN	Н	501	1	36,39,39	0.22	0	49,56,56	0.31	0
4	NAG	Н	503	1	14,14,15	0.33	0	17,19,21	0.71	1 (5%)
5	SO4	С	503	-	4,4,4	0.14	0	6,6,6	0.09	0
3	WSN	С	502	1	36,39,39	0.17	0	49,56,56	0.29	0
5	SO4	G	504	-	4,4,4	0.14	0	6,6,6	0.08	0
5	SO4	F	504	-	4,4,4	0.14	0	6,6,6	0.13	0
5	SO4	F	505	-	4,4,4	0.14	0	6,6,6	0.07	0
4	NAG	Н	502	1	14,14,15	0.49	0	17,19,21	0.41	0
4	NAG	G	503	1	14,14,15	0.17	0	17,19,21	0.49	0
4	NAG	G	501	1	14,14,15	0.34	0	17,19,21	0.59	0
4	NAG	D	502	1	14,14,15	0.24	0	17,19,21	0.60	0
4	NAG	A	502	1	14,14,15	0.21	0	17,19,21	0.36	0
4	NAG	E	502	1	14,14,15	0.28	0	17,19,21	0.48	0
3	WSN	A	501	1	36,39,39	0.21	0	49,56,56	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	WSN	В	501	1	-	5/33/49/49	0/4/4/4
3	WSN	С	502	1	-	3/33/49/49	0/4/4/4
3	WSN	Е	501	1	-	3/33/49/49	0/4/4/4
4	NAG	F	501	1	-	0/6/23/26	0/1/1/1
3	WSN	G	502	1	-	2/33/49/49	0/4/4/4
4	NAG	D	502	1	-	0/6/23/26	0/1/1/1
4	NAG	А	502	1	-	0/6/23/26	0/1/1/1
3	WSN	D	501	1	-	3/33/49/49	0/4/4/4
3	WSN	А	501	1	-	5/33/49/49	0/4/4/4
3	WSN	Н	501	1	-	0/33/49/49	0/4/4/4
4	NAG	Е	502	1	-	1/6/23/26	0/1/1/1
4	NAG	F	503	1	-	1/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	WSN	F	502	1	-	2/33/49/49	0/4/4/4
4	NAG	Н	503	1	-	2/6/23/26	0/1/1/1
4	NAG	С	501	1	-	3/6/23/26	0/1/1/1
4	NAG	Н	502	1	-	0/6/23/26	0/1/1/1
4	NAG	G	503	1	-	0/6/23/26	0/1/1/1
4	NAG	G	501	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	Н	503	NAG	C1-O5-C5	2.33	115.35	112.19

There are no chirality outliers.

All (32) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	501	WSN	O25-C26-C27-C28
3	С	502	WSN	C1-C2-N4-C5
3	В	501	WSN	C1-C2-N4-C5
3	С	502	WSN	O3-C2-N4-C5
4	G	501	NAG	O5-C5-C6-O6
3	В	501	WSN	O3-C2-N4-C5
4	Н	503	NAG	O5-C5-C6-O6
4	G	501	NAG	C4-C5-C6-O6
4	С	501	NAG	C8-C7-N2-C2
4	С	501	NAG	O7-C7-N2-C2
3	А	501	WSN	O25-C26-C27-C32
4	Н	503	NAG	C4-C5-C6-O6
3	D	501	WSN	C27-C26-O25-C22
4	С	501	NAG	O5-C5-C6-O6
3	G	502	WSN	C21-C22-O25-C26
3	G	502	WSN	C23-C22-O25-C26
3	С	502	WSN	C27-C26-O25-C22
3	В	501	WSN	C27-C26-O25-C22
3	D	501	WSN	C33-C18-C19-C20
3	D	501	WSN	C33-C18-C19-C24
3	А	501	WSN	C27-C26-O25-C22
4	Е	502	NAG	C3-C2-N2-C7
3	В	501	WSN	C16-C18-C19-C20



Mol	Chain	Res	Type	Atoms
3	Е	501	WSN	C16-C18-C19-C20
3	Е	501	WSN	C16-C18-C19-C24
3	F	502	WSN	C16-C18-C19-C20
4	F	503	NAG	O5-C5-C6-O6
3	А	501	WSN	C21-C22-O25-C26
3	А	501	WSN	C23-C22-O25-C26
3	В	501	WSN	O25-C26-C27-C28
3	F	502	WSN	O25-C26-C27-C32
3	Е	501	WSN	O25-C26-C27-C32

Continued from previous page...

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	501	WSN	2	0
3	Н	501	WSN	1	0
3	А	501	WSN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























Rings



Torsions







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2		$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q < 0.9
1	А	259/444~(58%)	0.91	26 (10%) 7	7	21, 38, 55, 71	0
1	В	264/444~(59%)	1.08	27 (10%) 6	6	27, 41, 69, 90	0
1	С	260/444~(58%)	1.01	22 (8%) 10 1	11	25, 38, 57, 73	0
1	D	259/444~(58%)	0.76	20 (7%) 13 1	14	24, 40, 59, 75	0
1	Ε	263/444~(59%)	1.00	20 (7%) 13 1	14	23, 42, 66, 103	0
1	F	259/444~(58%)	1.11	34 (13%) 3	3	26, 43, 68, 99	0
1	G	259/444~(58%)	1.25	47 (18%) 1	1	30, 47, 68, 89	0
1	Η	259/444~(58%)	1.37	62~(23%) 0	0	32, 51, 78, 96	0
All	All	2082/3552~(58%)	1.06	258 (12%) 4	3	21, 42, 67, 103	0

All (258) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	41[A]	TYR	5.2
1	G	76	TYR	4.7
1	В	124	VAL	4.7
1	G	41	TYR	4.6
1	С	41[A]	TYR	4.6
1	D	27	GLY	4.6
1	F	172	TYR	4.4
1	Н	134	LYS	4.3
1	F	124	VAL	4.2
1	С	287	LYS	4.1
1	А	170	ILE	4.1
1	F	113	PHE	4.0
1	G	286	MET	4.0
1	А	169	THR	3.9
1	A	200	ASP	3.9
1	Н	62	PRO	3.8



Continuea from previous page							
Mol	Chain	Res	Type	RSRZ			
1	В	125	LYS	3.8			
1	Ε	288	ARG	3.8			
1	G	74	ILE	3.7			
1	G	67	VAL	3.7			
1	G	115	ALA	3.7			
1	В	26	GLY	3.6			
1	D	141	VAL	3.6			
1	D	183	VAL	3.6			
1	G	68	VAL	3.6			
1	А	171	HIS	3.5			
1	В	137	PRO	3.5			
1	D	138	GLN	3.5			
1	Н	126	GLY	3.5			
1	Н	27	GLY	3.5			
1	Н	170	ILE	3.5			
1	Н	31	VAL	3.5			
1	F	134	LYS	3.4			
1	А	179	TYR	3.3			
1	А	174	TYR	3.2			
1	Н	163	VAL	3.2			
1	G	121	ALA	3.2			
1	Е	243	VAL	3.2			
1	Е	204	VAL	3.1			
1	G	66	ILE	3.1			
1	Н	53	TYR	3.1			
1	А	136	GLY	3.1			
1	В	111	GLN	3.1			
1	G	198	LEU	3.1			
1	F	32	VAL	3.1			
1	В	134	LYS	3.1			
1	Н	61	ILE	3.1			
1	Е	163	VAL	3.1			
1	В	288	ARG	3.0			
1	С	263	ASN	3.0			
1	Н	265	SER	3.0			
1	F	243	VAL	3.0			
1	А	198	LEU	3.0			
1	В	133	LEU	3.0			
1	Е	98	GLY	3.0			
1	A	196	ASN	2.9			
1	F	176	HIS	2.9			
1	А	182	MET	2.9			

Continued from previous page...



Mol	Chain	Res	Type	RSRZ
1	А	195	MET	2.9
1	С	264	THR	2.9
1	Е	223	GLU	2.9
1	G	122	GLU	2.9
1	Н	138	GLN	2.9
1	Н	150	SER	2.9
1	С	127	ILE	2.9
1	В	43	TYR	2.9
1	G	133	LEU	2.8
1	А	172	TYR	2.8
1	Е	172	TYR	2.8
1	Н	209	ALA	2.8
1	D	286	MET	2.8
1	F	117	LEU	2.8
1	F	257	LEU	2.8
1	В	103	TYR	2.8
1	Н	60	GLY	2.8
1	Н	127	ILE	2.8
1	В	172	TYR	2.7
1	В	177	LYS	2.7
1	D	136	GLY	2.7
1	Е	270	TYR	2.7
1	А	133	LEU	2.7
1	Н	106	GLU	2.7
1	G	62	PRO	2.7
1	Н	125	LYS	2.7
1	А	246	LEU	2.7
1	С	103	TYR	2.7
1	G	53	TYR	2.7
1	Н	41	TYR	2.7
1	С	199	PRO	2.7
1	D	171	HIS	2.7
1	Н	185	TYR	2.7
1	Е	155	VAL	2.6
1	Н	210	ALA	2.6
1	G	251	LEU	2.6
1	Н	133	LEU	2.6
1	A	280	VAL	2.6
1	D	31	VAL	2.6
1	В	247	THR	2.6
1	F	75	ALA	2.6
1	Н	113	PHE	2.6



Mol	Chain	Res	Type	RSRZ
1	F	175	LYS	2.6
1	Н	100	PRO	2.6
1	А	41	TYR	2.6
1	Н	171	HIS	2.6
1	В	132	VAL	2.6
1	F	108	VAL	2.6
1	С	224	LYS	2.6
1	Н	272	GLN	2.6
1	В	289	LYS	2.6
1	Е	165	ASP	2.6
1	Е	117	LEU	2.6
1	F	61	ILE	2.6
1	D	271	GLY	2.6
1	F	133	LEU	2.5
1	Н	191	SER	2.5
1	G	255	TYR	2.5
1	F	122	GLU	2.5
1	С	132	VAL	2.5
1	D	283	PHE	2.5
1	G	61	ILE	2.5
1	G	170	ILE	2.5
1	Н	232	TRP	2.5
1	G	247	THR	2.5
1	G	120	ASP	2.5
1	F	33	ILE	2.5
1	В	76	TYR	2.5
1	Н	29	HIS	2.5
1	G	257	LEU	2.4
1	А	270	TYR	2.4
1	Н	217	TYR	2.4
1	Е	202	ILE	2.4
1	F	126	GLY	2.4
1	Е	111	GLN	2.4
1	D	133	LEU	2.4
1	G	96	TYR	2.4
1	Н	275	ILE	2.4
1	D	211	ASN	2.4
1	Е	274	THR	2.4
1	Н	264	THR	2.4
1	G	280	VAL	2.4
1	В	138	GLN	2.4
1	D	282	GLN	2.4



Mol	Chain	Res	Type	RSRZ
1	Н	58	ARG	2.4
1	D	65	GLN	2.4
1	Н	267	VAL	2.4
1	А	205	TYR	2.4
1	F	56	ILE	2.4
1	F	170	ILE	2.4
1	Н	194	MET	2.4
1	F	84	GLY	2.4
1	А	202	ILE	2.4
1	Н	66	ILE	2.4
1	А	91	ASN	2.3
1	F	85	ILE	2.3
1	F	97	GLN	2.3
1	Н	168	GLU	2.3
1	G	131	LYS	2.3
1	C	130	GLY	2.3
1	G	117	LEU	2.3
1	F	232	TRP	2.3
1	F	156	PHE	2.3
1	Н	122	GLU	2.3
1	В	224	LYS	2.3
1	F	121	ALA	2.3
1	Н	188	ALA	2.3
1	G	183	VAL	2.3
1	Н	64	GLU	2.3
1	В	221	TYR	2.3
1	С	76	TYR	2.3
1	G	108	VAL	2.3
1	В	118	ARG	2.3
1	Н	55	ILE	2.3
1	G	215	SER	2.3
1	Н	216	SER	2.3
1	Н	154	LEU	2.3
1	G	116	VAL	2.3
1	G	103	TYR	2.3
1	Н	198	LEU	2.3
1	G	81	PRO	2.2
1	Н	32	VAL	2.2
1	G	72	ASP	2.2
1	G	123	ALA	2.2
1	F	30	TRP	2.2
1	G	71	TYR	2.2



Mol	Chain	Res	Type	RSRZ
1	С	65	GLN	2.2
1	Н	97	GLN	2.2
1	G	34	VAL	2.2
1	С	121	ALA	2.2
1	D	61	ILE	2.2
1	G	184	PHE	2.2
1	Н	233	TYR	2.2
1	Н	263	ASN	2.2
1	А	193	SER	2.2
1	Е	290	ALA	2.2
1	G	56	ILE	2.2
1	G	156	PHE	2.2
1	В	40	TRP	2.2
1	Н	172	TYR	2.2
1	А	197	HIS	2.2
1	С	138	GLN	2.2
1	Е	123	ALA	2.2
1	Н	205	TYR	2.2
1	А	138	GLN	2.2
1	D	29	HIS	2.2
1	А	141	VAL	2.2
1	F	163	VAL	2.2
1	Н	28	LYS	2.2
1	Н	111	GLN	2.2
1	В	290	ALA	2.2
1	Е	277	THR	2.2
1	В	171	HIS	2.1
1	F	91	ASN	2.1
1	G	104	THR	2.1
1	А	137	PRO	2.1
1	D	142	PHE	2.1
1	H	193	SER	2.1
1	G	175	LYS	2.1
1	С	169	THR	2.1
1	F	82	THR	2.1
1	В	85	ILE	2.1
1	С	111	GLN	2.1
1	F	127	ILE	2.1
1	G	102	ASP	2.1
1	G	70	MET	2.1
1	Н	128	GLY	2.1
1	С	67	VAL	2.1



Mol

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

SER	2.1
LEU	2.1
LEU	2.1
GLY	2.1
GLU	2.1
GLU	2.1
VAL	2.1
THR	2.1
TYR	2.1
ASN	2.1
ALA	2.0
HIS	2.0

Continued from previous page...

 \mathbf{Res}

267

76

260

178

99

71

216

133

161

149

106

106

68

262

179

91

206

171

205

117

199

212

109

224

232

35

247

128

260

215

56

66

Type

VAL

TYR

SER

MET

VAL

TYR

TYR

LEU

PRO

PRO

THR

LYS

TRP

ALA

THR

GLY

SER

SER

ILE

ILE

RSRZ

2.1

2.1

2.1

2.1

2.1

2.1

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

2.0

Chain

G

Н

F

 $\frac{A}{G}$

В

В

 $\overline{\mathbf{C}}$

Η

Η

С

G

F

Η

Е

G

G

Е

Е

Η

Η

Η

F

Η

С

F

С

С

D

Η

D

D

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	SNN	С	147	7/8	0.82	0.23	27,28,29,31	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	SNN	G	147	7/8	0.82	0.23	$53,\!55,\!57,\!59$	0
1	SNN	Е	147	7/8	0.84	0.18	30,34,35,37	0
1	SNN	Н	147	7/8	0.88	0.27	37,38,42,50	0
1	SNN	В	147	7/8	0.89	0.19	32,33,36,37	0
1	SNN	F	147	7/8	0.89	0.17	29,31,33,36	0
1	SNN	А	147	7/8	0.90	0.18	24,28,30,33	0
1	SNN	D	147	7/8	0.93	0.17	23,27,30,32	0

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
2	NAG	J	2	14/15	0.53	0.54	84,98,114,117	0
2	NAG	J	1	14/15	0.62	0.29	54,76,85,93	0
2	NAG	Ι	1	14/15	0.84	0.26	43,57,71,72	0
2	NAG	Ι	2	14/15	0.85	0.20	$51,\!60,\!63,\!63$	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.









6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	NAG	Н	503	14/15	0.49	0.34	56,70,78,80	0
4	NAG	А	502	14/15	0.62	0.31	60, 70, 75, 76	0
4	NAG	G	501	14/15	0.63	0.33	52,67,72,73	0
4	NAG	D	502	14/15	0.70	0.20	49,60,66,66	0
4	NAG	С	501	14/15	0.74	0.44	54,60,67,72	0
4	NAG	F	501	14/15	0.76	0.25	48,64,76,79	0
4	NAG	F	503	14/15	0.76	0.29	27,35,43,43	0
3	WSN	В	501	36/36	0.82	0.34	27,36,45,58	0
4	NAG	Е	502	14/15	0.82	0.25	28,35,42,43	0
3	WSN	Н	501	36/36	0.82	0.28	29,36,74,82	0
5	SO4	F	504	5/5	0.83	0.19	$55,\!55,\!59,\!78$	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B -factors($Å^2$)	Q<0.9
5	SO4	G	505	5/5	0.83	0.18	56,75,80,80	0
4	NAG	Н	502	14/15	0.84	0.29	24,30,40,41	0
5	SO4	В	502	5/5	0.84	0.27	62,65,85,85	0
3	WSN	F	502	36/36	0.85	0.26	24,33,54,59	0
3	WSN	G	502	36/36	0.85	0.29	28,38,61,64	0
3	WSN	С	502	36/36	0.85	0.24	$28,\!36,\!45,\!52$	0
3	WSN	D	501	36/36	0.85	0.24	$26,\!35,\!46,\!56$	0
3	WSN	E	501	36/36	0.85	0.26	$25,\!31,\!51,\!74$	0
4	NAG	G	503	14/15	0.86	0.22	24,29,38,41	0
3	WSN	А	501	36/36	0.88	0.23	27,35,40,44	0
5	SO4	С	503	5/5	0.88	0.20	52,58,72,74	0
5	SO4	F	505	5/5	0.89	0.12	59,59,72,76	0
5	SO4	Н	504	5/5	0.91	0.16	43,52,57,60	0
5	SO4	E	503	5/5	0.92	0.22	54,54,59,72	0
5	SO4	G	504	5/5	0.95	0.12	43,50,53,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















6.5 Other polymers (i)

There are no such residues in this entry.

